
50
40
30
20
10
0
−log10(p−value)
−5
0
5
log2(B2020vsB2017.WT)


LowReproducibility
mHTT−specific
WT−mHTT−shared
WT−Q111−shared
WT−QQ−shared
WT−specific
−log10(p−value)
log2(B2020vsB2017.WT)


7.5
5.0
2.5
0.0
−log10(p−value)
−3
0
3
6
log2(B2017.mHTTvsWT)


LowReproducibility
mHTT−specific
WT−mHTT−shared
WT−Q111−shared
WT−QQ−shared
WT−specific
−log10(p−value)
log2(B2017.mHTTvsWT)


−log10(p−value)
4
3
2
1
0
−2.5
0.0
2.5
log2(B2020.mHTTvsWT)


LowReproducibility
mHTT−specific
WT−mHTT−shared
WT−Q111−shared
WT−QQ−shared
WT−specific
−log10(p−value)
log2(B2020.mHTTvsWT)


−log10(p−value)
6
4
2
0
−4
0
4
log2(B2020vsB2017.mHTTvsWT)


LowReproducibility
mHTT−specific
WT−mHTT−shared
WT−Q111−shared
WT−QQ−shared
WT−specific
−log10(p−value)
log2(B2020vsB2017.mHTTvsWT)


6
4
2
0
−log10(p−value)
−2
0
2
log2(adjusted_for_batches.mHTTvsWT)


LowReproducibility
mHTT−specific
WT−mHTT−shared
WT−Q111−shared
WT−QQ−shared
WT−specific
−log10(p−value)
log2(adjusted_for_batches.mHTTvsWT)