
6
4
2
0
−log10(p−value)
−2
0
2
log2(corrected_for_batches.mHTTvsWT)


LowReproducibility
Potential−WT−specific
WT−specific
WT−mHTT−shared
Potential−mHTT−specific
mHTT−specific
Q111−specific
−log10(p−value)
log2(corrected_for_batches.mHTTvsWT)


10
5
0
−log10(p−value)
−6
−4
−2
0
2
log2(corrected_for_batches.QhetvsWT)


LowReproducibility
Potential−WT−specific
WT−specific
WT−mHTT−shared
Potential−mHTT−specific
mHTT−specific
Q111−specific
−log10(p−value)
log2(corrected_for_batches.QhetvsWT)


6
4
2
0
−log10(p−value)
−4
−2
0
2
log2(corrected_for_batches.mHTTvsWT)


LowReproducibility
Potential−WT−specific
WT−specific
WT−mHTT−shared
Potential−mHTT−specific
mHTT−specific
Q111−specific
−log10(p−value)
log2(corrected_for_batches.mHTTvsWT)


20
15
10
5
0
−log10(p−value)
−5
0
5
log2(corrected_for_batches.mHTTvsQhet)


LowReproducibility
Potential−WT−specific
WT−specific
WT−mHTT−shared
Potential−mHTT−specific
mHTT−specific
Q111−specific
−log10(p−value)
log2(corrected_for_batches.mHTTvsQhet)