Assumptions in global irrigation models

Seth Nathaniel Linga


2025-03-28

Contents

1	Number of assumptions	2
2	Nature of assumptions	3
3	Evolution of assumptions (LPJmL)	5
4	Sharing of assumptions	6
5	Network citation of pragmatic assumptions	8
6	Sankey diagram	10

1 Number of assumptions


```
data_countA <- read_excel("assumptions.xlsx", sheet = "total")</pre>
p_countA <- ggplot(data_countA, aes(y = fct_reorder(factor(Model), Total, .desc = FALSE), x = Total, fi
  geom_bar(stat = "identity") +
  labs(title = "a",
       x = "number of assumptions",
       y = "") +
  theme_bw() +
  theme(
    plot.title = element_text(size = 16, face = "bold", hjust = 0, vjust = 1),
    axis.title.x = element_text(size = 14),
    axis.text.x = element_text(size = 12),
    axis.text.y = element_text(size = 14),
   legend.position = "none",
   panel.grid = element_blank()
  ) +
  scale_fill_manual(values = "grey50")
data_countB <- read_excel("assumptions.xlsx", sheet = "study") %>%
  mutate(Year = as.numeric(sub(".*(\\d{4}).*", "\\1", Study))) %>%
  filter(!is.na(Year))
model_order <- c("MPI-HM", "MATSIRO", "CLM4.5", "VIC", "WaterGAP", "WBMplus", "HO8", "PCR-GLOBWB", "LPJ
data_countB <- data_countB %>%
  mutate(Model = factor(Model, levels = model order))
p_countB <- ggplot(data_countB, aes(x = Year, y = Model, size = `Count of assumptions`, color = "grey50
  geom_point(alpha = 0.7) +
  theme_bw() +
  labs(title = "b", x = "year", y = "", size = "number of \nassumptions") +
    plot.title = element_text(size = 16, face = "bold", hjust = 0, vjust = 1),
    axis.title.x = element_text(size = 14),
    axis.text.x = element_text(size = 12),
    axis.text.y = element_blank(),
   legend.title = element_text(size = 14),
   legend.text = element_text(size = 12),
    panel.grid = element_blank()
  guides(color = "none") +
  scale_size_continuous(range = c(3, 15)) +
  scale_color_manual(values = "grey50")
combined_count <- grid.arrange(p_countA, p_countB, ncol = 2, nrow = 1)</pre>
grid.draw(combined_count)
```



2 Nature of assumptions

```
data aspectA <- read excel("assumptions.xlsx", sheet = "nature")</pre>
model_order_aspectA <- c("CLM4.5", "VIC", "MATSIRO", "PCR-GLOBWB", "LPJmL", "HO8", "WaterGAP", "WBMplus
data_aspectA <- data_aspectA %>%
  mutate(Total = Pragmatic + Empirical,
         Pragmatic_ratio = Pragmatic / Total,
         Empirical_ratio = Empirical / Total)
data_aspectA_long <- data_aspectA %>%
  pivot_longer(cols = c(Pragmatic, Empirical),
               names to = "Nature", values to = "Count") %>%
  mutate(
   Model = factor(Model, levels = model_order_aspectA),
   Ratio = Count / Total
custom_colors <- c("Pragmatic" = "#1ac6c6", "Empirical" = "#f07167")</pre>
p_aspectA <- ggplot(data_aspectA_long, aes(x = Model, y = Ratio, fill = Nature)) +</pre>
  geom_bar(stat = "identity", position = "fill") +
  geom_text(aes(label = pasteO(Count, "/", Total)),
            position = position_stack(vjust = 0.5), size = 3.5, color = "black") +
 labs(title = "a", x = "", y = "fraction") +
  scale_fill_manual(values = custom_colors, labels = c("Empirical", "Pragmatic")) +
  theme_bw() +
  theme(
   plot.title = element_text(size = 16, face = "bold", hjust = 0, vjust = 1),
   axis.text.x = element text(size = 12, angle = 45, hjust = 1),
   axis.ticks.x = element_blank(),
```


```
axis.text.y = element_text(size = 12),
    axis.title.y = element_text(size = 12),
    panel.grid = element_blank(),
    legend.position = "none"
  )
data_aspectB <- read_excel("assumptions.xlsx", sheet = "aspect")</pre>
data_aspectB_df <- data_aspectB %>%
  group_by(Model, Aspect) %>%
  mutate(Proportion = Count / sum(Count))
p_aspectB <- ggplot(data_aspectB_df, aes(x = Aspect, y = Proportion, fill = Nature)) +
  geom_bar(stat = "identity", position = "fill") +
  geom_point(aes(size = Count, fill = Nature),
             position = position_fill(vjust = 0.5),
             color = "black", shape = 21) +
  scale_size_continuous(name = "count", range = c(1, 8)) +
  labs(title = "b", x = "", y = "", fill = "Nature of Assumption") +
  facet_wrap(~ Model) +
  theme bw() +
  theme(
    plot.title = element_text(size = 16, face = "bold", hjust = 0, vjust = 1),
    axis.text.x = element_text(size = 12, angle = 45, hjust = 1),
    axis.ticks.x = element_blank(),
    axis.text.y = element_text(size = 12),
    legend.title = element_text(size = 12),
    legend.text = element_text(size = 12),
    panel.grid = element_blank(),
    strip.background = element_rect(fill = "white", color = "black"),
    strip.text = element_text(size = 12)
  ) +
  guides(fill = guide_legend(title = NULL),
         size = guide_legend(title = "number of\nassumptions"))
combined_aspect <- grid.arrange(p_aspectA, p_aspectB, ncol = 2, nrow = 1, widths = c(2, 3))</pre>
grid.draw(combined_aspect)
                                           b
                                               CLM4.5
                                                              H08
                                                                           LPJmL
 1.00
                                        1.00
                           4/25
                   7/41
                       5/30
                6/31
             3/13
                                        0.75
         5/18
     4/14
                                        0.50
 0.75
                                        0.25
                                        0.00
                                                                                       Empirical 
                                              MATSIRO
                                                             MPI-HM
                                                                        PCR-GLOBWB
```



3 Evolution of assumptions (LPJmL)

```
data_code <- read_excel("assumptions.xlsx", sheet = "code") %>%
  filter(Model == "LPJmL") %>%
  mutate(UniqueID = paste(Code, Author, sep = "_")) %>%
  arrange(Code, Year) %>%
  group_by(Code) %>%
  mutate(NextAuthor = lead(Author),
         NextYear = lead(Year),
         NextCode = lead(Code)) %>%
  ungroup()
edges_code <- data_code %>%
  filter(!is.na(NextAuthor) & Code == NextCode) %>%
  mutate(to = paste(NextCode, NextAuthor, sep = "_")) %>%
  select(from = UniqueID, to)
vertices_code <- data_code %>%
  distinct(UniqueID, Code, Author, Year)
facet_rects_code <- data.frame(</pre>
  xmin = c(1, 37, 73, 91, 95),
  xmax = c(36, 72, 90, 94, 105),
 facet = c("Crop", "Irrigation", "Soil", "Climate", "Water"),
 fill_color = c("lightgreen", "lavender", "peachpuff", "lightcoral", "lightblue"),
  label_x = c(18.5, 54.5, 81.5, 92.5, 100)
ellipse_data_code <- data.frame(</pre>
 x0 = c(17, 64),
 y0 = c(2011, 2015),
 a = c(12, 36),
 b = c(0.8, 0.8),
  angle = c(0, 0)
)
graph_code <- graph_from_data_frame(d = edges_code, vertices = vertices_code, directed = FALSE)</pre>
V(graph_code)$degree <- degree(graph_code, mode = "all")</pre>
custom_layout_code <- as.data.frame(vertices_code %>% select(Code, Year))
colnames(custom_layout_code) <- c("x", "y")</pre>
ggraph(graph_code, layout = custom_layout_code) +
  geom_rect(data = facet_rects_code, aes(xmin = xmin, xmax = xmax, ymin = -Inf, ymax = Inf, fill = face
            alpha = 0.2, color = NA) +
  scale_fill_manual(values = setNames(facet_rects_code$fill_color, facet_rects_code$facet)) +
  geom_edge_link(arrow = arrow(length = unit(2, 'mm')),
                 end_cap = circle(2, 'mm'),
                 color = 'gray60') +
  geom node point(color = "gray40", size = 3) +
  scale_x_continuous(breaks = seq(min(vertices_code$Code), max(vertices_code$Code), by = 1), expand = c
  scale_y_reverse(breaks = seq(min(vertices_code$Year), max(vertices_code$Year), by = 2), expand = c(0.
  labs(x = "", y = "year") +
```


```
theme_bw() +
  theme(
   plot.title = element_text(size = 16, face = "bold", hjust = 0, vjust = 1),
   axis.text.y = element_text(size = 12),
   panel.grid = element_blank(),
   axis.text.x = element_blank(),
   axis.ticks.x = element_blank(),
   axis.title.y = element_text(size = 14),
   legend.position = "none"
  geom_vline(data = facet_rects_code, aes(xintercept = xmin), color = "black", linetype = "dashed", siz
  geom_text(data = facet_rects_code, aes(x = label_x,
                                    y = ifelse(facet == "Climate", max(vertices_code$Year) + 2.0, max(v
                                    label = facet), vjust = 0.5, color = "black", size = 4) +
  ggforce::geom_ellipse(data = ellipse_data_code,
                        aes(x0 = x0, y0 = y0, a = a, b = b, angle = angle),
                        color = "red2", fill = NA, size = 0.5) +
  annotate("text", x = 17, y = 2009.5, label = "A", size = 5, color = "black") +
  annotate("text", x = 64, y = 2013.5, label = "B", size = 5, color = "black")
## Warning: Using `size` aesthetic for lines was deprecated in ggplot2 3.4.0.
## i Please use `linewidth` instead.
## This warning is displayed once every 8 hours.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was
```



4 Sharing of assumptions

```
data_freq <- read_excel("assumptions.xlsx", sheet = "freq")</pre>
```

```
filtered_freq <- data_freq %>%
  filter(Frequency >= 2) %>%
  group_by(Nature) %>%
  summarise(Count = n()) %>%
  mutate(Percentage = Count / sum(Count) * 100)
p_hist <- ggplot(data_freq, aes(x = Frequency)) +</pre>
  geom bar() +
  scale y continuous(breaks = seq(0, 80, by = 10)) +
  labs(title = "a", x = "number of sharing models", y = "number of assumptions") +
  theme bw() +
  theme(
    plot.title = element_text(size = 16, face = "bold", hjust = 0, vjust = 1),
    axis.text = element_text(size = 12),
    axis.title.x = element_text(size = 12),
    axis.title.y = element_text(size = 12),
    panel.grid = element_blank(),
    legend.position = "none"
assumption_summary <- data_freq %>%
  mutate(Group = ifelse(Frequency == 1, "unique \nto a model", "shared by \n 2 models")) %>%
  group_by(Group, Nature) %>%
  summarise(Count = n()) %>%
  group by(Group) %>%
  mutate(Percentage = Count / sum(Count) * 100) %>%
  mutate(Group = factor(Group, levels = c("unique \nto a model", "shared by \n 2 models")))
## `summarise()` has grouped output by 'Group'. You can override using the
## `.groups` argument.
p_normalized <- ggplot(assumption_summary, aes(x = Group, y = Percentage, fill = Nature)) +
  geom_bar(stat = "identity", position = "stack") +
  scale_fill_manual(values = c("Empirical" = "#f07167", "Pragmatic" = "#1ac6c6")) +
  scale y continuous(breaks = seq(0, 100, by = 20)) +
  labs(title = "b", x = "", y = "proportion") +
  theme bw() +
  theme(
    plot.title = element_text(size = 16, face = "bold", hjust = 0, vjust = 1),
    axis.text = element_text(size = 12),
    axis.title.x = element_text(size = 12),
    axis.title.y = element_text(size = 12),
    panel.grid = element_blank(),
    legend.position = "top",
    legend.title = element_blank(),
    legend.text = element text(size = 10)
combined_freq <- grid.arrange(p_hist, p_normalized, ncol = 2, widths = c(0.55, 0.45))
grid.draw(combined freq)
```




5 Network citation of pragmatic assumptions

```
nodes_net <- read_excel("assumptions.xlsx", sheet = "cite_nodes")</pre>
edges_net <- read_excel("assumptions.xlsx", sheet = "cite_edges") %>%
  filter(!is.na(Source) & !is.na(Target))
nodes_net <- nodes_net %>% distinct(ID, .keep_all = TRUE)
model_colors_net <- setNames(scales::hue_pal()(length(unique(nodes_net$Model))), unique(nodes_net$Model
size_range_net <- c(1, 10)
degree_limits_net <- range(nodes_net$degree, na.rm = TRUE)</pre>
titles_net <- c("a. Paddy vs nonpaddy", "b. Unlimited water supply")
plot_list_net <- list()</pre>
for (dataset in unique(nodes_net$Dataset)) {
  dataset_nodes <- nodes_net %>% filter(Dataset == dataset)
  dataset_edges <- edges_net %>% filter(Dataset == dataset & Source %in% dataset_nodes$ID & Target %in%
  graph_net <- graph_from_data_frame(dataset_edges, vertices = dataset_nodes, directed = TRUE)</pre>
  layout_net <- create_layout(graph_net, layout = 'mds')</pre>
  layout_net$x <- as.numeric(dataset_nodes$Year)</pre>
  layout_net$y <- runif(length(V(graph_net)), min = -10, max = 10)</pre>
  plot_net <- ggraph(layout_net) +</pre>
    geom_edge_link(arrow = arrow(length = unit(3, 'mm')), end_cap = circle(4, 'mm'), color = 'gray') +
    geom_node_point(aes(color = Model, size = degree), show.legend = FALSE) +
    geom_node_text(aes(label = Label), repel = TRUE, size = 3.5) +
```

```
scale_color_manual(values = model_colors_net) +
    scale_size_continuous(limits = degree_limits_net, range = size_range_net) +
    scale_x_continuous(breaks = seq(min(dataset_nodes$Year), max(dataset_nodes$Year), by = 5), expand =
   labs(title = titles_net[which(unique(nodes_net$Dataset) == dataset)], x = "") +
   theme_bw() +
   theme(
     plot.title = element_text(size = 16, face = "bold", hjust = 0, vjust = 1),
      axis.text.x = element text(size = 12),
      panel.grid = element_blank(),
      axis.text.y = element_blank(),
      axis.ticks.y = element_blank(),
      axis.title.y = element_blank()
 plot_list_net[[dataset]] <- plot_net</pre>
legend_plot_net <- ggplot(nodes_net, aes(x = 1, y = 1, color = Model, size = degree)) +</pre>
  geom_point(show.legend = TRUE) +
  scale_color_manual(values = model_colors_net, guide = guide_legend(nrow = 1)) +
  scale_size_continuous(name = "citation", limits = degree_limits_net, range = size_range_net, guide =
  theme_void() +
  theme(legend.position = "bottom", legend.direction = "horizontal",
        legend.box = "vertical", legend.box.spacing = unit(0.25, "lines"),
        plot.title = element_text(size = 16, face = "bold", hjust = 0, vjust = 1),
        legend.title = element_text(size = 14), # Larger legend title
        legend.text = element_text(size = 12)) # Larger legend text
# Arrange plots with combined legend
final_plot <- grid.arrange(</pre>
  arrangeGrob(grobs = plot_list_net, nrow = 1),
  legend_plot_net,
 ncol = 1,
 heights = c(4, 0.6)
grid.draw(final_plot)
```

a. Paddy vs nonpaddy

b. Unlimited water supply



6 Sankey diagram

Below is the code for the sankey diagram of shared assumptions. First column of ampersand can be removed to display the plot in html format.

```
##Load the nodes and links data from the Excel file
#nodes <- read excel("assumptions.xlsx", sheet = "sankey nodes")</pre>
#links <- read_excel("assumptions.xlsx", sheet = "sankey_links")</pre>
## Adjust link column names and add color groupings
#colnames(links) <- c("source", "target", "value")</pre>
#links$group <- as.factor(links$source)</pre>
## Use a custom, muted color palette for a professional look
#color_scale <- 'd3.scaleOrdinal().range(["#4E79A7", "#AOCBE8", "#F28E2B", "#FFBE7D", "#59A14F", "#8CD1
## Create Sankey diagram with adjusted color scale
#p <- sankeyNetwork(</pre>
# Links = links,
# Nodes = nodes,
# Source = "source",
# Target = "target",
# Value = "value",
# NodeID = "Node".
# units = "TWh",
# fontSize = 12,
# nodeWidth = 1,
\# margin = list(left = 350, right = 20),
# LinkGroup = "group",
# colourScale = color scale,
# width = 800,
# height = 800
```

```
#)
#
## Adjust label positioning in the diagram
#p <- htmlwidgets::onRender(p, "</pre>
# function(el, x) {
                 d3.selectAll('.node text')
 #
                              .style('text-anchor', 'start')
                                 .attr('dx', '15');
# }
#")
#library(pagedown)
#pagedown::chrome_print("shared.html")
## Save the HTML widget as an HTML file first
#saveWidget(p, "shared.html", selfcontained = TRUE)
## Take a screenshot of the HTML file and save it as a PNG image
\#webshot2::webshot("shared.html", file = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = "shared_sankey.png", vwidth = 820, vheight = 800, cliprect = 800,
```