



Floor Plan Annotation

Project Guide

Guidelines Updates

Date	Changes/Updates
Aug 26. 2026	<u>Wall Thickness</u> - what to include with examples <u>Fireplace</u> - how to annotate with examples <u>Closet Under Stairs</u> - how to identify and label with examples <u>Exterior Stairs</u> - often seen near/inside porches/deck <u>Stoops</u> - needs separate room label



Index

- [Project Overview](#)
- [General Guidelines](#)
- [Platform Guide](#)
- [Labels](#)
- [Edge Cases](#)
- [Checklist](#) → [click here to download PDF file](#)




Project Overview

This project involves labeling key elements in architectural floor plans to create accurate and consistent data for AI training. The main goal is to create accurate and consistent annotations for walls, doors, windows, stairs, and rooms.

Types of floor plans

- **Unlabeled** – Floor plans with no annotations yet.
- **Pre-labeled** - Floor plans with existing annotations that need to be reviewed or corrected.
- **Fully Labeled** – Floor plans where all required elements have been annotated.



Types of labels

Types of subclassification

Wall	Doors	Windows	Stairs	Rooms	Openings
Exterior Interior Column	-	-	-	-	-



General Guidelines

Step 1: Review the plan

- Start by reviewing the entire floor plan and identify the visible elements that need annotation.

Step 2: Identify each label

- Determine and annotate the labels.

Step 3: Trace the geometry

- Follow the visible plan geometry as closely as possible.

Step 4: Review your annotation

- Check that all required elements are labeled and that there are no unintended gaps or overlaps.
- Keep intentional overlaps where required by the guidelines.





Platform Guide

How to Start

1. Once the platform is set up, click the Annotate icon in the dashboard.
2. In Annotate, select the set you are assigned to:

The image shows two screenshots of a software interface. The top screenshot is a dashboard with a dark theme. It has a sidebar on the left with a 'Home' icon and an 'Annotate' icon. Two white boxes with blue arrows point to these icons: 'Home' points to the Home icon, and 'Annotate' points to the Annotate icon. The main content area of the dashboard says 'Good morning', 'No open issues right now. Anything that needs your attention will show up here.', and 'Work waiting for you 1'. Below this is a card for 'Pre-Labeled Floor Plan Sample Set - Chemin <> Drafted AI' with a '1 to review' button. At the bottom are links for 'Docs', 'Guides', 'Academy', and 'Release notes'.

The bottom screenshot shows the 'Annotate' view. It has a search bar at the top with the text 'Search by project name' and a 'Slices' button. Below the search bar is a list of two project sets. Two white boxes with blue arrows point to these sets: 'Un-labeled Floor Plan Set' points to the first set, and 'Pre-labeled Floor Plan Set' points to the second set. The first set is 'Un-Labeled Floor Plan Sample Set - Chemin <> Drafted AI' and shows '0 rows' and 'Updated 12 days ago'. The second set is 'Pre-Labeled Floor Plan Sample Set - Chemin <> Drafted AI' and shows '1 rows' and 'Updated 12 days ago'. Below the second set is a progress bar with four segments: 'In gen 0%' (blue), 'In review 100%' (orange), 'In rework 0%' (red), and 'Done 0%' (green). At the bottom right of the screenshot, it says 'Showing 1-2 projects out of 2'.



How to Start

3. In the Overview of the assigned set, click Start labeling.

Un-Labelled Floor Plan Sample Set - Chemin <-> Drafted AI

Start

Overview Data Rows Performance Issues Notifications Settings

Description
No description provided

Frequently asked questions

Tags
No tags selected

Data
17 data rows

Ontology
Read labeling instructions

Tools
wall door window stairs room

Project metrics

Metric	Value
Initial labeling task	16
Rework (all rejected)	0
Skipped	0
Done	0
Issues	0

Workflow tasks

Task	Count	Action
Initial labeling task (16)	16	View Start labeling
Rework (all rejected) (0)	0	


0 ground truth annotations

Distribution chart will appear here

Understand data quality and distribution of your ground truth annotations



Platform Overview




Key instructions:

1. To annotate, choose the appropriate label option on the left.
2. Click on the area of the floor plan where the element is located and create the annotation.
3. Once the annotation is complete, the classification options will appear on the left. Select the correct classification from the dropdown, then click Done.

Example: wall → select interior, exterior or column



Note: For rooms, manually enter the room name as shown on the floor plan.



4. Repeat Steps 2 and 3 until all required floor plan elements are annotated.
5. Before submitting, review all annotations, labels, and classifications to ensure they are accurate and complete.
6. Once the review is complete, click Submit in the top-right corner.



Rework

In the Dashboard, go to Annotate, select the assigned set, and click Start reworking.

The screenshot shows a dashboard for a project titled "Pre-Labeled Floor Plan Sample Set - Chemin <> Drafted AI". The interface includes a sidebar with navigation icons, a top navigation bar with tabs like Overview, Data Rows, Performance, Issues, Notifications, and Settings, and a main content area. The main content area displays project metrics, workflow tasks, and ground truth annotations.

Project metrics:

- 17 Initial labeling task
- 0 Rework (all rejected)
- 0 Skipped
- 0 Done
- 0 Issues

Workflow tasks:


- Initial labeling task (17) [View] [Start labeling]
- Rework (all rejected) (0) [Start reworking]

42 ground truth annotations:

Name	% B...	% C...	Count	% Share
▶ wall	0.00	0.00	18	42.86
▶ room	0.00	0.00	11	26.19
▶ door	0.00	0.00	10	23.81




Rework



Key instructions:

1. Click Issues near the top-left, next to the timer, to view the QC feedback.
2. Click Edit at the top-right to start the rework.
3. Make the necessary corrections based on the feedback:
 - Use the Objects section in the bottom-left to find the elements that need to be corrected.
 - For missing annotations, use the Tools section in the upper-left.
4. Before submitting, review the work to make sure all corrections are complete.
5. Click Save in the top-right to submit the task.





Labels

Labels

1. Walls → represented by thick solid black lines.
 - a. Exterior → forms the outer boundary of the structure.
 - b. Interior → located within the building that separates the rooms or space from one another
 - c. Columns → represented by a small square, rectangle, or circle within the floor plan.
2. Windows → shown as a break in the wall containing two or more thin parallel lines
3. Doors → represented by a break in the wall, usually showing the space where the door is located.
4. Rooms → enclosed area bounded by walls.
 - a. Text label → room name.
5. Stairs → shown as a series of parallel lines or rectangular steps.
6. Opening → a break in the wall, commonly represented by two short/broken parallel lines.



Walls


Walls are represented by thick solid black lines. It can be exterior, interior, or column.

✓ Do's

- Label every visible wall
- Follow the wall's width as accurately as possible.
- Use the wall classification to identify interior vs. exterior walls.

✗ Don'ts

- Don't label half walls, railings, or shower curbs.
- Don't split the wall around openings; allow doors and windows to overlap wall.




Walls are solid black lines



Walls

- Connected wall annotations may overlap.
- ◆ Walls can be annotated as one continuous segment or multiple connected segments.
 - ◆ Overlap at corners is fine, even between two walls of the same class.
 - ◆ The only requirement is that the walls stay connected, with no gaps.



Same-class walls overlapping at a corner

Wall Thickness - Blurry Images


→ The walls in the underlying images are the same width but different in annotations

In this example, the image is blurry:

- The other wall object covers the “inside”
- One wall covers the “outside” of the wall


Both walls should be **CONSISTENT**, and set the width by the “**INSIDE**” edge of the wall.

In the case of blurry images, cover only the **FULLY SOLID** wall, not the blurry edges.



Wall Thickness

→ The walls in the underlying images are the same width but different in annotations




ONLY include the FULLY SOLID wall in the annotation





Exterior Walls

- Walls that form the outer boundary of a structure.
- Located along the outermost edge/perimeter of the floor plan.
- Usually form the overall outline of the building.
- Can have doors and windows along the wall.




Interior Walls

- Walls located inside the building that separate one interior room or space from another.
- Separate spaces such as bedrooms, bathrooms, kitchens, hallways, and living rooms.
- May contain doors or openings connecting rooms.
- Can also be used to divide a larger room into separate spaces.



Walls - Showers

- Only solid black lines around the shower should be marked as walls
- Only label the wall if its explicitly marked



Doors


Doors are usually shown as a door panel connected to the wall with a curved arc while cased opening usually shown as two broken parallel lines.

✓ Do's

- Label every valid door shown in the floor plan.
- Capture the full door opening footprint and its dimensions.
- Door annotation should overlap wall annotation.

✗ Don'ts

- Do not label doors associated with shower areas when the **shower enclosure is not represented by solid walls**.




Doors Symbols

Door types


Bifold



Pocket



Sliding



Double



BIFOLD DOOR



BYPASS SLIDING DOOR



CLOSET DOOR



DOUBLE DOOR



OPEN DOORWAY



POCKET DOOR



SINGLE DOOR



SLIDING DOOR



SURFACE SLIDING DOOR

Different symbols for doors



Doors - Showers

- This door does not need to be labeled since the shower area does not have solid black walls indicating the shower enclosure.



Windows

Windows are usually shown as a break in the wall containing two or more thin parallel lines, often positioned within the wall opening.

✓ Do's

- Label every window opening.
- Capture the full window opening footprint and its dimensions.
- Label separate window opening separately when a section of wall exists between them.
- Window annotation should overlap wall annotation.



7 labeled window



Rooms

Rooms are enclosed area bounded by walls, usually with a room name or label inside.

✓ Do's


- Trace the interior room boundaries as accurately as possible.
- Create a separate polygon for each room, including labeled rooms.
- Copy the room label exactly when text is available.
- Identify the room type when no label is provided.
- Include alcoves, recesses, and irregular wall jogs that form part of the room boundary.
- Separate open-concept spaces such as kitchen, living, and dining areas.
- Label enclosed and exterior spaces, such as porches and patios.
- Create separate polygons for fireplaces.

✗ Don'ts


- Don't overlap room polygons.
 - Room polygons may overlap columns and stairs when required.
- Don't combine separate rooms into a single polygon.



Room Examples



Annotated room labeled as loft




Annotated room labeled as bath



Room Identification Rule

When a room name is unclear:

- Use the surrounding layout and visible features to determine the room type.
- Hallways and bathrooms are common examples where context may be needed.
- Use your best judgment when the room cannot be clearly identified.



Rule of thumb for enclosed spaces:

- ◆ ☒ Does it have a door?
- ◆ ☒ Is the space enclosed?
- If both are TRUE, annotate it as a room.




Enclosed unidentified spaces




Rooms - Unidentified Spaces

Some spaces have no text label and don't clearly match a standard room type.

- Most often, an unnamed space is a hallway or a bathroom.
- If it sits next to a labeled bathroom or powder room, label it bathroom too.



Unlabeled
room next to
powder room




Hallway



Room Special Cases - Open Concept

→ Separate open concept rooms like kitchen/living/dining




X Wrong / ✓ Right → nooks are a separate room from the kitchen



Room Special Cases - Fireplace

- Fireplace should be its own room polygon.
- Do not add or include a door or wall in front of the fireplace.




X Wrong / ✓ Right → fireplace as its own room



Room Special Cases - Fireplace


- The fireplace polygon should cover the entire “fireplace” object
 - ◆ Include both fireplace opening and fireplace backing
- No doors or openings in front of the fireplace



✗ Wrong / ✓ Right → fireplace as its own room



Room Special Cases - Fireplace





X Wrong / ✓ Right → fireplace as its own room




Room Special Cases - Showers

- Showers DO NOT need to be separate rooms unless fully enclosed
- Showers are located within the bathroom often marked with an “X”



Room Special Cases - Closets


- Closets and storage spaces should have their own room polygon.
- Located within bedrooms, hallways, under the stairs, and sometimes bathrooms
- They are often have “shelves” drawn in when not labeled
- Small rooms with a door



Room Special Cases - Laundry


How to identify:

- If not labeled, they are identified with washer and dryer icons
- Often next to garage or primary bedroom




Room Special Cases - Porch and Columns

- Enclose the entire porch with the room polygon.
- Columns should be labeled as walls sub_classified as columns.
- Do not cut the columns out of the room polygon, they should overlap.



Room Special Cases - Porch and Columns



✗ Wrong / ✓ Right → Porches and columns should overlap. The porch polygon should cover the entire area. Do not cut out open spaces where the columns go, let them overlap each other.



Stairs


Stairs are shown as a series of parallel lines or rectangular steps, sometimes with an arrow indicating the direction of travel.

✓ Do's



- Label stairs as polygons, including stair runs and landings.
- Capture the full stair area, including landings.
- For under-stair closets/storage, capture both the stairs and the room underneath; the annotations should overlap.
- Look for text labels, a door at the end of the stairs, or a diagonal line within the stairs to identify under-stair spaces.

✗ Don'ts

- Do not annotate staircases with only 2-3 steps unless they are [exterior stairs](#).



Stairs Symbols




Different symbols for stairs




Stairs - Spiral Staircases

- It's fine for a spiral staircase to overlap a room annotation, like "Foyer," since it physically sits inside that room
- Trace spiral staircases in their true curved shape. The "stairs use right-angle lines" rule is meant for a different situation and doesn't apply here.



Stair polygon overlapping the foyer room




Curved trace, not right-angle lines



Stairs - Staircases with Multiple Directions

- **Annotate the entire staircase as one polygon**, even when the staircase has arrows indicating that it leads in two different directions.
- Do not create separate stair polygons for each direction or flight when they are part of the same continuous staircase.
- **Annotate any enclosed closet or room connected to/located beside the staircase separately** when there is clear evidence of a room boundary, such as a door.



In the example, the closet should receive its own room polygon in addition to the staircase annotation.




Closet Under the Stairs

When a closet or storage space is located underneath the stairs, label both the full stair markings and the under-stair closet. The closet annotation may overlap the stair annotation.

- **Stairs:** Label the full stair markings, including the portion that continues past the Stair Diagonal.
- **Closet:** When identified as an under-stair closet, the closet/room polygon should extend from the door to the middle of the diagonal stair lines, even if this overlaps with the stair annotation.


*The presence of a **Stair Diagonal** does not mean the area beyond it should be excluded if a closet or storage space is identifiable underneath the stairs.*



Closet Under the Stairs


Step 1

- Fully enclose the stair objects



Step 2


- Add a room polygon for under-stair closet/storage
- It should overlap with the stair objects
- The edge is marked by the diagonal (or squiggle) lines



Closet Under the Stairs

How to identify:

- Text labels
- A door at the end of the stairs
 - ◆ Door on the end of the staircase
 - ◆ Door on the “down” end of the stairs
- A diagonal line in the middle of the stairs



Door at the end of a staircase




Closet Under the Stairs

How to label closet:

- If there is any wall indication, like a **half-wall**, use this for size/depth of the closet.
- If there is a **diagonal/squiggly line**, pick any spot for the size/depth of the closet.



Diagonal/
Squiggly line






Both stairs and closet should be labeled. They will overlap

Half-wall



Exterior Stairs

- Exterior stairs needs to be labeled
- Separate the porch from the stairs
- Label them if there are 2 or more stairs



Openings


Door openings usually appears as a break in the wall without a door panel or swing arc. They are commonly represented by two short/broken parallel lines.

✓ Do's

- Label every door opening.
- Capture the full door opening footprint and its dimensions.
- Door Openings annotation should overlap wall annotation.
- **Wall annotation is still required around openings.**

✗ Don'ts

- Do not remove the wall annotation just because an Opening annotation is present.
 - Opening and Wall annotations may overlap.




Openings shown by two parallel dotted lines between two walls




Openings - Without Broken Parallel Lines


- Annotate as an Opening even when the two broken parallel lines are not present.
- Identify the opening by looking for two wall ends that line up with each other and bump out from what would otherwise be a continuous wall.
- The wall ends may sometimes be marked as columns.
- Extend the wall annotations to the appropriate wall ends around the opening.
- Overlap the Opening annotation with the extended Wall annotations where applicable.



Openings w/o broken lines



Openings with Wall annotation



Openings overlap Walls annotation






Edge Cases



Open To Below

- “Open To Below” should always be annotated as a room.
- This is a special case because its visual representation is not always consistent.
- Other similar labels include “Open to Living,” “Open to Foyer,” etc.




Stoop

- “Stoop” should be labeled as a separate room
- Often will have a “stoop” text label




Second-Story / Greyed-Out Elements

- Greyed-out or broken lines on a second-story plan may represent artifacts from the story below.
- These should not be treated as part of the current floor plan and can be ignored.




Broken-Line Room Outlines

- No need to label rooms with enclosed in broken lines
- Do not annotate spaces that are only indicated by enclosed broken/dashed outlines, unless another guideline specifically identifies them as a room.



Escalate - Pre-labeled Floor Plans

- The floor plan on the left does not have any annotations when the task is initially opened.
- Skip the plan and flag it rather than annotating it from a blank slate.



Floor Plan Annotation Checklist

BEFORE STARTING ANNOTATION

- Polygon Snapping is ON
- Check the [latest guideline version](#)

DURING ANNOTATION

- Walls follow **solid black lines** only
 - Ignore pixelated and diagonal dashed borders
- Walls stay continuous, **don't split them** at doors or openings
- Every wall classed correctly:
 - exterior,
 - interior, or
 - column
- Doors and windows **overlap the wall** and follow the wall line exactly
- **All rooms labeled**, including closets, balconies, hallways, unnamed spaces, deadspaces
- **Rooms don't overlap** walls, doors, windows, stairs, or openings
- **Zoom in** to check tight edges, alignment, and small windows/doors

BEFORE SUBMISSION

- **Every pixel labeled**, no white space, no gaps, no unannotated deadspace
- **Zoom to 800%** and check for no gaps
- **No extra or missing annotations**
- **Delete** any leftover pre-annotations
- Toggle labels on/off, confirm each one matches the floor plan
- **Record floor plan ID and average handling time** in the assessment sheet

Floor Plan Annotation Cheat Sheet

Case	Label as	Rule
Shower — walls	wall (interior)	• Only solid black lines around the shower. • No half-walls, railings, or curbs.
Shower — doors	door	• Only if the enclosure is drawn with solid black walls. • No solid enclosure → don't label the door.
Shower — room	Part of bathroom polygon	• Not its own room unless fully enclosed. • Identify by the "X" marking.
Open concept	room (one per space)	• Kitchen, living, dining, nook each get their own polygon. • Nook ≠ kitchen.
Closets	room	• Always own polygon, incl. storage. • Identify by shelves drawn in, small space, has a door.
Laundry	room	• Own polygon. • Identify by W/D icons when unlabelled. Usually beside garage or primary bedroom.
Porch	room	• Polygon covers the entire porch area.
Porch columns	wall → column	• Subclassify as column.
Spiral stairs	stairs	• Trace the true curved shape. • Right-angle rule does not apply.
Closet under stairs	stairs + room	• Both annotated. • Stairs = full markings past the diagonal. • Closet runs door → middle of diagonal/squiggle; use half-wall for depth if present.
Exterior stairs	stairs	• Label if 2+ steps. • The "ignore 2-3 steps" rule does not apply outdoors.
Stoop	room	• Separate from the porch. • Usually has a "STOOP" text label.
Broken lines	Do not annotate	• Dashed/broken outlines ignored, incl. greyed-out artefacts from the floor below.
Fireplace	room	• Covers the whole object — opening and backing. No door, wall, or opening in front.
Open to below	room	• Always a room, even though unenclosed. Same for "Open to Living," "Open to Foyer."



“Thank you!”

Questions?

Reach out to us our official Discord channel — we're happy to help. 😊



"**Talent** wins games, but
teamwork wins
championships."