Morbidity and Mortality

Weekly Report

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

Prepared by the

COMMUNICABLE DISEASE CENTER

634-5131

For release September 16, 1963

ATLANTA, GEORGIA 30333

Vol. 11, No. 53

ANNUAL SUPPLEMENT

REPORTED INCIDENCE OF NOTIFIABLE DISEASES IN THE UNITED STATES, 1962

This Supplement carries final figures on the reported incidence of notifiable diseases in 1962 based on summaries submitted by the individual States and Territories of the United States.


In 1962, approximately 500,000 cases of measles were reported, admittedly less than probably occurred, but sufficient to indicate the trend of the disease. The graph below shows the number of reported cases for the past five years, and the number of recorded deaths during the past four. These are shown by month on an overlapping log scale.

The seasonal distribution of the data shows that the number of deaths parallels the number of cases: in the early spring months when measles cases are at a maximum, the number of deaths reaches a maximum, and similarly during the summer months when measles cases are at a minimum, deaths are few.

With the advent of measles vaccines, the year 1962 may mark a point of change in the regular recurring annual curves which have been strikingly consistent over the past years for this disease.

MEASLES

Reported Cases and Deaths by Month, United States, 1958-1962 (on overlapping Log scale)



INDEX OF TABLES

		Page
Table 1.	Diseases Covered by International Quarantine Agreement	3
Table 2.	Reported Cases of Specified Notifiable Diseases: United States, 1953-1962	4
Table 3.	(A) Deaths from Specified Notifiable Diseases: United States, 1952-1961	5
	(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1952-1961	6
Table 4.	Reported Cases of Notifiable Diseases by Month: United States, 1962	7
Table 5.	Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1962	8
Table 6.	Newly Reported Active Tuberculosis Cases: United States, by Geographic Division, by State, by Age, 1962	13
Table 7.	Newly Reported Cases of Venereal Diseases: United States, by Geographic Division, by State; Age and Sex, (Civilian Cases only), 1962	14
Table 8.	Rabies in Man and Animals, by State, by Type of Animal, United States, 1962	15
Table 9.	Reported Cases of Selected Notifiable Diseases by State, by Age, 1962	16
Table 10.	Reported Cases of Selected Notifiable Diseases by State, by Month, 1962	23
Table 11.	Acute Diseases Optionally Reported to the Public Health Service, by State, 1962	25
Table 12.	Other Diseases Optionally Reported (Diseases reported by 10 States or less)	27

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available		
Quantity Zero	-	
Report of Disease not required		
by State Health Department	NN	

TABLE 1. REPORTED INCIDENCE OF DISEASES COVERED BY INTERNATIONAL QUARANTINE AGREEMENT
1953 - 1962

	ternational assification					Number	Report	ed			
	eases Covered	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
043	Cholera	·		-	-	-		-	100		
058	Plague	-	3	2	4	-	1	1		_	
071.0	Louse-borne										
	relapsing fever						-	ET T	-		- 1
084	Smallpox			-				FF- /		-	_
091	Yellow fever	-		-	-	-			-	-	
100	Louse-borne epidemic typhus	-		_							E. 5




TABLE 2. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1953 - 1962

DISEASE	1962 ¹	1961 ¹	1960 ¹	1959 ¹	1958	1957	1956	1955	1954	1953
Amebiasis	3,048	2,850	3,424	3,508	4,380	5,031	3,689	3,348	3,523	4,44
Anthrax	9	14	23	12	16	26	38	39	22	4
Aseptic Meningitis	2,654	5,162	1,593					e nationally.		
Botulism	10	14	12	20 1	6 1	28	17	16	18	1
Brucellosis (undulant fever)	409	636	751	892	924	983	1,300	1,444	1,823	2,03
Diphtheria	444	617	918	934	918	1,211	1,568	1,984	2,041	2,35
Encephalitis, total acute infectious	2,094	2,248	2,341	2,437	2,587	2,135	2,624	2,166	2,606	1,93
Hepatitis, infectious and serum	53,016	72,651	41,666	23,574	16,294	14,922	19,234	31,961	50,093	33,70
Leprosy	80	63	54	44	39	36	52	75	56	6
Leptospirosis	79	71	53	83	55	47	44	24	48	4
Malaria	118	73	72	71	85	132	234	522	715	1,31
feasles	481,530	423,919	441,703	406,162	763,094	486,799	611,936	555,156	682,720	449,14
Meningococcal infections	2,150	2,232	2,259	2,180	2,581	2,691	2,735	3,455	4,436	5,07
Pertussis (whooping cough)	17,749	11,468	14,809	40,005	32,148	28,295	31,732	62,786	60,886	37,12
Poliomyelitis, Total	910	1,312	3,190	8,425	5,787	5,485	15,140	28,985	38,476	35,59
Paralytic	762	988	2,525	6,289	3,697	2,499	7,911	13,850	18,308	15,64
Nonparalytic	139	305	626	2,045	1,941	2,826	6,555	12,453	13,221	12,14
Unspecified	9	19	39	91	149	160	674	2,682	6,947	7,80
Psittacosis.	79	102	113	147	158	278	568	334	563	16
Rabies in Man	2	3	2	7	5	5	10	4	13	1
theumatic Fever, acute ³	7.977	10,470	9,022	8,285	6,889	6,427	6,562	not previous	ly reportabl	e national
Salmonellosis, excluding typhoid fever	9,680	8,542	6,929	6,606	6,363	6,693	6,704	5,447	5,375	3,94
	315,809	338,410	315,173	334,715	264,097	226,973	176,392	147,502	147,785	132,93
Shigellosis (bacillary dysentery)	12,443	12,571	12,487	12,888	11,861	9,822	10,306	13,912	13,846	16,53
etanus	322	379	368	445	445	447	468	462	524	50
richinosis	194	306	160	227	176	178	262	264	277	39
Suberculosis (newly reported active cases)4	53.788	53,727	55,494	57,307	63,000	66,437	68,866	76,245	78,592	83,25
Maremia	328	365	390	459	587	601	522	584	681	60
Typhoid Fever	608	814	816	859	1,043	1,231	1,700	1,704	2,169	2,25
yphus Fever, flea-borne (endemic, murine)	32	46	68	51	71	113	98	135	163	22
yphus Fever, tick-borne (Rocky Mountain Spotted)enereal Diseases (newly reported cases) ⁵	240	219	204	199	243	240	293	295	294	31
	126,245	124,658	122,003	120,766	113,894	123,758	130,168	122,392	130,697	148,57
	263,708	264,158	258,933	240,158	232,513	214,496	224,342	236,197	242,050	238,34
granuloma inguinale and lymphogranuloma venereum	2,141	2,466	2,811	2,459	2,343	2,433	2,981	3,913	4,496	4,98
abies in Animals	3,732	3,599	3,567	4,177	4,787	4,542	5,681	5,799	7,297	8,90

Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years.
 Figures for cases of rabies in man represent registered deaths, 1953 - 1961.

Reports from 39 states (see p.11).
 Figures are from the Tuberculosis Program, Public Health Service.
 Figures are from the Venereal Disease Program, Public Health Service (civilian cases only).

TABLE 3. (A) DEATHS FROM SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1952 - 1961

(Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years. Numbers after cause of death are category numbers of the

Seventh Revision, International Classification of Diseases, 1955.)

CAUSE OF DEATH		1961	1960	1959	1958	1957	1956	1955	1954	1953	1952
Amebiasis.	046	84	88	124	86	95	130	106	121	100	1.0
Anthrax	062	1	00	124	1	2	130	106	131	129	13
Botulism	049.1	10	12	15	4	11		10	1.7		1 .
Brucellosis	044	11	6	12	1		14	18	14	17	1
	055	68	-		8	8	9	10	15	18	2
Diphtheria	033	00	69	72	74	81	103	150	145	156	21
Encephalitis, acute infectious	082	505	528	570	537	465	424	398	407	386	47
Hepatitis, infectious	092	976	938	897	897	897	806	841	821	821	79
Leprosy	060	8	6	6	3	3	6	5	4	7	
Leptospirosis	072	9	14	11	11	9	8	10	14	17	1
Malaria110	- 117	3	4	7	6	14	11	18	24	32	2
Measles	085	434	380	385	552	389	530	345	518	462	61
Meningitis, except meningococcal and tuberculous	340	2,263	2,316	2,208	2,247	2,025	1,933		1.829		
Menigococcal infections	057	586	644	699	746	785	762	1,873		2,059	1,91
Pertussis (whooping cough)	056	76	118	269					1,015	1,325	1,38
Plague	058	2	110	209	177	183	266	467	373	270	40
rague	030			1		10/11/11	1	100	-	-	
Poliomyelitis	080	90	230	454	255	221	566	1,043	1,368	1,450	3,14
Bulbar or polioencephalitis	0.080	61	146	299	164	151	402	747	981	1,030	2,32
With other paralysis	080.1	10	14	24	21	13	38	53	65	60	9
Unspecified	080.3	19	70	131	70	57	125	243	321	360	73
Psittacosis	096.2	2	_	1	3	3	3	3	3	4	
Rabies	094	3	2	7	5	5	10	4	13	12	2
20 C 10 C	- 402	608	734	795	806	900	1,033	1,131	1,297	1,523	1.58
Salmonellosis, including paratyphoid fever041	- 042	64	82	72	65	60	62	62	48	72	1,50
Streptogoccal Sore Throat and Scarlet Fever 050		130	108	130	139	213	240	235	262	295	35
at stratus.											"
higellosis (bacillary dysentery)	045	128	153	133	157	156	156	187	243	337	33
Tetanus	061	242	231	283	303	279	246	265	332	337	36
Prichinosis	128	7	3	3	4	4	5	4	1	7	1
Tuberculosis (all Forms)	- 019	9,938	10,866	11,456	12,361	13,324	14,061	14,940	16,392	19,544	24,62
Cularemia	059	3	3	7	6	3	4	9	4	7	
Typhoid Fever	040	17	21	22	23	34	54	34	45	52	7
Typhus Fever - flea-borne (murine)	101	1 1	_		_	2			100		1
yphus Fever - tick-borne (Rocky Mountain Spotted)	104	11	11	10	14	18	16	8	10	21	2
Janareal Disagges and Sequelae	1.00							-15	14.34	1,27	1.77
enereal Diseases and Sequelae	000	0.055	2 0/5	2 266	0 166	0.005	0.076				
Syphilis		2,850	2,945	3,069	3,469	3,825	3,870	3,834	4,835	5,273	5,85
Gonorrhea 030 -		19	38	25	18	21	28	23	15	29	4.
Other 036 -	039	11	15	12	20	18	20	28	29	36	38

Source: National Vital Statistics Division, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 3. (B) DEATHS FROM SELECTED NON-NOTIFIABLE ACUTE DISEASES: UNITED STATES, 1952 - 1961

DISEASE	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952
Abscess of Lung. 521	543	604	614	652	601	595	500	505	537	526
Boil and carbuncle	93	120	156	117	99	58	43	44	43	45
Other local skin conditions (cellulitis and abscess) 691 - 698	520	512	476	436	384	355	283	291	279	269
Chickenpox	167	126	141	146	113	116	88	120	132	101
Diarrhea of Newborn	419	463	492	531	516	527	547	700	697	773
Empyema and Pleurisy	479	456	468	424	450	416	429	433	410	425
Erysipelas	32	22	28	26	27	33	28	39	45	52
Actinomycosis	21	28	27	21	15	24	23	17	30	25
Coccidioidomycosis	62	55	48	50	53	54	62	78	85	60
Blastomycosis	16	15	13	24	28	27	19	24	23	27
Cryptococcosis	86	71	84	39	55	66	74	56	48	46
Histoplasmosis	90	80	63	73	77	67	53	59	55	51
Moniliasis	100	108	101	93	82	105	87	75	77	82
Gastroenteritis and Colitis (Age 4 wks = 2 yrs) 571.0	2,596	2,957	2,862	3,066	3,412	3,166	3,663	3,900	4,588	4,869
Herpes febrilis	21	12	26	26	13	13	7	14	9	13
Herpes Zoster 088	63	78	58	46	47	52	45	44	61	53
Hydatid disease	3	10	8	14	5	8	8	8	8	6
Infections of Ear and Mastoid	314	389	399	434	404	387	474	459	472	471
Meningitis, excluding Meningococcal and Tuberculous 340	2,263	2,316	2,208	2,247	2,025	1,933	1,873	1,829	2,059	1,918
Mononucleosis, infectious	13	16	21	16	15	18	10	16	12	19
tumps	53	42	51	37	45	49	43	45	46	55
Pemphigus 704	141	149	168	142	170	149	172	150	164	200
Pemphigus, neonatorum	23	30	23	26	23	22	27	33	27	21
Respiratory infections										
Bronchitis, acute 500	1,031	1,170	1,135	1,352	1,202	1,105	1,080	990	1,010	1,038
Influenza	2,137	7,872	2,845	4,442	7,463	2,323	2,755	2,680	9,460	5,631
Pneumonia (primary cause of death)	53,038	58,931	52,194	52,997	53,538	44,780	41,755	38,311	42,778	40,634
Pneumonia of newborn	3,541	3,544	3,761	3,918	3,715	3,400	3,108	3,140	3.074	2,943
Upper respiratory infections, acute	808	911	971	936	1,045	901	904	954	1,043	1,067
Sepsis of										
Abortion	220	191	179	159	169	136	159	170	177	191
Childbirth	59	76	58	50	54	48	43	56	52	81
Newborn	722	749	786	1.055	832	662	518	485	388	356
Septicemia and Pyemia	1,886	1,920	1,760	1,663	1,351	1,118	938	897	783	726
Viral diseases, undifferentiated	456	434	384	308	267	302	312	255	254	324
Worm Infestation	48	56	65	63	56	59	60	61	93	93

Source: National Vital Statistics Division, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 4. REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH: UNITED STATES, 1962

DISEASE	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	0et	Nov	Dec	Month not Stated
umebiasis	3,048	218	209	277	298	318	269	233	255	225	307	244	195	1 1.
Anthrax	9		1	-//	3		203		1		1		3	
septic Meningitis	2.654	73	90	92	98	100	209	342	503	511	279	193	156	
otulism	10	1	5	1 -	_	_		_		_	4	_	100	
rucellosis (undulant fever)	409	30	27	32	40	35	50	35	46	27	29	9	31	18
Diphtheria	444	53	32	31	32	28	27	14	27	63	57	42	38	
Encephalitis, total acute infectious	2,094	139	123	173	175	154	154	169	280	276	186	108	123	34
Hepatitis, infectious and serum	53,016	6,661	5,621	5,608	4,905	4,722	3,534	3,153	3,557	3,677	3,966	3,507	4,096	9
Leprosy	80	3	6	6	6	11	5	8	2	1	3	9	20	
eptospirosis	79	5	2	2	4	5	24	8	4	6	6	8	5	
Malaria	118	5	3	4	7	10	10	10	13	20	20	7	9	9
Measles	481,530	37,209	51,839	85,514	96,087	97,786	52,167	16,967	6,259	3,459	6,532	10,919	16,787	5
Meningococcal infections	2,150	220	226	231	182	180	160	145	137	119	177	157	214	2
Pertussis (whooping cough)	17,749	1,146	1,232	1,449	1,169	1,586	1,678	1,682	1,954	1,851	1,412	1,307	1,279	4
Poliomyelitis, Total	910	36	19	15	27	42	81	111	164	161	107	93	54	-
Paralytic	762	34	17	12	23	29	66	88	139	13€	98	78	42	-
Nonparalytic	139	2	2	2	3	10	13	23	24	25	10	14	11	
Unspecified	9		-	1	1	3	2	-	1	-	-	1		
Psittacosis-Ornithosis	79	9	8	7	5	10	2	7	10	4	8	4	5	-
Rabies in Man	2	-	-	-	-	-	-	-	1	-	1			-
Rheumatic fever, acute1	7,977	853	719	887	790	892	649	550	579	423	537	559	539	-
Salmonellosis, excluding typhoid fever	9,680	599	461	570	591	792	909	843	929	1,138	1,088	836	922	2
Streptococcal sore throat and scarlet fever	315,809	35,646	38,858	42,254	30,971	30,811	19,697	13,796	14,397	16,528	20,294	23,009	28,772	776
Shigellosis (bacillary dysentery)	12,443	803	567	849	824	862	1,110	1,075	1,405	1,458	1,527	1,027	936	-
Tetanus	322	14	12	16	15	34	35	41	41	30	35	29	20	
Trichinosis	194	9	24	24	30	22	7	16	16	5	14	18	9	-
Tularemia	328	26	16	22	18	21	30	38	37	18	23	25	54	-
Typhoid Fever	608	31	37	41	33	58	57	68	71	86	42	49	35	-
Typhus fever			1111	6 3		100	_		-	100			10	1
Flea-borne (endemic-murine)	32	1	1	2	6	3	_ 2	6	-	2	3	2	4	-
Tick-borne (Rocky Mountain spotted)	240	2	P 1 -	1	3	32	64	66	40	22	8	-	2	8 -
Rabies in Animals	3,732	259	320	468	454	407	335	323	258	216	253	209	229	1

^{1.} Based on Reports from 39 Stares.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962

AREA	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BOTULISM	BRUCELLOSIS	DIPHTHERL
UNITED STATES	3, 048	9	2, 654	10	409	44
NEW ENGLAND	22	3	36	E 643 F	5	
Maine	- h - g		8		<u> </u>	
New Hampshire Vermont	12.50	all who a	1	and other transfer	1 1	
Massachusetts	1 3	3	15	100 000 000	i	
Rhode Island	3	-	12			
Connecticut	18		NN	A 8-3	2	
MIDDLE ATLANTIC	1,210	2	210	F F F F	8	
New York	954	-	85		5	
New Jersey Pennsylvania	206		85	a promis	1	
remisylvania	50	2	40	DESEMBLE	2	
EAST NORTH CENTRAL	191	-	356	- 1	77	1
Ohio	15	Fe Francis	104	2 0 10 127	1	
Indiana Illinois	7 135	-2	14 96	G 3 - 6 1	5	
Michigan	32		125		57	
Wisconsin	2	in miles	9 E 17	5 8 8 5 5	8	
WEST NORTH CENTRAL	124		171	112.12	177	10
Minnesota	same de	P	126	2 P E P	14	2
Iowa	36	-	5	8 8	105	í
Missouri North Dakota	3		7		4 2	
South Dakota	erene les	re entre	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	a planel	15	2
Nebraska	THAT SERVE		1		15	2
Kansas	84		31	- 1	22	
SOUTH ATLANTIC	86	1	255	B RTA S	37	13
Delaware	THE PERSON	1	40,	7101 -		
Maryland District of Columbia	7		12	-	2	
Virginia	28	alah disease	47	or arrive has	1 13	
West Virginia	1		10	11年70年	13	
North Carolina	11	-	- 12			
South Carolina	3 7		6 NN	V-0.0	- 1/	1
Florida	29		140		14	4
EAST SOUTH CENTRAL	137	1	222	4	20	3
Kentucky	4		69	1	1	
Tennessee	11		59	3	10	
Alabama	75		23	- P P.	7	2
Mississippi	47	1	71		2	
WEST SOUTH CENTRAL	334		433	31333554	38	11
Arkansas Louisiana	43 31		19		11	2
Oklahoma	168	18 14 134	NN 57	# # # # # # # # # # # # # # # # # # #	10 7	1
Texas	92		357	3-343-5	10	8
MOUNTAIN	240	2	132	3	14	1
Montana			9		1	
Idaho	2		2011 1 1 1 1 1 1 1 1		1	
Wyoming			- 02	3 2 2 2 3 1 3 1	1	
New Mexico	5 50	2	93	3	811 (511)	
Arizona	183		182	B 135 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	6	
Utah		13-11-1	12	E DEFE	5	
Nevada					12 45 17 2	
ACIFIC	704		839	3	33	
Washington	1	ET THE	62		FI FE - 1	
Oregon	24 679	THE STREET	8	2	2	
CaliforniaAlaska	0/9		765 2	1	28	4
Hawaii	SECTO TIL	ERICIAL SA	2	B FEEF	1	
Juerto Rico	24	Acres 100 Miles	12	CH RARAR	_	5
uerto Rico	24	-	12		-	5

Aseptic Meningitis, included with Encephalitis.
 Includes Meningitis, other.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962 — Continued

AREA	(Acute, In-	HEPATITIS (Infectious and Serum)	LEPROSY	LEPTOSPIROSIS	MALARIA (Acquired Outside and Within U.S.)	
	fectious)			11		MEASLES
UNITED STATES	2, 094	53,016	80		118	481, 530
NEW ENGLAND	112	3,837	116,1	99:1 I	10	58, 78
New Hampshire	3	379	1 F	1 8 9	2	7,135 1,555
Vermont	11 7	86	1 Mars 12			2,04
Massachusetts	31	1,616	9451	1 2 7	3	26,96
Rhode Island	40 29	157 398	900	1	1 4	3,18 17,90
MIDDLE ATLANTIC	493	8,355	8	4	8	89, 69
New York	255	4,330	5	2	5	47,15
New Jersey	120	1,488	3	100	2	33,09
Pennsylvania	118	2,537	- 745	2	1	9,44
EAST NORTH CENTRAL	294	10, 384	4	1	7	76, 15
Ohio	139	3,340	1	1	11 - 11	11,92
Indiana	56 48	1,123 2,257	1 2	100	1 5	6,26
Michigan	45	3,280	ATT 1	1 467	1	16,62. 25,30.
Wisconsin	6	384	TOTAL TE	1 8 T	11 7 111 - 3	16,04
WEST NORTH CENTRAL	92	3,510	T INC 22.	13	10	18, 440
Minnesota	15	860	TO PAIN IN	1	3	1,67
Iowa	22	978	1 1	9	114 14 14 14 14 14	10,75
Missouri	11	749	1177	11 77 -	5	1,23
North Dakota	10	180 111		10 TO 10	(- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	4,16
South Dakota	3 4	224		ī	1	46:
Nebraska	27	408	LA S	2	1	152 N
SOUTH ATLANTIC	428	6,317	6	9	48	30, 48
Delaware	431	68 763	1 1	1 4	I make the second	42
Maryland District of Columbia	9	763 154	1 6 -	1	2	3,12
Virginia	23	1,176	2	2	1 3	67
West Virginia	9	909	1 305 1	ī		9,67
North Carolina	43	1,785	1	1	34	94
South Carolina	10	281	100	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	93
Georgia	26	272		1 2		43
Florida	265 -	909	1	1000	8	4,26
EAST SOUTH CENTRAL	80	6,396	1,000	8	6	35, 84
Kentucky	12	2,405	1 44 60	-	3	6,19
Tennessee	33 1	2,039	1 33 14-	4	The second	24,47
Alabama	34	1,076 876	100 E	3	2 1	2,42: 2,75:
WEST SOUTH CENTRAL	133	3,728	29	4	100000	70, 700
Arkansas	23	571	1 0 1	Torrest In		1,438
Louisiana	NN	555	1	2		25:
Oklahoma	15 95	2,391	28	2	Herman	2,09 66,91
MOUNTAIN	35	2, 833	200-7	2	5	32, 340
Montana	6	281	1 57 - 2	15 2 -1	Tanana da	8,66
Idaho	2	363	· ·	100 10	1 2 77 1 2 2 2 2	1,68
Wyoming	3	667	+ A	1	1 1 2 2 1 2 2	9,00
Now Mayico	3	297	1 10 10		2	1,45
New Mexico	11	780	1 100		2	6,30
Utah	8	320	1 214	1		4,06
Nevada	2	28		40000	1	67.
ACIFIC	427	7, 656	33	37	24	69, 07
Washington	V 10 20 20	1,502	2	2	dysta a seri	22,06
Oregon	26	884	2 19	1 2	1 9	13,86
California	399 1	4,749 460	19	2	9	28,58. 1,38
Alaska	1	61	12	32	14	3,17
Hawaii		1,114	3	1	-	
Puerto Rico		1,114			18/5/5/14/19/5/5/19/5/5/19/5/5/5/5/5/5/5/5/5/5/5/	4,86

Includes Aseptic Meningitis.

Morbidity and Mortality Weekly Report

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962 — Continued

ATALAS -	MENINGOCOCCAL	PERTUSSIS (Whooping	Director.	POLIOMY	POLIOMYELITIS						
AREA	INFECTIONS	Cough)	Total	Paralytic	Nonparalytic	Unspecified					
UNITED STATES	2, 150	17, 749	910	762	139						
NEW ENGLAND	129	1,341	13	13		70 T T					
Maine	23	263	500L3 II-								
New Hampshire	5	98	3	3	-						
Vermont	4 52	264	1	1	-	-114					
Massachusetts Rhode Island	13	329 187	7 -	7	-						
Connecticut	32	200	2	2	6						
MIDDLE ATLANTIC	378	1,748	88	79	9	411111					
New York	164	802	60	53	7						
New Jersey	88	200	7	7	-	11.1-1					
Pennsylvania	126	746	21	19	2						
EAST NORTH CENTRAL	398	4, 595	143	124	19	VIII TO					
Ohio	97	307	18	18	-						
IndianaIllinois	36 99	481 1,021	27 65	24 54	3	1000					
Michigan	139	1,756	65 21	19	2	40.0					
Wisconsin	27	1,030	12	9	3						
WEST NORTH CENTRAL	118	380	42	35	7						
Minnesota	29	164	7								
Iowa	12	87	7	4	3						
Missouri	29	67	12	10	2						
North DakotaSouth Dakota	9 8	45 14	5 2	3 2	2	AGE DE					
Nebraska	18	3	9	9	-						
Kansas	13	NN	ma 74-	-		IIIs					
OUTH ATLANTIC	315	1,936	86	77	9	DIA HYN HOS					
Delaware	8	- 98	79 4 -	180	-	- 200 5000					
Maryland District of Columbia	29 7	121 19	2 2	2	A COLUMN	and the second					
Virginia	78	269	2 8	1 8	-						
West Virginia	19	786	18	18	-	er i v					
North Carolina	73	152	15	13	2	H					
South Carolina	22	102	7	7	-	- III					
GeorgiaFlorida	32 47	8 381	20 14	18 10	2 4	1117					
EAST SOUTH CENTRAL	142	1,793	82	72	10	Diffrage R					
Kentucky	39	736	26	20	6						
Tennessee	59	776	12	8	4						
Alabama	21	119	21	21		70.75					
Mississippi	23	162	23	23	-						
WEST SOUTH CENTRAL	191	1,962	339	267	71	HTTSN IN					
Arkansas	23	83	26	21	5						
LouisianaOklahoma	77 18	10 24	33 33	31 29	2						
Texas	73	1,845	33 247	29 186	3 61	- 10					
MOUNTAIN	78	942	24	13	3						
Montana		70	2	-1		100000					
ldaho	20	56	2	1	-						
Wyoming Colorado	5 14	38	2	1	1	14(1)(1)/9					
New Mexico	9	100 61	4 8	4 2		Applicated the					
Arizona	15	479	4	3	1						
Utah	3	121	1	1	100	150					
Nevada	12	17	1		1	1-24					
ACIFIC	401	3, 052	93	82	11	-11-15					
Washington	29	663	6	6		. 11721(0)					
Oregon	25 334	1.849	6 81	4	2	1.0					
California	7	1,849 117	81	72	9						
Hawaii	6	1 1	The Table	1 7 4 -	1/2 2/2	DIAM					
luerto Pico	8	676	10	10	0 - 1	- F H XX					
Puerto Rico	٥	676	13	13							

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:

UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962 — Continued

AREA	PSITTACOSIS- ORNITHOSIS	RABIES IN MAN	RHEUMATIC FEVER, ACUTE	SALMONELLOSIS	SHIGELLOSIS	STREPTOCOCCA SORE THROAT SCARLET FEVE
UNITED STATES	79	2	7, 977	9, 680	12, 443	315, 809
NEW ENGLAND	7		25	756	399	21,777
Maine			8	79	131	2,466
New Hampshire		-	1	20	8	275
Vermont	ī			19	3	794
MassachusettsRhode Island	1	1/16	16	522	173	4,053
Connecticut	6		10	20 96	8 76	1,577 12,612
MIDDLE ATLANTIC	12	-		1,610	745	17,002
New York	6	-		775	308	9,837
New Jersey	1	-		156	115	3,137
Pennsylvania	5	4.1	10. H-	679	322	4,028
EAST NORTH CENTRAL	29	11 -	4, 991	1,324	892	30, 549
Ohio	1		1,779	322	53	3,923
Indiana	1 4	-	47	72	37	5,180
Illinois Michigan	3	-	1,671 1,384	402 331	326	6,317
Wisconsin	20		110	197	292 184	8,116
		520	110	13,	104	7,013
WEST NORTH CENTRAL	8	4 4 -	275	863	468	9, 732
Minnesota	4	-	70	322	166	945
Iowa	4	(**).	25	81	25	2,854
Missouri North Dakota	-	1 5 5	37 132	46 40	60	466
South Dakota			132	22	51	3,626
Nebraska	_	-		14	75 18	158
Kansas	-	-	11	338	73	34 1,649
SOUTH ATLANTIC	4	111	508	1,678	1,693	26, 430
Delaware		-	7	37	25	239
Maryland	1			228	179	907
District of Columbia	X S		2	100	104	87
Virginia			. 3	167	168	7,511
North Carolina	3		24	11	7	6,476
South Carolina	3		115	126 11	177	1,380
Georgia	-		13	357	28	2,833
Florida	ma -	-	347	641	499 506	6,584
EAST SOUTH CENTRAL	1	0 -	633	291	649	53, 359
Kentucky			201	32	18	
Tennessee	1		227	124	389	4,256 44,489
Alabama	(C) (#)		196	102	177	913
Mississippi		4 -	9	33	65	3,701
WEST SOUTH CENTRAL]- - -	- T	90	539	4,005	36, 247
Arkansas	-		4	71	176	105
Louisiana	- 4		26	303	145	194
Oklahoma		1	12 48	23	171	764
Texas	-			142	3,513	35,184
MOUNT AIN	6	1	1,162	413	609	60, 056
Montana	2	ī	138 249	13	7	2,480
Idaho		100 47	277	1 3	3	6,065
Colorado.	2		140	178	10 122	2,879
New Mexico	495 -	-	119	33	167	21,032 13,522
Arizona	1		220	106	260	7,887
Utah Nevada	1	1 7 2	19	73 6	35 5	6,125
ACIFIC	12		293	2, 206	2, 983	60,657
	-		112			
WashingtonOregon	1		42	202 147	282	18,916
California	10		108	1,582	357 2,233	1,419
Alaska	1	-111	26	11	2,233	37,024 1,951
Hawaii		-	5	264	110	1,347
						

Morbidity and Mortality Weekly Report

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962 — Continued

ASSESSMENT					TYPHU	S FEVER Tick-borne
AREA	TETANUS	TRICHINOSIS	TULAREMIA	TYPHOID FEVER	Flea-borne (Murine)	(Rocky Mountain Spotted)
UNITED STATES	322	194	328	608	32	240
NEW ENGLAND	7	30	1	11	-	1
Maine		2	16.0	2		THE PARTY OF THE P
New HampshireVermont		1	-			_
Massachusetts	4 1	6	1	8	-	
Rhode Island	1 2	1 20	=	1		1
MIDDLE ATLANTIC	23	96	3	65	1	19
New York	15	66	1	37	1	11
New Jersey Pennsylvania	1 7	15 15	2	10 18		6 2
AST NORTH CENTRAL	42	27	47	92	1	17
Ohio	5	13	3	41	-	6
Indiana	14 13	5	16 19	12 19		7 4
Michigan	7	7	19	19	7 - 2	4
Wisconsin	3	2	8	8	1	1111111111
EST NORTH CENTRAL	28	11 -	53	34		2
Minnesota	9	1 4 -		-		Description of the second
Missouri	5 4	1 後 2 1 1	2 26	3 25		1
North Dakota	1 10 -	W .		3		E-FU L DITTE
South Dakota	- 2		1	1 2		
Kansas	8		24	1 × 4	-	
OUTH ATLANTIC	66	10	46	106	9	117
Delaware	- 2	- 2		2		- 1
District of Columbia	1	-	1	3 10		16
Virginia	A) (4		17	17	-	45
West Virginia	1 11	2	3 5	6	2	35
South Carolina	4	784 - N	1	9		6
GeorgiaFlorida	14 29	6 NN	19	21 25	5 2	10
AST SOUTH CENTRAL	51	9	42	66	6	39
Kentucky	8	44 1	1	17	-	7
Tennessee	13	7	35	30	2	21
Alabama	16 14	1	3	12 7	4	11
EST SOUTH CENTRAL	71	4	95	122	13	17
Arkansas	11	eg =0/	60	34	1	6
Louisiana	22	3	11	31	-1-	
Oklahoma Texas	4 34	i	13 11	7 50	12	11
OUNTAIN	8	4	33	48	10 1-1	23
Montana	.8	801 -	2	10	A	
daho		100	14	1 2	1	3
Colorado	2	64.	_ 17	8_	112000 - 13	6
New Mexico	1 3	- 4	1	141		A PROPERTY OF
Jtah	2		16	11 2		
Nevada						dispera
ACIFIC	26	14	8	64	2	5
Washington	3 m	3	-	4	20 V - 1 - 1	- Contract to 1
Oregon	21	2 8	2 5	57		2 2
Alaska	1117		í		A	
Hawaii	2	1		2	2	A CHARLE
erto Rico	109			18	2	THE PERSON NAMED IN COLUMN

Includes Paratyphoid.

TABLE 6. NEWLY REPORTED ACTIVE TUBERCULOSIS CASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, BY AGE, 1962

AREA	TOTAL	Under 5	5-14	15-24	25-44	45-64	65 & Over	Age No Stated
UNITED STATES	53, 788	3, 029	3, 036	4, 797	15, 429	17, 080	9, 713	704
NEW ENGLAND	1, 984	95	68	145	535	716	405	20
Maine	164	6	7	11	32	65	39	4
New Hampshire	70	4	1	2	15	32	16	
Vermont	58	3	2	8	8	19	17	1
Massachusetts	1,182	57	44	85	335	428	233	-
Rhode Island	173	13	4	16	37	65	26	12
Connecticut	337	12	10	23	108	107	74	3
MIDDLE ATLANTIC	11, 780	653	559	1,084	3, 566	3,620	2,071	227
New York	6,442	361	296	655	2,056	1,916	1,045	113
New Jersey	1,670 ¹ 3,668 ¹	94 198	94 169	148 281	479	531	302	22
Pennsylvania	3,000	176	169	201	1,031	1,173	724	92
EAST NORTH CENTRAL	10, 662	506	586	916	3, 247	3, 255	1,993	159
Ohio	2,447	155	204	209	713	671	479	16
Indiana	1,231	21	30	101	363	393	279	44
Illinois	3,895	156 142	125	334	1,376	1,261	580	63
Michigan	2,288 801 ²	32	195 32	195 77	621 174	698	421	16
Wisconsin	801	32	32	April 1	174	232	234	20
VEST NORTH CENTRAL	2, 577	133	111	158	645	897	598	35
Minnesota	501	19	19	33	119	186	125	30mg -
Iowa	186	1	2	13	54	84	31	1
Missouri	1,252	84	49	58	307	436	294	24
North Dakota	77	7	15	12	8	18	17	
South Dakota	120 168	8	16	14 11	30	22	30	
Nebraska Kansas	273	3 11	5 5	11 17	50 77	58 93	36 65	5 5
OUTH ATLANTIC	8, 891	557	564	789	2, 618	2, 906	1,338	119
Delewere	179	18	13	17	49	50	1 00	
Delaware	1,350	96	75	131	413	59 401	23 220	14
District of Columbia	607	80	106	40	162	159	46	14
Virginia	1,3913	32	46	125	353	603	183	49
West Virginia	593	17	28	59	170	183	125	11
North Carolina	1,344	74	64	120	404	433	249	
South Carolina	799	58	65	97	260	207	109	3
Georgia	1,189	93	103	97	312	378	189	17
Florida	1,439	89	64	103	495	483	194	11
AST SOUTH CENTRAL	4, 719	246	291	445	1, 208	1, 453	1,049	27
Kentucky	1,316	59	74	119	354	400	301	9
Tennessee	1,585	103	127	131	379	474	371	A MARC T
Alabama	1,164	49	57	111	304	380	250	13
Mississippi	654	35	33	84	171	199	127	5
EST SOUTH CENTRAL	4,677	308	271	467	1,301	1, 492	771	67
Arkansas	660	45	83	47	133	179	157	16
Louisiana	1,060	64	52 7	95	305	374	157	13
Oklahoma	513	11 188	129	49 276	139	178	125	4
Texas	2,444		-23	3337 - 1	724	761	332	34
OUNTAIN	1,777	117	201	181	429	513	296	40
Montana	116	12	14	8 17	22 18	28	27	5
Idaho	82	2	3	2	6	25	14	4
Wyoming	29 294	12	16	28	86	10 83	4	2
Colorado	330	35	49	38	77	72	55 51	14 8
New Mexico	703	49	80	67	182	218	107	
Utah	47	- 1	2	3	13	20	9	ACCUMANT OF
Nevada	176	7	33	18	25	57	29	7
ACIFIC	6, 721	414	385	612	1, 880	2, 228	1,192	10
Close	655	37	48	45	142	255	122	6
Washington	417	10	22	33	104	170	76	2
Oregon	5,032	315	249	462	1,464	1,628	914	-
Alaska	323	45	59	52	87	54	25	1
Hawaii	294	7	7	20	83	121	55	20061
		200	000	0.77	- Weller Co.	15 ANT 11		4170
	1,816	229	292	267	418	382	202	26

Provisional.

for active primary cases.

Provisional.

Wisconsin. The 64 cases reported for age under 15 years have been allocated in equal numbers to age under 5 years and 5-14 years.

Does not include 371 cases reported by the State of Virginia as active primary infections, since they do not meet the criteria

TABLE 7. NEWLY REPORTED CASES OF VENEREAL DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE; AGE; AND SEX, BY RACE (Civilian Cases Only), 1962

	SYPI	ILIS			
AREA	TOTAL	PRIMARY & SECONDARY	GONORRHEA	CHANCROID	OTHER
UNITED STATES	126, 245	21,067	263, 708	1,344	797
NEW ENGLAND	2, 988	551	5, 165	8	8
Maine New Hampshire	52 107	10 12	221 155	<u> </u>	-
Vermont	7	2	100		-
Massachusetts	1,712	341	2,699		7
Rhode Island	339 771	27 159	185 1,805	2 6	1
MIDDLE ATLANTIC	39, 951	6, 142	34,119	119	82
New York	22,974	3,974	24,229	79	60
New Jersey Pennsylvania	6,307 10,670	1,202 966	3,569 6,321	18 22	14
EAST NORTH CENTRAL	17, 259	1,785	51,476	108	34
Ohio	3,635	343	10,369	24	10
Indiana	1,477	95	3,376	2	4
Illinois	7,061 4,331	990 316	24,834 11,654	7 75	12
Wisconsin	755	41	1,243] "-	8
WEST NORTH CENTRAL	7,010	410	15,769	78	8
Minnesota	261	57	1,950	3	-
Iowa Missouri	865	46	1,336	5	1
North Dakota	4,252 34	191 5	7,640 629	59	3
South Dakota	142	30	1,161	-	1
Nebraska	335	25	888	4	1
OUTH ATLANTIC	1,121 26,466	56 5, 942	2,165 58,379	7 568	435
Delaware	775	40	856	6	
Maryland	3,081	527	5,269	3	7
District of Columbia	2,147	718	8,177	20	171
West Virginia	3,428 1,296	414 47	6,76€ 1,000	22	9
North Carolina	4,020	792	7,471	60	13
South Carolina	2,361	784	9,856	27	11
GeorgiaFlorida	3,354 6,004	988 1,632	10,076 8,908	288	98
EAST SOUTH CENTRAL	5, 168	1,180	20, 706	142	124
Kentucky	1,682	134	3,107	106	80
Tennessee	1,468	334	8,392	1 31	1 27
Alabama	1,433	575	3,932	29	37
Mississippi	585	137	5,275	45	15
VEST SOUTH CENTRAL	12,838	2,802	40, 291	234	124
Arkansas Louisiana	1,763 4,589	237 1,081	6,847 5,607	11	8
Oklahoma	1,659	160	4,110	64 2	78 4
Texas	4,827	1,324	23,727	157	34
MOUNTAIN	2,825	373	7,739	24	5
Montana	203	8	409	-	
Idaho	22	4	537	1 2	
Wyoming	39 511	73	105 2,114	2	1
New Mexico	911	71	1,259	2	
Arizona	819	134	2,395	19	4
Utah	123 197	72	409 511	1	-
PACIFIC	11,740	1.882	30, 064	99	21
Washington	428	44	2,492	7	1 5
Oregon	550	47	1,234	5	2
California	10,586	1,770	25,590	85	19
Alaska	68 108	5 16	615 133	444	-
Hawaii	100	10	133	2	
Puerto Rico	1,056	477	2,423	23	3

	GE DISTRIBUT	1
Age Group	Syphilis, Primary & Secondary	Gonorrhea
0-14	265	3,881
15-19	3, 587	51,679
20-24	6,063	91,588
25-29	4, 184	53, 295
30-39	4, 583	46, 153
40-49	1,621	12,816
50+	764	4, 296
Total	21,067	263, 708

DISTRI	BUTION by SEX	by RACE
Sy	philis Cases, T	otal
TY A	White	Nonwhite
Male	31,935	37, 613
Female	21,958	34, 739
Total	53, 893	72, 352
Syph	ilis, Primary &	Secondary
Male	4, 766	8, 808
Female	1,167	6, 326
Total	5, 933	15, 134
	Gonorrhea	
Male	52, 046	139, 509
Female	20, 057	52, 096
Total	72, 103	191,605

^{1.} Granuloma inguinale and Lymphogranuloma venereum.

TABLE 8. RABIES IN MAN AND ANIMALS, BY STATE, BY TYPE OF ANIMAL, UNITED STATES, 1962 FROM REPORTS TO THE NATIONAL RABIES SURVEILLANCE PROGRAM, CDC-PHS

Human Rabies in the United States, 1962

Locality	Age	Sex	Biting Animal	Site of Wound	Incubation Period	Duration of Illness	Date of Death
Texas	4	м	Probably Dog	Unknown	Unknown	11 days	July 24, 1962
Idaho	11	M	Possibly Bat	Cheek	3 or 4 wks	4 days	Oct. 8, 1962

Rabies in Anima	ls by T	ype of	,	ported	Through	Survei	llance Pro			State Report, Notifiable Disease
AREA	Dog	Cattle	Other Domestic	Fox	Skunk	Bat	Raccoon	Other Wild	Total Confirmed	Total Cases
UNITED STATES	561	546	296	594	1,449	157	62	36	3,7041	3,732
IEW ENGLAND										
Maine	-	-		1	-	-	-	_	1	1
Massachusetts	-	-			-	3		-	3	3
		100								
MIDDLE ATLANTIC										
New York	7	37	6	44	3	8	1	1	107	107
New Jersey		-		- 		9	1	-	10	10
Pennsylvania	6 _	24	6	14	4	1	2	1	58	58
EAST NORTH CENTRAL	0.0				13-					
Ohio	16	11	13	30	310	3	1	2	386	379
Indiana	96	17	11	33	38		1	_	196	197
Illinois	6	26	12	9	73	1	3	3	133	158
Michigan	4	5	6	2	27	4	-	-	48	48
Wisconsin	7	4	13	2	11	6	-	-	43	41
WEST NORTH CENTRAL	1 10		1.0		1 12		77			X III.JTR THE
Minnesota	22	30	15	2	160	3	2	_		
lowa	16	113	37	_	179	2	2	3	237	244
Missouri	38	35	12	20	57	_	2	1	349 163	352
North Dakota	1	11	7	1	31		1	1 -	52	163
South Dakota	8	33	17		55	11 7-1	î	2	116	52 109
Nebraska	-	6	4		14	11 6-1	2		26	26
Kansas	-	1	-	1 - 1	4	7.5-1	17-		5	7
SOUTH ATLANTIC										2 - 1166
Manuland	1	_	1	1			1.00			
Maryland	9	15	6	99	H.v.	2	19.	100	3	3
Virginia	37	16	25	66	2	1	-	5	136	138
North Carolina	37	-		1					147	151
Georgia	3		2 - 1	2	1	5	1	1 1	1 12	1
Florida	5		6	4	3	14	39	1	72	12 72
CACT COUTEL CENTER AL										The second second
EAST SOUTH CENTRAL	67	18	13	41	3	1			7+0	The company
Kentucky	19	53	11	110	17	3	1 - 2		143	143
Alabama	18	2	5	5		_	15-0	1	213	213
Alabama	10						1 2 77	1	31	31
WEST SOUTH CENTRAL							100			
Arkansas	7	9	6	25	3	-	1	-	51	70
Louisiana	10	2 9	4	13 14		1	1.50	0.05	26	26
Oklahoma	93	54	45	38	259	1 31	-	2	33,	32
Texas	93	54	43	50	2.39	31	- 3	4	530 ¹	530
MOUNTAIN			1							
Montana	-	-		-	- N	1	-	-	1	1
Idaho	-	-		-	-	1			1	L Pendin Pe
Colorado	-	-	-	-	1 - 1	4		-	4	4
New Mexico	4	2	1	-	5	1	- 1		13	13
Arizona	7	1	3	2	1	6		6	26	26
Utah	-		-	1 1	1		14.5	-	1 1	
Nevada										
ACIFIC			115						Little	/ CONTRACTOR
Oregon	12.			-		17		-	17	12
California	47	12	11	4	189	28	1	2	294	17 293
Alaska	4	1.		9		line of		2	15	293
Name Diag	,	1	3	-	-		7117	12	27	
uerto Rico	4	T	1 3 -	JUE X			1000	13	21	21

Includes 3 unknown by species.

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962

(A) DIPHTHERIA

				10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES	7	101	135	88	26	8		6	8		11	444
NEW ENGLAND	-			-			2	-	-	1	-	3
Maine	-		-	-	-	-4	-	-	-	-		-
New Hampshire		-		-	-		-		1	== :	-	
Massachusetts	-	-			-	-	1	-	-		-	1
Rhode Island	-			_	-	100	1	-	= =	= 1	_	1
MIDDLE ATLANTIC	1	2	6	8	1	-	1	1	-	-	-	20
New York	100.0	2	6	8	-	-	-		-	-	-	16
New Jersey Pennsylvania	1				1		1	1		_		2 2
The state of the s		2	4	2	1	1	2		1	1		14
EAST NORTH CENTRAL		1.0									Marie 1	
OhioIndiana	1 5			1	1	1	1			1 -		1 4
Illinois	-	1	2	1	-	-	-	-	-	-	-	4
Michigan	1 1	1 -	2 -		1	-	1		1 -	-	7.4	1
WEST NORTH CENTRAL	1	11	27	17	8	2	5	4	8	16	3	102
	1.	3	11	3	1	197	1	2	2	6		29
MinnesotaIowa	1 2	3	5	6		_	1 -	1	-	-	1 1 2 4	15
Missouri	-	3 -	- 2	4	- 2	100	-		1	1		5
North Dakota		1	5	1 1	2		2	-	2	6	3	22
Nebraska	1	1	4	3	3	2	2	1	1	3	-	21
Kansas		- 11 -	100	194	1-7	-	i i	-	1	12" -	-	1
SOUTH ATLANTIC	1	39	39	31	12	5	1	3	2	1		134
Delaware		-	1	WT	1-	-	-	-	-	-		1
District of Columbia	1	-		1.00	_		1			1 -	- 1	1
Virginia		4	3	4	4	1	-	1	1	-		18
West Virginia North Carolina	3.1	- 2	5	1	= -	1		-	-	-	-	11
South Carolina		3	5	_	1	1	1	1		_	_	10
GeorgiaFlorida		20 10	11 14	11 14	2 4	- 2	-	1	1	1	the Taylor	47 44
EAST SOUTH CENTRAL	2	9	10	9		_	1	2				33
Kentucky					14	110	1					- 33
Tennessee	0.00	1	1.7-	1	1	_	1	1		_	14111	4
Alabama	2	4	8 2	6 2	4-	110	-	1	-	-	1 :	20
A CONTRACTOR OF THE PERSON OF								1			17 18	172
WEST SOUTH CENTRAL	2	34	40	20	4	-	y	1	2		6	118
Arkansas Louisiana	1	8 4	5 3	4 2	2	_	1920	1	-			20 10
Oklahoma	3 3-5	2		-	2	-	- 2	1	-	1	2	8
Texas	1	20	32	14	-	-	••••		9	•••••	4	80
MOUNTAIN	57	2	5	1	1 8-	115-	1	-		1	2	12
Montana	1. 1.	N -	3	1	100	-	1 2		-	-	2	6
Idaho	-	-	-	-	-	-		-	-	1	100	1
Wyoming					5 -			1 1	-			
New Mexico	-	2	2		-	-	1	1 -	-	-	-	5
Arizona		-	-	-	-	ll lu-	-	-	-	-		
Utah	31.5				1.7	_	1 3		1 -		1	-
PACIFIC		2	4		-	-			2			8
Washington					_		112	1 4 -				-
Oregon	11 M		7 e-	455		-	111 -	-	-	-		-
California		2	4	136		115.5	100	-	-	-	100	6 2
Alaska Hawaii	F V V -				- 1	-	-	-		-		17 (0)
Puerto Rico	3	18	10	4	8	5	1	3	2	2	(4)	56

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 - Continued (B) ENCEPHALITIS, TOTAL, ACUTE INFECTIOUS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES						- h	1,141	. 1.6.		201	iera turi	2,094
NEW ENGLAND	5	23	43	16	5	2	-	7	1	3	8	112
Maine	2	1	3	1	1	005	3	-		-	1	9
New Hampshire	1 2	2	1	1		3	Train.	7	·/	311 -	HALL T	3
Massachusetts	1	9	15	1	1	FR -	. 33	1	-	2	1	31
Rhode Island	1	7 4	14 10	9	1 2	- 2	1	4 2		1	4 2	40
MIDDLE ATLANTIC	33	105	123	60	31	26		11	4		2	493
New York	26	51	45	23	16	20	100					
New Jersey	6	25 29	35 43	21 16	7 8	3	3 2	5 2	5 4	10 10	1	255 120 118
EAST NORTH CENTRAL											The Party	294
Ohio	9	29	65	21	6	1	1	1	1	1	4	139
Indiana	5	12 16	14 6	7 4	3 2	2 3	1 3	4 3	4	3	2	56
Michigan				• • • • • • • • • • • • • • • • • • • •			n not av		4	1	1	48
Wisconsin	1	-	96	-	-	· -	_	-	- 1	-	5	45
WEST NORTH CENTRAL	3	17	12	13	12	6	4	- 8	5	9	3	92
Minnesota	2	2	#5. el	2	4	<u> </u>	1	1	3			15
Iowa Missouri		5 1	5 5	4		- 2	1	2	1	1	3	22
North Dakota	-	4	1	1	2	-	477	2	_	1	14.00	11
South Dakota	-	-	Y =	-	7 - I	1	-	1 -	-	2	A SOULE !	3
Nebraska Kansas	1	5	1	2 4	6	3	1	1 2		1 4	1	27
SOUTH ATLANTIC	1		Elig	A12 -		18894.0	POC	4. 5			Text. Is a	428
Delaware	449 m = 1	7.	ti -		Us al	E	- E	3 -				100
Maryland	3	9	17	4	3	2	2	2	1	_	1000 a 2	43
District of Columbia	1 1	3 2	5 4	- 2	- 4	EXE I		11 :	- 4			9
Virginia	1 7	1	5	- 1	1	î			-	6	entil a	23
North Carolina	3	8	14	7	3	2	1	-	1	3	1	43
South Carolina	ī	2	5	1 4	3		1	2	1	2	40 (400)	10
Georgia	3	13	28	12	9	9	12	19	27	122	11	26 265
EAST SOUTH CENTRAL	85. l. a.		(A. J.,	375.3		TOTAL.				LATERNA	D-HELVI	80
Kentucky.	-	1	2	1	1	2	200	-	-	1	4	12
Tennessee	3	8	9	1	4	1		3	1	3	-	33
Alabama Mississippi	2	10	6	1	5	2	* •	2	1	3	2	34
WEST SOUTH CENTRAL	D. 1			100.14		391	.414.	.34.		Walts	2 17.76	133
Arkansas	- I	1	The second second second second	4	1	1	4	4	3	1		23
Louisiana		4	Encep 2	halitis r	ot speci	ried as	arthropod	l-borne	not noti	fiable .	• • • • • • • • •	7.5
Oklahoma Texas	7	18	21	13	9	8		1			1	15 95
MOUNTAIN	2	3	10	1	2	2 11 1	3	2	1	2	8	35
Montana	- II	1 -	2	1 -	1 5			1	1	-1	2	6
Idaho	1	1 1	8 1	<u> </u>	4 - 1		1		100		200	2 3
Wyoming	2000			1. 10.		-	3011	I LANGE			11 000	001155
New Mexico			2	1	1	1	2	1		- 1	2	11
Arizona	1	1	5	-	1		-	4		1	1	8
Utah Nevada	a. Jalen <u>t</u> er		11	-	1007/-	HITA:	-			100	2	2
ACIFIC		4 × ×										427
Washington	1981	81 4	E5	2	- 2		1	4	100		19	26
Oregon	2 21	82	141	51	22	15	13	23	11	20	17	399
California	21	-		1	1	-	¥	5 -	1 toward	F F 1-4		1
Alaska Hawaii	125	1				1						1
						1	35.7	Alcon.V			1	T

Age distribution data incomplete.
 Includes Aseptic Meningitis.

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued (C) HEPATITIS (infectious and serum)

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES											4"	53, 016
NEW ENGLAND											U	3,837
Maine	-	45	330	242	123	93	84	139	75	54	16	1,201 379
New Hampshire Vermont		4	120	17	10	6	4	119	4	6	140 21	86
Massachusetts	1	53 4	350 15	325 27	161 14	145 15	130 21	242 23	84 14	97 16	28 8	1,616
Connecticut	-	6	41	55	56	52	31	58	39	29	31	398
MIDDLE ATLANTIC	11	209	1,562	1,450	1,136	912		3, 0	43		32	8,355
New York	8	105	752	638	598	514		1,6		 ! 107	32	4,330
New Jersey Pennsylvania	2	26 78	240 570	248 564	189 349	184 214	146 192	202 280	114 140	137 149	- 22	1,488 2,537
EAST NORTH CENTRAL												10, 384
Ohio	1 3	144	786 308	676 254	375 139	265 88	241 83	338 123	170	160	184	3,340
IndianaIllinois	6	45 90	443	379	259	229	186	295	43 142	29 170	8 58	1,123
Michigan	13	143	750	633	327	297	263	418	171	169	96	3,280
Wisconsin	1	6	34	45	41	18	25	45	19	19	131	384
WEST NORTH CENTRAL							• • •				U	3,510
Minnesota		39	165	122	97	56	74	115	52	l 55)	85 106	860 978
Missouri	1	34	167	135	85	70	44	62	35	41	75	749
North Dakota	1	16 4	42 26	33 18	17 8	10 10	12 9	17 11	17 2	14 16	1 6	180 111
Nebraska	111 -	8	17	9	8	9	17	23	5	11	117	224
Kansas	-	20	82	73	45	41	33	56	21	24	13	408
SOUTH ATLANTIC	8	200	1,493	1, 274	845	623	433		, 187		254	6,317
Delaware	-	2	6	6	13	11	5		25		-	68
Maryland District of Columbia	2	25 3	166 34	145 31	86 19	74 22	74 14	90 16	39 7	55 8	7	763 154
Virginia	1	36	271	202	133	121	80	102	61	50	119	1,176
West Virginia	-	30 54	307 471	229 441	96 294	48 178	23 119	54 126	24 43	34 57	64	909 1,785
South Carolina	-	17	50	55	42	32	16	30	12	6	21	281
Georgia	2	6	61	48	30 132	38 99	18 84	22 124	13 75	25 89	9 32	272 909
Florida EAST SOUTH CENTRAL	3	27	127	117			04		00	09		111 1412
	7	266	1,744	1,683	792	483	115	145			138	6,396
Kentucky	1 5	104 100	730 596	706 549	254	144	117	126	69 67	78 77	59	2,039
Alabama	-	39	246	246	147	80		2	55		63	1,076
Mississippi	1	23	172	182	137	111	67	66	42	59	16	876
WEST SOUTH CENTRAL	10	215	805	649	467	358		1.0	23		201	3,728
Arkansas Louisiana	-	24 30	121 122	115 109	89 83	51 61	55 47	39 49	25 25	52 21	8	571 555
Oklahoma	1	8	45	38	23	24	17	14	6		25	211
Texas	9	153	517	387	272	222	j	6	63		168	2,391
MOUNTAIN		2000	****					1.0	• • •			2, 833
Montana	2	53	51	41	12	19	22	27	12	18	24	281 363
Idaho	2	16 4	45 24	40 14	41 7	33 13	38 7	46 8	17 2	29 2	56 16	97
Colorado					.age dis	tribution	n not av	ilable.				667
New Mexico	1	19 39	83		27	35	1 27	19	8 (63		19 259	297 780 ¹
Utah	3	11	65		35			35	9		26	320
Nevada	•••••	• • • • • • • •		• • • • • • • •	.age dis	tribution	n not av	nilable.	• • • • • • • • • • • • • • • • • • • •			28
PACIFIC		444										7,656
Washington	2	50	213	240	168	154	135	193	92	76	179	1,502
Oregon	1 10	35 164	176 714	142 526	104 512	88 721	79	112	71	73	3 59	884 4,749
Alaska	3	29	92	71	(3		(2,0)	125	460
Hawaii	1	-	1	3	6	19	9	10	10	1	1	61

^{1.} Age distribution data incomplete.

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued

(D) MENINGOCOCCAL INFECTIONS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES			l. II.			L		1	4	. 34 [17]	STATE OF	2, 150
NEW ENGLAND	23	44	19	7	9	3	1	1	2	7	13	129
Maine New Hampshire	4	14	2	3	-	-	-	-		-		23,
Vermont	1	2	1	1		1 2				-	3	5 ¹
Massachusetts.	12	13	10	3	7	2	1 2		2	4	1	52
Rhode Island	2 4	10	2	-	1	1	1		- 5	-	2	13
MIDDLE ATLANTIC	75	107	44	29	28	24	-	70	2	3	7	32
New York	31	46	19	12							1	378
New Jersey. Pennsylvania	13	19 42	8 17	7	14 10 4	6 15 3	2	2 2	3 6	9	1	164 88
EAST NORTH CENTRAL					7/					11	_	126
Ohio.	22	34	13	5	5	4	4	1	, , ,			398
Indiana	10	11	5	4	2	3	-	-	1 1	3	5	97 36
Illinois	21	47	11	6	2	2	1	1	4	4	-	99
Michigan	3	2	-	-	age dis	tribution	not ava	ilable -	-		22	139 271
WEST NORTH CENTRAL	J.a.	54.			1,41.					n. T.	i ji ya	118
Minnesota	7	12	2	1	2		1	-1	1			
Iowa	3	7		1	-		-	- 1	1 -	1	1	29 12
Missouri North Dakota	4	10	4	1	4	4	1		-	-	2	29
North Dakota South Dakota	1 1	5	1	1	1	1			-	1	12100	9
Nebraska		- 2	2	3	2	1	1.50	1		=	7	8 181
Kansas	- 3	- 5	2	1	2	-	-	4	-	-		13
SOUTH ATLANTIC	74	102	49	29	8	10	77.4	6	7	17	9	315
Delaware	3 6	4 7	- 1 6	3		1.35	-			-	+ 1	8
District of Columbia	2	1	2	-	1	1	3	-	1	Total di	1	29
Virginia	16	28	10	8	1	-	-	3	2	6	4	78
West Virginia	8 17	7 20	3 13	11	1.5	6	8.0	. 1	-		1	19
South Carolina	4	7	- 4	1	1.0	2		1 15	2	3 2	1 2	73
Georgia.	10	12	4	_ 1	2			1	1	1	_	32
Florida	8	16	6	5	3	1	-	- 2	1	5		47
EAST SOUTH CENTRAL	28	48	22	11	9	3	4	4	1	6	6	142
Kentucky Tennessee	5 17	18 17	7	1 7	1 5	1 2	1 1	1	-	2	3	39
Alabama	1	8	5	í	1	_	1	2	1	1	2	59 21
Mississippi	. 5	5	3	2	2		1	1	-	3	1	23
WEST SOUTH CENTRAL	45	73	27	11	13	6		13	3	1.37%	3	191
Arkansas	6	11	1	2	1	1	1	2	-	-	- 20	23
Louisiana	18	29	13 2	5	4	3	-	15.4	1	3	1	77
Oklahoma	2 19	8 25	11	3	1 7	2	-		2		2	18 73
MOUNTAIN									[, F18	78
Montana		-			_	14.1		-5	<u> </u>			/0
Idaho	4	10	2	1	2	-		- 2	-		ī	20
Wyoming	2	-	-	1	1				-		1	5
Colorado New Mexico	-	5	1		age dist	ribution	not ava	ilable		•••••	• • • • • • •	14
Arizona	3	3	3	1	1		î	-		2	1	15
Utah Nevada	2	1		-	age dist	ribution	not ava	ilable	•	•	12.1	3 12
PACIFIC	98	106	40	16	54	42		44	1		1	401
Washington	7	100	4	2	1	42	520		2	1	2	29
Oregon	5	8	6	1	1	-		- 2	1	3		25
California	77	84	29	13	52	42	•••••	37			Jan 1	334
Alaska Hawaii	4 5	2	1	-		-0			-		1	7 6
				101						-		
Puerto Rico	2	1			3	2				D1 (-	- 0	8

^{1.} Age distribution data incomplete.

Morbidity and Mortality Weekly Report

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued

(E) PARALYTIC POLIOMYELITIS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES	58	302	159	80	36	28		9	9		ATTA-OUT	762
NEW ENGLAND	2	3	4	9 1	3 -	91-	1 1	15.	1	1	1584 July	13
Maine	- A	1	1.		15	July 40	W.J5-				12	- 43
New Hampshire	1100	1	1	17.7		-	1	1 7 -	771	DEN -	13161(141)	3
Massachusetts	1	1	2	1	10	1000	12.1	27 [47	1	1	- Te -	7
Rhode Island	ī	1	17 = 2	1 3		25	102	115	-		-	2
MIDDLE ATLANTIC	5	16	16	8	029	7	8	6	3	1	4 (92)	79
New York	4	10	10	4	6	7	5	3	3	1	-	53
New Jersey Pennsylvania	1 -	2 4	5	3	3	e-	2 1	3	-			7 19
EAST NORTH CENTRAL	5	50	29	15	4	7	5	7		2	13/41/20	124
Ohio	2	7	4	10.0	1	1	-	1	-	2		18
Indiana	1	8 28	5 15	7 3	1	2	3 2	- 2	1 0.0		199	24 54
Illinois	101	6	4	2	1	3	-	3				19
Wisconsin	2	1	1	3	5 x -	1	14 -	1	1 1 -		-	9
WEST NORTH CENTRAL Minnesota	7	4	8	6	2	2	1	6	1	5	(2) X (1 = 0.7)	35
Iowa	14.5	14.	-	2	11.	1		1	-		-	7
Missouri	-	3	4			î	1		-	1		10
North Dakota		- 1	18 - 9	1	1 -	197	15	1 2 - 1	1	<u> </u>	- 10 Tex.)	3
South Dakota	7.		2	1	1	10.0	12 10	2		4	B 10 2 1	2
Kansas		12 -	-			13.7	1.0	1 - 1	-	-5	11-11-7	_
OUTH ATLANTIC	2	37	19	9	2	2	3	2	1	non-3	April 1884	77
Delaware	- 5		2	17.00				2.74	1	1	1.0	2
District of Columbia		1		-			-	200	-	11121	and the second	I
Virginia	1.64	5	1	1	100	1	* "	1112	-			8
West Virginia North Carolina	1 -	5 6	9	2 2	1 1	1	7	1 4 5	1 5	1	THE P. LEWIS CO., LANSING, MICH.	18 13
South Carolina	1 2	4	1	1	- 1	1	100	1	1 1 3	1		7
Georgia	1	10	2	1	# i	14 -	3	61-2	1			18
Florida	1-	- 6	1	2		1 × -	37-	1				10
EAST SOUTH CENTRAL Kentucky	6	42 12	8	8	3 1	The state of	2	2		-	era muna Sa	72 20
Tennessee	9-	3	2	2	8.7 - m		1	100			1000	8
Alabama	4	15 12	1	1 2	2	Æ	ī	1		1		21 23
VEST SOUTH CENTRAL	36	116	54	22	12	6	.155	2	 1	DUDY	n ere	267
Arkansas	4	5	4	3	1	1	111	2	5 ol. 5		The	21 31
Louisiana	5	15 14	7 6	1 3	1 3	1	1 2	2	1	1 -54		29
Oklahoma Texas	27	82	37	15	7	3	•••••	1	5			186
OUNT AIN	1	5	2	3	1	1	278	1 -	143	0.00	d. ixii	13
Montana		88:8	1 8 1	- i	1	[[法][4	43.1	3 5 5	W 4:1)	1 2500		1
Idaho		1	11.	_	111 - 1	11/2 1	118.7	1 .	W 18.41		_	1
Colorado	1	diversa	1	1	1.39-1	1			THOUSE I	WVD.	75.574	4 2
New Mexico		2 2	1			SET I			Nulses	100	(20)	
Utah	_ < _		10.4	1		15.0	15-3	115		-		
Nevada	Atlanta	1500 70	n military	man N	dia.	ilpite.					•	
ACIFIC	1	29	19	8	3	3	12.7	7	3	2	iv vi-il	82
Washington		3	2	11.27-3	11-3		1	13.7	1	- 1	- Inth	
Oregon	ī	26	1 16	8	3	3	6	1 6	2	1	0.1020	73
Alaska	1000	-	10-1	- 11	12	3 y 15 -	17.	1 15-	A TEN			elterli
Hawaii	12-1	4 F -	-	- 1	11212	14 2/-	-	102 -1	5 K	Erral		HOWN
												1:

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued (F) TETANUS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES												322
NEW ENGLAND	-			N	1	1	1.64	1	- N	4	OPEN TON	7
Maine		C1 -		10			1.5		-	-		-9.
New Hampshire Vermont] [_		- 42		-		440 1140	
Massachusetts	A -	- 10	11.	- 1	1	-	7 -	1	- 1	2		4
Rhode Island	10-	_	13-	-		-1	3	10 -	1 [1	1 5	1 2
MIDDLE ATLANTIC		-	1	2	1	2		1	7		-	23
New York	a day.				1	100		1	4			15
New Jersey Pennsylvania	1 -	10	- 1	- 2	T a	1 1	-			- 3		1 7
EAST NORTH CENTRAL	1001	4	4	4	-41	1	-1	1	5	16	4	42
Ohio		_ 1	1	- 1			1 4			2		5
Indiana	6 -	1	2	3	1112 -		1 4	liel -	2	5	1	14
Illinois	1	1	1	-	-	1	1 7 5	1	2	6	-1	13
Michigan Wisconsin		1 -	-		1	11.	1 -	片。	-	2	1 2	7 3
WEST NORTH CENTRAL	W -	2	4	1		_	-5-	3	1	17	3.917,340	28
Minnesota		1	1	the -		1	-	2	1	4	and the state of	9
Iowa		1	115 -	3-	-	1 -	-	11:11 -	-	4	-	5
Missouri North Dakota		14	102	1			1.75	150	15.23	3		4
South Dakota	15 -		_ DC	200		119.3			1112		2012	True.
Nebraska	-	-	1			-	4	1	- to	-		2
Kansas	-	-	2	417			1.89	141	-	6	71 -75	8
SOUTH ATLANTIC					.9.							66
Delaware	-	H-	-			10 2 -	1 2-	241-		- 4	- 1	enlaŭe
Maryland District of Columbia	1	-	-	N 277		1137	1	100	*	1	Total State	2
Virginia	-		135	1	1		1 25	1	-	1		1 4
West Virginia				age		tion not		e				1
North Carolina	- 2	1	1 1 1	1	1	1	1 -	1	2	4		11
South Carolina	4	1	1	1	1	122	1 1 1 2	1	1	4	40.00	14
Florida	3	3	1	3	-		1	1	4	13	200	29
EAST SOUTH CENTRAL	8	3	4	2	5	2	1	2	1	22	1	51
Kentucky	1	100	1		2	142	1 1	155-	444	4	22 1 26	8
Tennessee	1	1	2	1	3	2	1 1	1	1	8	1	13
Mississippi	6	2	1	î	111-	1133	18	î	-	3	- 149-	16 14
WEST SOUTH CENTRAL	19	2	7	3	3	2		3	3	M. AT.	2	71
Arkansas	3	44-	1	1	1	1800	1.5-	144	3	2	-	11
Louisiana	5 1	- 187	1	100	1	1118		1	2	11	. 1	22
Oklahoma	10	2	4	2	1	2		1	2	2	ī	4 34
MOUNTAIN												8
Montana	47 -	-	Co-					18:	45.3	State .		WAY.
ldaho		177	10-					13.	17.0	VALLAN		
Colorado.				age		tion not	availabl	e	• • • • • • • •			2
New Mexico	1	1 - 2	JEE.	100	1	3.			-		2	1 3
Arizona Utah	-		1		1.0	17-		0.1877		1	_	2
Nevada	-	100		-			7.7	-				DE VISIO
PACIFIC	Right-	2	4	1	9.5	:1,	1	3	2	12		26
Washington		-	5-E	P 105	dies.		2-	1	14.5	2	of proper	3
Oregon	3	2	3	1		1	1	2	2	9		21
CaliforniaAlaska	120	-	-		250		- 12		-	185	-	and the
Hawaii	-	- 0	1	1 .			1 2*	-	14.5	1	-	2
	10	17	21	17	6	1	-1	5	7	21	3	109
Puerto Rico	10	17	21	1904					Ht.72	120 000	A STATE OF	

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued (G) TYPHOID FEVER

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Tota
UNITED STATES								,			/.	608
EW ENGLAND	-	-	3	14-	4	1	-	1	2	-	-	11
Maine		-	1			V	_	-	1		-	2
New Hampshire	-	3.5	-	-	3.1		- 1	-	-	-		
Vermont			- 2		3	1	-	1	-	-		- 8
Massachusetts Rhode Island	HET 1			- 22	1	1	_	1	1 -			1
Connecticut	-	-	e: -	-	-	_	110-	_	-	-	-	
HIDDLE ATLANTIC	1	8	9	10	5	12		20)		PAID IN	65
New York		4	4	4	4	9		12				37
New Jersey	1	- 4	2	3	- 4	1		2		1	-	10
Pennsylvania	1 = -	4	3	3	1	2	- 1	1	1	2	110,621	1
AST NORTH CENTRAL	1	14	16	12	8	4	6	10	8	13	111111-1	92
Ohio	-	- 5	3	7	5	3	2	8	4	4	_	4
Indiana		1	4	í	1	1	1	-	2	1	-	1
Illinois	-	3	4	4	1	100-1	1	1	2	3	-	19
Michigan	- 1	3	3	-	1	-	1	1	-	2	-	1
Wisconsin	-1-	2	2	-		H	1	P1 =	-	3	-	
EST NORTH CENTRAL	2	2	7	5	4	_ 6	2	_ 2	2	2	-110-	3
Minnesota	9		-	_	0.64	-	1 2	-	-	-	1	
Iowa	-	100	-	-	-	2	-	- 1-1-	-	1		
Missouri	2	2	4	4	4	4	2	1	2	-	-	2
North DakotaSouth Dakota	-		1	1	-	-	-	1.4	-	1	-	
Nebraska	_		1 1	-				1		-		
Kansas			-					1	-	_	-	
OUTH ATLANTIC	3	22	16	20	6	5	1	8	2	18	5	10
Delaware	1						12	-		,		
Maryland	-		2			_	_	1	-	1	-	
District of Columbia		2	2	2					_	4	_	1
Virginia	1	5	1	2	1	1	-	1	1	3	1	1
West Virginia	100-1	1	1	3	TE TIEV			PERMIT	-	1	a deline	
North Carolina	1	3	3 1	3	2	1	l -	1	-	2		1
South Carolina		6	3	3		2	1 1 12	1 2		1 3	3	2
Florida	12	5	3	6	3] -	1	2	1	3	1	2
AST SOUTH CENTRAL	1	16	13	3	3	2	2	11	4	10	1	6
Kentucky		7	4		100	-		3	-	3	-	1
Tennessee		5	7	1	2		1	6	4	4	1	3
Alabama	_	3	2	1	1	1	1	1		1	1	1
Mississippi	1	1	1,44-	- 1	- 11-	1	1 12	1	-	2	100-0	
EST SOUTH CENTRAL	1	17	27	20	6	4		42	2		5	12
Arkansas	-	2	8	5	1	-	2	5	- 5	1 6		3.
Louisiana	111-1	9	5	7	2		1	3	2	2	-	3
Oklahoma		((*	3	2	-	-	1	1.041	1		-11	-1-6
Texas	1	6	11	6	3	4	•••••	1	4		5	5
OUNT AIN				1 44		i. i=					298	4
Montana		- 1	68		14			1		7	1	1
Idaho	(5)-1	1 - 1	72-	+1-	10.0			- 2	-	1	-	3 10
Wyoming	124-1		1	1		1.5-1	1		-	_	-	HILE:
Colorado New Mexico	00001	3	1 2	1	1	100	1	3	1 1	2	5	1
Arizona		4		1	1	1	1	2	1	2	1	1
Jtah			1		-	_	_		1	_	1 -	1
Nevada	1		- N-	-	-	-			-	-	- 1	
ACIFIC	1	17	9	9	4	8	4	3	3	5	1	64
Washington		2				_			_	1	1	
Oregon	- 1	- 1	1	- 5-1	3.721	15-1	1 2	199	1 1 2	_	-	1.00
California	1	13	8	9	4	8	4	3	3	4	1-1	5
Alaska	1:-	2		e 11 -		1:-	1 0-	7-2		-	i	
Hawaii			- III		-	-	1.0	-	-	-	0 = -	
												1

^{1.} Age distribution data incomplete.

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1962

(A) ENCEPHALITIS, TOTAL ACUTE INFECTIOUS

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo Unl
UNITED STATES	2, 094	139	123	173	175	154	154	169	280	276	186	108	123	34
NEW ENGLAND	112	12	10	13	9	10	12	10	13	5	5	7	6	111-
Maine	9	3	1	1	-	-	-	1	2	g -1 -	-	-	1	-
New Hampshire	-		[_	-	1 1	3	_	-	Ξ.		-		-
Massachusetts	31 40	4 3	5 2	3 5	4 2	3 5	4	3	1 5	1 2	2	-		-
Rhode Island	29	2	2	4	3	2	2	2	5	2	1 2	5	4	-
MIDDLE ATLANTIC	493	54	27	42	39	46	39	38	34	53	45	44	31	1
New York	255	25	10		20	19	20		21	33	23	22	15	-
New Jersey Pennsylvania	120 118	11 18	9	12 8	14 5	10 17	12: 7	7	6 7	9	10 12	10 12	11 5	1
EAST NORTH CENTRAL	294	10	20	26	35	26	17	27	37	38	27	13	18	
Ohio	139	6	5	7	18	7	5		28	20	15	5	7	- 2
Indiana Illinois	56 48	1 1	6	11 5	3	3	5 1	2 4	4	10 5	6	3	4	-
Michigan	45	2	5	2	11	5	5	4	4	3	2	1	5 1	-
Wisconsin	6	F -	_	1	-	2	1	1	-	-	-	-	1	-
VEST NORTH CENTRAL	92	7	6	6	4	6	10	18	11	10	7	2	5	Y 4 1 -
Minnesota	15 22	4	-	2	2 1	1	- 1	2 15	2	2	3	-	1	-
Missouri	11	e -	3	-	-	-	1	-	2	21	1	_	2	
North Dakota	10			1	1	2	1 2	-	2		2	1	17 TH-	-
South Dakota	3 4	1	-		1		1	_	-	2		-	_	
Kansas	27	2	3	3	-	1	4	1	5	4	1	1	2	-
OUTH ATLANTIC	428	19	21	16	25	10	23	21	128	97	43	6	18	1
Delaware	43 ¹	3	_ 1	- 3	- 8	-	10	- 2	_	-	-	- 2	-	
Maryland District of Columbia	9	2	1	1	2	1	10	_	3	3	3		6	1
Virginia	23	2	3	2	4	3	1	2	#C =	3	2	1	- 1	
West Virginia	9 43	5	10	3	1	3	1	1 2	1	- 5	8	-	-	-
South Carolina	10	-	1	1	2	-	î	-	1	2	1	1	3	1
Georgia	26	2	2	-	2	1	-	2	2	13	-	-1	2	THE ST
Florida	265	5	3	6	6	2	91	12	120	71	20	4	7	1001100-
EAST SOUTH CENTRAL	80	3	4	8	4	1	4	6	5	10	13	10	12	1.68-
Kentucky	12 33	1	2	4	1	1	2	1	3	7	8 2	2 7	1 2	
Alabama	1	1	-	-	-	1	-	-	-	1 117 -			_	
Mississippi	34	-	2	4	3	-	2	5	2	3	3	1	9	-1197-
VEST SOUTH CENTRAL	133	6	10	12	14	9	10	7	9	19	21	7	9	D L
Arkansas	23	1	Encep	halitis	not spe	2 cified	as arth		_	notifia	ble.		100	100
Oklahoma	15	2	2	2	1 -	1	3	2	1	1	1	-	-	1 1 4 -
Texas	95	3	8	7	12	6	6	3	7	15	13	6	9	-
MOUNTAIN	35	2	4	3	1	4	4	1	3	5	4	2		2
Montana	6			1	1	1	1		_ [- 2	3		-	-
Wyoming	2 3	Ī	-	-	1	1	-	17	-		_	1		
Colorado	-	-	-	-	-	-	-	-	7 -		-	-	- 33	-
New Mexico	3	1	3	2			1	1	1	2	1			2
Utah	11	_	1	-	-	2	2	-	1	1	-	1	151	1111
Nevada	2	1	-	-	-	-	0.20	-	1	-	-	-	_	-
ACIFIC	427	26	21	47	44	42	35	41	40	39	21	17	24	30
Washington	-	- 2	1	1	1			1	1	-	1	-	1	18
Oregon	26 399	24	21	46	43	42	35	39	39	39	19	17	23	12
Alaska	399	-	-	-	-	-	Tall T	1	-		-	-	-	- 111-
Hawaii	1	25		-		-		-	-		1	- 7.		
Puerto Rico		y -	_	_	-	T -				-		-	- 3	-

^{1.} Includes Aseptic Meningitis.

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1962 - Continued (B) HEPATITIS (infectious and serum)

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo Unk
UNITED STATES	53,016	6,661	5, 621	5, 608	4, 905	4, 722	3, 534	3, 153	3, 557	3,677	3, 966	3,507	4, 096	9
NEW ENGLAND	3,837	381	296	296	244	240	210	189	268	327	427	413	546	100-1
Maine	1,201 379 86 1,616 157 398	93 31 6 184 29 38	55 35 6 144 27 29	75 51 16 119 4 31	79 16 5 105 10 29	59 26 3 104 8 40	92 18 8 66 7 19	55 4 3 88 10 29	60 28 8 112 8 52	101 32 2 151 7 34	122 73 6 186 17 23	163 19 10 174 11 36	247 46 13 183 19 38	
MIDDLE ATLANTIC	8, 355	812	612	805	719	679	591	578	719	655	726	665	787	7
New York	4,330 1,488 2,537	415 173 224	293 125 194	400 181 224	345 128 246	332 118 229	325 109 157	315 99 164	364 116 239	357 101 197	399 116 211	376 111 178	409 104 274	7
EAST NORTH CENTRAL	10, 384	1,400	1, 270	1,196	1,185	976	625	624	579	627	691	578	632	1
Ohio. Indiana Illinois Michigan Wisconsin.	3,340 1,123 2,257 3,280 384	613 84 159 466 78	428 150 229 437 26	383 131 235 424 23	281 211 342 325 26	266 118 256 307 29	173 87 142 204 19	194 47 136 216 31	212 32 143 162 30	216 53 138 184 36	214 65 147 219 46	193 41 141 179 24	166 104 189 157	1
WEST NORTH CENTRAL	3, 510	646	475	440	365	299	200	203	158	188	177	166	193	-
Minnesota. Iowa. Missouri. North Dakota South Dakota Nebraska Kansas	860 978 749 180 111 224 408	202 199 102 36 17 6 84	97 178 92 19 18 18	113 115 97 17 13 30 55	83 85 72 18 4 46 57	67 101 69 13 8 14 27	65 63 34 6 6 6 20	47 56 35 27 3 14 21	40 25 38 15 3 12 25	22 54 58 12 8 13	53 44 40 7 2 22 9	35 29 56 2 8 20 16	36 29 56 8 21 23 20	
SOUTH ATLANTIC	6,317	768	720	731	543	637	423	372	429	438	370	400	485	1
Delaware Maryland District of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida	68 763 154 1,176 909 1,785 281 272 909	7 63 12 157 165 236 41 20 67	5 104 21 176 123 156 29 26 80	4 69 11 164 69 238 39 28 109	5 50 8 92 82 174 34 24 74	2 60 18 120 80 203 26 29	3 45 9 90 62 85 20 28 81	5 93 9 53 33 98 11 16 54	4 54 13 59 44 115 21 23 96	4 44 11 72 51 127 21 24 84	6 40 8 50 70 109 10 18 59	7 43 7 59 73 121 14 18 58	16 98 27 84 57 122 15 18 48	1
EAST SOUTH CENTRAL	6,396	1,117	901	676	577	593	448	298	341	358	325	377	385	177
Kentucky. Tennessee Alabama Mississippi	2,405 2,039 1,076 876	591 280 142 104	363 261 167 110	226 243 97 110	212 208 75 82	255 174 119 45	140 166 79 63	90 83 70 55	130 102 52 57	101 145 69 43	98 105 56 66	120 104 97 56	79 168 53 85	
WEST SOUTH CENTRAL	3, 728	459	415	430	327	323	295	213	262	327	237	187	253	175
Arkansas Louisiana Oklahoma Texas	571 555 211 2,391	162 51 26 220	67 58 34 256	37 57 29 307	40 50 14 223	53 57 18 195	39 40 6 210	24 35 9 145	39 48 7 168	20 55 8 244	38 45 13 141	26 25 18 118	26 34 29 164	-
MOUNTAIN	2, 833	349	294	288	242	269	220	150	188	208	249	160	216	unit:
Montana Idaho Wyoming Colorado New Mexico Arizona Utah Nevada	281 363 97 667 297 780 320 28	27 51 6 111 35 87 27 5	19 45 3 74 26 75 52	26 43 5 66 22 81 42 3	32 42 14 46 20 68 18 2	14 40 7 67 34 88 18	18 27 7 48 24 59 31 6	10 20 6 28 11 47 26 2	15 32 12 39 16 53 19 2	12 22 8 51 32 64 18	37 12 9 70 23 68 26 4	21 19 15 24 26 27 27	50 10 5 43 28 63 16 1	
PACIFIC	7, 656	729	638	746	703	706	522	526	613	549	764	561	599	0.15
Washington. Oregon California Alaska. Hawaii.	1,502 884 4,749 460 61	115 71 514 26 3	99 62 429 43 5	114 106 467 53 6	142 93 405 58 5	121 83 480 17 5	116 74 304 24 4	114 49 336 23 4	165 37 371 33 7	136 75 304 29	134 65 491 67	99 69 335 54 4	147 100 313 33 6	
Puerto Rico	1,114	32	59	128	139	118	68	62	99	93	120	56	140	196.0

TABLE 11. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1962

AREA	ACTINO- MYCOSIS	ANIMAL BITES	ANKLYO- STOMIASIS (Hookworm)	CHICKENPOX	CONJUNCTI- VITIS (Pink Eye)	DERMATOPHY- TOSIS (Ringworm)	DIARRHEA OF NEWBORN	ERYSI- PELAS
NEW ENGLAND								
Maine	1		-	2,809	-	20		
New Hampshire		41	- 4	708	-	-	-	- 1
Massachusetts		17,022	_	1,696 16,359		-	-	
Rhode Island	1	403	270	2,281 10,402	79	13 82		17
MIDDLE ATLANTIC							milet i	
New York	- I	-	FEI -	22,641	7	_	148	
New Jersey Pennsylvania	3	15,079	190				4	4
EAST NORTH CENTRAL								
Ohio	1	-		9,611		138	47	9
Indiana	- 1	8,337 25,162	1	4,386	1,078	142	-	12
Illinois	-	25,162	4	10,543 12,850	366	78 2,043	112 355	32
Wisconsin	inger - 1		7	31,267	-	137	8	32
WEST NORTH CENTRAL								
Minnesota		3,498	1	118	- 03	26	9	16
Missouri		2		3,014 1,024	83 11	115 259	- 2	1
North Dakota	11.5	-	-	2,435	779	77	2	17
South Dakota	•	-	-	71	7.7	·	-	
Kansas	- 1	=	1	57	-	125	-	2
SOUTH ATLANTIC							N. P.	
Delaware	1		-	479	1	::-:	-	- 2
Maryland District of Columbia	1.3/1	_		1,820 321	14	4	36	
Virginia	1	_	100	-	-	1	70	
West Virginia	5 L	1,251		3,296	307	-	25	
South Carolina			-		-		- 1	
Georgia		-	5,157		-	-	_	
Florida	MILL .	-	1,959	4,562	-	- 1	89	8
EAST SOUTH CENTRAL				4			JAJAFAT, D	
Kentucky Tennessee	ME I	MH	22	3,445	497	63		- 64
Alabama	55	-	901	939	-			
Mississippi	2	· -	1,025	793		- 11-11	20	Buni
WEST SOUTH CENTRAL							mira ALAM	
Arkansas Louisiana	1 2	1,106	2	366		-	-	
Oklahoma	-		_					
Texas	-	-	-	-	-	-	- 1	46-1 E
MOUNTAIN					93			
Montana	J. 1	23		3,156 660	-	4		5
Wyoming			1 1	327	1 12			5
Colorado	15.1	· ·	- 14	-	-	64	4	me _{leois}
New Mexico	1	1	U ±	422 4,183	87	959	1	UPW. F-
Utah			-	835	87	75		100
Nevada	EG	-		339	-	-		day.
ACIFIC								
Washington	PC	-	UUI -	11,634	1,149	1,950	1	-
Oregon	of the last		10	46	48	145	6 28	8
Alaska	P3-7	in -	- 1	863	588	56	-	2000
Hawaii	F-	-	4	2,170	59			2
Puerto Rico	_	_		1,353			EVI.	militios:

TABLE 11. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1962 - Continued

EW ENGLAND. Maine	AREA	GASTRO- ENTERIC	HISTO-	MENINGITIS (Other & Unspecified)	MONO- NUCLEOSIS,	in the second	RESPIRATORY	RUBELLA (German
Maintail	THEE!	INFECTIONS	PLASMOSIS	Unspecified)	INFECTIOUS	MUMPS	INFECTIONS	Measles)
Maintail	NEW ENGLAND							
New Hampshire: 3 5 5 1,338 16 5 7 - 5 7 100 100 100 100 100 100 100 100 100 1								
Vermont		501	-					514
Messachusetts]		1			16	57
MRODE ISBRIAN - - 577 1009 2,226 2,389 1,38		-		1				3,766
IDDLE ATLANTIC. New York		_	-			2,226	2 200	129
New York New Jorkey. New Mexico. New Mexic				35	,,,,	5,051	2,389	1,338
New Jersey								
Pennsylvania - 96 360 - 7.00		-	-	157		5,561	0.0	4,246
Chiio.				96	360	(#.)	4,602	1 190 7
Chiio.	EAST NORTH CENTRAL							
Indiana		1 400	15					
Illinois		1,406					-	
Michigan	Illinois	375	11	304			-	2,030
WEST NORTH CENTRAL Minnesota. 899 6 108 1,130 63 410 410 1000 1 1,130 1000 1 1,130 1000 1 1,130 1000 1 1,130 1000 1 1,130 1000 1 1,13								1,091
Minnesota. 899 6 108 1,130 63 410 63 600. 44 100 600. 44 1,186 410 600. 44 1,186 410 600. 44 1,186 410 600. 44 1,186 410 600. 44 1,186 410 600. 45 1,186 410		-	0	1	1	19,118	838	4,365
Jowas								
Missouri							410	-
North Dakota							1 020	416
South Dakota	North Dakota						1,030	130
Kansas			-			136	: : : : : : : : : : : : : : : : : : :	
Delaware								-
Maryland	OUTH ATLANTIC							
Maryland	Delaware		1		2	74.6		
Virginia	Maryland	-		84			-	258
West Virginia 1 - 131 1,801 70,380 966 North Carolina - - 17 2 -						249	1,057	17
North Carolina 104 - 17	West Virginia	140				1.801	70 380	960
Georgia 2 2,798 1,098 311 Florida 2 2,798 1,098 311 Florida 2 2,798 1,098 311 Florida 2 2,798 1,098 311 AST SOUTH CENTRAL. Kentucky. 1,732 7 69 116 3,516 - 914 Tennessee 134,449 - 134,449 - 134,449 1,000 Florida 134,449 - 155 Mississippi 49 52 85 504 55 VEST SOUTH CENTRAL. Arkansas 26 28 34 216 - 55 Louisiana 12		104	-			-,	70,550	,00
Florida		-				-		-
Kentucky. 1,732 7 69 116 3,516 - 916 Tennessee - - - - - - 134,449 916 Alabama - - 22 76 - 470 55 Mississippi - - 49 52 85 504 - 55 JEST SOUTH CENTRAL - <td></td> <td>-</td> <td></td> <td>1 - 1 - 1</td> <td></td> <td>2,798</td> <td>1,098</td> <td>501</td>		-		1 - 1 - 1		2,798	1,098	501
Tennessee	AST SOUTH CENTRAL						ALC: U	
Tennessee		1,732	7	69	116	3,516	LANCE CO.	914
Mississippi					2270		134,449	400 AT
## Arkansas					10.00			57
Arkansas				-	83	504		
Louisiana			24					
Oklahoma - <				28	34	216	-	59
MOUNT AIN. Montana	Oklahoma	_			-	1		
Montana	Texas	-	-	_	-	-	-	-
Idaho 102 - 17 56 750 - 116 Wyoming 5 - 4 4 293 - 116 Colorado - - - 93 - 2,731 9,218 1,722 New Mexico 14,856 8 12 12 347 25,332 26 Arizona - 3 - 504 2,240 28,780 1,732 Utah 26 - - 27 540 4,851 111 Nevada 4 - - - 107 1,764 - ACIFIC Washington 3,820 - 103 18 7,675 - 5,152 Oregon 156 2 72 - - 28,952 3,318 Alaska 1,723 - 9 27 145 24,218 152 Hawaii - - - 734 950 198	10UNT AIN							
Idaho	Montana		-4		(a)	4	21	1.011
Colorado. - 93 - 2,731 9,218 1,729 New Mexico 14,856 8 12 12 347 25,332 26 Arizona. - 3 - 504 2,240 28,780 1,732 Utah 26 - - 27 540 4,851 111 Nevada 4 - - - 107 1,764 - ACIFIC Washington. 3,820 - 103 18 7,675 - 5,152 Oregon. 156 2 72 - 28,952 3,318 Alaska. 1,723 - 9 27 145 24,218 152 Hawaii. - - - - 734 950 198			-		_		2.1	116
New Mexico 14,856 8 12 12 347 25,332 26 Arizona. - 3 - 504 2,240 28,780 1,732 Utah 26 - - 27 540 4,851 111 Nevada 4 - - - 107 1,764 - ACIFIC Washington 3,820 - 103 18 7,675 - 5,152 Oregon 156 2 72 - - 28,952 3,318 California - - - 11,510 - - - Alaska 1,723 - 9 27 145 24,218 152 Hawaii - - - 734 950 198	Colorado						0 219	1 720
Artzola: - 3 - 504 2,240 28,780 1,732	New Mexico	14,856						26
Nevada		26					28,780	1,732
Washington. 3,820 - 103 18 7,675 - 5,152 Oregon. 156 2 72 - 28,952 3,318 California. - 11,510 - 11,510 - Alaska. 1,723 - 9 27 145 24,218 152 Hawaii. - 734 950 198	Nevada				27 -			111
Oregon 156 2 72 - - 28,952 3,318 California - - - 11,510 - - - 145 24,218 152 Hawaii - - 734 950 198	ACIFIC							17.40
Oregon 156 2 72 - - 28,952 3,318 California - - - 11,510 - - - 145 24,218 152 Hawaii - - 734 950 198	Washington	3.820	100	103	10	7 475		E 150
California	Oregon		2			7,075	28,952	
Hawaii		1 700		-				-
Voyto Pico	Hawaii	1,/23	ML 3		27			152
	worte Dies							198

TABLE 12. OTHER DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1962 (Diseases Reported by Ten States or Less)

Ascariasis Aspergillosis Blastomycosis Cat Scratch Fever Coccidioidomycosis Colorado Tick Fever

Coxsackie Infection (excluding meningitis) Cryptococcosis ECHO Infection (excluding meningitis) Encephalitis, post-infectious

Encephalitis, post-infectious Erythema Infectiosum Food Poisoning, unspecified

Fungal Infection, unspecified Herpes Zoster Impetigo

Intestinal parasite, unspecified Keratoconjunctivitis Listeriosis Nocardiosis Ophthalmia neonatorum Otitis media Pediculosis Q Fever

Rat Bite Fever Relapsing Fever, tick-borne Rickettsialpox Scabies Schistosomiasis Sporotrichosis Staphylococcal Infections Tapeworm infection Toxoplasmosis Trachoma

Urethritis, nonspecific Vincent's Infection

Yaws

Ark. 28, Kans. 4, Minn. 9, Miss. 377 Minn. 2 Ark. 5, Ill. 1, Minn. 2 Fla. 11, Me. 1 Ariz. 985, Calif. 260, Iowa 2, Minn. 2, Wash. 2 Colo. 125, D. C. 2, Ida. 3, Mont. 4, Ore. 18, Utah 8, Wash. 1, Wyo. 11 D. C. 1, Minn. 8, Utah 1 Fla. 3, Kans. 1, Mo. 1 Minn. 4 Ill. 89, Ore. 18 Minn. 3 Conn. 89, Ill. 916, Me. 111, Nev. 4, N. H. 45, N. J. 11, N. M. 1, N. Y. 487, Ore. 58, Wisc. 104 III. 6 Mo. 3 Ariz. 1453, Alaska 482, D. C. 13, Me. 510, Mich. 1379, Mo. 30, N. H. 6, N. Y. 8, Ore. 11 Kans. 7 Ind. 58, Mich. I1, Ore. 48 Me. 2, Minn. 1 Ark. 5, Miss. 1 Minn. 1, N. J. 3 Alaska 4914 Me. 47, Mich. 65 Calif. 44, Colo. 1, Ida. 17, Ind. 1, Iowa 1, Minn. 1, Mont. 2, Ohio 1, Pa. 2, Wisc. 2 Hawaii 1 Nev. 1 Ark. 1, N. Y. 3 Colo. 3, Kans. 1, Mich. 50, N. H. 2, Ore. 2 N. Y. 372 Minn. 1 Alaska 359, D. C. 4, Ill. 822, N. C. 47, Ore. 111 Minn. 1 Minn. 5, N. H. 1, N. M. 3 Colo. 2, Hawaii 2, Kans. 2, Mo. 1, Nebr. 1, Nev. 389 N. M. 2, Ore. 60, Utah 1 N. Y. 1437 Alaska 10, Ida. 7, Ky. 18, Minn. 1, Mo. 5, N. H. 4, Ohio 1, R. I. 1, Wash. 3 Wyo. 1 (Acquired outside U. S.)

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

Communicable Disease Center Atlanta, Georgia 30333

Official Business

POSTAGE AND FEES PAID U. S. DEPARTMENT OF H. E. W.



Library 81 CDC 7 61