	UC-01	
Use Case Name	Customize Avatar	
Primary Actor	Registered User, Guest User	
Secondary Actor	None	
Precondition	User has accessed the Avatar Creation page	
Postcondition	- Avatar is created/updated with selected customizations - Avatar displayed on canvas - If Registered User: avatar saved to database - If Guest: customization kept in session only and discarded when the tab/session closes (FR-1.9).	
Main Success Scenario (Happy Path)	Step 1. User selects avatar gender (Male or Female).	
	Step 2. User selects preset avatar OR enters custom height and Body Build. System validates inputs against allowed ranges (height 120–220 cm, Body Build 86–112 cm).	
	Step 3. User selects skin tone shade.	
	Step 4. System derives or user selects undertone (warm/cool/neutral).	
	Step 5. User adjusts body proportions (shoulder width, waist, hip, thigh, cup size), which dynamically deform the single base body silhouette of the selected gender via procedural client-side deformation.	
	Step 6. For female avatars, user selects cup size (A/B/C/D).	
	Step 7. System renders avatar with all customizations.	
	Step 8. User confirms avatar creation/update.	
	Step 9. System saves avatar (if Registered User) or keeps in session (if Guest).	
Extensions / Exception Paths	**Field / Step #**	**Details / Interaction**
	Step 2: Invalid height/weight entered	1. When a clothing size has been selected/equipped (e.g., Small), the system applies guardrails to the avatar controls: the height and Body Build sliders and the shoulder width, cup size, hip, and thigh options are restricted to the range compatible with that size and cannot exceed it. The global validated ranges (height 120–220 cm, Body Build 86–112 cm per FR-2.3) remain the outer bounds.
		2. If the user tries to move a slider or control past its guardrail, the control stops at the limit and displays a descriptive message stating the allowed range for the selected size (e.g., "Selected size supports height up to ___ cm / Body Build up to ___ cm"); invalid out-of-range input is therefore prevented rather than rejected after entry.
	Step 7: Avatar rendering fails	1. System displays error message.
		2. System allows retry.
		3. User attempts rendering again.

Use Case ID	UC-02	
Use Case Name	Browse Catalog	
Primary Actor	Registered User, Guest User	
Secondary Actor	None	
Precondition	User is logged in or browsing as Guest; Catalog contains items.	
Postcondition	User views filtered catalog items with metadata and images displayed.	
Main Success Scenario (Happy Path)	Step 1. User navigates to Catalog Browser page.	
	Step 2. System displays all available clothing items with images.	
	Step 3.User applies filters (category, size, price)	
	Step 4. System updates display showing only matching items.	
	Step 5. User clicks on item to view details.	
	Step 6. System displays full item details (name, description, price, store name, metadata, two-view images).	
	Step 7. User opens the seller's Store page listing all items published by that Seller (FR-3.3).	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 2: Catalog is empty	1. System displays "No items available" message.
	Step 4: No items match filters	1. System displays "No items match your filters".
		2. System offers option to clear filters.
		3. User clears filters or modifies criteria.
	Step 6: Item images fail to load	1. System displays placeholder with alt text.
		2. System allows retry.

Use Case ID	UC-03	
Use Case Name	Try On Clothing	
Primary Actor	Registered User, Guest User	
Secondary Actor	None	
Precondition	User has created an avatar; Catalog contains clothing items.	
Postcondition	Selected clothing items are displayed on the avatar canvas from the current view angle.	
Main Success Scenario (Happy Path)	Step 1. User navigates to Virtual Try-On Canvas page.	
	Step 2. System displays user's avatar on canvas.	
	Step 3. User selects clothing category (Tops, Bottoms, Dresses, Outerwear, Footwear).	
	Step 4. System displays available items for selected category.	
	Step 5. User selects specific item to try on.	
	Step 6. System layers transparent PNG clothing over avatar.	
	Step 7. Canvas updates instantly showing equipped item.	
	Step 8. User switches items in same category (replacing previous item).	
	Step 9. User views outfit from current angle(Front or Rear).	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 6: Clothing image fails to load	1. System displays error message.
		2. System retains previous item.
		3. User selects different item.
	Step 7: Canvas rendering exceeds 1 second	1. System shows loading indicator.
		2. System completes rendering when ready.
	Step 5: User equips Dress/One-Piece	1. System replaces both Top and Bottom slots.
		2. System confirms replacement if items already equipped.
	Step 9 (Optional - FR-7.5): User rates the fit visualization	1. User clicks like/dislike or 1-5 rating control.
		2. If Guest, system displays sign-up/login prompt.
		3. If Registered User, rating is saved.
		4. If Guest, rating is aggregated per session and discarded on session close (FR-1.9).

Use Case ID	UC-04	
Use Case Name	Switch Avatar View	
Primary Actor	Registered User, Guest User	
Secondary Actor	None	
Precondition	Avatar is displayed on canvas; User has equipped at least one clothing item (optional).	
Postcondition	Avatar and equipped clothing display from the selected angle (Front or Rear).	
Main Success Scenario (Happy Path)	1. User clicks view toggle button (Front/Rear).	
	2. System instantly updates the avatar and equipped clothing to the corresponding Front or Rear 2D assets.	
	3. All equipped clothing items update to matching view angle.	
	4. Canvas displays complete outfit from new perspective.	
	5. User continues trying on items or switches views again.	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 2: View asset fails to load	1. System displays error message.
		2. System reverts to previous view.
		3. User attempts view change again.
	Step 3: Clothing item lacks view-angle image(defensive-only; FR-4.7(d) makes this nearly unreachable for published items)	1. System displays warning message.
		2. System skips that item for current view.
		3. System displays available items only.

Use Case ID	UC-05	
Use Case Name	View Recommendations	
Primary Actor	Registered User, Guest User	
Secondary Actor	None	
Precondition	User is logged in or browsing as Guest; Catalog contains items.	
Postcondition	Recommendation panel displays ranked items with scores and match indicators.	
Main Success Scenario (Happy Path)	Step 1. User navigates to Recommendation Panel.	
	Step 2. System reads user's skin tone and undertone from avatar.	
	Step 3. System retrieves catalog items with compatible color-family tags.	
	Step 4. System applies weighted scoring algorithm (color +3, height contrast +2, proportion shading +1, style/occasion +1).	
	Step 5. System ranks items by total score.	
	Step 6. System displays top-ranked items in Recommendation Panel.	
	Step 7. Each item shows total score and match indicators.	
Extensions / Exception Paths	**Field / Step #**	**Details / Interaction**
	Step 3: No compatible items found	1. System displays "No recommendations available".
		2. System suggests browsing catalog manually.
	Step 6: Recommendation engine fails	1. System displays error message.
		2. System suggests browsing catalog manually.
		3. User navigates to catalog.
	Step 7 (Optional - FR-7.5):User rates the recommendation	1. User clicks like/dislike or 1-5 rating control.
		2. If Guest, system displays sign-up/login prompt.
		3. If Registered User, rating is saved.
		4. If Guest, rating is aggregated per session and discarded on session close (FR-1.9).

Use Case ID	UC-06	
Use Case Name	View Match Reasons	
Primary Actor	Registered User, Guest User	
Secondary Actor	None	
Precondition	Recommendations are displayed in the panel.	
Postcondition	User views detailed breakdown of recommendation with match reasons and scores.	
Main Success Scenario (Happy Path)	Step 1. User clicks on recommended item.	
	Step 2. User selects "View Match Reasons" option.	
	Step 3. System displays detailed match breakdown (color compatibility score, height contrast score, proportion shading score, style/occasion match score).	
	Step 4. User reviews explainable recommendation details.	
	Step 5. User returns to recommendations or tries on item.	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 3: Match details fail to load	1. System displays "Match details unavailable. Please retry."
		2. System allows retry.
		3. User clicks retry button.

Use Case ID	UC-07	
Use Case Name	Register Account	
Primary Actor	Guest User	
Secondary Actor	None	
Precondition	User does not have an existing registered account.	
Postcondition	- A new user account is successfully created. - User can access registered-user features.	
Main Success Scenario (Happy Path)	1. Guest User selects the "Register Account" option.	
	2. System displays the account registration form.	
	3. System validates password in real-time against policy: minimum 8 characters, at least 1 uppercase letter, 1 lowercase letter, 1 number, and 1 special character (FR-1.5). Registration is blocked until policy is satisfied.	
	4. User selects role (User or Seller) (FR-1.1).	
	5. If Seller role is selected, system requires user to enter Store Name to identify their business (FR-1.1).	
	6. System creates the new user account.	
	7. System displays an account registration confirmation.	
	8. User can proceed to access the registered-user features.	
Extensions / Exception Paths	**Field / Step #**	**Details / Interaction**
	3a. Required Information Is Missing	1. System identifies the missing information.
		2. System prompts the user to complete the required fields.
		3. User enters the missing information.
		4. System continues with Step 4.
	5a. Invalid Registration Information	1. System displays an error message.
		2. User corrects the invalid information.
		3. System validates the information again.
	5b. Account Information Already Exists	1. System informs the user that the account information is already registered.
		2. System suggests using different registration information or accessing the existing account.
		3. Registration process ends or returns to Step 3.

Use Case ID	UC-08	
Use Case Name	Access Account	
Primary Actor	Registered User, Seller	
Secondary Actor	None	
Precondition	User has registered account.	
Postcondition	User authenticated and logged in OR logged out successfully; Session managed with JWT token.	
Main Success Scenario (Happy Path)	Login:	
	1. User navigates to Login page.	
	2. User enters email and password.	
	3. System validates credentials against database.	
	4. System verifies password hash matches.	
	5. System generates JWT token with user role.	
	6. System stores token in secure session.	
	7. User redirected to dashboard.	
	Logout:	
	8. User clicks "Logout" button.	
	9. System invalidates JWT token.	
	10. System clears session data.	
	11. User redirected to home page or Guest mode.	
Extensions / Exception Paths	**Field / Step #**	**Details / Interaction**
	Step 3-4: Invalid credentials	1. System displays "Invalid email or password" error.
		2. User re-enters credentials.
		3. System re-validates.
	Step 5: RBAC verification fails	1. System denies access.
		2. System displays error message.
		3. User re-registers or uses the registration flow (the system has no support role).
	Step 9: Token invalidation fails	1. System forces client-side session clear.
		2. System redirects user anyway.
		3. User manually clears browser data if needed.

Use Case ID	UC-09	
Use Case Name	Manage Avatar Presets	
Primary Actor	Registered User	
Secondary Actor	None	
Precondition	User is logged in; User has at least one saved avatar preset.	
Postcondition	Avatar presets created, updated, deleted, or viewed; Presets persisted in database.	
Main Success Scenario (Happy Path)	List:	
	1. User navigates to Avatar Preset Management page.	
	2. System retrieves and displays all saved presets with names and thumbnails.	
	Edit:	
	3. User selects preset to edit.	
	4. System loads preset parameters.	
	5. User modifies parameters.	
	6. User saves changes.	
	7. System updates preset in database.	
	Delete:	
	8. User selects preset to delete.	
	9. User confirms deletion.	
	10. System permanently removes preset from database.	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 2: No presets exist	1. System displays "No saved presets" message.
		2. System offers to create new preset.
	Step 7: Update fails	1. System displays error message.
		2. System retains original preset.
		3. User attempts update again.
	Step 10: Deletion fails	1. System displays error message.
		2. System allows retry.
		3. User confirms deletion again.

Use Case ID	UC-10	
Use Case Name	Manage Saved Outfits	
Primary Actor	Registered User	
Secondary Actor	None	
Precondition	User is logged in; User has tried on at least one outfit.	
Postcondition	Outfit saved, loaded, updated, deleted, or viewed; Outfit combinations persisted in database.	
Main Success Scenario (Happy Path)	Save:	
	1. User equips desired items on canvas.	
	2. User clicks "Save Outfit".	
	3. User enters outfit name.	
	4. System saves outfit combination.	
	List:	
	5. User navigates to Outfit Management page.	
	6. System displays all saved outfits with names and thumbnails.	
	Load:	
	7. User selects outfit to load.	
	8. System retrieves outfit items.	
	9. System equips all items on canvas automatically.	
	Edit:	
	10. User selects outfit to edit.	
	11. User modifies items or name.	
	12. System updates saved outfit.	
	Delete:	
	13. User selects outfit to delete.	
	14. User confirms deletion.	
	15. System permanently removes outfit.	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 4: Save fails	1. System displays error message.
		2. System allows retry.

	Step 8-9: Item no longer exists in catalog	1. System displays warning message.
		2. System loads available items only.
		3. User selects replacement items.
	Step 15: Deletion fails	1. System displays error message.
		2. System allows retry.

Use Case ID	UC-11	
Use Case Name	Manage Cart	
Primary Actor	Registered User	
Secondary Actor	None	
Precondition	User is logged in; Cart exists (may be empty).	
Postcondition	Cart items added, removed, updated, or viewed; Cart persisted across sessions.	
Main Success Scenario (Happy Path)	Add:	
	1. User browses catalog or views item details.	
	2. User clicks "Add to Cart".	
	3. System adds item to cart with quantity 1.	
	4. System displays confirmation.	
	View:	
	5. User navigates to Shopping Cart page.	
	6. System displays all cart items with name, image, store, quantity, price, subtotal, and total.	
	Update:	
	7. User modifies quantity.	
	8. System recalculates subtotal and total.	
	Remove:	
	9. User clicks "Remove".	
	10. System removes item.	
	11. System recalculates total.	
	Clear:	
	12. User clicks "Clear Cart".	
	13. User confirms.	
	14. System removes all items.	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 2: Item no longer available (delisted/deleted by Seller)	1. System shows 'Item unavailable' and prevents adding. (Corrected: removed "out of stock" — system has no inventory/stock concept per FR-3.2/4.1 and FR-6.9 no merchant role.)
		2. System prevents adding to cart.
	Step 3: Item already in cart	1. System increments quantity instead.
		2. System updates cart display.
	Step 8: Quantity set to 0 or invalid	1. System displays validation error.
		2. System requests valid quantity.

Use Case ID	UC-12	
Use Case Name	Complete Mock Checkout	
Primary Actor	Registered User	
Secondary Actor	Mock Payment Gateway	
Precondition	User is logged in; Cart contains at least one item.	
Postcondition	Order created and stored; Order history updated; Cart cleared.	
Main Success Scenario (Happy Path)	1. User clicks "Proceed to Checkout" from cart.	
	2. System displays checkout UI with order summary.	
	3. User enters shipping address.	
	4. User selects payment method.	
	5. User reviews order details (items, quantities, prices, shipping, total).	
	6. User clicks "Place Order".	
	7. System sends payment request to Mock Payment Gateway.	
	8. Mock Payment Gateway simulates payment approval.	
	9. System receives payment confirmation.	
	10. System creates order record (Order ID, items, store names, address, payment method, total, timestamp, status).	
	11. System clears cart.	
	12. System displays order confirmation with order ID.	
	13. Order appears in user's order history.	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 3: Address validation fails	1. System displays error message.
		2. System requests correction.
		3. User re-enters valid address.
	Step 8: Mock payment fails	1. System displays error message.
		2. System allows retry.
		3. User retries or restarts checkout. (Corrected: removed "contacts support" — standalone system has no support/admin role.)
	Step 10: Order creation fails	1. System displays error message.
		2. System prevents cart clearing.
		3. User retries or restarts checkout. (Corrected: removed "contacts support".)

Use Case ID	UC-13	
Use Case Name	Process Mock Payment	
Primary Actor	Registered User	
Secondary Actor	Mock Payment Gateway	
Precondition	User has initiated checkout; Order details validated.	
Postcondition	Payment simulated and confirmed; Transaction logged.	
Main Success Scenario (Happy Path)	1. System sends payment request to Mock Payment Gateway with Order ID, total amount, and User ID.	
	2. Mock Payment Gateway receives request.	
	3. Gateway simulates payment processing (no real money).	
	4. Gateway generates transaction ID.	
	5. Gateway returns payment approval response.	
	6. System receives and validates approval.	
	7. System logs transaction details.	
	8. System proceeds to order creation.	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 3-5: Mock payment simulation fails	1. Gateway returns rejection.
		2. System displays "Payment failed" error.
		3. System returns to checkout.
		4. User retries or restarts checkout. (Corrected: removed "contacts support".)
	Step 6: Response validation fails	1. System displays error message.
		2. System cancels the checkout transaction; no order record is created. (Corrected: "System cancels order" was wrong — no order exists yet at this point; order creation is UC-12 step 10, after payment.)
		3. User restarts checkout.

Use Case ID	UC-14	
Use Case Name	View Order History	
Primary Actor	Registered User	
Secondary Actor	None	
Precondition	User is logged in; User has at least one past order.	
Postcondition	User views order history list and/or specific order details.	
Main Success Scenario (Happy Path)	List:	
	1. User navigates to Order History page.	
	2. System retrieves all orders for user.	
	3. System displays orders chronologically with Order ID, date, total amount, status, and number of items.	
	View Details:	
	4. User clicks on specific order.	
	5. System displays full order details (items, store names, quantities, prices, address, payment method, timestamp, status).	
	6. User returns to order history list.	
Extensions / Exception Paths	**Field / Step #**	**Details / Interaction**
	Step 2: No orders exist	1. System displays "No order history" message.
		2. System suggests browsing catalog.
	Step 5: Order details fail to load	1. System displays error message.
		2. System allows retry.
		3. User clicks retry button.

Use Case ID	UC-15	
Use Case Name	Download CSV Template	
Primary Actor	Seller	
Secondary Actor	None	
Precondition	Seller is logged in; Seller has Seller role.	
Postcondition	CSV template and instruction sheet downloaded to Seller's device.	
Main Success Scenario (Happy Path)	1. Seller navigates to Seller Dashboard.	
	2. Seller clicks "Download CSV Template" button.	
	3. System generates CSV template with required columns (name, description, category, size, color, color_description, color_family, price, style_tags, occasion_tags, front_image_filename, rear_image_filename).	
	4. Template includes header row with example values.	
	5. System provides instruction sheet explaining image filename conventions, two-view photo requirements (garment laid flat or on a mannequin), required field descriptions, and image specifications. (Corrected: added FR-4.1 phrase.)	
	6. System downloads CSV file and instruction sheet to Seller's device.	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 3: Template generation fails	1. System displays error message.
		2. System allows retry.
		3. Seller clicks download again.
	Step 6: Download fails	1. System displays error message.
		2. System provides alternative download link.
		3. Seller uses alternative link.

Use Case ID	UC-16	
Use Case Name	Upload Catalog Items	
Primary Actor	Seller	
Secondary Actor	None	
Precondition	Seller is logged in; Seller has CSV file and images prepared.	
Postcondition	Items uploaded and queued for validation; Images processed by rembg.	
Main Success Scenario (Happy Path)	1. Seller navigates to Seller Dashboard.	
	2. Seller clicks "Upload Catalog Items".	
	3. System displays upload interface with CSV file drop zone, Front View and Rear View image drop zones.	
	4. Seller uploads completed CSV file.	
	5. Seller uploads image files (two photos per item).	
	6. System validates file types and sizes.	
	7. System automatically associates upload with Seller's Store Name.	
	8. System processes images using rembg library to remove backgrounds.	
	9. System generates transparent PNGs.	
	10. System queues items for validation.	
	11. System displays upload progress.	
	12. Upon completion, system redirects to Validation Report.	
Extensions / Exception Paths	Field / Step #	Details / Interaction
	Step 4-5: File type invalid or size exceeds 5MB	1. System displays error message.
		2. System rejects file.
		3. Seller corrects file and re-uploads.
	Step 4: CSV exceeds 10 items	1. System rejects upload with max-batch message (SRS §4.1).
		2. Seller splits CSV and re-uploads. (Added per feedback.)
	Step 8-9: rembg background removal fails	1. System rejects the item with a descriptive reason in the validation report (FR-4.7/4.8).
		2. Seller re-shoots/corrects and re-uploads. (Corrected: removed "marks for manual review" — no manual-review role exists; validation is deterministic.)
		3. System notifies Seller in validation report.
	Step 10: CSV parsing fails	1. System displays error with specific line numbers.
		2. System allows correction.
		3. Seller fixes CSV and re-uploads.

Use Case ID	UC-17	
Use Case Name	Validate Catalog Items	
Primary Actor	Seller (Corrected per feedback: set Primary = Seller with note "executed automatically by the system" to align with course convention tying included use cases to the initiator.)	
Secondary Actor	System (executes validation automatically); Seller receives report.	
Precondition	Items uploaded via CSV; Images processed by rembg.	
Postcondition	Items validated; Accepted items published to catalog; Rejected items logged with reasons.	
Main Success Scenario (Happy Path)	1. System receives uploaded items from CSV.	
	2. For each item, System validates: all required fields present, image files exist and match filenames, images meet minimum dimensions (800x800px), images do not exceed 5MB, transparent PNGs have valid alpha channels, two-view filenames match uploaded files, and basic image-text alignment check.	
	3. System extracts dominant color using Pillow library.	
	4. System compares dominant color hex with color_description.	
	5. For items passing all checks: System derives color_palette_tags from color_family, System publishes item to catalog, System sets status to "Active".	
	6. For items failing validation: System logs specific rejection reasons, System sets status to "Rejected", System does not publish to catalog.	
	7. System generates Validation Report.	
Extensions / Exception Paths	**Field / Step #**	**Details / Interaction**
	Step 2: Required field missing	1. Item rejected with "Missing field: [fieldname]".
		2. Reason logged in validation report.
		3. Seller corrects and re-uploads.
	Step 4: Color mismatch detected	1. Item rejected with "Image color doesn't match description".
		2. Reason logged in validation report.
		3. Seller corrects description or image.
	Step 5: color_palette_tags derivation	1. Item rejected with "Invalid color_family".
		2. Reason logged in validation report.
		3. Seller corrects color_family value.

Use Case ID	UC-18	
Use Case Name	View Validation Report	
Primary Actor	Seller	
Secondary Actor	None	
Precondition	CSV upload completed; Validation process finished.	
Postcondition	Seller views detailed validation results; Report shows accepted and rejected items.	
Main Success Scenario (Happy Path)	1. System automatically displays Validation Report after upload.	
	2. Report shows summary statistics (total items uploaded, items accepted, items rejected, success rate percentage).	
	3. Report displays Accepted Items section with item name, category, upload date, status: Active, and link to view in catalog.	
	4. Report displays Rejected Items section with item name, specific rejection reasons for each item, and suggestions for correction.	
	5. Seller can download report as PDF/CSV.	
	6. Seller can click on rejected item to view details.	
	7. Seller can correct and re-upload failed items.	
Extensions / Exception Paths	**Field / Step #**	**Details / Interaction**
	Step 2: Validation still in progress	1. System displays "Validation in progress...".
		2. System shows progress bar.
		3. Seller waits for completion.
	Step 4: No items rejected	1. Rejected Items section hidden or shows "All items accepted!".
		2. Seller views accepted items only.
	Step 7: Re-upload fails	1. System displays error message.
		2. System retains original report.
		3. Seller corrects issues and retries.

Use Case ID	UC-19	
Use Case Name	Manage Listings	
Primary Actor	Seller	
Secondary Actor	None	
Precondition	Seller is logged in; Seller has uploaded at least one item.	
Postcondition	Seller's listings viewed, updated, or deleted; Catalog updated accordingly.	
Main Success Scenario (Happy Path)	List:	
	1. Seller navigates to "My Listings" page.	
	2. System retrieves all items uploaded by Seller.	
	3. System displays items with name, category, upload date, status, and thumbnail.	
	View Details:	
	4. Seller clicks on specific item.	
	5. System displays full item details (metadata, two-view images, validation status/reasons).	
	Update:	
	6. Seller clicks "Edit".	
	7. System loads item in edit form.	
	8. Seller modifies metadata or replaces images.	
	9. Seller saves changes.	
	10. System validates updated item.	
	11. System updates catalog entry.	
	Delete:	
	12. Seller clicks "Delete".	
	13. Seller confirms deletion.	
	14. System permanently removes item from catalog.	
	15. System removes item from any saved outfits.	
Extensions / Exception Paths	**Field / Step #**	**Details / Interaction**
	Step 2: No listings exist	1. System displays "No listings yet".
		2. System provides link to upload.
		3. Seller navigates to upload page.
	Step 10: Validation fails after update	1. Item set to "Rejected" with reasons.
		2. System displays validation errors.
		3. Seller corrects issues and saves again.
	Step 14: Deletion fails	1. System displays error message.
		2. System retains item.
		3. Seller retries deletion.
	Step 14-15: Item in active carts or past orders	1. Note: Past orders retain embedded item snapshots (FR-6.8), so deletion never erases order history.
		2. System displays warning before deletion if item is in active carts.
		3. System asks Seller to confirm.
		4. Seller confirms or cancels. (Corrected: added FR-6.8 note per feedback.)