

My Money App — index.html (GitHub Paste Version)

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="theme-color" content="#f5b400">
<meta name="mobile-web-app-capable" content="yes">
<title>My Money</title>
<link rel="manifest" href="manifest.json">

<style>
*{box-sizing:border-box;margin:0;padding:0}
body{font-family:Arial,sans-serif;background:#f5f6f8;color:#222;min-height:100vh}
header{background:linear-gradient(135deg,#f5b400,#ffd84d);padding:18px;text-align:center}
header h1{font-size:23px}
.container{max-width:600px;margin:auto;padding:15px 15px 90px}
.card{background:#fff;border-radius:16px;padding:16px;margin-bottom:14px;box-shadow:0 3px 12px rgba(0,0,0,.08)}
.balance{text-align:center}
.balance-amount{font-size:32px;font-weight:800;margin:8px}
.summary{display:grid;grid-template-columns:1fr 1fr;gap:10px}
.summary-box{padding:14px;border-radius:12px}
.income{background:#e9f8ee;color:#16803b}
.expense{background:#fff0f0;color:#c62828}
.summary-box strong{display:block;font-size:19px;margin-top:5px}
.button-grid{display:grid;grid-template-columns:1fr 1fr;gap:10px}
button{border:0;border-radius:10px;padding:12px;font-weight:700;font-size:15px}
.primary{background:#f5b400;color:#111;width:100%}
.green{background:#16803b;color:#fff}
.red{background:#c62828;color:#fff}
.dark{background:#222;color:#fff}
.outline{background:#fff;border:1px solid #ddd}
input,select{width:100%;padding:12px;border:1px solid #ddd;border-radius:10px;margin:6px 0 12px;font-size:15px}
label{font-size:13px;font-weight:700}
.page{display:none}.page.active{display:block}
.transaction{border:1px solid #eee;border-radius:12px;padding:12px;margin-bottom:9px}
.transaction-top{display:flex;justify-content:space-between;gap:10px}
.transaction-date{font-size:11px;color:#888;margin-top:4px}
.income-text{color:#16803b;font-weight:800}
.expense-text{color:#c62828;font-weight:800}
#receiveQR{display:flex;justify-content:center;margin:15px auto}
.upi-id{background:#f5f5f5;border-radius:10px;padding:11px;text-align:center}
.nav{position:fixed;bottom:0;left:0;right:0;background:#fff;border-top:1px solid #ddd;display:grid;grid-template-columns:repeat(4,1fr);padding:8px;z-index:10}
.nav button{background:transparent;font-size:11px;color:#555}
.nav button.active{color:#c58c00}
.empty{text-align:center;color:#888;padding:20px}
</style>
</head>

<body>

<header>
<h1>My Money</h1>
<p>Income • Expense • Payments • Reports</p>
</header>

<div class="container">

<section id="homePage" class="page active">
<div class="card balance">
<div>Current Balance</div>
<div class="balance-amount" id="balance">■0.00</div>
<div class="summary">
<div class="summary-box income">
<small>Income</small><strong id="totalIncome">■0.00</strong>
</div>
<div class="summary-box expense">
<small>Expense</small><strong id="totalExpense">■0.00</strong>
</div>
</div>
</div>
</div>

<div class="card">
<h2>Quick Actions</h2><br>
<div class="button-grid">
<button class="green" onclick="showPage('addPage');setType('income')">+ Income</button>
<button class="red" onclick="showPage('addPage');setType('expense')">+ Expense</button>
<button class="primary" onclick="showPage('receivePage')">Receive Money</button>
<button class="dark" onclick="showPage('scanPage');startScanner()">Scan Shop QR</button>
</div>
</div>

<div class="card">
<h2>Recent Transactions</h2><br>
<div id="recentTransactions"></div>
</div>
</section>

<section id="addPage" class="page">
<div class="card">
<h2>Add Transaction</h2><br>
<label>Type</label>
<select id="transactionType" onchange="updateCategories()">
<option value="income">Income</option>
<option value="expense">Expense</option>
</select>
<label>Amount</label>
<input id="amount" type="number" min="0" step="0.01" placeholder="■ Amount">
<label>Category</label>
<select id="category"></select>
<label>Description</label>
<input id="description" type="text" placeholder="Example: Salary / Grocery">
<button class="primary" onclick="saveTransaction()">Save Transaction</button>
</div>
</section>

<section id="receivePage" class="page">
<div class="card" style="text-align:center">
<h2>Receive Money</h2><br>
<p>Scan this QR using a UPI app.</p><br>
<div class="upi-id">UPI ID: <strong id="displayUpi">xyzts@ptyes</strong></div>
<div id="receiveQR"></div>
<p style="font-size:12px;color:#777">This QR is generated from the UPI payment address.</p><br>
<button class="primary" onclick="downloadQR()">Save QR</button>
</div>
</section>

<section id="scanPage" class="page">
<div class="card">
<h2>Scan Shop QR</h2><br>
```

```

<div id="reader"></div>
<div id="scanResult" style="display:none;margin-top:15px">
<div class="upi-id">Detected UPI: <strong id="detectedUPI"></strong></div><br>
<label>Amount</label>
<input id="scanAmount" type="number" min="0" step="0.01" placeholder="Enter amount">
<button class="primary" onclick="payDetectedUPI()">Open UPI Payment</button>
</div>
</div>
</section>

<section id="historyPage" class="page">
<div class="card">
<h2>Transaction History</h2><br>
<div id="allTransactions"></div>
</div>
</section>

<section id="reportPage" class="page">
<div class="card">
<h2>Reports</h2><br>
<p>Total Income: <strong id="reportIncome">₹0.00</strong></p><br>
<p>Total Expense: <strong id="reportExpense">₹0.00</strong></p><br>
<p>Balance: <strong id="reportBalance">₹0.00</strong></p><br>
<h3>Expense by Category</h3><br>
<div id="categoryReport"></div>
</div>
</section>

</div>

<nav class="nav">
<button id="navHome" class="active" onclick="showPage('homePage')">Home</button>
<button id="navAdd" onclick="showPage('addPage')">Add</button>
<button id="navHistory" onclick="showPage('historyPage')">History</button>
<button id="navReport" onclick="showPage('reportPage')">Reports</button>
</nav>

<script src="https://cdnjs.cloudflare.com/ajax/libs/qrcodejs/1.0.0/qrcode.min.js"></script>
<script src="https://unpkg.com/html5-qrcode"></script>

<script>
const RECEIVE_UPI="xyzts@ptyes";
let transactions=JSON.parse(localStorage.getItem("myMoneyTransactions"))||[];
let scanner=null;
let detectedUPI="";

function money(v){
return "₹"+Number(v||0).toLocaleString("en-IN",{minimumFractionDigits:2,maximumFractionDigits:2});
}

function showPage(id){
document.querySelectorAll(".page").forEach(p=>p.classList.remove("active"));
document.getElementById(id).classList.add("active");
document.querySelectorAll(".nav button").forEach(b=>b.classList.remove("active"));
if(id==="homePage")navHome.classList.add("active");
if(id==="addPage")navAdd.classList.add("active");
if(id==="historyPage")navHistory.classList.add("active");
if(id==="reportPage")navReport.classList.add("active");
if(id==="receivePage")generateReceiveQR();
if(id==="historyPage")renderHistory();
if(id==="reportPage")renderReports();
}

function setType(type){
transactionType.value=type;
updateCategories();
}

function updateCategories(){
const list=transactionType.value==="income"?["Salary","Business","Rent Received","Interest","Other Income"]:"Groceries","Food","Travel","Electricity","Water","School","Medical","Shopping","Bills","UPI Payment","Other Expense"];
category.innerHTML="";
list.forEach(x=>{
const o=document.createElement("option");
o.value=x;o.textContent=x;category.appendChild(o);
});
}

function saveTransaction(){
const type=transactionType.value;
const amount=Number(document.getElementById("amount").value);
if(!amount||amount<=0){alert("Enter a valid amount.");return}
transactions.unshift({
id:Date.now(),type,amount,
category:category.value,
description:description.value.trim()||category.value,
date:new Date().toISOString()
});
localStorage.setItem("myMoneyTransactions",JSON.stringify(transactions));
document.getElementById("amount").value="";
document.getElementById("description").value="";
updateDashboard();
alert("Transaction saved.");
showPage("homePage");
}

function updateDashboard(){
let income=0,expense=0;
transactions.forEach(t=>t.type==="income"?income+=Number(t.amount):expense+=Number(t.amount));
balance.textContent=money(income-expense);
totalIncome.textContent=money(income);
totalExpense.textContent=money(expense);
reportIncome.textContent=money(income);
reportExpense.textContent=money(expense);
reportBalance.textContent=money(income-expense);
renderRecent();renderHistory();renderReports();
}

function transactionHTML(t,del=false){
const d=new Date(t.date);
return `<div class="transaction">
<div class="transaction-top">
<div><strong>${escapeHTML(t.description)}</strong>
<div class="transaction-date">${escapeHTML(t.category)} • ${d.toLocaleDateString("en-IN")}</div></div>
<strong class="${t.type==="income"?income-text:"expense-text"}">${t.type==="income"?"+":"-"}${money(t.amount)}</strong>
</div>
${del?`<br><button class="outline" onclick="deleteTransaction(${t.id})">Delete</button>`:''}
</div>`;
}

function renderRecent(){

```

```

recentTransactions.innerHTML=transactions.length
?transactions.slice(0,5).map(t=>transactionHTML(t)).join("")
:'<div class="empty">No transactions yet.</div>';
}

function renderHistory(){
if(!document.getElementById("allTransactions"))return;
allTransactions.innerHTML=transactions.length
?transactions.map(t=>transactionHTML(t,true)).join("")
:'<div class="empty">No transactions yet.</div>';
}

function deleteTransaction(id){
if(!confirm("Delete this transaction?"))return;
transactions=transactions.filter(t=>t.id!==id);
localStorage.setItem("myMoneyTransactions",JSON.stringify(transactions));
updateDashboard();
}

function renderReports(){
if(!document.getElementById("categoryReport"))return;
const totals={};
transactions.filter(t=>t.type==="expense").forEach(t=>totals[t.category]=(totals[t.category]||0)+Number(t.amount));
const keys=Object.keys(totals);
categoryReport.innerHTML=keys.length
?keys.sort((a,b)>=>totals[b]-totals[a]).map(k=>`<p style="display:flex;justify-content:space-between;padding:8px 0;
border-bottom:1px solid #eee"><span>${escapeHTML(k)}</span><strong class="expense-text">${money(totals[k])}</strong></p>`).join("")
:'<div class="empty">No expense data yet.</div>';
}

function generateReceiveQR(){
const box=document.getElementById("receiveQR");
if(!box)return;
box.innerHTML="";
const uri="upi://pay?pa="+encodeURIComponent(RECEIVE_UPI)+"&pn="+encodeURIComponent("My Money")+"&cu=INR";
new QRCode(box,{text:uri,width:250,height:250,correctLevel:QRCodeCorrectLevel.H});
}

function downloadQR(){
const box=document.getElementById("receiveQR");
const canvas=box.querySelector("canvas");
if(!canvas){alert("QR not ready.");return}
const a=document.createElement("a");
a.href=canvas.toDataURL("image/png");
a.download="my-money-receive-qr.png";
a.click();
}

function startScanner(){
if(scanner)return;
scanner=new Html5Qrcode("reader");
scanner.start({facingMode:"environment"},{fps:10,qrcodebox:{width:250,height:250},onScanSuccess}
.catch(()=>{alert("Camera permission is required.");scanner=null});
}

function onScanSuccess(text){
const upi=extractUPI(text);
if(!upi){alert("UPI address not found in this QR.");return}
detectedUPI=upi;
detectedUPIElement.textContent=upi;
scanResult.style.display="block";
stopScanner();
}

const detectedUPIElement=document.getElementById("detectedUPI");

function extractUPI(text){
try{
if(text.toLowerCase().startsWith("upi://pay")){
const u=new URL(text);
return u.searchParams.get("pa")||"";
}
}catch(e){}
const m=text.match(/[A-Za-z0-9._-]+@[A-Za-z0-9._-]+/);
return m?m[0]:"";
}

function payDetectedUPI(){
if(!detectedUPI){alert("UPI ID not detected.");return}
const amount=Number(scanAmount.value);
if(!amount||amount<=0){alert("Enter amount.");return}
const uri="upi://pay?pa="+encodeURIComponent(detectedUPI)+"&pn="+encodeURIComponent("Shop Payment")+"&am="+encodeURIComponent(amount.toFixed(2))+"&cu=INR";
transactions.unshift({
id:Date.now(),type:"expense",amount,
category:"UPI Payment",
description:"UPI Payment - "+detectedUPI,
date:new Date().toISOString()
});
localStorage.setItem("myMoneyTransactions",JSON.stringify(transactions));
updateDashboard();
window.location.href=uri;
}

function stopScanner(){
if(scanner){
scanner.stop().then(()=>{scanner.clear();scanner=null}).catch(()=>{scanner=null});
}
}

function escapeHTML(v){
return String(v).replace(/&/g,"&amp;").replace(/</g,"&lt;").replace(/>/g,"&gt;").replace(/"/g,"&quot;").replace(/'/g,"&#039;");
}

document.addEventListener("DOMContentLoaded",()=>{
updateCategories();
updateDashboard();
generateReceiveQR();
});

if("serviceWorker" in navigator){
window.addEventListener("load",()=>navigator.serviceWorker.register("service-worker.js").catch(()=>{}));
}
</script>

</body>
</html>

```