



- Latest news: June 6 and June 20 maintenance windows have been extended.
[Read more](#)

URL, IP, and allowlist requirements

Last modified: May 22, 2026

This page contains the Uniform Resource Locators (URLs), Internet Protocol (IP) addresses, and domains that are associated with the Anaplan platform. If your company restricts traffic, use this information to update your allowlist and ensure continued access to the Anaplan platform.

For example, if your company restricts outbound connectivity through the use of web filtering technologies, then you need to allowlist all the entries in the “Outbound traffic domains and IPs” section for the Anaplan region(s) you use. If you don't do this, Anaplan won't function as expected.

Similarly, if your company restricts inbound connectivity, for example, through the use of firewalls or access control lists (ACLs), then you need to allowlist all the entries in the “Inbound traffic IPs” section for the Anaplan region(s) you use. If you don't do this, then data integrations such as CloudWorks™ or Anaplan Data Orchestrator won't function as expected.

i Cloudflare and Cloudfront IPs can change without prior warning. Please ensure you have an appropriate process in place to account for this.

Select a region below to display the relevant security parameters that you'll need to configure your allowlist.

[^ Collapse all](#)

▼ ae1: Cloud - UAE



Integration APIs	https://ae1.api.anaplan.com
Application Lifecycle Management API	https://ae1.api.anaplan.com
Exception users API	https://ae1.api.anaplan.com/admin
Audit API	https://ae1.api.anaplan.com/audit
CloudWorks™ API	https://ae1.api.anaplan.com/cloudworks
SCIM API	https://ae1.api.anaplan.com/scim
Auth API	https://ae1.auth.anaplan.com
OAuth 2.0 API	https://ae1.app.anaplan.com
Power BI API URL	https://ae1.api.anaplan.com
PowerBI Auth URL	https://ae1.app.anaplan.com

Home	https://ae1.app.anaplan.com/home
------	----------------------------------

	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly.	cloudfront-ips *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-ae1.s3.me-central-1.amazonaws.com mms-unverified-bucket-prod-ae1.s3.me-central-1.amazonaws.com AE1 DR: mms-verified-bucket-prod-ae1-2.s3.eu-west-1.amazonaws.com mms-unverified-bucket-prod-ae1-2.s3.eu-west-1.amazonaws.com
---	---	--

	Home	https://ae1.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	• 51.112.107.41 • 3.29.172.232 DR region in EU: • 52.30.214.35 • 34.248.180.240 • 54.170.26.212
	SS SAML login URL	https://ae1.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://ae1.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://ap1a.app.anaplan.com/home
Integration APIs	https://api.anaplan.com
Application Lifecycle Management API	https://api.anaplan.com
Exception users API	https://api.anaplan.com/admin
Audit API	https://audit.anaplan.com/audit
CloudWorks™ API	https://api.cloudworks.anaplan.com
SCIM API	https://api.anaplan.com/scim
Auth API	https://auth.anaplan.com
OAuth 2.0 API	https://us1a.app.anaplan.com
Power BI API URL	https://api.anaplan.com
Power BI Auth URL	https://us1a.app.anaplan.com

Home	https://ap1a.app.anaplan.com/home
------	-----------------------------------

	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly.	cloudfront-ips ↗ *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-ap1.s3.ap-northeast-1.amazonaws.com mms-verified-bucket-dc12prod.s3.amazonaws.com mms-unverified-bucket-dc12prod.s3.amazonaws.com mms-unverified-bucket-prod-ap1.s3.ap-northeast-1.amazonaws.com
--	---	--

	Home	https://ap1a.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	• 35.200.4.137 • 34.85.50.244 • 34.146.6.174 • 35.194.106.134 • 34.146.203.25 • 35.200.22.108 • 35.221.76.130 • 35.221.111.44 • 34.84.12.166 ap2a.app.anaplan.com: • 34.97.233.220 • 34.97.97.106 • 34.97.52.33 • 34.97.41.93 • 34.97.198.238 • 34.97.117.19 • 34.97.94.180 • 34.97.12.55 • 34.97.122.37 • 34.97.140.55 us1a.app.anaplan.com: • 64.124.186.246
	SS SAML login URL	https://us1a.app.anaplan.com/samlsp/connectionName

	Home	https://ap1a.app.anaplan.com/home
		
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com

▼ **au1: Cloud - Australia**

Home	https://au1a.app2.anaplan.com/home
Integration APIs	https://api.au1a.app2.anaplan.com
Application Lifecycle Management API	https://api.au1a.app2.anaplan.com
Exception users API	https://api.au1a.app2.anaplan.com/admin
Audit API	https://api.au1a.app2.anaplan.com/audit
CloudWorks™ API	https://api.cloudworks.au1a.app2.anaplan.com
SCIM API	https://api.au1a.app2.anaplan.com/scim
Auth API	https://au1a.app2.anaplan.com
OAuth 2.0 API	https://au1a.app2.anaplan.com
Power BI API URL	https://api.au1a.app2.anaplan.com
PowerBI Auth URL	https://au1a.app2.anaplan.com

Home	https://au1a.app2.anaplan.com/home
------	------------------------------------

≡ A Q	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips ↗ *.anaplan.com *.app.anaplan.com *.app2.anaplan.com *.au1a.app2.anaplan.com *.anaplan-cdn.io cdn.auth0.com api.cloudworks.au1a.app2.anaplan.com mms-unverified-bucket-prod-au1.s3.ap-southeast-2.amazonaws.com mms-verified-bucket-prod-au1.s3.ap-southeast-2.amazonaws.com
--	---

	Home	https://au1a.app2.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly. • 13.54.40.1 • 3.24.121.239	
	SS SAML login URL	https://au1a.app2.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://au1a.app2.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://ca1a.app.anaplan.com/home
Integration APIs	https://ca1a.api.anaplan.com
Application Lifecycle Management API	https://ca1a.api.anaplan.com
Exception users API	https://ca1a.api.anaplan.com/admin
Audit API	https://ca1a.api.anaplan.com/audit
CloudWorks™ API	https://ca1a.api.anaplan.com/cloudworks
SCIM API	https://ca1a.api.anaplan.com/scim
Auth API	https://ca1a.auth.anaplan.com
OAuth 2.0 API	https://ca1a.app.anaplan.com
Power BI API URL	https://ca1a.api.anaplan.com
Power BI Auth URL	https://ca1a.app.anaplan.com

Home	https://ca1a.app.anaplan.com/home
------	-----------------------------------

≡ A Q	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips ↗ *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-ca1.s3.ca-central-1.amazonaws.com mms-unverified-bucket-prod-ca1.s3.ca-central-1.amazonaws.com
--	--

	Home	https://ca1a.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	• 34.130.6.56 • 34.130.145.253 • 34.130.235.35 • 34.130.203.29 ca2a.app.anaplan.com: • 34.152.13.87 • 35.234.253.123 • 34.152.0.97 • 34.152.38.252 • 35.203.73.106
	SS SAML login URL	https://ca1a.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://ca1a.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://eu1a.app.anaplan.com/home
Integration APIs	https://api.anaplan.com
Application Lifecycle Management API	https://api.anaplan.com
Exception users API	https://api.anaplan.com/admin
Audit API	https://audit.anaplan.com/audit
CloudWorks™ API	https://api.cloudworks.anaplan.com
SCIM API	https://api.anaplan.com/scim
Auth API	https://auth.anaplan.com
OAuth 2.0 API	https://us1a.app.anaplan.com
Power BI API URL	https://api.anaplan.com
Power BI Auth URL	https://us1a.app.anaplan.com

Home	https://eu1a.app.anaplan.com/home
------	-----------------------------------

	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly.	cloudfront-ips *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-am3prod.s3.eu-west-1.amazonaws.com mms-verified-bucket-dc12prod.s3.amazonaws.com mms-verified-bucket-fr6prod.s3.eu-west-1.amazonaws.com mms-verified-bucket-prod-eu4.s3.eu-central-1.amazonaws.com mms-unverified-bucket-prod-eu4.s3.eu-central-1.amazonaws.com mms-unverified-bucket-am3prod.s3.eu-west-1.amazonaws.com mms-unverified-bucket-dc12prod.s3.amazonaws.com mms-unverified-bucket-fr6prod.s3.eu-west-1.amazonaws.com
--	---	--

	Home	https://eu1a.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	• 212.119.8.246 eu2a.app.anaplan.com: • 195.122.182.10 • 195.12.254.113 • 83.231.153.246 eu4.app.anaplan.com: • 3.124.34.169 • 3.69.37.79 • 18.193.151.207 • 54.246.61.246 • 54.75.48.71 • 52.209.155.24 us1a.app.anaplan.com: • 64.124.186.246
	SS SAML login URL	https://us1a.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://us1a.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://eu2a.app.anaplan.com/home
Integration APIs	https://api.anaplan.com
Application Lifecycle Management API	https://api.anaplan.com
Exception users API	https://api.anaplan.com/admin
Audit API	https://audit.anaplan.com/audit
CloudWorks™ API	https://api.cloudworks.anaplan.com
SCIM API	https://api.anaplan.com/scim
Auth API	https://auth.anaplan.com
OAuth 2.0 API	https://us1a.app.anaplan.com
Power BI API URL	https://api.anaplan.com
Power BI Auth URL	https://us1a.app.anaplan.com

Home	https://eu2a.app.anaplan.com/home
------	-----------------------------------

☰	A 🔍
	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips ↗ *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-am3prod.s3.eu-west-1.amazonaws.com mms-verified-bucket-dc12prod.s3.amazonaws.com mms-verified-bucket-fr6prod.s3.eu-west-1.amazonaws.com mms-verified-bucket-prod-eu4.s3.eu-central-1.amazonaws.com mms-unverified-bucket-prod-eu4.s3.eu-central-1.amazonaws.com mms-unverified-bucket-am3prod.s3.eu-west-1.amazonaws.com mms-unverified-bucket-dc12prod.s3.amazonaws.com mms-unverified-bucket-fr6prod.s3.eu-west-1.amazonaws.com

	Home	https://eu2a.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	• 212.119.8.246 eu2a.app.anaplan.com: • 195.122.182.10 • 195.12.254.113 • 83.231.153.246 eu4.app.anaplan.com: • 3.124.34.169 • 3.69.37.79 • 18.193.151.207 • 54.246.61.246 • 54.75.48.71 • 52.209.155.24 us1a.app.anaplan.com: • 64.124.186.246
	SS SAML login URL	https://us1a.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://us1a.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://eu3.app.anaplan.com/home
Integration APIs	https://eu3.api.anaplan.com
Application Lifecycle Management API	https://eu3.api.anaplan.com
Exception users API	https://eu3.api.anaplan.com/admin
Audit API	https://eu3.api.anaplan.com/audit
CloudWorks™ API	https://eu3.api.anaplan.com/cloudworks
SCIM API	https://eu3.api.anaplan.com/scim
Auth API	https://eu3.auth.anaplan.com
OAuth 2.0 API	https://eu3.app.anaplan.com
Power BI API URL	https://eu3.api.anaplan.com
Power BI Auth URL	https://eu3.app.anaplan.com

Home	https://eu3.app.anaplan.com/home
------	----------------------------------

≡ A Q	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips ↗ *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-unverified-bucket-prod-eu3.s3.eu-central-1.amazonaws.com mms-verified-bucket-prod-eu3.s3.eu-central-1.amazonaws.com
--	--

	Home	https://eu3.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	• 18.198.253.63 • 3.121.135.205 • 52.16.152.42 • 54.171.10.95 • 52.51.144.204
	SS SAML login URL	https://eu3.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://eu3.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://eu4.app.anaplan.com/home
Integration APIs	https://api.anaplan.com
Application Lifecycle Management API	https://api.anaplan.com
Exception users API	https://api.anaplan.com/admin
Audit API	https://audit.anaplan.com/audit
CloudWorks™ API	https://api.cloudworks.anaplan.com
SCIM API	https://api.anaplan.com/scim
Auth API	https://auth.anaplan.com
OAuth 2.0 API	https://us1a.app.anaplan.com
Power BI API URL	https://api.anaplan.com
Power BI Auth URL	https://us1a.app.anaplan.com

Home	https://eu4.app.anaplan.com/home
------	----------------------------------

≡ A Q	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-am3prod.s3.eu-west-1.amazonaws.com mms-verified-bucket-dc12prod.s3.amazonaws.com mms-verified-bucket-fr6prod.s3.eu-west-1.amazonaws.com mms-verified-bucket-prod-eu4.s3.eu-central-1.amazonaws.com mms-unverified-bucket-prod-eu4.s3.eu-central-1.amazonaws.com mms-unverified-bucket-am3prod.s3.eu-west-1.amazonaws.com mms-unverified-bucket-dc12prod.s3.amazonaws.com mms-unverified-bucket-fr6prod.s3.eu-west-1.amazonaws.com
---	--

	Home	https://eu4.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	• 212.119.8.246 eu2a.app.anaplan.com: • 195.122.182.10 • 195.12.254.113 • 83.231.153.246 eu4.app.anaplan.com: • 3.124.34.169 • 3.69.37.79 • 18.193.151.207 • 54.246.61.246 • 54.75.48.71 • 52.209.155.24 us1a.app.anaplan.com: • 64.124.186.246
	SS SAML login URL	https://us1a.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://us1a.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://eu5.app.anaplan.com/home
Integration APIs	https://eu5.api.anaplan.com
Application Lifecycle Management API	https://eu5.api.anaplan.com
Exception users API	https://eu5.api.anaplan.com/admin
Audit API	https://eu5.api.anaplan.com/audit
CloudWorks™ API	https://eu5.api.anaplan.com/cloudworks
SCIM API	https://eu5.api.anaplan.com/scim
Auth API	https://eu5.auth.anaplan.com
OAuth 2.0 API	https://eu5.app.anaplan.com
Power BI API URL	https://eu5.api.anaplan.com
Power BI Auth URL	https://eu5.app.anaplan.com

Home	https://eu5.app.anaplan.com/home
------	----------------------------------

≡ A Q	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips ↗ *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-eu5.s3.eu-central-1.amazonaws.com mms-unverified-bucket-prod-eu5.s3.eu-central-1.amazonaws.com
--	--

	Home	https://eu5.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	• 34.155.24.14 • 34.155.102.148 • 34.155.35.146 • 34.163.241.167 • 34.91.219.130 • 34.12.127.1 • 34.12.239.12 • 34.12.118.245 • 34.13.211.108
	SS SAML login URL	https://eu5.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://eu5.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://gb1.app.anaplan.com/home
Integration APIs	https://gb1.api.anaplan.com
Application Lifecycle Management API	https://gb1.api.anaplan.com
Exception users API	https://gb1.api.anaplan.com/admin
Audit API	https://gb1.api.anaplan.com/audit
CloudWorks™ API	https://gb1.api.anaplan.com/cloudworks
SCIM API	https://gb1.api.anaplan.com/scim
Auth API	https://gb1.auth.anaplan.com
OAuth 2.0 API	https://gb1.app.anaplan.com
Power BI API URL	https://gb1.api.anaplan.com
Power BI Auth URL	https://gb1.app.anaplan.com

Home	https://gb1.app.anaplan.com/home
------	----------------------------------

		
	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips  *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-unverified-bucket-prod-gb1.s3.eu-west-2.amazonaws.com mms-verified-bucket-prod-gb1.s3.eu-west-2.amazonaws.com	

	Home	https://gb1.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly. • 35.177.119.89 • 3.11.230.110	
	SS SAML login URL	https://gb1.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://gb1.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://in1.app.anaplan.com/home
Integration APIs	https://in1.api.anaplan.com
Application Lifecycle Management API	https://in1.api.anaplan.com
Exception users API	https://in1.api.anaplan.com/admin
Audit API	https://in1.api.anaplan.com/audit
CloudWorks™ API	https://in1.api.anaplan.com/cloudworks
SCIM API	https://in1.api.anaplan.com/scim
Auth API	https://in1.auth.anaplan.com
OAuth 2.0 API	https://in1.app.anaplan.com
Power BI API URL	https://in1.api.anaplan.com
Power BI Auth URL	https://in1.app.anaplan.com

Home	https://in1.app.anaplan.com/home
------	----------------------------------

		
	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips  *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-unverified-bucket-prod-in1.s3.ap-south-1.amazonaws.com mms-verified-bucket-prod-in1.s3.ap-south-1.amazonaws.com	

	Home	https://in1.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	• 43.205.41.113 • 35.154.55.44 • 18.60.26.128 • 98.130.37.123 • 18.60.201.18
	SS SAML login URL	https://in1.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://in1.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://id1.app.anaplan.com/home
Integration APIs	https://id1.api.anaplan.com
Application Lifecycle Management API	https://id1.api.anaplan.com
Exception users API	https://id1.api.anaplan.com/admin
Audit API	https://id1.api.anaplan.com/audit
CloudWorks™ API	https://id1.api.anaplan.com/cloudworks
SCIM API	https://id1.api.anaplan.com/scim
Auth API	https://id1.auth.anaplan.com
OAuth 2.0 API	https://id1.app.anaplan.com
Power BI API URL	https://id1.api.anaplan.com
Power BI Auth URL	https://id1.app.anaplan.com

Home	https://id1.app.anaplan.com/home
------	----------------------------------

		
	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips  *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-unverified-bucket-prod-id1.s3.ap-southeast-3.amazonaws.com mms-verified-bucket-prod-id1.s3.ap-southeast-3.amazonaws.com	

	Home	https://id1.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly. • 43.218.50.162 • 43.218.62.177	
	SS SAML login URL	https://id1.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://id1.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://me1.app.anaplan.com/home
Integration APIs	https://me1.api.anaplan.com
Application Lifecycle Management API	https://me1.api.anaplan.com
Exception users API	https://me1.api.anaplan.com/admin
Audit API	https://me1.api.anaplan.com/audit
CloudWorks™ API	https://me1.api.anaplan.com/cloudworks
SCIM API	https://me1.api.anaplan.com/scim
Auth API	https://me1.auth.anaplan.com
OAuth 2.0 API	https://me1.app.anaplan.com
Power BI API URL	https://me1.api.anaplan.com
Power BI Auth URL	https://me1.app.anaplan.com

Home	https://me1.app.anaplan.com/home
------	----------------------------------

≡ A Q	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips ↗ *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-me1.s3.eu-central-1.amazonaws.com mms-unverified-bucket-prod-me1.s3.eu-central-1.amazonaws.com
--	--

	Home	https://me1.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly. • 34.166.58.239 • 34.166.36.1 • 34.166.61.164 • 34.166.52.165	
	SS SAML login URL	https://me1.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://me1.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://sg1.app.anaplan.com/home
Integration APIs	https://sg1.api.anaplan.com
Application Lifecycle Management API	https://sg1.api.anaplan.com
Exception users API	https://sg1.api.anaplan.com/admin
Audit API	https://sg1.api.anaplan.com/audit
CloudWorks™ API	https://sg1.api.anaplan.com/cloudworks
SCIM API	https://sg1.api.anaplan.com/scim
Auth API	https://sg1.auth.anaplan.com
OAuth 2.0 API	https://sg1.app.anaplan.com
Power BI API URL	https://sg1.api.anaplan.com
PowerBI Auth URL	https://sg1.app.anaplan.com

Home	https://sg1.app.anaplan.com/home
------	----------------------------------

		
	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-sg1.s3.ap-southeast-1.amazonaws.com	

	Home	https://sg1.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly. 18.141.82.122	
	SS SAML login URL	https://sg1.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://sg1.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Home	https://us1a.app.anaplan.com/home
Integration APIs	https://api.anaplan.com
Application Lifecycle Management API	https://api.anaplan.com
Exception users API	https://api.anaplan.com/admin
Audit API	https://audit.anaplan.com/audit
CloudWorks™ API	https://api.cloudworks.anaplan.com
SCIM API	https://api.anaplan.com/scim
Auth API	https://auth.anaplan.com
OAuth 2.0 API	https://us1a.app.anaplan.com
Power BI API URL	https://api.anaplan.com
Power BI Auth URL	https://us1a.app.anaplan.com

Home https://us1a.app.anaplan.com/home	
≡ A Q	
domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly.	cloudfront-ips *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-us5.s3.amazonaws.com mms-verified-bucket-prod-us7.s3.amazonaws.com mms-verified-bucket-dc12prod.s3.amazonaws.com mms-verified-bucket-sv2prod.s3.us-west-2.amazonaws.com mms-unverified-bucket-sv2prod.s3.us-west-2.amazonaws.com mms-unverified-bucket-prod-us5.s3.amazonaws.com mms-unverified-bucket-dc12prod.s3.amazonaws.com mms-unverified-bucket-prod-us7.s3.amazonaws.com

	Home	https://us1a.app.anaplan.com/home
≡		A Q
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	us2a.app.anaplan.com: 8.47.83.246 us5a.app.anaplan.com: 35.236.225.23 34.86.3.9 35.245.184.129 35.245.80.250 35.194.80.245 35.245.194.248 34.145.232.49 34.150.141.162 35.221.61.136 35.188.241.80 us6a.app.anaplan.com: 34.29.13.114 34.28.180.35 34.69.187.10 34.132.99.60 34.30.187.11 34.173.8.202 35.192.58.171 146.148.93.123 34.133.40.172 34.16.44.58

	Home	https://us1a.app.anaplan.com/home
		
		• 23.22.53.175 • 3.224.166.179 us8a.app.anaplan.com: • 35.82.230.212 • 44.232.241.220 • 34.208.203.170
	SS SAML login URL	https://us1a.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://us1a.app.anaplan.com/samlsp/login/callback? connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com

us2: Data Center - US West

Home	https://us1a.app.anaplan.com/home
Integration APIs	https://api.anaplan.com
Application Lifecycle Management API	https://api.anaplan.com
Exception users API	https://api.anaplan.com/admin
Audit API	https://audit.anaplan.com/audit

≡	Home	https://us1a.app.anaplan.com/home
	A	
	SCIM API	https://api.anaplan.com/scim
	Auth API	https://auth.anaplan.com
	OAuth 2.0 API	https://us1a.app.anaplan.com
	Power BI API URL	https://api.anaplan.com
	Power BI Auth URL	https://us1a.app.anaplan.com

Home https://us1a.app.anaplan.com/home	
≡ A Q	
domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly.	cloudfront-ips *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-us5.s3.amazonaws.com mms-verified-bucket-prod-us7.s3.amazonaws.com mms-verified-bucket-dc12prod.s3.amazonaws.com mms-verified-bucket-sv2prod.s3.us-west-2.amazonaws.com mms-unverified-bucket-sv2prod.s3.us-west-2.amazonaws.com mms-unverified-bucket-prod-us5.s3.amazonaws.com mms-unverified-bucket-dc12prod.s3.amazonaws.com mms-unverified-bucket-prod-us7.s3.amazonaws.com

	Home	https://us1a.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	us2a.app.anaplan.com: • 8.47.83.246 us5a.app.anaplan.com: • 35.236.225.23 • 34.86.3.9 • 35.245.184.129 • 35.245.80.250 • 35.194.80.245 • 35.245.194.248 • 34.145.232.49 • 34.150.141.162 • 35.221.61.136 • 35.188.241.80 us6a.app.anaplan.com: • 34.29.13.114 • 34.28.180.35 • 34.69.187.10 • 34.132.99.60 • 34.30.187.11 • 34.173.8.202 • 35.192.58.171 • 146.148.93.123 • 34.133.40.172 • 34.16.44.58

	Home	https://us1a.app.anaplan.com/home
		
		• 23.22.53.175 • 3.224.166.179 us8a.app.anaplan.com: • 35.82.230.212 • 44.232.241.220 • 34.208.203.170
	SS SAML login URL	https://us1a.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://us1a.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com

▼ us5: Cloud - US East

Home	https://us5a.app.anaplan.com/home
Integration APIs	https://api.anaplan.com
Application Lifecycle Management API	https://api.anaplan.com
Exception users API	https://api.anaplan.com/admin
Audit API	https://audit.anaplan.com/audit

	Home	https://us5a.app.anaplan.com/home
≡	A Q	
	SCIM API	https://api.anaplan.com/scim
	Auth API	https://auth.anaplan.com
	OAuth 2.0 API	https://us1a.app.anaplan.com
	Power BI API URL	https://api.anaplan.com
	Power BI Auth URL	https://us1a.app.anaplan.com

Home	https://us5a.app.anaplan.com/home
------	-----------------------------------

	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly.	cloudfront-ips  *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-us5.s3.amazonaws.com mms-verified-bucket-prod-us7.s3.amazonaws.com mms-verified-bucket-dc12prod.s3.amazonaws.com mms-verified-bucket-sv2prod.s3.us-west-2.amazonaws.com mms-unverified-bucket-sv2prod.s3.us-west-2.amazonaws.com mms-unverified-bucket-prod-us5.s3.amazonaws.com mms-unverified-bucket-dc12prod.s3.amazonaws.com mms-unverified-bucket-prod-us7.s3.amazonaws.com
--	---	---

	Home	https://us5a.app.anaplan.com/home
	 	
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	us2a.app.anaplan.com: 8.47.83.246 us5a.app.anaplan.com: 35.236.225.23 34.86.3.9 35.245.184.129 35.245.80.250 35.194.80.245 35.245.194.248 34.145.232.49 34.150.141.162 35.221.61.136 35.188.241.80 us6a.app.anaplan.com: 34.29.13.114 34.28.180.35 34.69.187.10 34.132.99.60 34.30.187.11 34.173.8.202 35.192.58.171 146.148.93.123 34.133.40.172 34.16.44.58

	Home	https://us5a.app.anaplan.com/home
		
		• 23.22.53.175 • 3.224.166.179 us8a.app.anaplan.com: • 35.82.230.212 • 44.232.241.220 • 34.208.203.170
	SS SAML login URL	https://us1a.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://us1a.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com

us7: Cloud - US

Home	https://us7a.app.anaplan.com/home
Integration APIs	https://api.anaplan.com
Application Lifecycle Management API	https://api.anaplan.com
Exception users API	https://api.anaplan.com/admin
Audit API	https://audit.anaplan.com/audit

	Home	https://us7a.app.anaplan.com/home
≡	A Q	
	SCIM API	https://api.anaplan.com/scim
	Auth API	https://auth.anaplan.com
	OAuth 2.0 API	https://us1a.app.anaplan.com
	Power BI API URL	https://api.anaplan.com
	Power BI Auth URL	https://us1a.app.anaplan.com

Home https://us7a.app.anaplan.com/home	
≡ A Q	
domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly.	cloudfront-ips *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-us5.s3.amazonaws.com mms-verified-bucket-prod-us7.s3.amazonaws.com mms-verified-bucket-dc12prod.s3.amazonaws.com mms-verified-bucket-sv2prod.s3.us-west-2.amazonaws.com mms-unverified-bucket-sv2prod.s3.us-west-2.amazonaws.com mms-unverified-bucket-prod-us5.s3.amazonaws.com mms-unverified-bucket-dc12prod.s3.amazonaws.com mms-unverified-bucket-prod-us7.s3.amazonaws.com

	Home	https://us7a.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly.	us2a.app.anaplan.com: • 8.47.83.246 us5a.app.anaplan.com: • 35.236.225.23 • 34.86.3.9 • 35.245.184.129 • 35.245.80.250 • 35.194.80.245 • 35.245.194.248 • 34.145.232.49 • 34.150.141.162 • 35.221.61.136 • 35.188.241.80 us6a.app.anaplan.com: • 34.29.13.114 • 34.28.180.35 • 34.69.187.10 • 34.132.99.60 • 34.30.187.11 • 34.173.8.202 • 35.192.58.171 • 146.148.93.123 • 34.133.40.172 • 34.16.44.58

	Home	https://us7a.app.anaplan.com/home
		
		• 23.22.53.175 • 3.224.166.179 us8a.app.anaplan.com • 35.82.230.212 • 44.232.241.220 • 34.208.203.170
	SS SAML login URL	https://us1a.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://us1a.app.anaplan.com/samlsp/login/callback? connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com

us9: Cloud - US

Home	https://us9.app.anaplan.com/home
Integration APIs	https://us9.api.anaplan.com
Application Lifecycle Management API	https://us9.api.anaplan.com
Exception users API	https://us9.api.anaplan.com/admin
Audit API	https://us9.api.anaplan.com/audit

☰	Home	https://us9.app.anaplan.com/home
	A 🔍	
	SCIM API	https://us9.api.anaplan.com/scim
	Auth API	https://us9.auth.anaplan.com
	OAuth 2.0 API	https://us9.app.anaplan.com
	Power BI API URL	https://us9.api.anaplan.com
	Power BI Auth URL	https://us9.app.anaplan.com

Home	https://us9.app.anaplan.com/home
------	----------------------------------

≡ A Q	domains and IPs (Client → Anaplan) Traffic from the client environment (for example, browser access, API calls, integrations) to Anaplan services. If outbound traffic is restricted, these domains and IPs must be allowlisted for the platform to function correctly. cloudfront-ips *.anaplan.com *.api.anaplan.com *.auth.anaplan.com *.app.anaplan.com *.anaplan-cdn.io cdn.auth0.com mms-verified-bucket-prod-us9.s3.amazonaws.com mms-unverified-bucket-prod-us9.s3.amazonaws.com
--	---

	Home	https://us9.app.anaplan.com/home
		
	(Anaplan → Client) Traffic from Anaplan services (for example, CloudWorks™ or Anaplan Data Orchestrator) to client environments such as AWS, Azure, BigQuery, or internal servers. If inbound traffic is restricted, all listed IPs should be allowlisted for the platform to function correctly. 4.246.104.21	
	SS SAML login URL	https://us9.app.anaplan.com/samlsp/connectionName
	SS SAML ACS URL	https://us9.app.anaplan.com/samlsp/login/callback?connection=connectionName
	SS SAML Audience URI (Entity ID)	https://sdp.anaplan.com



Disclaimer

We update Support content regularly to provide the most up-to-date instructions.

© 2026 Anaplan, Inc. All rights reserved.