



Python Programming Fundamentals

Basics of Print and Input

Programming Fundamentals Team

SETU

2026-06-18



Outline

1. The `print()` Function
2. Printing Multiple Values
3. The `input()` Function
4. `input()` Always Returns a String
5. Formatted Output with f-strings
6. Putting It Together



Outline

- 1. The `print()` Function**
2. Printing Multiple Values
3. The `input()` Function
4. `input()` Always Returns a String
5. Formatted Output with f-strings
6. Putting It Together



1. The `print()` Function

`print()` displays output in the terminal.

```
print("Hello, World!")  
print("My name is Python")
```

Output:

```
Hello, World!  
My name is Python
```



1. The print() Function

print() displays output in the terminal.

```
print("Hello, World!")  
print("My name is Python")
```

Output:

```
Hello, World!  
My name is Python
```

You can print **numbers** and **expressions** too:

```
print(42)  
print(10 + 5)  
print(3.14)
```



Outline

1. The `print()` Function
- 2. Printing Multiple Values**
3. The `input()` Function
4. `input()` Always Returns a String
5. Formatted Output with f-strings
6. Putting It Together



2. Printing Multiple Values

You can pass multiple values to `print()` separated by commas — it adds a **space** between them by default:

```
name = "Alice"  
age  = 20
```

```
print("Name:", name)  
print("Age:", age)  
print("Name:", name, "Age:", age)
```

Output:

```
Name: Alice  
Age: 20  
Name: Alice Age: 20
```



2.1 Changing the Separator

Use `sep=` to change what goes between values:

```
print("Alice", "Bob", "Carol", sep=", ")  
print(2026, 6, 18, sep="- ")
```

Output:

Alice, Bob, Carol

2026-6-18



2.2 Staying on the Same Line

By default `print()` adds a newline at the end. Use `end=` to change this:

```
print("Loading", end="")  
print("...")
```

Output:

Loading...



Outline

1. The `print()` Function
2. Printing Multiple Values
- 3. The `input()` Function**
4. `input()` Always Returns a String
5. Formatted Output with f-strings
6. Putting It Together



3. The input() Function

input() **pauses** the program and waits for the user to type something and press Enter.

The text inside the brackets is the **prompt** shown to the user.

```
name = input("What is your name? ")  
print("Hello,", name)
```

Running this:

```
What is your name? Alice  
Hello, Alice
```



3. The input() Function

input() **pauses** the program and waits for the user to type something and press Enter.

The text inside the brackets is the **prompt** shown to the user.

```
name = input("What is your name? ")  
print("Hello,", name)
```

Running this:

What is your name? Alice

Hello, Alice

Important: input() **always** returns a **string**, even if the user types a number.



Outline

1. The `print()` Function
2. Printing Multiple Values
3. The `input()` Function
- 4. `input()` Always Returns a String**
5. Formatted Output with f-strings
6. Putting It Together



4. input() Always Returns a String

```
age = input("Enter your age: ")  
print(age)  
print(type(age))
```

Output (if user types 20):

```
20  
<class 'str'>
```



4. input() Always Returns a String

To use the value as a **number**, convert it with `int()` or `float()`:

```
age      = int(input("Enter your age: "))
height  = float(input("Enter your height (m): "))

print("Age:", age)
print("Height:", height)
print(type(age))      # <class 'int'>
print(type(height))   # <class 'float'>
```



Outline

1. The `print()` Function
2. Printing Multiple Values
3. The `input()` Function
4. `input()` Always Returns a String
- 5. Formatted Output with f-strings**
6. Putting It Together



5. Formatted Output with f-strings

Prefix a string with `f` to embed **expressions** directly inside `{}`:

```
name = "Alice"  
age  = 20  
  
print(f"Hello, {name}!")  
print(f"Next year you will be {age + 1}")
```

Output:

```
Hello, Alice!  
Next year you will be 21
```



5. Formatted Output with f-strings

You can control number formatting inside the {} with a colon:

```
price = 9.5  
pi     = 3.14159
```

```
print(f"Price:  £{price:.2f}")   # 2 decimal places  
print(f"Pi ≈ {pi:.4f}")        # 4 decimal places  
print(f"Score: {0.756:.0%}")   # percentage
```

Output:

```
Price:  £9.50  
Pi ≈ 3.1416  
Score: 76%
```



5. Formatted Output with f-strings

f-strings are the **recommended** way to format output — you will see them throughout the course.



Outline

1. The `print()` Function
2. Printing Multiple Values
3. The `input()` Function
4. `input()` Always Returns a String
5. Formatted Output with f-strings
6. Putting It Together



6. Putting It Together

A simple program that asks for two numbers and prints their sum:

```
num1 = float(input("Enter first number: "))
num2 = float(input("Enter second number: "))

total = num1 + num2

print("Sum:", total)
```

Running this:

```
Enter first number: 12.5
Enter second number: 7.5
Sum: 20.0
```



6. Putting It Together

A personal greeting:

```
first_name = input("First name: ")
last_name  = input("Last name: ")

print("Welcome,", first_name, last_name)
```



Thanks for Watching - Any questions?

