



Programming Fundamentals

Selection 2 — Multiple Choices and Logical Operators

Programming Fundamentals Team

SETU

2026-09-15



Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



1. Today

By the end of this session you should be able to:

- Use `if-elif-else` for multiple alternatives.
- Explain the difference between separate `ifs` and an `elif` chain.
- Combine conditions using `and`, `or` and `not`.
- Check ranges correctly.
- Use nested selection when appropriate.
- Apply selection to validation and small programs.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



2. Quick Recap

What will this print?

```
mark = 40
```

```
if mark >= 40:  
    print("Pass")  
else:  
    print("Fail")
```



2. Quick Recap

What will this print?

```
mark = 40
```

```
if mark >= 40:  
    print("Pass")  
else:  
    print("Fail")
```

Pass — because 40 is included in `>= 40`.



Outline

- | | | |
|---------------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



3. More Than Two Choices

Suppose we want:

- 70+ $\rightarrow$ Distinction
- 40–69 $\rightarrow$ Pass
- below 40 $\rightarrow$ Fail



3. More Than Two Choices

Suppose we want:

- 70+ → Distinction
- 40–69 → Pass
- below 40 → Fail

An if-else only gives us two branches.

We need `elif` — **else if**.



Outline

- | | | |
|-------------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



4. if-elif-else Syntax

```
if condition1:
    statements
elif condition2:
    statements
else:
    statements
```



4. if-elif-else Syntax

```
if condition1:  
    statements  
elif condition2:  
    statements  
else:  
    statements
```

Python tests from top to bottom and stops at the **first true branch**.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
- 5. Grade Classification**
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



5. Grade Classification

```
mark = int(input("Mark: "))

if mark >= 70:
    print("Distinction")
elif mark >= 40:
    print("Pass")
else:
    print("Fail")
```



5. Grade Classification

```
mark = int(input("Mark: "))

if mark >= 70:
    print("Distinction")
elif mark >= 40:
    print("Pass")
else:
    print("Fail")
```

Why does the second condition not need `mark < 70`?



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
- 6. Order Matters**
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



6. Order Matters

This is wrong:

```
if mark >= 40:
    print("Pass")
elif mark >= 70:
    print("Distinction")
else:
    print("Fail")
```



6. Order Matters

This is wrong:

```
if mark >= 40:
    print("Pass")
elif mark >= 70:
    print("Distinction")
else:
    print("Fail")
```

For `mark = 85`, the first condition is already true.

The `elif` is never reached.

When testing thresholds, usually test the most restrictive/highest threshold first.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



7. Trace the Chain

For each value, which branch runs?

```
if score >= 80:  
    print("A")  
elif score >= 60:  
    print("B")  
elif score >= 40:  
    print("C")  
else:  
    print("D")
```

- 90
- 65
- 40
- 39



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



8. Separate ifs or elif?

```
if temperature > 20:  
    print("Warm")  
if temperature > 30:  
    print("Very warm")
```



8. Separate ifs or elif?

```
if temperature > 20:  
    print("Warm")  
if temperature > 30:  
    print("Very warm")
```

If temperature is 35, **both** messages print.



8. Separate ifs or elif?

```
if temperature > 20:  
    print("Warm")  
if temperature > 30:  
    print("Very warm")
```

If temperature is 35, **both** messages print.

With `elif`, only one branch in the chain can run.



Outline

- | | | |
|--------------------------|--|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



9. Choosing the Right Structure

Use separate `if` statements when:

- several conditions may all be true.

Use `if-elif-else` when:

- the choices are mutually exclusive.



9. Choosing the Right Structure

Use separate `if` statements when:

- several conditions may all be true.

Use `if-elif-else` when:

- the choices are mutually exclusive.

Example: a person can be both a student **and** employed — separate tests may make sense.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
- 10. Logical Operators**
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



10. Logical Operators

Sometimes one comparison is not enough.

Python provides:

- and — both conditions must be true
- or — at least one condition must be true
- not — reverses a Boolean value



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



11. and

A theme park ride requires:

- age 12 or older
- height at least 140 cm

```
if age >= 12 and height >= 140:  
    print("You may ride")  
else:  
    print("Sorry")
```


11. and

A theme park ride requires:

- age 12 or older
- height at least 140 cm

```
if age >= 12 and height >= 140:  
    print("You may ride")  
else:  
    print("Sorry")
```

Both tests must be True.





Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
- 12. Truth Table: and**
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



12. Truth Table: and

A	B	A and B
True	True	True
True	False	False
False	True	False
False	False	False



Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



13. or

A discount is available if the customer is:

- a student, **or**
- aged 65 or over.

```
if is_student or age >= 65:  
    print("Discount applies")
```




13. or

A discount is available if the customer is:

- a student, **or**
- aged 65 or over.

```
if is_student or age >= 65:  
    print("Discount applies")
```

Only one condition needs to be True.





Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
- 14. Truth Table: or**
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



14. Truth Table: or

A	B	A or B
True	True	True
True	False	True
False	True	True
False	False	False



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



15. not

not reverses a Boolean result.

```
logged_in = False
```

```
if not logged_in:  
    print("Please log in")
```



15. not

not reverses a Boolean result.

```
logged_in = False
```

```
if not logged_in:  
    print("Please log in")
```

not False becomes True.



Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



16. Checking a Range

Is mark between 40 and 69 inclusive?

Python allows chained comparisons:

```
if 40 <= mark <= 69:  
    print("Pass")
```



16. Checking a Range

Is mark between 40 and 69 inclusive?

Python allows chained comparisons:

```
if 40 <= mark <= 69:  
    print("Pass")
```

You can also write:

```
if mark >= 40 and mark <= 69:
```

The first form is especially readable in Python.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
- 17. Common Range Error**
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



17. Common Range Error

This does **not** mean between 40 and 69:

```
if mark >= 40 or mark <= 69:
```



17. Common Range Error

This does **not** mean between 40 and 69:

```
if mark >= 40 or mark <= 69:
```

Why?

Almost every number satisfies at least one side.

For a value to be inside a range, we usually need and.



Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



18. Activity: Login Rule

A user may log in only when:

- username is student
- password is python123

Write the condition.

```
username = input("Username: ")  
password = input("Password: ")
```





Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



19. Login Solution

```
if username == "student" and password == "python123":  
    print("Access granted")  
else:  
    print("Access denied")
```



19. Login Solution

```
if username == "student" and password == "python123":  
    print("Access granted")  
else:  
    print("Access denied")
```

Extension: should passwords be case-sensitive? Should usernames?



Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



20. Nested Selection

An if can appear inside another if.

```
if age >= 18:
    if has_ticket:
        print("Enter")
    else:
        print("You need a ticket")
else:
    print("You must be 18+")
```



Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



21. Nested or and?

Sometimes nesting explains **why** a user failed:

```
if age >= 18:
    if has_ticket:
        print("Enter")
    else:
        print("You need a ticket")
else:
    print("You must be 18+")
```



21. Nested or and?

Sometimes nesting explains **why** a user failed:

```
if age >= 18:
    if has_ticket:
        print("Enter")
    else:
        print("You need a ticket")
else:
    print("You must be 18+")
```

If you only need one yes/no answer, this may be simpler:

```
if age >= 18 and has_ticket:
```



Outline

- | | | |
|--------------------------|---------------------------------|--|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



22. Input Validation with Selection

```
mark = int(input("Enter mark (0-100): "))

if mark < 0 or mark > 100:
    print("Invalid mark")
else:
    print("Valid mark")
```



22. Input Validation with Selection

```
mark = int(input("Enter mark (0-100): "))

if mark < 0 or mark > 100:
    print("Invalid mark")
else:
    print("Valid mark")
```

Selection can detect bad input — but it does not ask again.

Iteration will later let us repeat until the input is valid.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example:
Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity:
Cinema Ticket

28. Cinema Ticket
Solution

29. Mini Challenge: Leap
Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



23. Full Example: Mark Report

```
mark = int(input("Enter mark: "))

if mark < 0 or mark > 100:
    print("Invalid mark")
elif mark >= 70:
    print("Distinction")
elif mark >= 40:
    print("Pass")
else:
    print("Fail")
```



Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



24. Full Example: Delivery Charge

```
order = float(input("Order value: €"))
member = input("Member? y/n: ").lower()

if order >= 50 or member == "y":
    delivery = 0
else:
    delivery = 5

print("Delivery: €", delivery)
```





Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



25. Debugging Challenge

Find the problems:

```
age = int(input("Age: "))

if age >= 13 and <= 19:
    print("Teenager")
elif age > 19
    print("Adult")
else:
    print("Child")
```



25. Debugging Challenge

Find the problems:

```
age = int(input("Age: "))

if age >= 13 and <= 19:
    print("Teenager")
elif age > 19
    print("Adult")
else:
    print("Child")
```

There are three syntax/structure problems.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



26. Debugging Solution

```
age = int(input("Age: "))

if 13 <= age <= 19:
    print("Teenager")
elif age > 19:
    print("Adult")
else:
    print("Child")
```



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap




27. Design Activity: Cinema Ticket

Design a program using these rules:

- Under 5 $\rightarrow$ Free
- 5–15 $\rightarrow$ €8
- 16–64 $\rightarrow$ €12
- 65+ $\rightarrow$ €9

Before coding, write the conditions in the order Python should test them.





Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



28. Cinema Ticket Solution

```
age = int(input("Age: "))

if age < 5:
    price = 0
elif age <= 15:
    price = 8
elif age <= 64:
    price = 12
else:
    price = 9

print("Ticket price: €", price)
```



Outline

- | | | |
|--------------------------|---------------------------------|-------------------------------------|
| 1. Today | 8. Separate ifs or elif? | 16. Checking a Range |
| 2. Quick Recap | 9. Choosing the Right Structure | 17. Common Range Error |
| 3. More Than Two Choices | 10. Logical Operators | 18. Activity: Login Rule |
| 4. if-elif-else Syntax | 11. and | 19. Login Solution |
| 5. Grade Classification | 12. Truth Table: and | 20. Nested Selection |
| 6. Order Matters | 13. or | 21. Nested or and? |
| 7. Trace the Chain | 14. Truth Table: or | 22. Input Validation with Selection |
| | 15. not | |



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



29. Mini Challenge: Leap Year Thinking

A simplified rule:

A year is a leap year if it is divisible by 4.

Hint: modulo % gives the remainder.

```
year % 4 == 0
```



29. Mini Challenge: Leap Year Thinking

A simplified rule:

A year is a leap year if it is divisible by 4.

Hint: modulo % gives the remainder.

`year % 4 == 0`

Write a program that prints Leap year or Not a leap year.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



30. Selection + Functions

Selection works naturally inside functions:

```
def result(mark):  
    if mark >= 40:  
        return "Pass"  
    else:  
        return "Fail"  
  
print(result(72))
```



30. Selection + Functions

Selection works naturally inside functions:

```
def result(mark):  
    if mark >= 40:  
        return "Pass"  
    else:  
        return "Fail"  
  
print(result(72))
```

This prepares us to build larger programs from small, reusable pieces.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



31. Final Check

Which structure would you choose?

1. Print a warning if temperature is below zero.
2. Print Pass or Fail.
3. Classify a mark as Distinction / Pass / Fail.
4. Allow entry only if age and ticket conditions are satisfied.



31. Final Check

Which structure would you choose?

1. Print a warning if temperature is below zero.
2. Print Pass or Fail.
3. Classify a mark as Distinction / Pass / Fail.
4. Allow entry only if age and ticket conditions are satisfied.

`if`, `if-else`, `if-elif-else`, and.



Outline

1. Today
2. Quick Recap
3. More Than Two Choices
4. if-elif-else Syntax
5. Grade Classification
6. Order Matters
7. Trace the Chain
8. Separate ifs or elif?
9. Choosing the Right Structure
10. Logical Operators
11. and
12. Truth Table: and
13. or
14. Truth Table: or
15. not
16. Checking a Range
17. Common Range Error
18. Activity: Login Rule
19. Login Solution
20. Nested Selection
21. Nested or and?
22. Input Validation with Selection



Outline

23. Full Example: Mark Report

24. Full Example: Delivery Charge

25. Debugging Challenge

26. Debugging Solution

27. Design Activity: Cinema Ticket

28. Cinema Ticket Solution

29. Mini Challenge: Leap Year Thinking

30. Selection + Functions

31. Final Check

32. Session 2 Recap



32. Session 2 Recap

You should now be able to use:

- `if, elif, else`
- separate versus mutually-exclusive conditions
- `and, or, not`
- chained comparisons
- nested selection
- selection for basic validation

Most importantly: **write the decision rules clearly before writing the Python.**