

- oned
- **S**tandtogether
- **E**lectronic
- Reconers

Orbewrit

Daniel CAMPOS DO NASCIMENTO © 2020

Licensed under Creative Commons CC-BY-SA 4.0.

Reichstandortsgemeinschaft – Rsg Reichsforschungsgemeinschaft für Rechenwissenschaft und -lehre – Rfg-r British Forseec Fellowship for Recon- and Telllore Norræn Rannsóknar Samfélag © 1963-1970, 1972-1992

Left under the Mean Need Leave.

© 1992-

Left under the Mean Need and Spread Leave.

Inhold

ı	Grasp	3
1	Main Hold Telllingstrings 8-String 16-String 32-String 64-String 128-String 256-String Onwrits True Onwrit Craft Onwrit 1st Ring Shape 2nd Ring Shape	55 55 55 55 66 66 66 66
2	Onelings True Onwrit Overdrag Read Write Grasp Timelayout Craft Onwrit Frame Field Root Field 2nd Ring Frame Gate 1st Ring Frame Field 1st Ring Frame Gate Runup Frame Field Walc nth Ring Frame Grasp	77 77 77 77 77 77 77 78 88 89 99
II	Underbreac	11
	Well	13 13 13
4 III	Framing Framing	15 17
111	i ranning	. /
5	Drive Bid Loop	19 19

INHOLD

6	Reconing Onelings	21
	Near Hold	21
	0-15 – Onputs	21
	BT – Bid Teacher	
	SD - Stand Dragin	
	Onputs	
	Fast Bystrice Tales	22
	U/Z1	
	U/Z2	22
	U/Z4	22
	Floating Bystrice Tales	22
	X4	22
	X8	22
	X16	23
	X32	23
	Bids	23
	Steer Bid	23
	SCI - Scip	24
	JMP – Jump	
	Stir Bid	
	STR - Stir	
	USS - Unsplit Stir	
	BRS - Brooc Swich	
	UDB - Underbreac	
	Tellling Bid	
	LSH – Left Shift	
	RNS - Right Naught Shift	
	RFS – Right Sign Shift	
	THR - Thraw	
	AND – Throughout	
	OR – Foronening	
	NOT - Not	
	SSW - Sign Swap	
	Recon Bid	
	GIV – Togive	
	TAC - Undershed	
	FLD - Forfolding	
		29
	CUT - Fordeal	29
7	Gangway Onelings	31
•	Near Hold	31
	BT – Bid Teacher	
	UGT – Underbreac Gate Teacher	
	UDT - Underbreac Dragin Teacher	
	SD - Stand Dragin	
	Bids	
	Overdrag Bid	
	Read	
	Write	
	Drive	
	Broocs	
	Falls	33

Infare

The OSER is a layout for standtogethers meant to eath the reconing and trade of onputs. An OSER standtogether is made up of a **main hold**, one or more **reconing onelings** and naught or more **gangway onelings**.

In the OSER, reconings and trades are bewrit through **broocs**. When a brooc is run, three steps happen:

- · grasp;
- · underbreac; and
- framing.

Grasp

In a grasp, an **onput** is overdragged between a oneling and the main hold.

Underbreac

In an underbreac, a oneling maces a reconing oneling run a new brooc.

Framing

In framing, a reconing oneling runs a brooc.

Part I

Grasp

Main Hold

The main hold is made of cells.

Telllingstrings

The cells hold **telllingstrings**. In a tellingstring, the telllings are tallied from 1 and are worth either 0 or 1. A string which is made of n tellings is called an n-string.

Each cell in the main hold holds an only 8-string. To hold a string which is longer than an 8-string, it is cut into 8-strings and the 8-strings are held in following cells.

8-String

1		8
	1	

16-String

1		8	9	16
	1		2	2

32-String

1	8	9	16	17	24	25	32
	1	2		3		4	

64-String

1	8	9 16	17 24	25 32
	1	2	3	4
33	40	41 48	49 56	57 64
	5	6	7	8

128-String

1	8	9 16	17 24	25 32
	1	2	3	4
33	40	41 48	49 56	57 64
	5	6	7	8
65	72	73 80	81 88	89 96
	9	10	11	12
97	104	105 112	113 120	121 128
	13	14	15	16

256-String

1 8	9 16	17 24	25 32
1	2	3	4
33 40	41 48	49 56	57 64
5	6	7	8
65 72	73 80	81 88	89 96
9	10	11	12
97 104	105 112	113 120	121 128
13	14	15	16
129 136	137 144	145 152	153 160
17	18	19	20
161 168	169 176	177 184	185 192
21	22	23	24
193 200	201 208	209 216	217 224
25	26	27	28
225 232	233 240	241 248	249 256
29	30	31	32

Onwrits

Each cell is marced out by a whole tale called an **onwrit**. A telllingstring which is bigger than an 8-string is marced out by the onwrit of its first 8-string.

Each onwrit is a true onwrit or a craft onwrit.

True Onwrit

A true onwrit marcs out a lone cell in the main hold. Onwrit 0 marcs out the first cell, and following onwrits marc out following cells.

Craft Onwrit

A craft onwrit has two shapes.

1st Ring Shape



- R Root tale
- 1-T 1st ring cey tale
 - O Offset

2nd Ring Shape



- R Root tale
- O Offset

Onelings

A oneling grasps the main hold when a telllingstring is overdragged between this oneling and marced out cells.

- 1. The oneling puts out the true onwrit of the first of the marced out cells in the main hold.
- 2. The telllingstring is overdragged between the oneling and the marced out cells in the main hold.

True Onwrit

When a telllingstring in the main hold is marced out, all of its 8-strings are also marced out.

Overdrag

The grasp is either a **read** or a **write**, hingging on the overdrag's way.

Read

The grasp is a read when the string is sent from the oneling to the main hold.

Write

The grasp is a write when the string is sent from the main hold to the oneling.

Grasp Timelayout

For every oneling and for every main hold cell, a read from the cell by the oneling will overdrag the worth overdragged by the last write to that same cell by that same oneling.

Craft Onwrit

A craft onwrit is overset into a true onwrit.


Frame Field

The **frame field** holds the onputs for oversetting.

Root Field

A root field holds 2nd ring frame bewrits, 2nd ring frame ceys or 1st ring frame field bewrits.

2nd Ring Frame Bewrit



- T Frame Teacher
- E Wended
- S Swapped
- W Write Leave
- R Read Leave
- F Frame Leave

2nd Ring Frame Cey



- T Gate Teacher
- W Write Leave
- R Read Leave
- F Frame Leave


1st Ring Frame Field Bewrit



T Field Teacher

2nd Ring Frame Gate

A 2nd ring frame gate is taught to by a 2nd ring frame cey.



- T Frame Teacher
- E Wended
- S Swapped

1st Ring Frame Field

A 1st ring frame field holds 1st ring frame bewrits or 1st ring frame ceys.

1st Ring Frame Bewrit



- T Frame teacher
- E Wended
- S Swapped
- W Write leave
- R Read leave
- F Frame leave

1st Ring Frame Cey



- T Gate Teacher
- W Write Leave
- R Read Leave
- F Frame Leave

1st Ring Frame Gate

A 1st ring frame gate is taught to by a 1st ring frame cey.



- T Frame Teacher
- E Wended
- S Swapped

Runup

The oversetting runs in two steps.

Frame Field Walc

The frame field walc gives either a frame cey or a frame bewrit from a craft onwrit.

- The oneling reads from the root field the dragin which the root tale marcs.
- 2. If the dragin has none of the forbewritten shapes, then the fall **ZEE** happens.

Otherwise, if the dragin is either a 2nd ring frame cey or a 2nd ring frame bewrit, then the oneling undertaces the 2nd ring frame grasp with the dragin.

Otherwise, the oneling reads from the 1st ring frame field the dragin which the 1st ring tale marcs.

3. If the dragin has none of the forbewritten shapes, then the fall **ZEE** happens.

Otherwise, the oneling undertaces the 1st ring frame grasp with the dragin.

nth Ring Frame Grasp

The *n*th ring frame grasp gives a true onwrit needed in step 1 of the main hold grasp from an *n*th ring frame cey or an *n*th ring frame bewrit.

1. If the dragin does not allow the grasp, then the fall **ZZE** happens.

The dragin allows the grasp if one and only one of the following is met.

- · The grasp is a write and the W-tellling is 1.
- The grasp is a read and the R-tellling is 1.
- The grasp is a read of a bid (as bewritten in step (1) of the bid loop) and the F-tellling is 1.
- The grasp is a read of a root field bewrit (as bewritten with bid BRS) and all 3 telllings are 0.
- 2. If the dragin is a cey, then the oneling reads the gate to which the cey's gate teacher teaches.
- 3. If the S-tellling is 1, then the fall **ZSW** happens.
- 4. If the grasp is a write, then the oneling sets the E-tellling of the dragin in the main hold to 1.
- 5. The oneling gives the offset to the frame teacher to give the true onwrit.

Part II Underbreac

Onbuilds

In an underbreac, onputs are traded between onelings.

Sinc


A sinc is a reconing oneling.

Gate

An undebreac gate is a cell in the main hold which is bound to a sinc.

Dragin

An underbreac dragin holds a craft onwrit to an onput and a teacher to the root field with which the onwrit must be overset.



- T Root Field Teacher
- **B** Onput Craft Onwrit

Well

A well is a oneling which starts an underbreac.

Runup

An underbreac happens when the well writes an underbreac dragin to the sinc's underbreac gate.

- 1. The well writes the dragin to the sinc's gate.
- 2. The sinc oversets the dragin's craft onwrit with the root field taught to by the dragin's root field teacher.
- 3. The sinc forworcs the onputs taught to by the aforegiven true onwrit.

The sinc must start the bid loop after having forworced the underbreac dragin.

Part III

Framing

Drive

In the OSER, reconing onelings follow a fast drive.

Bid Loop

A reconing oneling follows the bid loop.

- 1. The oneling reads a bid.
- 2. If the bid is not cnown, then the fall **AEA** happens.
- 3. The oneling frames all grasps which must happen before the bid.
- 4. The oneling frames the bid.
- 5. The oneling frames all grasps which must happen after the bid.

Falls

When a fall happens, the oneling runs a **trap**.

A trap is a sunder brooc which gets the oneling's stand at the time of the fall as input.

Reconing Onelings

In the OSER, the reconing onelings are built to a bespocen layout.

Near Hold

The reconing onelings have a **near hold** which does not hingg on the main hold.

0-15 - Onputs

1	32
0	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	

BT - Bid Teacher



- T Teacher
- S Stand
 - 0 Running
 - 1 Stopped

SD - Stand Dragin

1			20 21	29 30 31	32
	R		00000000	0 H	0
33					64
		ВТ			

R Root field teacher

H Hingg

BT Bid Teacher

Onputs

An onput can be either a fast bystrice tale or a floating bystrice tale.

Fast Bystrice Tales


Let $Z_U(S, M)$ be the tale bewritten by a telllingstring S with lowest might M in an unsigned meaning.


$$Z_U(S, M) = 2^M \sum_{i=1}^{|S|} 2^{|S|-i} S_i$$

Let $Z_Z(S, M)$ be the tale bewritten by a telllingstring S with lowest might M in a signed meaning.

$$Z_Z(S, M) = 2^M \left(-2^{|S|-1} S_1 + \sum_{i=2}^{|S|} 2^{|S|-i} S_i \right)$$










Floating Bystrice Tales

Let X(V, M, B) be the tale bewritten by a sign tellling V, a might telllingstring M and a cut telllingstring B.

$$X(V, M, B) = (-1)^{V} 2^{Z_{U}(M,0) - 2^{|M|-1}} Z_{U}(B, -1 - |B|)$$







X32 20 21 V Μ В 64 33 В 65 96 В 97 128 В 129 160 В 161 192 В 193 224 В 225 256 В

Bids


A bid bewrites a wend in the brooc's stand. Each bid has **shapes**.

Steer Bid

A steer bid wends the run of the brooc when its hingg is fulfilled. Each tellling of the bid fall marcs a worth of the SD-hingg, and the bid hingg is fulfilled if the SD-hingg has the worth whose tellling in the bid's hingg is 1.

A steer bid has three shapes.

Fast Shape



In this shape:

- the sinc is near hold cell R;
- the well is W.

Main Hold Shape



In this shape:

• the sinc is near hold cell R;

• the well is the main hold cell which is marced by the tally of A and near hold cell Q.

Near Hold Shape


1		3	4	5		8	9	12	13	16
1	1	0	*		Н			R		Q

In this shape, the sinc and well are near hold cells R and Q.

SCI - Scip

After this bid:


- BT is set to the tale of BT and the well;
- the sinc is set to BT before the bid.



JMP - Jump

After this bid:

- BT is set to the well;
- the sinc is set to BT before the bid.



Stir Bid


A stir bid bewrites a stirring of onputs between the main hold and the near hold.

STR - Stir

After this bid, the sinc is set to the well.

This bid has four shapes.


Fast Shape



In this shape:

- the sinc is near hold cell Z;
- the well is W.

Main Hold Shape



In this shape:

- the sinc is near hold cell Z;
- if the Ä-tellling is 0, then the well is the main hold cell which the tale of A and near hold cell Q marcs; otherwise:
 - the well is the main hold cell which near hold cell Q marcs;


A is given to near hold cell Q after the bid.

	1			8	9	1	12	13		16	17	18	20) 2	21	32
-	1 0 1	1 0	0 0	0		Z			Q		Ä		G		А	

In this shape:

- if the Ä-tellling is 0, then the sinc is the main hold cell which the tale of A and near hold cell Z marcs; otherwise:
 - A is given to near hold cell Z before the bid;
 - the sinc is the main hold cell which near hold cell Z marcs;
- the well is near hold cell Q.

Near Hold Shape



In this shape, the sinc and well are near hold cells Z and Q.

USS - Unsplit Stir


This bid's run hingges on its shape.

This bid has two shapes.

1 8	9 12	13 16	17 18 20	21 32
01110001	Z	Q	0 G	Α

In this shape:

- the sinc is near hold cell Z;
- the well is the main hold cell which the tale of A and near hold cell Q marcs.



In this shape:


- the sinc is the main hold cell which the tale of A and near hold cell Z marcs;
- the well is near hold cell Q.

Sunderly, this bid will not run if a write to the sinc has happened after the last **USS** thereto.

BRS - Brooc Swich


This bid's run hingges on its shape.

This bid has two shapes.



In this shape:

- the stand dragin is put in a main hold cell which near hold cell R marcs;
- a new stand dragin is loaded from the main hold cell which the togive of A and near hold cell Q marcs.



In this shape:

- the stand dragin is put in a main hold cell which near hold cell R marcs;
- a new stand dragin is loaded from the main hold cell which near hold cell Q marcs.

UDB - Underbreac

1	8	9	12 13	15	16	17 32
1011001	0	Z	C)	0	Α

In this bid:

- the well is the pair of near hold cells (Q, Q + 1);
- the sinc is the main hold cell which the tally of A and near hold cell Z marcs.

Tellling Bid

A tellling bid bewrites a reconing over lone telllings.

Each tellling bid has four shapes.

Fast Shape



In this shape:

- the sinc is near hold cell Z;
- the well is W.

Main Hold Shape

1			4	5			8	9		12	13		16	17	18	2	20	21	32
0	1	1	0	*	*	*	*		Z			Q		Ä		G		А	

In this shape:


- the sinc is near hold cell Z;
- if the Ä-tellling is 0, then the well is the main hold cell which the tale of A and near hold cell Q marcs; otherwise:
 - the well is the main hold cell which near hold cell Q marcs;
 - A is given to near hold cell Q after the bid.



In this shape:

- if the Ä-tellling is 0, then the sinc is the main hold cell which the tale of A and near hold cell Z marcs; otherwise:
 - A is given to near hold cell Z before the bid;
 - the sinc is the main hold cell which near hold cell Z marcs;
- the well is near hold cell Q.


Near Hold Shape



In this shape, the sinc and well are near hold cells Z and Q.

LSH - Left Shift

After this bid, the sinc is shifted to the left by the tally of telllings given by the well.




RNS - Right Naught Shift

After this bid, the sinc is shifted to the right by the tally of telllings given by the well. The leftmost telllings are set to 0.



RFS - Right Sign Shift

After this bid, the sinc is shifted to the right by the tally of telllings given by the well. The leftmost telllings are set to the sinc's first tellling before the bid.




THR - Thraw

After this bid, the sinc is thrawn to the right by the tally of tellings given by the well.




AND - Throughcut

After this bid, each of the sinc's telllings will be set to the throughout of the matching telllings of the sinc and the well.



OR - Foronening

After this bid, each of the sinc's telllings will be set to the foronening of the matching telllings of the sinc and the well.



NOT - Not


After this bid, each of the sinc's telllings will be set to the swapped worth of the matching telllings of the well.



SSW - Sign Swap

After this bid, the sinc will be set to the wrixle of the well.

In the standing shape, the well is naught-filled.




Recon Bid

A recon bid bewrites a reconing.

All recon bids recon over fast bystrice tales.

Each recon bid has four shapes.

Fast shape



In this shape:


- the sinc is the near hold cell Z;
- the well is W.

Main Hold Shape

1			4	5			8	9		12	13		16	17	18	20	0	21	32
0	1	1	0	*	*	*	*		Z			Q		Ä		G		Α	

In this shape:

- the sinc is near hold cell Z;
- if the Ä-tellling is 0, then the well is the main hold cell which the tale of A and near hold cell Q marcs; otherwise:
 - the well is the main hold cell which near hold cell Q marcs;
 - A is given to near hold cell Q after the bid.



In this shape:

- if the Ä-tellling is 0, then the sinc is the main hold cell which the tale of A and near hold cell Z marcs; otherwise:
 - A is given to near hold cell Z before the bid;
 - the sinc is the main hold cell which near hold cell Z marcs;
- the well is near hold cell Q.

Near Hold Shape




In this shape, the sinc and well are near hold cells Z and Q.

GIV – Togive

After this bid, the well is given to the sinc.

In the standing shape, the well is sign-filled.



TAC - Undershed

After this bid, the well is tacen from the sinc.


In the standing shape, the well is sign-filled.



FLD - Forfolding

After this bid, the well is folded by the sinc.


In the standing shape, the well is sign-filled.



CUT - Fordeal

After this bid, the well is cut by the sinc.

In the standing shape, the well is sign-filled.



Gangway Onelings

The gangway onelings eath onput overdrags to and from the main hold. Each gangway oneling is made up of a *Gerät* and a *frame oneling*. Here will be bewritten the frame oneling's layout.

Near Hold

H Hingg

BT - Bid Teacher 30 31 32 0 S Τ T Teacher S Stand 0 Running 1 Stopped **UGT – Underbreac Gate Teacher** Т **UDT – Underbreac Dragin Teacher** SD - Stand Dragin 30 31 32 R 0000 Н BT **UGT** UDT R Root Field Teacher F Fall Tocen

BT Bid Teacher

UGT Underbreac Gate Teacher

UDT Underbreac Dragin Teacher

Bids

Each bid bespeacs the oneling standing.



S Standing

0 Running

1 Stopped

U Underbreac

After each bid:

- S in BT is set to S in the bid;
- if the U-tellling is 1, then the oneling writes the underbreac dragin at *UDT* to *UGT*.

Steer Bid

A steer bid wends the run of the brooc.

A steer bid has two shapes.

Hold Shape

In this shape, BT is set to the worth in the main hold cell which the tale of BT and A marcs.

1	2	3	4	5			10	1 3	32
*	*	0	0	0	0 0	0 0	0 (A	

Fast Shape

In this shape, BT is set to the tale of BT und A.




Overdrag Bid

An overdrag bid bewrites an onput overdrag between the main hold and the Gerät.

An overdrag bid has two shapes.

Hold Shape



A Anschrift

L Lange

Fast Shape


1	2	3	4	5			10	11 32
*	*	1	1	0	0 0	0 0	*	L
33								64
								A

In this shape:

- L is the tally of 8-strings to overdrag;
- A is the onwrit of the cell to which the onputs will be overdragged.


Read

After this bid, the bespocen tally of 8-strings will be overdragged from the main hold to the Gerät.



Write

After this bid, the bespocen tally of 8-strings will be overdragged from the Gerät to the main hold.



Drive

Broocs

The gangway oneling starts a brooc when it is underbrocen with a stand dragin in which S in BT is **Running**.

Falls

The gangway oneling writes BT to the main hold cell following UGT + 4.

Then the gangway oneling frames a brooc made of only one steer bid with the following fields:

- S alice 1;
- *U* alice 1;
- A alice 0.