

Oned
Standtogether
Electronic
Reconers

Orbewrit

Reichstandortsgemeinschaft – Rsg
Reichsforschungsgemeinschaft für Rechenwissenschaft und -lehre – Rfg-r
British Forseec Fellowship for Recon- and Telllore
Norræn Rannsóknar Samfélag

Inhold

I Grasp **3**

1 Main Hold **5**
Telllingstrings . . . 5
8-String . . . 5
16-String . . . 5
32-String . . . 5
64-String . . . 5
128-String . . . 5
256-String . . . 6
Onwrits . . . 6
True Onwrit . . . 6
Craft Onwrit . . . 6
1st Ring Shape . . . 6
2nd Ring Shape . . . 6

2 Onelings **7**
True Onwrit . . . 7
Overdrag . . . 7
Read . . . 7
Write . . . 7
Grasp Timelayout . . . 7
Craft Onwrit . . . 7
Frame Field . . . 7
Root Field . . . 7
2nd Ring Frame Gate . . . 8
1st Ring Frame Field . . . 8
1st Ring Frame Gate . . . 9
Runup . . . 9
Frame Field Walc . . . 9
*n*th Ring Frame Grasp . . . 9

II Underbreacing **11**

3 Onbuilds **13**
Sinc . . . 13
Gate . . . 13
Dragin . . . 13
Well . . . 13

4 Runup **15**

III Framing **17**

5 Drive **19**
Bid Loop . . . 19
Falls . . . 19

6 Reconing Onelings **21**
Near Hold . . . 21
0-15 – Onputs . . . 21
BT – Bid Teacher . . . 21
SD – Stand Dragin . . . 22
Onputs . . . 22
Fast Bystrice Tales . . . 22
U/Z1 . . . 22
U/Z2 . . . 22
U/Z4 . . . 22
Floating Bystrice Tales . . . 22
X4 . . . 22
X8 . . . 22
X16 . . . 23
X32 . . . 23
Bids . . . 23
Steer bid . . . 23
SCI – Scip . . . 24
JMP – Jump . . . 24
Stir Bid . . . 24
STR – Stir . . . 24
USS – Unsplit Stir . . . 25
BRS – Brooc Swich . . . 25
Tellling Bid . . . 26
LSH – Left Shift . . . 26
RNS – Right Naught Shift . . . 26
RFS – Right Sign Shift . . . 27
THR – Thraw . . . 27
AND – Throughcut . . . 27
OR – Foronening . . . 27
NOT – Not . . . 27
SSW – Sign Swap . . . 27
Recon Bid . . . 28
GIV – Togive . . . 28
TAC – Undershed . . . 29
FLD – Forfolding . . . 29
CUT – Fordeal . . . 29

7 Gangway Onelings **31**
Near Hold . . . 31
BT – Bid Teacher . . . 31
UGT – Underbreacing Gate Teacher . . . 31
UDT – Underbreacing Dragin Teacher . . . 31
SD – Stand Dragin . . . 31
Bids . . . 32
Steer Bid . . . 32
Overdrag Bid . . . 32
Read . . . 33
Write . . . 33
Drive . . . 33
Broocs . . . 33
Falls . . . 33

Infare

The OSER is a layout for standtogethers which has as end to eath the reconing and trade of onputs. An OSER standtogether is made up of a **main hold**, one or more **reconing onelings** and naught or more **gangway onelings**.

In the OSER, reconings and trades are bewrit through **broocs**. When a brooc is run, three steps happen:

- grasp;
- underbreac; and
- framing.

Grasp

In a grasp, an *onput* is overdragged between a oneling and the main hold.

Underbreacing

In an underbreacing, a oneling maces a reconing oneling run a new brooc.

Framing

In framing, a reconing oneling runs a brooc.

Part I

Grasp

Cutup 1

Main Hold

The main hold is made of *cells*.

Telllingstrings

The cells hold **telllingstrings**. In a tellingstring, the telllings are tallied from 1 and are worth either 0 or 1. A string which is made of *n* telllings is called an ***n*-string**.

Each cell in the main hold holds an only 8-string. To hold a string which is longer than an 8-string, it is cut into 8-strings and the 8-strings are held in following cells.

8-String



16-String



32-String



64-String



128-String



256-String



Onwrits

Each cell is marced out by a whole tale called an **onwrit**. A telllingstring which is bigger than an 8-string is marced out by the onwrit of its first 8-string.

Each onwrit is a **true onwrit** or a **craft onwrit**.

True Onwrit

A true onwrit marcs out an only cell in the main hold. The first cell is marced by 0, and following onwrits marc out following cells.

Craft Onwrit

A craft onwrit has two shapes.

1st Ring Shape



R Root tale

1-T 1st ring cey tale

O Offset

2nd Ring Shape



R Root tale

O Offset

Cutup 2

Onelings

A oneling grasps the main hold when a telllingstring is overdragged between this oneling and marced out cells.

1. The oneling puts out the true onwrit which marcs out the string's first cell in the main hold.
2. The telllingstring is overdragged between the oneling and the marced out cells in the main hold.

True Onwrit

When a telllingstring which is in the main hold is marced, all of its 8-strings are also marced out.

Overdrag

The grasp is either a **read** or a **write**, hinging on the overdrag's way.

Read

The grasp is a read when the string is sent from the oneling to the main hold.

Write

The grasp is a write when the string is sent from the main hold to the oneling.

Grasp Timelayout

For every oneling and for every main hold cell, a read from the cell by the oneling will overdrag the worth overdragged by the last write to that same cell by that same oneling.

Craft Onwrit

A craft onwrit is overset into a true onwrit.

Frame Field

The **frame field** holds the onputs for oversetting.

Root Field

A root field holds 2nd ring frame bewrits, 2nd ring frame ceys or 1st ring frame field bewrits.

2nd Ring Frame Bewrit



T Frame Teacher

E Wended

S Swapped

W Write Leave

R Read Leave

F Frame Leave

2nd Ring Frame Cey



T Gate Teacher

W Write Leave

R Read Leave

F Frame Leave

1st Ring Frame Field Bewrit



T Field Teacher

2nd Ring Frame Gate

A 2nd ring frame gate is taught to by a 2nd ring frame cey.



T Frame Teacher

E Wended

S Swapped

1st Ring Frame Field

A 1st ring frame field holds 1st ring frame bewrits or 1st ring frame ceys.

1st Ring Frame Bewrit



T Frame teacher

E Wended

S Swapped

W Write leave

R Read leave

F Frame leave

1st Ring Frame Cey



T Gate Teacher

W Write Leave

R Read Leave

F Frame Leave

1st Ring Frame Gate

A 1st ring frame gate is taught to by a 1st ring frame cey.



T Frame Teacher

E Wended

S Swapped

Runup

The oversetting runs in two steps.

Frame Field Walc

The frame field walc gives either a frame cey or a frame bewrit from a craft onwrit.

1. The oneling reads from the root field the dragin which the root tale marcs.
2. If the dragin has none of the forbewritten shapes, then the fall **ZGZ** happens.

   Otherwise, if the dragin is either a 2nd ring frame cey or a 2nd ring frame bewrit, then the oneling undertaces the 2nd ring frame grasp with the dragin.

   Otherwise, the oneling reads from the 1st ring frame field the dragin which the 1st ring tale marcs.
3. If the dragin has none of the forbewritten shapes, then the fall **Z1Z** happens.

   Otherwise, the oneling undertaces the 1st ring frame grasp with the dragin.

*n*th Ring Frame Grasp

The *n*th ring frame grasp gives a true onwrit which is needed in step 1 of the main hold grasp from an *n*th ring frame cey or an *n*th ring frame bewrit.

1. If the dragin does not allow the grasp, then the fall **Z*n*E** happens.

   The dragin allows the grasp if one and only one of the following is met.

   - The grasp is a write and the W-tellling is 1.
   - The grasp is a read and the R-tellling is 1.
   - The grasp is a read of a bid (as bewritten in step (1) of the bid loop) and the F-tellling is 1.
   - The grasp is a read of a root field bewrit (as bewritten with bid BRS) and all 3 telllings are 0.
2. If the dragin is a cey, then the oneling reads the gate to which the cey's gate teacher teaches.
3. If the S-tellling is 1, then the fall **ZSW** happens.
4. If the grasp is a write, then the oneling sets the E-tellling to 1.
5. The oneling gives the offset to the frame teacher to give the true onwrit.

Part II

Underbreacing

Cutup 3

Onbuilds

In an underbreacing, onputs are traded between onelings.

Sinc

A sinc is a reconing oneling.

Gate

An undebreacing gate is a cell in the main hold which is bound to a sinc.

Dragin

An underbreacing dragin holds a craft onwrit to a bid and a teacher to the root field with which the onwrit must be overset.



T Root field teacher

B Bid craft onwrit

Well

A well is a oneling which starts an underbreacing.

Cutup 4

Runup

An underbreacing happens when the well writes an underbreacing dragin to the underbreacing gate of the sinc. The sinc must start the bid loop with the bid which the bid craft onwrit teaches.

Part III

Framing

Cutup 5

Drive

In the OSER, reconing onelings follow a fast drive.

Bid Loop

A reconing oneling follows the *bid loop*.

1. The oneling reads a bid.
2. If the bid is not cnown, then the fall **AEA** happens.
3. The oneling frames all grasps which must happen before the bid.
4. The oneling frames the bid.
5. The oneling frames all grasps which must happen after the bid.
6. The oneling starts again at (1).

Falls

When a fall happens, the oneling runs a **trap**.

A trap is a sunder brooc which gets the oneling's stand at the time of the fall as input.

Cutup 6

Reconing Onelings

In the OSER, the reconing onelings are built to a bespocen layout.

Near Hold

The reconing onelings have a **near hold** which does not hingg on the main hold.

0-15 – Onputs

1	32
0	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	

BT – Bid Teacher

1	31	32
T		S

T Teacher

S Stand

0 Running

1 Stopped

SD – Stand Dragin



R Root field teacher

H Hingg

BT Bid Teacher

Onputs

An onput can be either a fast bystrice tale or a floating bystrice tale.

Fast Bystrice Tales

Let $Z_U(S, M)$ be the tale bewritten by a telllingstring S with lowest might M in an unsigned meaning.

$$Z_U(S, M) = 2^M \sum_{i=1}^{|S|} 2^{|S|-i} S_i$$

Let $Z_Z(S, M)$ be the tale bewritten by a telllingstring S with lowest might M in a signed meaning.

$$Z_Z(S, M) = 2^M \left(-2^{|S|-1} S_1 + \sum_{i=2}^{|S|} 2^{|S|-i} S_i \right)$$

U/Z1



U/Z2



U/Z4



Floating Bystrice Tales

Let $X(V, M, B)$ be the tale bewritten by a sign tellling V, a might telllingstring M and a cut telllingstring B.

$$X(V, M, B) = (-1)^V 2^{Z_U(M,0)-2^{|M|-1}} Z_U(B, -1 - |B|)$$

X4



X8



X16



X32



Bids

A bid bewrites a wend in the brooc's stand. Each bid has **shapes**.

Steer bid

A steer bid wends the run of the brooc when its hingg is fulfilled. Each tellling of the bid fall marcs a worth of the SD-hingg, and the bid hingg is fulfilled if the SD-hingg has the worth whose tellling in the bid's hingg is 1.

A steer bid has three shapes.

Fast Shape



In this shape:

- the sinc is the near hold cell *R*;
- the well is *W*.

Main Hold Shape



In this shape:

- the sinc is the near hold cell *R*;

- the well is the main hold cell which is marced by the tally of *A* and the near hold cell *Q*.

Near Hold Shape



In this shape, the sinc and well are the near hold cells *R* and *Q*.

SCI – Scip

After this bid:

- *BT* is the tale of *BT* and the well;
- the sinc is *BT* before the bid.



JMP – Jump

After this bid:

- *BT* is the well;
- the sinc is *BT* before the bid.



Stir Bid

A stir bid bewrites a stirring of onputs between the main hold and the near hold.

STR – Stir

After this bid, the sinc is set to the well.

This bid has four shapes.

Fast shape



In this shape:

- the sinc is the near hold cell *Z*;
- the well is *W*.

Main Hold Shape



In this shape:

- the sinc is the near hold cell *Z*;
- if the Ä-tellling is 0, then the well is the main hold cell which the tale of *A* and the near hold cell *Q* marcs; otherwise:
  - the well is the main hold cell which the near hold cell *Q* marcs;

  - *A* is given to the near hold cell *Q* after the bid.



In this shape:

- if the Ä-tellling is 0, then the sinc is the main hold cell which the tale of *A* and the near hold cell *Z* marcs; otherwise:
  - *A* is given to the near hold cell *Z* before the bid;
  - the sinc is the main hold cell which the near hold cell *Z* marcs;
- the well is the near hold cell *Q*.

Near Hold Shape



In this shape, the sinc and well are the near hold cells *Z* and *Q*.

USS – Unsplit Stir

This bid's run hingges on its shape.

This bid has two shapes.



In this shape:

- the sinc is the near hold cell *Z*;
- the well is the main hold cell which the tale of *A* and the near hold cell *Q* marcs.



In this shape:

- the sinc is the main hold cell which the tale of *A* and the near hold cell *Z* marcs;
- the well is the near hold cell *Q*.

Sunderly, this bid will not run if a write to the sinc has happened after the last **USS** thereto.

BRS – Brooc Swich

This bid's run hingges on its shape.

This bid has two shapes.



In this shape:

- the stand dragin is put in a main hold ord whose onwrit is in the near hold cell *R*;
- a new stand dragin is loaded from the main hold cell whose onwrit is the togive of *A* and the near hold cell *Q*.



In this shape:

- the stand dragin is put in a main hold ord whose onwrit is in the near hold cell *R*;
- a new stand dragin is loaded from the main hold cell whose onwrit is in the near hold cell *Q*.

Tellling Bid

A tellling bid bewrites a reconing over lone telllings.

Each tellling bid has four shapes.

Fast Shape



In this shape:

- the sinc is the near hold cell *Z*;
- the well is *W*.

Main Hold Shape



In this shape:

- the sinc is the near hold cell *Z*;
- if the Ä-tellling is 0, then the well is the main hold cell which the tale of *A* and the near hold cell *Q* marcs; otherwise:
  - the well is the main hold cell which the near hold cell *Q* marcs;
  - *A* is given to the near hold cell *Q* after the bid.



In this shape:

- if the Ä-tellling is 0, then the sinc is the main hold cell which the tale of *A* and the near hold cell *Z* marcs; otherwise:
  - *A* is given to the near hold cell *Z* before the bid;
  - the sinc is the main hold cell which the near hold cell *Z* marcs;
- the well is the near hold cell *Q*.

Near Hold Shape



In this shape, the sinc and well are the near hold cells *Z* and *Q*.

LSH – Left Shift

After this bid, the sinc is shifted to the left by the tally of telllings given by the well.



RNS – Right Naught Shift

After this bid, the sinc is shifted to the right by the tally of telllings given by the well. The leftmost telllings are set to 0.



RFS – Right Sign Shift

After this bid, the sinc is shifted to the right by the tally of telllings given by the well. The leftmost telllings are set to the sinc's first tellling before the bid.



THR – Thraw

After this bid, the sinc is thrawn to the right by the tally of tellings given by the well.



AND – Throughcut

After this bid, each of the sinc's telllings will be set to the throughcut of the matching telllings of the sinc and the well.



OR – Foronening

After this bid, each of the sinc's telllings will be set to the foronening of the matching telllings of the sinc and the well.



NOT – Not

After this bid, each of the sinc's telllings will be set to the swapped worth of the matching telllings of the well.

SSW – Sign Swap

After this bid, the sinc will be set to the wrixle of the well.

In the standing shape, the well is naught-filled.



Recon Bid

A recon bid bewrites a reoning.

All recon bids recon over fast bystrice tales.

Each recon bid has four shapes.

Fast shape



In this shape:

- the sinc is the near hold cell *Z*;
- the well is *W*.

Main Hold Shape



In this shape:

- the sinc is the near hold cell *Z*;
- if the Ä-tellling is 0, then the well is the main hold cell which the tale of *A* and the near hold cell *Q* marcs; otherwise:
  - the well is the main hold cell which the near hold cell *Q* marcs;
  - *A* is given to the near hold cell *Q* after the bid.



In this shape:

- if the Ä-tellling is 0, then the sinc is the main hold cell which the tale of *A* and the near hold cell *Z* marcs; otherwise:
  - *A* is given to the near hold cell *Z* before the bid;
  - the sinc is the main hold cell which the near hold cell *Z* marcs;
- the well is the near hold cell *Q*.

Near Hold Shape



In this shape, the sinc and well are the near hold cells *Z* and *Q*.

GIV – Togive

After this bid, the well is given to the sinc.

In the standing shape, the well is sign-filled.



TAC – Undershed

After this bid, the well is tacen from the sinc.

In the standing shape, the well is sign-filled.



FLD – Forfolding

After this bid, the well is folded by the sinc.

In the standing shape, the well is sign-filled.



CUT – Fordeal

After this bid, the well is cut by the sinc.

In the standing shape, the well is sign-filled.



Cutup 7

Gangway Onelings

The gangway onelings eath onput overdrags to and from the main hold. Each gangway oneling is made up of a *Gerät* and a *frame oneling*. Here will be bewritten the frame oneling's layout.

Near Hold

BT – Bid Teacher



T Teacher

S Stand

0 Running

1 Stopped

UGT – Underbreacing Gate Teacher



UDT – Underbreacing Dragin Teacher



SD – Stand Dragin



R Root Field Teacher

H Hingg

BT Bid Teacher

UGT Underbreacing Gate Teacher

UDT Underbreacing Dragin Teacher

Bids

Each bid bespeacs the oneling standing.



S Standing

0 Running

1 Stopped

U Underbreacing

After each bid:

- *S* in *BT* is *S* before the bid;
- if the U-tellling is 1, then the oneling writes the underbreacing dragin at *UDT* to *UGT*.

Steer Bid

A steer bid wends the run of the brooc.

After a steer bid, *BT* is the tale of *BT* and *A*.



Overdrag Bid

An overdrag bid bewrites an onput overdrag between the main hold and the Gerät.

They have two shapes.

Hold Shape



In this shape, *A* teaches the bewrit of an overdrag.



A Anschrift

L Lange

Fast Shape



In this shape:

- *L* is the tally of 8-strings to overdrag;
- *A* is the onwrit of the cell to which the onputs will be overdragged.

Read

After this bid, the bespocen tally of 8-strings will be overdragged from the main hold to the Gerät.



Write

After this bid, the bespocen tally of 8-strings will be overdragged from the Gerät to the main hold.



Drive

Broocs

The gangway oneling starts a brooc when it is underbrocen with a stand dragin in which *S* in *BT* is **Running**.

Falls

The gangway oneling writes *BT* to the main hold cell following *UTZ* + 4.

Then the gangway oneling frames a brooc made of only one steer bid with the following fields:

- *S* alice 1;
- *U* alice 1;
- *A* alice 0.