

## Quiz #7

Monday, November 7 2016

Duration: 20 min
NAME:
Please write clearly and properly. Always explain your answers.

Problem	Grade
1	
2	
3	
Total	

z be a con	2 points.). nplex numb (in terms of	er written $a$ and $b$ ).	z = a + ib i	in algebraic for	rm. Find	the algebr

	$A = \{z \in \mathcal{C} \mid z \in \mathcal{C}\}$	$\mathbb{C}^* \colon \frac{\pi}{4} \leqslant \operatorname{Arg}$	$(z) \leqslant \frac{3\pi}{4} \} \ .$		
Does there exist a branch of the complex logarithm on $\mathbb{C} - A$ ?					
<b>roblem 3</b> (∼ 5 pc	oints.).				
ecall that Log de	notes the principa				
(1) What is the	domain of definiti	on of Log? Is	s it a holomorpl	hic function?	

			( /			
the princip	pal values	s of (-4 <i>i</i> )	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4 <i>i</i> )	$2i$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4 <i>i</i> )	$2i$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4 <i>i</i> )	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4i)	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4i)	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4i)	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4i)	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4i)	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4i)	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4i)	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
the princip	pal values	s of (-4i)	$^{2i}$ and $(3\pi)$	$e^{5i\pi/3}$ .		
						the values $Log(-4i)$ and $Log(e^{5i\pi/3})$ .