

C v3 Vertical Slice v1 - Stage 2 Human Semantic Review

Renderer-only artifact from the frozen existing Stage 2 output. No Stage 2 execution is performed by this document builder.

Frozen Stage 2 source SHA-256: d70c437a536d21765a91693fd8e292b47cb3f157f89b503b135e52b974b74d86

LI4 - RESOLVED

WHO primary Location

S:LI4:location: On the dorsum of the hand, radial to the midpoint of the second metacarpal bone.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:LI4:location:36-79	the midpoint of the second metacarpal bone	RESOLVED	fma_mesh	{"fma_id":"FMA23900","kind":"fma_concept","part_ids":["FMA23900"]}
LM:S:LI4:location:53-79	the second metacarpal bone	RESOLVED	fma_mesh	{"fma_id":"FMA23900","kind":"fma_concept","part_ids":["FMA23900"]}
LM:S:LI4:location:7-25	dorsum of the hand	RESOLVED	approved_surface_registry	{"geometry_hash":"660965ac347a4b5e19c1f02c3d45a8b1"}

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:LI4:location:00:relative-to	RESOLVED	directional_relation	LM:S:LI4:location:36-79	None
RL:S:LI4:location:01:midpoint-of-entity	RESOLVED	entity_midpoint	LM:S:LI4:location:53-79	None
RL:S:LI4:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:LI4:location:7-25	None

Dependency edges (projection of existing explicit IDs)

LM:S:LI4:location:36-79 -> RL:S:LI4:location:00:relative-to [operand_to_relation]
LM:S:LI4:location:53-79 -> RL:S:LI4:location:01:midpoint-of-entity [operand_to_relation]
LM:S:LI4:location:7-25 -> RL:S:LI4:location:02:surface-landmark [operand_to_relation]
RL:S:LI4:location:00:relative-to -> S:LI4:location [relation_to_statement]
RL:S:LI4:location:01:midpoint-of-entity -> S:LI4:location [relation_to_statement]
RL:S:LI4:location:02:surface-landmark -> S:LI4:location [relation_to_statement]
S:LI4:location -> LI4 [statement_to_point]

Recorded data order

LM:S:LI4:location:36-79 -> LM:S:LI4:location:53-79 -> LM:S:LI4:location:7-25 -> RL:S:LI4:location:00:relative-to -> RL:S:LI4:location:01:midpoint-of-entity -> RL:S:LI4:location:02:surface-landmark -> S:LI4:location -> LI4

Final semantic execution result

{"location_statement_status":"RESOLVED","primary_location_status":"RESOLVED"}

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- [] semantic decomposition correct
- [] operator semantics correct
- [] operand identity correct
- [] dependency structure correct
- [] unresolved/conditional handling correct
- [] ACCEPT
- [] REJECT

GB23 - RESOLVED

WHO primary Location

S:GB23:location: In the lateral thoracic region, in the fourth intercostal space, 1 B-cun anterior to the midaxillary line.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:GB23:location:39-63	fourth intercostal space	RESOLVED	approved_surface_registry	"geometry_hash":"c8e8691e4f765638eb499518792d13b"
LM:S:GB23:location:7-30	lateral thoracic region	RESOLVED	approved_surface_registry	"geometry_hash":"8cf739f6e831150ec0c56595886dd8d"
LM:S:GB23:location:84-105	the midaxillary line	RESOLVED	approved_surface_registry	"geometry_hash":"643f43e0388878b8eb9f6175a1c685a"

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:GB23:location:00:relative-to	RESOLVED	directional_relation	LM:S:GB23:location:84-105	None
RL:S:GB23:location:01:surface-landmark	RESOLVED	surface_membership	LM:S:GB23:location:7-30	None
RL:S:GB23:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:GB23:location:39-63	None

Measurements

{ "anchor_landmark_id": "LM:S:GB23:location:84-105", "direction": "anterior", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:GB23:location:00", "reason": null, "source_statement_id": "S:GB23:location", "source_unit": "B-cun", "status": "RESOLVED", "unit": "B-cun", "value": 1.0, "who_pdf_page": 192 }

Dependency edges (projection of existing explicit IDs)

LM:S:GB23:location:84-105 -> PM:S:GB23:location:00 [anchor_to_measurement]
PM:S:GB23:location:00 -> S:GB23:location [measurement_to_statement]
LM:S:GB23:location:39-63 -> RL:S:GB23:location:02:surface-landmark [operand_to_relation]
LM:S:GB23:location:7-30 -> RL:S:GB23:location:01:surface-landmark [operand_to_relation]
LM:S:GB23:location:84-105 -> RL:S:GB23:location:00:relative-to [operand_to_relation]
RL:S:GB23:location:00:relative-to -> S:GB23:location [relation_to_statement]
RL:S:GB23:location:01:surface-landmark -> S:GB23:location [relation_to_statement]
RL:S:GB23:location:02:surface-landmark -> S:GB23:location [relation_to_statement]
S:GB23:location -> GB23 [statement_to_point]

Recorded data order

LM:S:GB23:location:39-63 -> LM:S:GB23:location:7-30 -> LM:S:GB23:location:84-105 -> PM:S:GB23:location:00 -> RL:S:GB23:location:00:relative-to -> RL:S:GB23:location:01:surface-landmark -> RL:S:GB23:location:02:surface-landmark -> S:GB23:location -> GB23

Final semantic execution result

{ "location_statement_status": "RESOLVED", "primary_location_status": "RESOLVED" }

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- [] semantic decomposition correct
- [] operator semantics correct
- [] operand identity correct
- [] dependency structure correct
- [] unresolved/conditional handling correct
- [] ACCEPT
- [] REJECT

ST10 - RESOLVED

WHO primary Location

S:ST10:location: In the anterior region of the neck, at the same level as the cricoid cartilage, just anterior to the border of the sternocleido-mastoid muscle.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:ST10:location:100-107	border	UNRESOLVED	no_family_executor	{"kind":null}
LM:S:ST10:location:111-142	the sternocleido-mastoid muscle	RESOLVED	fma_mesh	{"fma_id":"FMA13407","kind":"fma_concept","part_ids":["FMA13407"]}
LM:S:ST10:location:57-78	the cricoid cartilage	RESOLVED	fma_mesh	{"fma_id":"FMA9615","kind":"fma_concept","part_ids":["FMA9615"]}
LM:S:ST10:location:7-34	anterior region of the neck	RESOLVED	approved_surface_registry	{ "geometry_hash": "71f7a5ab627b3c93a9aceb574aabdb2e6d5c1", "id": "LM:S:ST10:location:7-34", "name": "Anterior region of the neck", "ontology": "FMA", "parent_id": null, "part_ids": ["LM:S:ST10:location:7-34"], "status": "RESOLVED", "type": "Surface", "unit": "mm", "volume": null }
LM:S:ST10:location:96-142	the border of the sternocleido-mastoid muscle	UNRESOLVED	fma_mesh	{"fma_id":"FMA13407","kind":"fma_concept","part_ids":["FMA13407"]}

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:ST10:location:00:relative-to	RESOLVED	directional_relation	LM:S:ST10:location:96-142	None
RL:S:ST10:location:01:same-level	RESOLVED	same_level_plane	LM:S:ST10:location:57-78	None
RL:S:ST10:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:ST10:location:7-34	None

Dependency edges (projection of existing explicit IDs)

LM:S:ST10:location:57-78 -> RL:S:ST10:location:01:same-level [operand to relation]

LM:S:ST10:location:7-34 -> RL:S:ST10:location:02:surface-landmark [operand to relation]

LM:S:ST10:location:96-142 -> RL:S:ST10:location:00:relative-to [operand_to_relation]

RL:S:ST10:location:00:relative-to -> S:ST10:location [relation to statement]

RL:S:ST10:location:01:same-level -> S:ST10:location [relation to statement]

RL:S:ST10:location:02:surface-landmark -> S:ST10:location [relation to statement]

S:ST10:location -> ST10 [statement_to_point]

Recorded data order

LM:S:ST10:location:100-107 -> LM:S:ST10:location:111-142 -> LM:S:ST10:location:57-78 -> LM:S:ST10:location:7-34 ->

LM:S:ST10:location:166-167 > LM:S:ST10:location:111-142 > LM:S:ST10:location:57-76 > LM:S:ST10:location:7-54 > LM:S:ST10:location:96-142 > RL:S:ST10:location:00:relative-to > RL:S:ST10:location:01:same-level > RL:S:ST10:location:02:surface-landmark
-> S:ST10:location-> ST10

Final semantic execution result

```
{"location statement status":"RESOLVED","primary location status":"RESOLVED"}
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

```
[ ] semantic decomposition correct
[ ] operator semantics correct
[ ] operand identity correct
[ ] dependency structure correct
[ ] unresolved/conditional handling correct
[ ] ACCEPT
[ ] REJECT
```

LI18 - RESOLVED

WHO primary Location

S:LI18:location: On the anterior aspect of the neck, at the same level as the superior border of the thyroid cartilage, between the anterior and posterior borders of the sternocleidomastoid muscle.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:LI18:location:115-180:0f3e9745	anterior and posterior borders of the sternocleidomastoid muscle	RESOLVED	fma_mesh	{ "fma_id": "FMA13407", "kind": "fma_concept", "part_ids": ["FMA13407"] }
LM:S:LI18:location:128-180:9046d75e	posterior borders of the sternocleidomastoid muscle	RESOLVED	fma_mesh	{ "fma_id": "FMA13407", "kind": "fma_concept", "part_ids": ["FMA13407"] }
LM:S:LI18:location:57-101	the superior border of the thyroid cartilage	RESOLVED	fma_mesh	{ "fma_id": "FMA55099", "kind": "fma_concept", "part_ids": ["FMA55099"] }
LM:S:LI18:location:61-76	superior border	RESOLVED	composite_subfeature	{ "kind": "entity_subfeature", "modifier": "superior", "parent_id": "LM:S:LI18:location:57-101" }
LM:S:LI18:location:7-22	anterior aspect	RESOLVED	approved_surface_registry	{ "geometry_hash": "71f7a5ab627b3c93a9aceb574aabd2", "parent_id": "LM:S:LI18:location:57-101" }
LM:S:LI18:location:84-101	thyroid cartilage	RESOLVED	fma_mesh	{ "fma_id": "FMA55099", "kind": "fma_concept", "part_ids": ["FMA55099"] }

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:LI18:location:00:between	RESOLVED	between_constraint	LM:S:LI18:location:115-180:0f3e9745, LM:S:LI18:location:128-180:9046d75e	None
RL:S:LI18:location:01:same-level	RESOLVED	same_level_plane	LM:S:LI18:location:57-101	None
RL:S:LI18:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:LI18:location:7-22	None

Dependency edges (projection of existing explicit IDs)

LM:S:LI18:location:115-180:0f3e9745 -> RL:S:LI18:location:00:between [operand_to_relation]
LM:S:LI18:location:128-180:9046d75e -> RL:S:LI18:location:00:between [operand_to_relation]
LM:S:LI18:location:57-101 -> RL:S:LI18:location:01:same-level [operand_to_relation]
LM:S:LI18:location:7-22 -> RL:S:LI18:location:02:surface-landmark [operand_to_relation]
RL:S:LI18:location:00:between -> S:LI18:location [relation_to_statement]
RL:S:LI18:location:01:same-level -> S:LI18:location [relation_to_statement]
RL:S:LI18:location:02:surface-landmark -> S:LI18:location [relation_to_statement]
S:LI18:location -> LI18 [statement_to_point]

Recorded data order

LM:S:LI18:location:115-180:0f3e9745 -> LM:S:LI18:location:128-180:9046d75e -> LM:S:LI18:location:57-101 -> LM:S:LI18:location:61-76 -> LM:S:LI18:location:7-22 -> LM:S:LI18:location:84-101 -> RL:S:LI18:location:00:between -> RL:S:LI18:location:01:same-level -> RL:S:LI18:location:02:surface-landmark -> S:LI18:location -> LI18

Final semantic execution result

{ "location_statement_status": "RESOLVED", "primary_location_status": "RESOLVED" }

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- [] semantic decomposition correct
- [] operator semantics correct
- [] operand identity correct
- [] dependency structure correct
- [] unresolved/conditional handling correct
- [] ACCEPT
- [] REJECT

LI17 - RESOLVED

WHO primary Location

S:L17:location: On the anterior aspect of the neck, at the same level as the cricoid cartilage, just posterior to the border of the sternocleido-mastoid muscle.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:LI17:location:101-108	border	UNRESOLVED	no_family_executor	{"kind":null}
LM:S:LI17:location:112-143	the sternocleido-mastoid muscle	RESOLVED	fma_mesh	{"fma_id":"FMA13407","kind":"fma_concept","p
LM:S:LI17:location:57-78	the cricoid cartilage	RESOLVED	fma_mesh	{"fma_id":"FMA9615","kind":"fma_concept","p
LM:S:LI17:location:7-22	anterior aspect	RESOLVED	approved_surface_registry	"geometry_hash":"71f7a5ab627b3c93a9aceb
LM:S:LI17:location:97-143	the border of the sternocleido-mastoid muscle	RESOLVED	fma_mesh	{"fma_id":"FMA13407","kind":"fma_concept","p
LM:S:LI17:note:1:26-31	LI18	RESOLVED	reference_acupoint	{"kind":"reference_acupoint","reference_point
LM:S:LI17:note:1:54-58	St10	RESOLVED	reference_acupoint	{"kind":"reference_acupoint","reference_point

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:LI17:location:00:relative-to	RESOLVED	directional_relation	LM:S:LI17:location:97-143	None
RL:S:LI17:location:01:same-level	RESOLVED	same_level_plane	LM:S:LI17:location:57-78	None
RL:S:LI17:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:LI17:location:7-22	None
RL:S:LI17:note:1:00:relative-to	RESOLVED	directional_relation	LM:S:LI17:note:1:26-31	None
RL:S:LI17:note:1:01:same-level	RESOLVED	same_level_plane	LM:S:LI17:note:1:54-58	None
RL21:S:LI17:note:1:27-31:reference-acupoint:8559a56c24	RESOLVED	reference_dependency	LM:S:LI17:note:1:26-31	None
RL21:S:LI17:note:1:54-58:reference-acupoint:8759107b1e	RESOLVED	reference_dependency	LM:S:LI17:note:1:54-58	None

Dependency edges (projection of existing explicit IDs)

LM:S:LI17:location:57-78 -> RL:S:LI17:location:01:same-level [operand to relation]

LM:S:LI17:location:7-22 -> RL:S:LI17:location:02:surface-landmark [operand to relation]

LM:S:LI17:location:97-143 -> RL:S:LI17:location:00:relative-to [operand to relation]

LM:S:LI17:note:1:26-31 -> RL21:S:LI17:note:1:27-31:reference-acupoint:9ab9a5cce4 [operand_to_relation]

LM:S:LI17:note:1:26-31 -> RL:S:LI17:note:1:00:relative-to [operand_to_relation]

LM:S:LI17:note:1:54-58 -> RL21:S:LI17:note:1:54-58:reference-acupoint:87e9101b1e [operand to relation]

LM:S:LI17:note:1:54-58 -> RL:S:LI17:note:1:01:same-level [operand to_relation]

RL21:S:LI17:note:1:27-31:reference-acupoint:9ab9a5cce4 -> S:LI17:note:1 [relation_to_statement]

RL21:S:LI17:note:1:54-58:reference-acupoint:87e9101b1e -> S:LI17:note:1 [relation_to_statement]

RL:S:LI17:location:00:relative-to -> S:LI17:location [relation_to_statement]

RL:S:LI17:location:01:same-level -> S:LI17:location [relation to statement]

RL:S:LI17:location:02:surface-landmark -> S:LI17:location [relation to statement]

RL:S:LI17:note:1:00:relative-to -> S:LI17:note:1 [relation to statement]

RL:S:LI17:note:1:01:same-level -> S:LI17:note:1 [relation to statement]

S:LI17:location -> LI17 [statement to point]

S:LI17:note:1 -> LI17 [statement to point]

Recorded data order

LM:S:LI17:location:101-108 -> LM:S:LI17:location:112-143 -> LM:S:LI17:location:57-78 -> LM:S:LI17:location:7-22 -> LM:S:LI17:location:97-143 -> LM:S:LI17:note:1:26-31 -> LM:S:LI17:note:1:54-58 -> RL:S:LI17:location:00:relative-to -> RL:S:LI17:location:01:same-level ->

RL:S:LI17:location:02:surface-landmark -> RL:S:LI17:note:1:00:relative-to -> RL:S:LI17:note:1:01:same-level ->
RL21:S:LI17:note:1:27-31:reference-acupoint:9ab9a5cce4 -> RL21:S:LI17:note:1:54-58:reference-acupoint:87e9101b1e -> S:LI17:location ->
S:LI17:note:1 -> LI17

Final semantic execution result

{"location_statement_status":"RESOLVED","primary_location_status":"RESOLVED"}

Coordinates generated: 0 | Legacy C coordinate referenced: 0

[] semantic decomposition correct
[] operator semantics correct
[] operand identity correct
[] dependency structure correct
[] unresolved/conditional handling correct
[] ACCEPT
[] REJECT

WHO primary Location

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:BL17:location:149-175	the posterior median line	RESOLVED	approved_surface_registry	{ "geometry_hash": "62a4312f07e04de5ebb4791906ed709" }
LM:S:BL17:location:47-127	the inferior border of the spinous process of the seventh thoracic vertebra (T7)	RESOLVED	fma_mesh	{ "fma_id": "FMA9968", "kind": "fma_concept", "part_ids": ["FMA9968"] }
LM:S:BL17:location:51-66	inferior border	RESOLVED	composite_subfeature	{ "kind": "entity_subfeature", "modifier": "inferior", "parent_landmark_id": "LM:S:BL17:location:47-127" }
LM:S:BL17:location:7-24	upper back region	RESOLVED	approved_surface_registry	{ "geometry_hash": "86974891de98cccd457e268703bc6a6" }
LM:S:BL17:location:70-127	the spinous process of the seventh thoracic vertebra (T7)	RESOLVED	fma_mesh	{ "fma_id": "FMA9968", "kind": "fma_concept", "part_ids": ["FMA9968"] }
LM:S:BL17:note:1:64-116	the spinous process of the seventh thoracic vertebra	RESOLVED	fma_mesh	{ "fma_id": "FMA9968", "kind": "fma_concept", "part_ids": ["FMA9968"] }
LM:S:BL17:note:1:75-83	process	RESOLVED	atlas_name_resolution	{ "kind": "atlas_part" }
LM:S:BL17:note:1:87-116	the seventh thoracic vertebra	RESOLVED	fma_mesh	{ "fma_id": "FMA9968", "kind": "fma_concept", "part_ids": ["FMA9968"] }

relation ID	status	operator	operand IDs	reason
RL:S:BL17:location:00:relative-to	RESOLVED	directional_relation	LM:S:BL17:location:149-175	None
RL:S:BL17:location:01:same-level	RESOLVED	same_level_plane	LM:S:BL17:location:47-127	None
RL:S:BL17:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:BL17:location:7-24	None
RL:S:BL17:note:1:00:same-level	RESOLVED	same_level_plane	LM:S:BL17:note:1:64-116	None

```
{ "anchor_landmark_id": "LM:S:BL17:location:149-175", "direction": "lateral", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:BL17:location:00", "reason": null, "source_statement_id": "S:BL17:location", "source_unit": "B-cun", "status": "RESOLVED", "unit": "B-cun", "value": 1.5, "who_pdf_page": 117 }
```

```
PM:S:BL17:location:149-175 -> PM:S:BL17:location:00 [anchor_to_measurement]
PM:S:BL17:location:00 -> S:BL17:location [measurement_to_statement]
LM:S:BL17:location:149-175 -> RL:S:BL17:location:00:relative-to [operand_to_relation]
LM:S:BL17:location:47-127 -> RL:S:BL17:location:01:same-level [operand_to_relation]
LM:S:BL17:location:7-24 -> RL:S:BL17:location:02:surface-landmark [operand_to_relation]
LM:S:BL17:note:1:64-116 -> RL:S:BL17:note:1:00:same-level [operand_to_relation]
RL:S:BL17:location:00:relative-to -> S:BL17:location [relation_to_statement]
RL:S:BL17:location:01:same-level -> S:BL17:location [relation_to_statement]
RL:S:BL17:location:02:surface-landmark -> S:BL17:location [relation_to_statement]
RL:S:BL17:note:1:00:same-level -> S:BL17:note:1 [relation_to_statement]
S:BL17:location -> BL17 [statement_to_point]
S:BL17:note:1 -> BL17 [statement to point]
```

LM:S:BL17:location:149-175 -> LM:S:BL17:location:47-127 -> LM:S:BL17:location:51-66 -> LM:S:BL17:location:7-24 -> LM:S:BL17:location:70-127
-> LM:S:BL17:note:1:64-116 -> LM:S:BL17:note:1:75-83 -> LM:S:BL17:note:1:87-116 -> PM:S:BL17:location:00 ->
RL:S:BL17:location:00:relative-to -> RL:S:BL17:location:01:same-level -> RL:S:BL17:location:02:surface-landmark ->
RL:S:BL17:note:1:00:same-level -> S:BL17:location -> S:BL17:note:1 -> BL17

Final semantic execution result

```
{"location_statement_status":"RESOLVED","primary_location_status":"RESOLVED"}
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

```
[ ] semantic decomposition correct  
[ ] operator semantics correct  
[ ] operand identity correct  
[ ] dependency structure correct  
[ ] unresolved/conditional handling correct  
[ ] ACCEPT  
[ ] REJECT
```

BL23 - RESOLVED

WHO primary Location

S:BL23:location: In the lumbar region, at the same level as the inferior border of the spinous process of the second lumbar vertebra (L2), 1.5 B-cun lateral to the posterior median line.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:BL23:location:142-168	the posterior median line	RESOLVED	approved_surface_registry	{ "geometry_hash": "62a4312f07e04de5ebb4791906ed709c"
LM:S:BL23:location:43-120	the inferior border of the spinous process of the second lumbar vertebra (L2)	PENDING_SECOND	fma_mesh	{ "fma_id": "FMA13073", "kind": "fma_concept", "part_ids": [] }
LM:S:BL23:location:47-62	inferior border	RESOLVED	composite_subfeature	{ "kind": "entity_subfeature", "modifier": "inferior", "parent_la
LM:S:BL23:location:66-120	the spinous process of the second lumbar vertebra (L2)	PENDING_FIRST	fma_mesh	{ "fma_id": "FMA13073", "kind": "fma_concept", "part_ids": [] }
LM:S:BL23:location:7-20	lumbar region	RESOLVED	approved_surface_registry	{ "geometry_hash": "ef7e2ce29e7bdbfb2606e98c7c2254ff2"

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:BL23:location:00:relative-to	RESOLVED	directional_relation	LM:S:BL23:location:142-168	None
RL:S:BL23:location:01:same-level	RESOLVED	same_level_plane	LM:S:BL23:location:43-120	None
RL:S:BL23:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:BL23:location:7-20	None

Measurements

```
{ "anchor_landmark_id": "LM:S:BL23:location:142-168", "direction": "lateral", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:BL23:location:00", "reason": null, "source_statement_id": "S:BL23:location", "source_unit": "B-cun", "status": "RESOLVED", "unit": "B-cun", "value": 1.5, "who_pdf_page": 120 }
```

Dependency edges (projection of existing explicit IDs)

LM:S:BL23:location:142-168 -> PM:S:BL23:location:00 [anchor to measurement]

PM:S:BL23:location:00 -> S:BL23:location [measurement to statement]

LM:S:BL23:location:142-168 -> RL:S:BL23:location:00:relative-to [operand to relation]

LM:S:BL23:location:43-120 -> RL:S:BL23:location:01:same-level [operand to relation]

LM:S:BL23:location:7-20 -> RL:S:BL23:location:02:surface-landmark [operand to relation]

RL:S:BL23:location:00:relative-to -> S:BL23:location [relation to statement]

RL:S:BL23:location:01:same-level -> S:BL23:location [relation to statement]

RL:S:BL23:location:02:surface-landmark -> S:BL23:location [relation to statement]

S:BL23:location -> BL23 [statement to point]

Recorded data order

LM:S:BL23:location:142-168 -> LM:S:BL23:location:43-120 -> LM:S:BL23:location:47-62 -> LM:S:BL23:location:66-120 -> LM:S:BL23:location:7-20
-> PM:S:BL23:location:00 -> RL:S:BL23:location:00:relative-to -> RL:S:BL23:location:01:same-level -> RL:S:BL23:location:02:surface-landmark ->
S:BL23:location -> BL23

Final semantic execution result

```
{"location statement status":"RESOLVED","primary location status":"RESOLVED"}
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- ☐ semantic decomposition correct
- ☐ operator semantics correct
- ☐ operand identity correct
- ☐ dependency structure correct
- ☐ unresolved/conditional handling correct

☐ ACCEPT

☐ REJECT

BL25 - RESOLVED

WHO primary Location

S:BL25:location: In the lumbar region, at the same level as the inferior border of the spinous process of the fourth lumbar vertebra (L4), 1.5 B-cun lateral to the posterior median line.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:BL25:location:142-168	the posterior median line	RESOLVED	approved_surface_registry	{ "geometry_hash": "62a4312f07e04de5ebb4791906ed709c7c2254ff2a"
LM:S:BL25:location:43-120	the inferior border of the spinous process of the fourth lumbar vertebra (L4)	RESOLVED	fma_mesh	{ "fma_id": "FMA13075", "kind": "fma_concept", "part_ids": ["FMA13075"] }
LM:S:BL25:location:47-62	inferior border	RESOLVED	composite_subfeature	{ "kind": "entity_subfeature", "modifier": "inferior", "parent_landmarks": ["LM:S:BL25:location:43-120"] }
LM:S:BL25:location:66-120	the spinous process of the fourth lumbar vertebra (L4)	RESOLVED	fma_mesh	{ "fma_id": "FMA13075", "kind": "fma_concept", "part_ids": ["FMA13075"] }
LM:S:BL25:location:7-20	lumbar region	RESOLVED	approved_surface_registry	{ "geometry_hash": "ef7e2ce29e7bdfb2606e98c7c2254ff2a"

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:BL25:location:00:relative-to	RESOLVED	directional_relation	LM:S:BL25:location:142-168	None
RL:S:BL25:location:01:same-level	RESOLVED	same_level_plane	LM:S:BL25:location:43-120	None
RL:S:BL25:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:BL25:location:7-20	None

Measurements

```
{ "anchor_landmark_id": "LM:S:BL25:location:142-168", "direction": "lateral", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:BL25:location:00", "reason": null, "source_statement_id": "S:BL25:location", "source_unit": "B-cun", "status": "RESOLVED", "unit": "B-cun", "value": 1.5, "who_pdf_page": 121 }
```

Dependency edges (projection of existing explicit IDs)

LM:S:BL25:location:142-168 -> PM:S:BL25:location:00 [anchor to measurement]

PM:S:BL25:location:00 -> S:BL25:location [measurement to statement]

LM:S:BL25:location:142-168 -> RL:S:BL25:location:00:relative-to [operand to relation]

LM:S:BL25:location:43-120 -> RL:S:BL25:location:01:same-level [operand to relation]

LM:S:BL25:location:7-20 -> RL:S:BL25:location:02:surface-landmark [operand to relation]

RL:S:BL25:location:00:relative-to -> S:BL25:location [relation to statement]

RL:S:BL25:location:01:same-level -> S:BL25:location [relation to statement]

RL:S:BL25:location:02:surface-landmark -> S:BL25:location [relation to statement]

S:BL25:location -> BL25 [statement to point]

Recorded data order

LM:S:BL25:location:142-168 -> LM:S:BL25:location:43-120 -> LM:S:BL25:location:47-62 -> LM:S:BL25:location:66-120 -> LM:S:BL25:location:7-20
-> PM:S:BL25:location:00 -> RL:S:BL25:location:00:relative-to -> RL:S:BL25:location:01:same-level -> RL:S:BL25:location:02:surface-landmark ->
S:BL25:location -> BL25

Final semantic execution result

```
{"location statement status":"RESOLVED","primary location status":"RESOLVED"}
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- [] semantic decomposition correct
- [] operator semantics correct
- [] operand identity correct
- [] dependency structure correct
- [] unresolved/conditional handling correct

☐ ACCEPT

☐ REJECT

BL40 - RESOLVED

WHO primary Location

S:BL40:location: On the posterior aspect of the knee, at the midpoint of the popliteal crease.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:BL40:location:56-76	the popliteal crease	RESOLVED	approved_surface_registry	"geometry_hash":"1dbdd6b2b621a4ee0185cf93253f706"
LM:S:BL40:location:7-23	posterior aspect	RESOLVED	approved_surface_registry	"geometry_hash":"12ffee9bff3884af77a892f4d06484125"

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:BL40:location:00:midpoint-of-entity	RESOLVED	entity_midpoint	LM:S:BL40:location:56-76	None
RL:S:BL40:location:01:surface-landmark	RESOLVED	surface_membership	LM:S:BL40:location:7-23	None

Dependency edges (projection of existing explicit IDs)

LM:S:BL40:location:56-76 -> RL:S:BL40:location:00:midpoint-of-entity [operand_to_relation]
LM:S:BL40:location:7-23 -> RL:S:BL40:location:01:surface-landmark [operand_to_relation]
RL:S:BL40:location:00:midpoint-of-entity -> S:BL40:location [relation_to_statement]
RL:S:BL40:location:01:surface-landmark -> S:BL40:location [relation_to_statement]
S:BL40:location -> BL40 [statement_to_point]

Recorded data order

LM:S:BL40:location:56-76 -> LM:S:BL40:location:7-23 -> RL:S:BL40:location:00:midpoint-of-entity -> RL:S:BL40:location:01:surface-landmark -> S:BL40:location -> BL40

Final semantic execution result

{ "location_statement_status": "RESOLVED", "primary_location_status": "RESOLVED" }

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- [] semantic decomposition correct
- [] operator semantics correct
- [] operand identity correct
- [] dependency structure correct
- [] unresolved/conditional handling correct
- [] ACCEPT
- [] REJECT

ST4 - RESOLVED

CONDITIONAL state present in Stage 2 output.

WHO primary Location

S:ST4:location: On the face, 0.4 f-cun lateral to the angle of the mouth.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:ST4:location:33-56	the angle of the mouth	RESOLVED	fma_mesh	{ "fma_id": "FMA49184", "kind": "fma_concept", "part_ids": ["FMA49184"] }
LM:S:ST4:location:7-11	face	RESOLVED	fma_mesh	{ "fma_id": "FMA24728", "kind": "fma_concept", "part_ids": ["FMA24728"] }
LM:S:ST4:note:1:16-39	the angle of the mouth	RESOLVED	fma_mesh	{ "fma_id": "FMA49184", "kind": "fma_concept", "part_ids": ["FMA49184"] }
LM:S:ST4:note:1:69-86	nasolabial sulcus	UNRESOLVED	approved_surface_registry	{ "kind": "null" }
LM:S:ST4:note:1:97-134	continuation of the nasolabial sulcus	UNRESOLVED	approved_surface_registry	{ "kind": "null" }

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:ST4:location:00:relative-to	RESOLVED	directional_relation	LM:S:ST4:location:33-56	None
RL:S:ST4:location:01:surface-landmark	RESOLVED	surface_membership	LM:S:ST4:location:7-11	None
RL:S:ST4:note:1:00:relative-to	RESOLVED	directional_relation	LM:S:ST4:note:1:16-39	None
RL:S:ST4:note:1:01:surface-landmark	UNRESOLVED	surface_membership	LM:S:ST4:note:1:69-86	argument landmark not uniquely executed
RL:S:ST4:note:1:02:surface-landmark	UNRESOLVED	surface_membership	LM:S:ST4:note:1:97-134	argument landmark not uniquely executed

Measurements

{ "anchor_landmark_id": "LM:S:ST4:location:33-56", "direction": "lateral", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:ST4:location:00", "reason": null, "source_statement_id": "S:ST4:location", "source_unit": "F-cun", "status": "RESOLVED", "unit": "F-cun", "value": 0.4, "who_pdf_page": 56 }

Conditions

{ "branch_id": "branch_1", "condition_id": "CD:S:ST4:note:1:00", "condition_type": "alternative", "executor": "condition_contract", "reason": "branch preserved; not forced into default-pose primary computation", "source_span": { "char_end": 109, "char_start": 87, "condition_type": "alternative", "role": null, "source_raw": "or on the continuation" }, "source_statement_id": "S:ST4:note:1", "status": "CONDITIONAL" }

Dependency edges (projection of existing explicit IDs)

LM:S:ST4:location:33-56 -> PM:S:ST4:location:00 [anchor_to_measurement]
CD:S:ST4:note:1:00 -> S:ST4:note:1 [condition_to_statement]
PM:S:ST4:location:00 -> S:ST4:location [measurement_to_statement]
LM:S:ST4:location:33-56 -> RL:S:ST4:location:00:relative-to [operand_to_relation]
LM:S:ST4:location:7-11 -> RL:S:ST4:location:01:surface-landmark [operand_to_relation]
LM:S:ST4:note:1:16-39 -> RL:S:ST4:note:1:00:relative-to [operand_to_relation]
LM:S:ST4:note:1:69-86 -> RL:S:ST4:note:1:01:surface-landmark [operand_to_relation]
LM:S:ST4:note:1:97-134 -> RL:S:ST4:note:1:02:surface-landmark [operand_to_relation]
RL:S:ST4:location:00:relative-to -> S:ST4:location [relation_to_statement]
RL:S:ST4:location:01:surface-landmark -> S:ST4:location [relation_to_statement]
RL:S:ST4:note:1:00:relative-to -> S:ST4:note:1 [relation_to_statement]
S:ST4:location -> ST4 [statement_to_point]
S:ST4:note:1 -> ST4 [statement_to_point]

Recorded data order

LM:S:ST4:location:33-56 -> LM:S:ST4:location:7-11 -> LM:S:ST4:note:1:16-39 -> LM:S:ST4:note:1:69-86 -> LM:S:ST4:note:1:97-134 ->
PM:S:ST4:location:00 -> CD:S:ST4:note:1:00 -> RL:S:ST4:location:00:relative-to -> RL:S:ST4:location:01:surface-landmark ->
RL:S:ST4:note:1:00:relative-to -> RL:S:ST4:note:1:01:surface-landmark -> RL:S:ST4:note:1:02:surface-landmark -> S:ST4:location -> S:ST4:note:1
-> ST4

Final semantic execution result

```
{"location_statement_status":"RESOLVED","primary_location_status":"RESOLVED"}
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

```
[ ] semantic decomposition correct  
[ ] operator semantics correct  
[ ] operand identity correct  
[ ] dependency structure correct  
[ ] unresolved/conditional handling correct  
[ ] ACCEPT  
[ ] REJECT
```

TE6 - RESOLVED

WHO primary Location

S:TE6:location: On the posterior aspect of the forearm, midpoint of the interosseous space between the radius and the ulna, 3 B-cun proximal to the dorsal wrist crease.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:TE6:location:127-151	the dorsal wrist crease	RESOLVED	approved_surface_registry	"geometry_hash":"0ff534739841ae12b463e9ea5102d78"
LM:S:TE6:location:52-106	the interosseous space between the radius and the ulna	RESOLVED	approved_surface_registry	"geometry_hash":"4b89dd3e588ceb0c6fc9aae7de7f8c71"
LM:S:TE6:location:7-23	posterior aspect	RESOLVED	approved_surface_registry	"geometry_hash":"7809ff04bb161d448c5b90dbb407dd"
LM:S:TE6:location:87-93	radius	RESOLVED	fma_mesh	{"fma_id":"FMA23463","kind":"fma_concept","part_ids":["FMA23463"]}
LM:S:TE6:location:98-106	the ulna	RESOLVED	fma_mesh	{"fma_id":"FMA23466","kind":"fma_concept","part_ids":["FMA23466"]}
LM:S:TE6:note:1:25-29	TE5	RESOLVED	reference_acupoint	{"kind":"reference_acupoint","reference_point_id":"TE5"}
LM:S:TE6:note:1:43-49	radius	RESOLVED	fma_mesh	{"fma_id":"FMA23463","kind":"fma_concept","part_ids":["FMA23463"]}
LM:S:TE6:note:1:54-62	the ulna	RESOLVED	fma_mesh	{"fma_id":"FMA23466","kind":"fma_concept","part_ids":["FMA23466"]}
LM:S:TE6:note:1:85-88	tE7	RESOLVED	reference_acupoint	{"kind":"reference_acupoint","reference_point_id":"TE7"}

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:TE6:location:00:between	RESOLVED	between_constraint	LM:S:TE6:location:87-93, LM:S:TE6:location:98-106	None
RL:S:TE6:location:01:relative-to	RESOLVED	directional_relation	LM:S:TE6:location:127-151	None
RL:S:TE6:location:02:midpoint-of-entity	RESOLVED	entity_midpoint	LM:S:TE6:location:52-106	None
RL:S:TE6:location:03:surface-landmark	RESOLVED	surface_membership	LM:S:TE6:location:7-23	None
RL:S:TE6:note:1:00:between	RESOLVED	between_constraint	LM:S:TE6:note:1:43-49, LM:S:TE6:note:1:54-62	None
RL:S:TE6:note:1:01:relative-to	RESOLVED	directional_relation	LM:S:TE6:note:1:25-29	None
RL:S:TE6:note:1:02:same-level	RESOLVED	same_level_plane	LM:S:TE6:note:1:85-88	None
RL21:S:TE6:note:1:26-29:reference-acupoint:RESOLVED	RESOLVED	reference_dependency	LM:S:TE6:note:1:25-29	None
RL21:S:TE6:note:1:85-88:reference-acupoint:RESOLVED	RESOLVED	reference_dependency	LM:S:TE6:note:1:85-88	None

Measurements

{"anchor_landmark_id":"LM:S:TE6:location:127-151","direction":"proximal","executor":"approved_calibration","kind":"proportional_offset","measurement_id":"PM:S:TE6:location:00","reason":null,"source_statement_id":"S:TE6:location","source_unit":"B-cun","status":"RESOLVED","unit":"B-cun","value":3.0,"who_pdf_page":169}

{"anchor_landmark_id":"LM:S:TE6:note:1:25-29","direction":"proximal","executor":"approved_calibration","kind":"proportional_offset","measurement_id":"PM:S:TE6:note:1:00","reason":null,"source_statement_id":"S:TE6:note:1","source_unit":"B-cun","status":"RESOLVED","unit":"B-cun","value":1.0,"who_pdf_page":169}

Dependency edges (projection of existing explicit IDs)

- LM:S:TE6:location:127-151 -> PM:S:TE6:location:00 [anchor_to_measurement]
- LM:S:TE6:note:1:25-29 -> PM:S:TE6:note:1:00 [anchor_to_measurement]
- PM:S:TE6:location:00 -> S:TE6:location [measurement_to_statement]
- PM:S:TE6:note:1:00 -> S:TE6:note:1 [measurement_to_statement]
- LM:S:TE6:location:127-151 -> RL:S:TE6:location:01:relative-to [operand_to_relation]
- LM:S:TE6:location:52-106 -> RL:S:TE6:location:02:midpoint-of-entity [operand_to_relation]
- LM:S:TE6:location:7-23 -> RL:S:TE6:location:03:surface-landmark [operand_to_relation]
- LM:S:TE6:location:87-93 -> RL:S:TE6:location:00:between [operand_to_relation]

LM:S:TE6:location:98-106 -> RL:S:TE6:location:00:between [operand_to_relation]
LM:S:TE6:note:1:25-29 -> RL21:S:TE6:note:1:26-29:reference-acupoint:87571bdea7 [operand_to_relation]
LM:S:TE6:note:1:25-29 -> RL:S:TE6:note:1:01:relative-to [operand_to_relation]
LM:S:TE6:note:1:43-49 -> RL:S:TE6:note:1:00:between [operand_to_relation]
LM:S:TE6:note:1:54-62 -> RL:S:TE6:note:1:00:between [operand_to_relation]
LM:S:TE6:note:1:85-88 -> RL21:S:TE6:note:1:85-88:reference-acupoint:eeb3b40f1e [operand_to_relation]
LM:S:TE6:note:1:85-88 -> RL:S:TE6:note:1:02:same-level [operand_to_relation]
RL21:S:TE6:note:1:26-29:reference-acupoint:87571bdea7 -> S:TE6:note:1 [relation_to_statement]
RL21:S:TE6:note:1:85-88:reference-acupoint:eeb3b40f1e -> S:TE6:note:1 [relation_to_statement]
RL:S:TE6:location:00:between -> S:TE6:location [relation_to_statement]
RL:S:TE6:location:01:relative-to -> S:TE6:location [relation_to_statement]
RL:S:TE6:location:02:midpoint-of-entity -> S:TE6:location [relation_to_statement]
RL:S:TE6:location:03:surface-landmark -> S:TE6:location [relation_to_statement]
RL:S:TE6:note:1:00:between -> S:TE6:note:1 [relation_to_statement]
RL:S:TE6:note:1:01:relative-to -> S:TE6:note:1 [relation_to_statement]
RL:S:TE6:note:1:02:same-level -> S:TE6:note:1 [relation_to_statement]
S:TE6:location -> TE6 [statement_to_point]
S:TE6:note:1 -> TE6 [statement_to_point]

Recorded data order

LM:S:TE6:location:127-151 -> LM:S:TE6:location:52-106 -> LM:S:TE6:location:7-23 -> LM:S:TE6:location:87-93 -> LM:S:TE6:location:98-106 ->
LM:S:TE6:note:1:25-29 -> LM:S:TE6:note:1:43-49 -> LM:S:TE6:note:1:54-62 -> LM:S:TE6:note:1:85-88 -> PM:S:TE6:location:00 ->
PM:S:TE6:note:1:00 -> RL:S:TE6:location:00:between -> RL:S:TE6:location:01:relative-to -> RL:S:TE6:location:02:midpoint-of-entity ->
RL:S:TE6:location:03:surface-landmark -> RL:S:TE6:note:1:00:between -> RL:S:TE6:note:1:01:relative-to -> RL:S:TE6:note:1:02:same-level ->
RL21:S:TE6:note:1:26-29:reference-acupoint:87571bdea7 -> RL21:S:TE6:note:1:85-88:reference-acupoint:eeb3b40f1e -> S:TE6:location ->
S:TE6:note:1 -> TE6

Final semantic execution result

{"location_statement_status":"RESOLVED","primary_location_status":"RESOLVED"}

Coordinates generated: 0 | Legacy C coordinate referenced: 0

[] semantic decomposition correct
[] operator semantics correct
[] operand identity correct
[] dependency structure correct
[] unresolved/conditional handling correct
[] ACCEPT
[] REJECT

ST9 - RESOLVED

CONDITIONAL state present in Stage 2 output.

WHO primary Location

S:ST9:location: In the anterior region of the neck, at the same level as the superior border of the thyroid cartilage, anterior to the sterno-cleidomastoid muscle, over the common carotid artery.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:ST9:location:114-146	the sterno-cleidomastoid muscle	RESOLVED	fma_mesh	{ "fma_id": "FMA13407", "kind": "fma_concept", "part_ids": ["FMA13407"] }
LM:S:ST9:location:157-178	common carotid artery	RESOLVED	fma_mesh	{ "fma_id": "FMA3939", "kind": "fma_concept", "part_ids": ["FMA3939"] }
LM:S:ST9:location:57-101	the superior border of the thyroid cartilage	RESOLVED	fma_mesh	{ "fma_id": "FMA55099", "kind": "fma_concept", "part_ids": ["FMA55099"] }
LM:S:ST9:location:61-76	superior border	RESOLVED	composite_subfeature	{ "kind": "entity_subfeature", "modifier": "superior", "parent_id": "LM:S:ST9:location:61-76" }
LM:S:ST9:location:7-34	anterior region of the neck	RESOLVED	approved_surface_registry	{ "geometry_hash": "71f7a5ab627b3c93a9aceb574aabbdb2", "parent_id": "LM:S:ST9:location:7-34" }
LM:S:ST9:location:84-101	thyroid cartilage	RESOLVED	fma_mesh	{ "fma_id": "FMA55099", "kind": "fma_concept", "part_ids": ["FMA55099"] }
LM:S:ST9:note:2:131-162	the sternocleidomastoid muscle	RESOLVED	fma_mesh	{ "fma_id": "FMA13407", "kind": "fma_concept", "part_ids": ["FMA13407"] }
LM:S:ST9:note:2:186-226	the sternocleidomastoid muscle and LI18	RESOLVED	fma_mesh	{ "fma_id": "FMA13407", "kind": "fma_concept", "part_ids": ["FMA13407"] }
LM:S:ST9:note:2:240-305:6f7a364e	anterior and pos-terior borders of the sternocleidomastoid muscle	RESOLVED	fma_mesh	{ "fma_id": "FMA13407", "kind": "fma_concept", "part_ids": ["FMA13407"] }
LM:S:ST9:note:2:253-305:a442a1a4	pos-terior borders of the sternocleidomastoid muscle	RESOLVED	fma_mesh	{ "fma_id": "FMA13407", "kind": "fma_concept", "part_ids": ["FMA13407"] }
LM:S:ST9:note:2:44-48	LI18	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LI18" }
LM:S:ST9:note:2:63-78	superior border	RESOLVED	composite_subfeature	{ "kind": "entity_subfeature", "modifier": "superior", "parent_id": "LM:S:ST9:note:2:63-78" }
LM:S:ST9:note:2:82-103	the thyroid cartilage	RESOLVED	fma_mesh	{ "fma_id": "FMA55099", "kind": "fma_concept", "part_ids": ["FMA55099"] }
LM21:S:ST9:note:2:50-54:6775aaaf6b SI16	SI16	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "SI16" }
LM21:S:ST9:note:2:168-172:6775aaaf6b SI16	SI16	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "SI16" }
LM21:S:ST9:note:2:222-226:34574dfe LI18	LI18	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LI18" }

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:ST9:location:00:relative-to	RESOLVED	directional_relation	LM:S:ST9:location:114-146	None
RL:S:ST9:location:01:same-level	RESOLVED	same_level_plane	LM:S:ST9:location:57-101	None
RL:S:ST9:location:02:overlies	RESOLVED	overlies_projection	LM:S:ST9:location:157-178	None
RL:S:ST9:location:03:surface-landmark	RESOLVED	surface_membership	LM:S:ST9:location:7-34	None
RL:S:ST9:note:2:00:between	RESOLVED	between_constraint	LM:S:ST9:note:2:240-305:677a364e, LM:S:ST9:note:2:253-305:a442a1a4	None
RL:S:ST9:note:2:01:relative-to	RESOLVED	directional_relation	LM:S:ST9:note:2:131-162	None
RL:S:ST9:note:2:02:relative-to	RESOLVED	directional_relation	LM:S:ST9:note:2:186-226	None
RL:S:ST9:note:2:03:same-level	RESOLVED	same_level_plane	LM:S:ST9:note:2:44-48	None
RL21:S:ST9:note:2:44-48:reference-acupoint:4750c8502	RESOLVED	reference_dependency	LM:S:ST9:note:2:44-48	None
RL21:S:ST9:note:2:50-54:reference-acupoint:4750a95d	RESOLVED	reference_dependency	LM21:S:ST9:note:2:50-54:6775aaafeb	None
RL21:S:ST9:note:2:168-172:reference-acupoint:475012f0073	RESOLVED	reference_dependency	LM21:S:ST9:note:2:168-172:6775aaafeb	None
RL21:S:ST9:note:2:222-226:reference-acupoint:4750178086b9	RESOLVED	reference_dependency	LM21:S:ST9:note:2:222-226:34574dfae8	None

Conditions

```
{"branch_id":"branch_1","condition_id":"CD:S:ST9:note:1:00","condition_type":"body_position","executor":"condition_contract","reason":"condition requires pose incompatible with default BodyParts3D pose","source_span":{"char_end":119,"char_start":56,"condition_type":"body_position","role":null,"source_raw":"when the head is turned to the opposite side against resistance"},"source_statement_id":"S:ST9:note:1","status":"CONDITIONAL"}

{"branch_id":"branch_2","condition_id":"CD:S:ST9:note:1:01","condition_type":"palpation_dependent","executor":"condition_contract","reason":"branch preserved; not forced into default-pose primary computation","source_span":{"char_end":119,"char_start":42,"condition_type":"palpation_dependent","role":null,"source_raw":"more distinct when the head is turned to the opposite side against resistance"},"source_statement_id":"S:ST9:note:1","status":"CONDITIONAL"}
```

Dependency edges (projection of existing explicit IDs)

```
CD:S:ST9:note:1:00 -> S:ST9:note:1 [condition_to_statement]
CD:S:ST9:note:1:01 -> S:ST9:note:1 [condition_to_statement]
LM21:S:ST9:note:2:168-172:6775aaafeb -> RL21:S:ST9:note:2:168-172:reference-acupoint:a3b2f0d073 [operand_to_relation]
LM21:S:ST9:note:2:222-226:34574dfae8 -> RL21:S:ST9:note:2:222-226:reference-acupoint:01273086b9 [operand_to_relation]
LM21:S:ST9:note:2:50-54:6775aaafeb -> RL21:S:ST9:note:2:50-54:reference-acupoint:cf7c9e057c [operand_to_relation]
LM:S:ST9:location:114-146 -> RL:S:ST9:location:00:relative-to [operand_to_relation]
LM:S:ST9:location:157-178 -> RL:S:ST9:location:02:overlies [operand_to_relation]
LM:S:ST9:location:57-101 -> RL:S:ST9:location:01:same-level [operand_to_relation]
LM:S:ST9:location:7-34 -> RL:S:ST9:location:03:surface-landmark [operand_to_relation]
LM:S:ST9:note:2:131-162 -> RL:S:ST9:note:2:01:relative-to [operand_to_relation]
LM:S:ST9:note:2:186-226 -> RL:S:ST9:note:2:02:relative-to [operand_to_relation]
LM:S:ST9:note:2:240-305:6f7a364e -> RL:S:ST9:note:2:00:between [operand_to_relation]
LM:S:ST9:note:2:253-305:a442a1a4 -> RL:S:ST9:note:2:00:between [operand_to_relation]
LM:S:ST9:note:2:44-48 -> RL21:S:ST9:note:2:44-48:reference-acupoint:dfa4bc85d2 [operand_to_relation]
LM:S:ST9:note:2:44-48 -> RL:S:ST9:note:2:03:same-level [operand_to_relation]
RL21:S:ST9:note:2:168-172:reference-acupoint:a3b2f0d073 -> S:ST9:note:2 [relation_to_statement]
RL21:S:ST9:note:2:222-226:reference-acupoint:01273086b9 -> S:ST9:note:2 [relation_to_statement]
RL21:S:ST9:note:2:44-48:reference-acupoint:dfa4bc85d2 -> S:ST9:note:2 [relation_to_statement]
RL21:S:ST9:note:2:50-54:reference-acupoint:cf7c9e057c -> S:ST9:note:2 [relation_to_statement]
RL:S:ST9:location:00:relative-to -> S:ST9:location [relation_to_statement]
RL:S:ST9:location:01:same-level -> S:ST9:location [relation_to_statement]
RL:S:ST9:location:02:overlies -> S:ST9:location [relation_to_statement]
RL:S:ST9:location:03:surface-landmark -> S:ST9:location [relation_to_statement]
RL:S:ST9:note:2:00:between -> S:ST9:note:2 [relation_to_statement]
RL:S:ST9:note:2:01:relative-to -> S:ST9:note:2 [relation_to_statement]
RL:S:ST9:note:2:02:relative-to -> S:ST9:note:2 [relation_to_statement]
RL:S:ST9:note:2:03:same-level -> S:ST9:note:2 [relation_to_statement]
S:ST9:location -> ST9 [statement_to_point]
S:ST9:note:1 -> ST9 [statement_to_point]
S:ST9:note:2 -> ST9 [statement_to_point]
```

Recorded data order

```
LM:S:ST9:location:114-146 -> LM:S:ST9:location:157-178 -> LM:S:ST9:location:57-101 -> LM:S:ST9:location:61-76 -> LM:S:ST9:location:7-34 ->
LM:S:ST9:location:84-101 -> LM:S:ST9:note:2:131-162 -> LM:S:ST9:note:2:186-226 -> LM:S:ST9:note:2:240-305:6f7a364e ->
LM:S:ST9:note:2:253-305:a442a1a4 -> LM:S:ST9:note:2:44-48 -> LM:S:ST9:note:2:63-78 -> LM:S:ST9:note:2:82-103 ->
LM21:S:ST9:note:2:50-54:6775aaafeb -> LM21:S:ST9:note:2:168-172:6775aaafeb -> LM21:S:ST9:note:2:222-226:34574dfae8 ->
CD:S:ST9:note:1:00 -> CD:S:ST9:note:1:01 -> RL:S:ST9:location:00:relative-to -> RL:S:ST9:location:01:same-level -> RL:S:ST9:location:02:overlies ->
RL:S:ST9:location:03:surface-landmark -> RL:S:ST9:note:2:00:between -> RL:S:ST9:note:2:01:relative-to -> RL:S:ST9:note:2:02:relative-to ->
RL:S:ST9:note:2:03:same-level -> RL21:S:ST9:note:2:44-48:reference-acupoint:dfa4bc85d2 ->
RL21:S:ST9:note:2:50-54:reference-acupoint:cf7c9e057c -> RL21:S:ST9:note:2:168-172:reference-acupoint:a3b2f0d073 ->
RL21:S:ST9:note:2:222-226:reference-acupoint:01273086b9 -> S:ST9:location -> S:ST9:note:1 -> S:ST9:note:2 -> ST9
```

Final semantic execution result

```
{"location_statement_status":"RESOLVED","primary_location_status":"RESOLVED"}
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- ☐ semantic decomposition correct
- ☐ operator semantics correct
- ☐ operand identity correct
- ☐ dependency structure correct
- ☐ unresolved/conditional handling correct
- ☐ ACCEPT
- ☐ REJECT

HT7 - UNRESOLVED

WHO primary Location

S:HT7:location: On the anteromedial aspect of the wrist, radial to the flexor carpi ulnaris tendon, on the palmar wrist crease.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:HT7:location:50-82	the flexor carpi ulnaris tendon	UNRESOLVED	atlas_name_resolution	{ "kind": null }
LM:S:HT7:location:7-26	anteromedial aspect	RESOLVED	approved_surface_registry	{ "geometry_hash": "6621b519a3e9551fb3372da3e363c6d" }
LM:S:HT7:location:91-110	palmar wrist crease	RESOLVED	approved_surface_registry	{ "geometry_hash": "383e200f286d70d3c13689830673e15" }
LM:S:HT7:note:1:13-23	depression	UNRESOLVED	explicit_unresolved_taxon	{ "kind": null }
LM:S:HT7:note:1:33-75	the proxi-mal border of the pisiform bone	UNRESOLVED	no_family_executor	{ "kind": null }
LM:S:HT7:note:1:38-54	proxi-mal border	UNRESOLVED	no_family_executor	{ "kind": null }
LM:S:HT7:note:1:58-75	the pisiform bone	MULTIPLE	atlas_name_resolution	{ "candidates": [{ "name": "Left pisiform", "part_id": "FJ3276" }] }
LM:S:HT7:note:1:84-103	palmar wrist crease	RESOLVED	approved_surface_registry	{ "geometry_hash": "383e200f286d70d3c13689830673e15" }

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:HT7:location:00:relative-to	UNRESOLVED	directional_relation	LM:S:HT7:location:50-82	argument landmark not uniquely executed
RL:S:HT7:location:01:surface-landmark	RESOLVED	surface_membership	LM:S:HT7:location:7-26	None
RL:S:HT7:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:HT7:location:91-110	None
RL:S:HT7:note:1:00:relative-to	UNRESOLVED	directional_relation	LM:S:HT7:note:1:33-75	argument landmark not uniquely executed
RL:S:HT7:note:1:01:surface-landmark	UNRESOLVED	surface_membership	LM:S:HT7:note:1:13-23	argument landmark not uniquely executed
RL:S:HT7:note:1:03:surface-landmark	RESOLVED	surface_membership	LM:S:HT7:note:1:84-103	None

Dependency edges (projection of existing explicit IDs)

LM:S:HT7:location:50-82 -> RL:S:HT7:location:00:relative-to [operand_to_relation]
LM:S:HT7:location:7-26 -> RL:S:HT7:location:01:surface-landmark [operand_to_relation]
LM:S:HT7:location:91-110 -> RL:S:HT7:location:02:surface-landmark [operand_to_relation]
LM:S:HT7:note:1:13-23 -> RL:S:HT7:note:1:01:surface-landmark [operand_to_relation]
LM:S:HT7:note:1:33-75 -> RL:S:HT7:note:1:00:relative-to [operand_to_relation]
LM:S:HT7:note:1:84-103 -> RL:S:HT7:note:1:03:surface-landmark [operand_to_relation]
RL:S:HT7:location:01:surface-landmark -> S:HT7:location [relation_to_statement]
RL:S:HT7:location:02:surface-landmark -> S:HT7:location [relation_to_statement]
RL:S:HT7:note:1:03:surface-landmark -> S:HT7:note:1 [relation_to_statement]
S:HT7:location -> HT7 [statement_to_point]
S:HT7:note:1 -> HT7 [statement_to_point]

Recorded data order

LM:S:HT7:location:50-82 -> LM:S:HT7:location:7-26 -> LM:S:HT7:location:91-110 -> LM:S:HT7:note:1:13-23 -> LM:S:HT7:note:1:33-75 -> LM:S:HT7:note:1:38-54 -> LM:S:HT7:note:1:58-75 -> LM:S:HT7:note:1:84-103 -> RL:S:HT7:location:00:relative-to -> RL:S:HT7:location:01:surface-landmark -> RL:S:HT7:location:02:surface-landmark -> RL:S:HT7:note:1:00:relative-to -> RL:S:HT7:note:1:01:surface-landmark -> RL:S:HT7:note:1:03:surface-landmark -> S:HT7:location -> S:HT7:note:1 -> HT7

Final semantic execution result

{ "location_statement_status": "UNRESOLVED", "primary_location_status": "UNRESOLVED" }

Blocking dependency

```
{
  "blocking_items": [
    {
      "landmark_class": "tendon",
      "node_id": "LM:S:HT7:location:50-82",
      "node_type": "landmark",
      "reason": "no unique atlas name match",
      "source_raw": " the flexor carpi ulnaris tendon",
      "status": "UNRESOLVED"
    }
  ],
  "downstream_stop_items": [
    "RL:S:HT7:location:00:relative-to"
  ],
  "first_unresolved_dependency": {
    "landmark_class": "tendon",
    "node_id": "LM:S:HT7:location:50-82",
    "node_type": "landmark",
    "reason": "no unique atlas name match",
    "source_raw": " the flexor carpi ulnaris tendon",
    "status": "UNRESOLVED"
  },
  "upstream_resolved_dependencies": [
    "RL:S:HT7:location:01:surface-landmark",
    "LM:S:HT7:location:7-26",
    "RL:S:HT7:location:02:surface-landmark",
    "LM:S:HT7:location:91-110"
  ]
}
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

```
[ ] semantic decomposition correct
[ ] operator semantics correct
[ ] operand identity correct
[ ] dependency structure correct
[ ] unresolved/conditional handling correct
[ ] ACCEPT
[ ] REJECT
```

ST1 - UNRESOLVED

WHO primary Location

S:ST1:location: On the face, between the eyeball and the infraorbital margin, directly inferior to the pupil.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:ST1:location:25-32	eyeball	MULTIPLE	atlas_name_resolution	{"candidates":[{"name":"Anterior chamber of left eyeball"}]}
LM:S:ST1:location:37-60	the infraorbital margin	UNRESOLVED	atlas_name_resolution	{"kind":null}
LM:S:ST1:location:7-11	face	RESOLVED	fma_mesh	{"fma_id":"FMA24728","kind":"fma_concept","part_ids":["FMA24728.1"]}
LM:S:ST1:location:82-92	the pupil	UNRESOLVED	atlas_name_resolution	{"kind":null}

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:ST1:location:00:between	UNRESOLVED	between_constraint	LM:S:ST1:location:25-32, LM:S:ST1:location:37-60	argument landmark not uniquely executed
RL:S:ST1:location:01:relative-to	UNRESOLVED	directional_relation	LM:S:ST1:location:82-92	argument landmark not uniquely executed
RL:S:ST1:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:ST1:location:7-11	None

Dependency edges (projection of existing explicit IDs)

LM:S:ST1:location:25-32 -> RL:S:ST1:location:00:between [operand_to_relation]
LM:S:ST1:location:37-60 -> RL:S:ST1:location:00:between [operand_to_relation]
LM:S:ST1:location:7-11 -> RL:S:ST1:location:02:surface-landmark [operand_to_relation]
LM:S:ST1:location:82-92 -> RL:S:ST1:location:01:relative-to [operand_to_relation]
RL:S:ST1:location:02:surface-landmark -> S:ST1:location [relation_to_statement]
S:ST1:location -> ST1 [statement_to_point]

Recorded data order

LM:S:ST1:location:25-32 -> LM:S:ST1:location:37-60 -> LM:S:ST1:location:7-11 -> LM:S:ST1:location:82-92 -> RL:S:ST1:location:00:between -> RL:S:ST1:location:01:relative-to -> RL:S:ST1:location:02:surface-landmark -> S:ST1:location -> ST1

Final semantic execution result

{"location_statement_status":"UNRESOLVED","primary_location_status":"UNRESOLVED"}

Blocking dependency

{"blocking_items":[{"landmark_class":"soft_tissue_feature","node_id":"LM:S:ST1:location:25-32","node_type":"landmark","reason":"multiple atlas-name candidates","source_raw":"eyeball","status":"MULTIPLE"}, {"landmark_class":"boundary.border","node_id":"LM:S:ST1:location:37-60","node_type":"landmark","reason":"no unique atlas name match","source_raw":"the infraorbital margin","status":"UNRESOLVED"}, {"landmark_class":"soft_tissue_feature","node_id":"LM:S:ST1:location:82-92","node_type":"landmark","reason":"no unique atlas name match","source_raw":"the pupil","status":"UNRESOLVED"}], "downstream_stop_items":[{"RL:S:ST1:location:00:between","RL:S:ST1:location:01:relative-to"],"first_unresolved_dependency":{"landmark_class":"soft_tissue_feature","node_id":"LM:S:ST1:location:25-32","node_type":"landmark","reason":"multiple atlas-name candidates","source_raw":"eyeball","status":"MULTIPLE"},"upstream_resolved_dependencies":["RL:S:ST1:location:02:surface-landmark","LM:S:ST1:location:7-11"]}}

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- [] semantic decomposition correct
- [] operator semantics correct
- [] operand identity correct
- [] dependency structure correct
- [] unresolved/conditional handling correct
- [] ACCEPT
- [] REJECT

GB14 - UNRESOLVED

WHO primary Location

S:GB14:location: On the head, 1 B-cun superior to the eye-brow, directly superior to the centre of the pupil.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:GB14:location:32-45	the eye-brow	RESOLVED	fma_mesh	{ "fma_id": "FMA54237", "kind": "fma_concept", "part_ids": ["FMA54237"] }
LM:S:GB14:location:67-91	the centre of the pupil	UNRESOLVED	atlas_name_resolution	{ "kind": null }
LM:S:GB14:location:7-11	head	RESOLVED	fma_mesh	{ "fma_id": "FMA7154", "kind": "fma_concept", "part_ids": ["FMA7154"] }
LM:S:GB14:location:72-78	centre	UNRESOLVED	explicit_unresolved_taxon	{ "kind": null }
LM:S:GB14:location:82-91	the pupil	UNRESOLVED	atlas_name_resolution	{ "kind": null }

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:GB14:location:00:relative-to	RESOLVED	directional_relation	LM:S:GB14:location:32-45	None
RL:S:GB14:location:01:relative-to	UNRESOLVED	directional_relation	LM:S:GB14:location:67-91	argument landmark not uniquely executed
RL:S:GB14:location:02:center-of	UNRESOLVED	entity_center	LM:S:GB14:location:82-91	argument landmark not uniquely executed
RL:S:GB14:location:03:surface-landmark	RESOLVED	surface_membership	LM:S:GB14:location:7-11	None

Measurements

{ "anchor_landmark_id": "LM:S:GB14:location:32-45", "direction": "superior", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:GB14:location:00", "reason": null, "source_statement_id": "S:GB14:location", "source_unit": "B-cun", "status": "RESOLVED", "unit": "B-cun", "value": 1.0, "who_pdf_page": 187 }

Dependency edges (projection of existing explicit IDs)

LM:S:GB14:location:32-45 -> PM:S:GB14:location:00 [anchor_to_measurement]
PM:S:GB14:location:00 -> S:GB14:location [measurement_to_statement]
LM:S:GB14:location:32-45 -> RL:S:GB14:location:00:relative-to [operand_to_relation]
LM:S:GB14:location:67-91 -> RL:S:GB14:location:01:relative-to [operand_to_relation]
LM:S:GB14:location:7-11 -> RL:S:GB14:location:03:surface-landmark [operand_to_relation]
LM:S:GB14:location:82-91 -> RL:S:GB14:location:02:center-of [operand_to_relation]
RL:S:GB14:location:00:relative-to -> S:GB14:location [relation_to_statement]
RL:S:GB14:location:03:surface-landmark -> S:GB14:location [relation_to_statement]
S:GB14:location -> GB14 [statement_to_point]

Recorded data order

LM:S:GB14:location:32-45 -> LM:S:GB14:location:67-91 -> LM:S:GB14:location:7-11 -> LM:S:GB14:location:72-78 -> LM:S:GB14:location:82-91 -> PM:S:GB14:location:00 -> RL:S:GB14:location:00:relative-to -> RL:S:GB14:location:01:relative-to -> RL:S:GB14:location:02:center-of -> RL:S:GB14:location:03:surface-landmark -> S:GB14:location -> GB14

Final semantic execution result

{ "location_statement_status": "UNRESOLVED", "primary_location_status": "UNRESOLVED" }

Blocking dependency

{ "blocking_items": [{ "landmark_class": "soft_tissue_feature", "node_id": "LM:S:GB14:location:67-91", "node_type": "landmark", "reason": "no unique atlas name match", "source_raw": "the centre of the pupil", "status": "UNRESOLVED" }, { "landmark_class": "soft_tissue_feature", "node_id": "LM:S:GB14:location:82-91", "node_type": "landmark", "reason": "no unique atlas name match", "source_raw": "the pupil", "status": "UNRESOLVED" }], "downstream_stop_items": [{ "RL:S:GB14:location:01:relative-to", "RL:S:GB14:location:02:center-of"], "first_unresolved_dependency": { "landmark_class": "soft_tissue_feature", "node_id": "LM:S:GB14:location:67-91", "node_type": "landmark", "reason": "no unique atlas name match", "source_raw": "the centre of the pupil", "status": "UNRESOLVED" }, "upstream_resolved_dependencies": ["RL:S:GB14:location:00:relative-to", "LM:S:GB14:location:32-45", "RL:S:GB14:location:03:surface-landmark"] }

B14:location:03:surface-landmark","LM:S:GB14:location:7-11"]}

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- [] semantic decomposition correct
- [] operator semantics correct
- [] operand identity correct
- [] dependency structure correct
- [] unresolved/conditional handling correct
- [] ACCEPT
- [] REJECT

LU6 - UNRESOLVED

WHO primary Location

S:LU6:location: On the anterolateral aspect of the forearm, on the line connecting LU5 with LU9, 7 B-cun superior to the palmar wrist crease.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:LU6:location:100-124	the palmar wrist crease	RESOLVED	approved_surface_registry	{ "geometry_hash": "383e200f286d70d3c13689830673e15"
LM:S:LU6:location:51-66	line connecting	UNRESOLVED	no_family_executor	{ "kind": null }
LM:S:LU6:location:67-70	LU5	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LU5" }
LM:S:LU6:location:7-27	anterolateral aspect	RESOLVED	approved_surface_registry	{ "geometry_hash": "8ce43d41eaba7ffc905ab399e621546"
LM:S:LU6:location:76-79	LU9	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LU9" }
LM:S:LU6:note:1:103-106	LU9	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LU9" }
LM:S:LU6:note:1:32-36	LU5	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LU5" }
LM:S:LU6:note:1:57-106	the midpoint of the line connecting LU5 and LU9	UNRESOLVED	no_family_executor	{ "kind": null }
LM:S:LU6:note:1:94-97	LU5	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LU5" }
LM21:S:LU6:location:67-70:002c0a95e5	LU5	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LU5" }
LM21:S:LU6:location:76-79:30c4b43ed7	LU9	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LU9" }

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:LU6:location:00:on-line	RESOLVED	line_membership	LM:S:LU6:location:67-70, LM:S:LU6:location:76-79	None
RL:S:LU6:location:01:relative-to	RESOLVED	directional_relation	LM:S:LU6:location:100-124	None
RL:S:LU6:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:LU6:location:7-27	None
RL:S:LU6:location:03:surface-landmark	UNRESOLVED	surface_membership	LM:S:LU6:location:51-66	argument landmark not uniquely executed
RL:S:LU6:note:1:00:on-line	RESOLVED	line_membership	LM:S:LU6:note:1:94-97, LM:S:LU6:note:1:103-106	None
RL:S:LU6:note:1:01:midpoint-between	RESOLVED	midpoint_between	LM:S:LU6:note:1:94-97, LM:S:LU6:note:1:103-106	None
RL:S:LU6:note:1:02:relative-to	RESOLVED	directional_relation	LM:S:LU6:note:1:32-36	None
RL:S:LU6:note:1:03:relative-to	UNRESOLVED	directional_relation	LM:S:LU6:note:1:57-106	argument landmark not uniquely executed
RL21:S:LU6:location:67-70:reference-acupoint:RESOLVED	RESOLVED	reference_dependency	LM21:S:LU6:location:67-70:002c0a95e5	None
RL21:S:LU6:location:76-79:reference-acupoint:RESOLVED	RESOLVED	reference_dependency	LM21:S:LU6:location:76-79:30c4b43ed7	None
RL21:S:LU6:note:1:33-36:reference-acupoint:RESOLVED	RESOLVED	reference_dependency	LM:S:LU6:note:1:32-36	None
RL21:S:LU6:note:1:94-97:reference-acupoint:RESOLVED	RESOLVED	reference_dependency	LM:S:LU6:note:1:94-97	None
RL21:S:LU6:note:1:103-106:reference-acupoint:RESOLVED	RESOLVED	reference_dependency	LM:S:LU6:note:1:103-106	None

Measurements

```
{ "anchor_landmark_id": "LM:S:LU6:location:100-124", "direction": "superior", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:LU6:location:00", "reason": null, "source_statement_id": "S:LU6:location", "source_unit": "B-cun", "status": "RESOLVED", "unit": "B-cun", "value": 7.0, "who_pdf_page": 37 }

{ "anchor_landmark_id": "LM:S:LU6:note:1:32-36", "direction": "inferior", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:LU6:note:1:00", "reason": null, "source_statement_id": "S:LU6:note:1", "source_unit": "B-cun", "status": "RESOLVED", "unit": "B-cun", "value": 5.0, "who_pdf_page": 37 }

{ "anchor_landmark_id": "LM:S:LU6:note:1:57-106", "direction": "superior", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:LU6:note:1:01", "reason": null, "source_statement_id": "S:LU6:note:1", "source_unit": "B-cun", "status": "RESOLVED", "unit": "B-cun", "value": 1.0, "who_pdf_page": 37 }
```

Dependency edges (projection of existing explicit IDs)

LM:S:LU6:location:100-124 -> PM:S:LU6:location:00 [anchor_to_measurement]
LM:S:LU6:note:1:32-36 -> PM:S:LU6:note:1:00 [anchor_to_measurement]
LM:S:LU6:note:1:57-106 -> PM:S:LU6:note:1:01 [anchor_to_measurement]
PM:S:LU6:location:00 -> S:LU6:location [measurement_to_statement]
PM:S:LU6:note:1:00 -> S:LU6:note:1 [measurement_to_statement]
PM:S:LU6:note:1:01 -> S:LU6:note:1 [measurement_to_statement]
LM21:S:LU6:location:67-70:002c0a95e5 -> RL21:S:LU6:location:67-70:reference-acupoint:f42e2db8d9 [operand_to_relation]
LM21:S:LU6:location:76-79:30c4b43ed7 -> RL21:S:LU6:location:76-79:reference-acupoint:5171900d45 [operand_to_relation]
LM:S:LU6:location:100-124 -> RL:S:LU6:location:01:relative-to [operand_to_relation]
LM:S:LU6:location:51-66 -> RL:S:LU6:location:03:surface-landmark [operand_to_relation]
LM:S:LU6:location:67-70 -> RL:S:LU6:location:00:on-line [operand_to_relation]
LM:S:LU6:location:7-27 -> RL:S:LU6:location:02:surface-landmark [operand_to_relation]
LM:S:LU6:location:76-79 -> RL:S:LU6:location:00:on-line [operand_to_relation]
LM:S:LU6:note:1:103-106 -> RL21:S:LU6:note:1:103-106:reference-acupoint:ffaf5ca270 [operand_to_relation]
LM:S:LU6:note:1:103-106 -> RL:S:LU6:note:1:00:on-line [operand_to_relation]
LM:S:LU6:note:1:103-106 -> RL:S:LU6:note:1:01:midpoint-between [operand_to_relation]
LM:S:LU6:note:1:32-36 -> RL21:S:LU6:note:1:33-36:reference-acupoint:a79a726278 [operand_to_relation]
LM:S:LU6:note:1:32-36 -> RL:S:LU6:note:1:02:relative-to [operand_to_relation]
LM:S:LU6:note:1:57-106 -> RL:S:LU6:note:1:03:relative-to [operand_to_relation]
LM:S:LU6:note:1:94-97 -> RL21:S:LU6:note:1:94-97:reference-acupoint:0d3fedaf0b [operand_to_relation]
LM:S:LU6:note:1:94-97 -> RL:S:LU6:note:1:00:on-line [operand_to_relation]
LM:S:LU6:note:1:94-97 -> RL:S:LU6:note:1:01:midpoint-between [operand_to_relation]
RL21:S:LU6:location:67-70:reference-acupoint:f42e2db8d9 -> S:LU6:location [relation_to_statement]
RL21:S:LU6:location:76-79:reference-acupoint:5171900d45 -> S:LU6:location [relation_to_statement]
RL21:S:LU6:note:1:103-106:reference-acupoint:ffaf5ca270 -> S:LU6:note:1 [relation_to_statement]
RL21:S:LU6:note:1:33-36:reference-acupoint:a79a726278 -> S:LU6:note:1 [relation_to_statement]
RL21:S:LU6:note:1:94-97:reference-acupoint:0d3fedaf0b -> S:LU6:note:1 [relation_to_statement]
RL:S:LU6:location:00:on-line -> S:LU6:location [relation_to_statement]
RL:S:LU6:location:01:relative-to -> S:LU6:location [relation_to_statement]
RL:S:LU6:location:02:surface-landmark -> S:LU6:location [relation_to_statement]
RL:S:LU6:note:1:00:on-line -> S:LU6:note:1 [relation_to_statement]
RL:S:LU6:note:1:01:midpoint-between -> S:LU6:note:1 [relation_to_statement]
RL:S:LU6:note:1:02:relative-to -> S:LU6:note:1 [relation_to_statement]
S:LU6:location -> LU6 [statement_to_point]
S:LU6:note:1 -> LU6 [statement_to_point]

Recorded data order

LM:S:LU6:location:100-124 -> LM:S:LU6:location:51-66 -> LM:S:LU6:location:67-70 -> LM:S:LU6:location:7-27 -> LM:S:LU6:location:76-79 ->
LM:S:LU6:note:1:103-106 -> LM:S:LU6:note:1:32-36 -> LM:S:LU6:note:1:57-106 -> LM:S:LU6:note:1:94-97 ->
LM21:S:LU6:location:67-70:002c0a95e5 -> LM21:S:LU6:location:76-79:30c4b43ed7 -> PM:S:LU6:location:00 -> PM:S:LU6:note:1:00 ->
PM:S:LU6:note:1:01 -> RL:S:LU6:location:00:on-line -> RL:S:LU6:location:01:relative-to -> RL:S:LU6:location:02:surface-landmark ->
RL:S:LU6:location:03:surface-landmark -> RL:S:LU6:note:1:00:on-line -> RL:S:LU6:note:1:01:midpoint-between -> RL:S:LU6:note:1:02:relative-to
-> RL:S:LU6:note:1:03:relative-to -> RL21:S:LU6:location:67-70:reference-acupoint:f42e2db8d9 ->
RL21:S:LU6:location:76-79:reference-acupoint:5171900d45 -> RL21:S:LU6:note:1:33-36:reference-acupoint:a79a726278 ->
RL21:S:LU6:note:1:94-97:reference-acupoint:0d3fedaf0b -> RL21:S:LU6:note:1:103-106:reference-acupoint:ffaf5ca270 -> S:LU6:location ->
S:LU6:note:1 -> LU6

Final semantic execution result

{"location_statement_status":"UNRESOLVED","primary_location_status":"UNRESOLVED"}

Blocking dependency

{"blocking_items":[{"landmark_class":"line.reference_line","node_id":"LM:S:LU6:location:51-66","node_type":"landmark","reason":"unsupported landmark disposition/class: geometry_or_surface/line.reference_line","source_raw":"line connecting","status":"UNRESOLVED"}],"downstream_stop

```
_items":["RL:S:LU6:location:03:surface-landmark"],"first_unresolved_dependency":{"landmark_class":"line.reference_line","node_id":"LM:S:LU6:location:51-66","node_type":"landmark","reason":"unsupported landmark disposition/class: geometry_or_surface/line.reference_line","source_raw":"line connecting","status":"UNRESOLVED"},"upstream_resolved_dependencies":["RL:S:LU6:location:00:on-line","LM:S:LU6:location:67-70","LM:S:LU6:location:76-79","RL:S:LU6:location:01:relative-to","LM:S:LU6:location:100-124","RL:S:LU6:location:02:surface-landmark","LM:S:LU6:location:7-27","RL21:S:LU6:location:67-70:reference-acupoint:f42e2db8d9","LM21:S:LU6:location:67-70:002c0a95e5","RL21:S:LU6:location:76-79:reference-acupoint:5171900d45","LM21:S:LU6:location:76-79:30c4b43ed7"]}
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

```
[ ] semantic decomposition correct
[ ] operator semantics correct
[ ] operand identity correct
[ ] dependency structure correct
[ ] unresolved/conditional handling correct
[ ] ACCEPT
[ ] REJECT
```

LI7 - UNRESOLVED

WHO primary Location

S:LI7:location: On the posterolateral aspect of the forearm, on the line connecting LI5 with LI11, 5 B-cun superior to the dorsal wrist crease.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:LI7:location:102-126	the dorsal wrist crease	RESOLVED	approved_surface_registry	{ "geometry_hash": "0ff534739841ae12b463e9ea5102d78"
LM:S:LI7:location:52-67	line connecting	UNRESOLVED	no_family_executor	{ "kind": null }
LM:S:LI7:location:68-71	LI5	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LI5" }
LM:S:LI7:location:7-28	posterolateral aspect	RESOLVED	approved_surface_registry	{ "geometry_hash": "4e542fb31cd71e7a148b3607b7424ea"
LM:S:LI7:location:77-81	LI11	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LI11" }
LM21:S:LI7:location:68-71:1bff496df7	LI5	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LI5" }
LM21:S:LI7:location:77-81:245ea01482	LI11	RESOLVED	reference_acupoint	{ "kind": "reference_acupoint", "reference_point_id": "LI11" }

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:LI7:location:00:on-line	RESOLVED	line_membership	LM:S:LI7:location:68-71, LM:S:LI7:location:77-81	None
RL:S:LI7:location:01:relative-to	RESOLVED	directional_relation	LM:S:LI7:location:102-126	None
RL:S:LI7:location:02:surface-landmark	RESOLVED	surface_membership	LM:S:LI7:location:7-28	None
RL:S:LI7:location:03:surface-landmark	UNRESOLVED	surface_membership	LM:S:LI7:location:52-67	argument landmark not uniquely executed
RL21:S:LI7:location:68-71:reference-acupoint:931d5b1cfd	RESOLVED	reference_dependency	LM21:S:LI7:location:68-71:1bff496df7	None
RL21:S:LI7:location:77-81:reference-acupoint:bbace3ac1c	RESOLVED	reference_dependency	LM21:S:LI7:location:77-81:245ea01482	None

Measurements

{ "anchor_landmark_id": "LM:S:LI7:location:102-126", "direction": "superior", "executor": "approved_calibration", "kind": "proportional_offset", "measurement_id": "PM:S:LI7:location:00", "reason": null, "source_statement_id": "S:LI7:location", "source_unit": "B-cun", "status": "RESOLVED", "unit": "B-cun", "value": 5.0, "who_pdf_page": 46 }

Dependency edges (projection of existing explicit IDs)

LM:S:LI7:location:102-126 -> PM:S:LI7:location:00 [anchor_to_measurement]
PM:S:LI7:location:00 -> S:LI7:location [measurement_to_statement]
LM21:S:LI7:location:68-71:1bff496df7 -> RL21:S:LI7:location:68-71:reference-acupoint:931d5b1cfd [operand_to_relation]
LM21:S:LI7:location:77-81:245ea01482 -> RL21:S:LI7:location:77-81:reference-acupoint:bbace3ac1c [operand_to_relation]
LM:S:LI7:location:102-126 -> RL:S:LI7:location:01:relative-to [operand_to_relation]
LM:S:LI7:location:52-67 -> RL:S:LI7:location:03:surface-landmark [operand_to_relation]
LM:S:LI7:location:68-71 -> RL:S:LI7:location:00:on-line [operand_to_relation]
LM:S:LI7:location:7-28 -> RL:S:LI7:location:02:surface-landmark [operand_to_relation]
LM:S:LI7:location:77-81 -> RL:S:LI7:location:00:on-line [operand_to_relation]
RL21:S:LI7:location:68-71:reference-acupoint:931d5b1cfd -> S:LI7:location [relation_to_statement]
RL21:S:LI7:location:77-81:reference-acupoint:bbace3ac1c -> S:LI7:location [relation_to_statement]
RL:S:LI7:location:00:on-line -> S:LI7:location [relation_to_statement]
RL:S:LI7:location:01:relative-to -> S:LI7:location [relation_to_statement]
RL:S:LI7:location:02:surface-landmark -> S:LI7:location [relation_to_statement]
S:LI7:location -> LI7 [statement_to_point]

Recorded data order

LM:S:LI7:location:102-126 -> LM:S:LI7:location:52-67 -> LM:S:LI7:location:68-71 -> LM:S:LI7:location:7-28 -> LM:S:LI7:location:77-81 ->
LM21:S:LI7:location:68-71:1bff496df7 -> LM21:S:LI7:location:77-81:245ea01482 -> PM:S:LI7:location:00 -> RL:S:LI7:location:00:on-line ->
RL:S:LI7:location:01:relative-to -> RL:S:LI7:location:02:surface-landmark -> RL:S:LI7:location:03:surface-landmark ->
RL21:S:LI7:location:68-71:reference-acupoint:931d5b1cfd -> RL21:S:LI7:location:77-81:reference-acupoint:bbace3ac1c -> S:LI7:location -> LI7

Final semantic execution result

```
{"location_statement_status":"UNRESOLVED","primary_location_status":"UNRESOLVED"}
```

Blocking dependency

```
{"blocking_items":[{"landmark_class":"line.reference_line","node_id":"LM:S:LI7:location:52-67","node_type":"landmark","reason":"unsupported landmark disposition/class: geometry_or_surface/line.reference_line","source_raw":"line connecting","status":"UNRESOLVED"}],"downstream_stop_items":["RL:S:LI7:location:03:surface-landmark"],"first_unresolved_dependency":{"landmark_class":"line.reference_line","node_id":"LM:S:LI7:location:52-67","node_type":"landmark","reason":"unsupported landmark disposition/class: geometry_or_surface/line.reference_line","source_raw":"line connecting","status":"UNRESOLVED"},"upstream_resolved_dependencies":["RL:S:LI7:location:00:on-line","LM:S:LI7:location:68-71","LM:S:LI7:location:77-81","RL:S:LI7:location:01:relative-to","LM:S:LI7:location:102-126","RL:S:LI7:location:02:surface-landmark","LM:S:LI7:location:7-28","RL21:S:LI7:location:68-71:reference-acupoint:931d5b1cfd","LM21:S:LI7:location:68-71:1bff496df7","RL21:S:LI7:location:77-81:reference-acupoint:bbace3ac1c","LM21:S:LI7:location:77-81:245ea01482"]}
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

```
[ ] semantic decomposition correct
[ ] operator semantics correct
[ ] operand identity correct
[ ] dependency structure correct
[ ] unresolved/conditional handling correct
[ ] ACCEPT
[ ] REJECT
```

GB26 - UNRESOLVED

WHO primary Location

S:GB26:location: On the lateral abdomen, inferior to the free extremity of the 11th rib, at the same level as the centre of umbilicus.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:GB26:location:107-116	umbilicus	UNRESOLVED	atlas_name_resolution	{"kind":null}
LM:S:GB26:location:35-70	the free extremity of the 11th rib	UNRESOLVED	atlas_name_resolution	{"kind":null}
LM:S:GB26:location:40-54	free extremity	RESOLVED	composite_subfeature	{"kind":"entity_subfeature","modifier":"free","parent_landmark_id":"LM:S:GB26:location:35-70"}
LM:S:GB26:location:58-70	the 11th rib	RESOLVED	fma_mesh	{"fma_id":"FMA8499","kind":"fma_concept","part_ids":["FMA8499:part1","FMA8499:part2"]}
LM:S:GB26:location:7-22	lateral abdomen	RESOLVED	approved_surface_registry	{"geometry_hash":"912678a19ed1d94961027afd11c1d68"}
LM:S:GB26:location:93-116	the centre of umbilicus	UNRESOLVED	atlas_name_resolution	{"kind":null}
LM:S:GB26:location:97-103	centre	UNRESOLVED	explicit_unresolved_taxon	{"kind":null}
LM:S:GB26:note:1:103-189	the 11th rib that is situated immediately inferior to the costal arch	UNRESOLVED	directional_relation	{"kind":null}
LM:S:GB26:note:1:85-99	free extremity	UNRESOLVED	atlas_name_resolution	{"kind":null}
LM:S:GB26:note:2:27-32	LR13	RESOLVED	reference_acupoint	{"kind":"reference_acupoint","reference_point_id":"LR13"}
LM:S:GB26:note:2:55-58	CV8	RESOLVED	reference_acupoint	{"kind":"reference_acupoint","reference_point_id":"CV8"}

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:GB26:location:00:relative-to	UNRESOLVED	directional_relation	LM:S:GB26:location:35-70	argument landmark not uniquely executed
RL:S:GB26:location:01:same-level	UNRESOLVED	same_level_plane	LM:S:GB26:location:93-116	argument landmark not uniquely executed
RL:S:GB26:location:02:center-of	UNRESOLVED	entity_center	LM:S:GB26:location:107-116	argument landmark not uniquely executed
RL:S:GB26:location:03:surface-landmark	RESOLVED	surface_membership	LM:S:GB26:location:7-22	None
RL:S:GB26:note:2:00:relative-to	RESOLVED	directional_relation	LM:S:GB26:note:2:27-32	None
RL:S:GB26:note:2:01:same-level	RESOLVED	same_level_plane	LM:S:GB26:note:2:55-58	None
RL21:S:GB26:note:2:28-32:reference-acupoint:260f7e9589	RESOLVED	reference_dependency	LM:S:GB26:note:2:27-32	None
RL21:S:GB26:note:2:55-58:reference-acupoint:3e3fd2558d	RESOLVED	reference_dependency	LM:S:GB26:note:2:55-58	None

Dependency edges (projection of existing explicit IDs)

- LM:S:GB26:location:107-116 -> RL:S:GB26:location:02:center-of [operand_to_relation]
- LM:S:GB26:location:35-70 -> RL:S:GB26:location:00:relative-to [operand_to_relation]
- LM:S:GB26:location:7-22 -> RL:S:GB26:location:03:surface-landmark [operand_to_relation]
- LM:S:GB26:location:93-116 -> RL:S:GB26:location:01:same-level [operand_to_relation]
- LM:S:GB26:note:2:27-32 -> RL21:S:GB26:note:2:28-32:reference-acupoint:260f7e9589 [operand_to_relation]
- LM:S:GB26:note:2:27-32 -> RL:S:GB26:note:2:00:relative-to [operand_to_relation]
- LM:S:GB26:note:2:55-58 -> RL21:S:GB26:note:2:55-58:reference-acupoint:3e3fd2558d [operand_to_relation]
- LM:S:GB26:note:2:55-58 -> RL:S:GB26:note:2:01:same-level [operand_to_relation]
- RL21:S:GB26:note:2:28-32:reference-acupoint:260f7e9589 -> S:GB26:note:2 [relation_to_statement]
- RL21:S:GB26:note:2:55-58:reference-acupoint:3e3fd2558d -> S:GB26:note:2 [relation_to_statement]
- RL:S:GB26:location:03:surface-landmark -> S:GB26:location [relation_to_statement]
- RL:S:GB26:note:2:00:relative-to -> S:GB26:note:2 [relation_to_statement]
- RL:S:GB26:note:2:01:same-level -> S:GB26:note:2 [relation_to_statement]

S:GB26:location -> GB26 [statement_to_point]
S:GB26:note:1 -> GB26 [statement_to_point]
S:GB26:note:2 -> GB26 [statement_to_point]

Recorded data order

LM:S:GB26:location:107-116 -> LM:S:GB26:location:35-70 -> LM:S:GB26:location:40-54 -> LM:S:GB26:location:58-70 -> LM:S:GB26:location:7-22
-> LM:S:GB26:location:93-116 -> LM:S:GB26:location:97-103 -> LM:S:GB26:note:1:103-189 -> LM:S:GB26:note:1:85-99 ->
LM:S:GB26:note:2:27-32 -> LM:S:GB26:note:2:55-58 -> RL:S:GB26:location:00:relative-to -> RL:S:GB26:location:01:same-level ->
RL:S:GB26:location:02:center-of -> RL:S:GB26:location:03:surface-landmark -> RL:S:GB26:note:2:00:relative-to ->
RL:S:GB26:note:2:01:same-level -> RL21:S:GB26:note:2:28-32:reference-acupoint:260f7e9589 ->
RL21:S:GB26:note:2:55-58:reference-acupoint:3e3fd2558d -> S:GB26:location -> S:GB26:note:1 -> S:GB26:note:2 -> GB26

Final semantic execution result

```
{ "location_statement_status": "UNRESOLVED", "primary_location_status": "UNRESOLVED" }
```

Blocking dependency

```
{ "blocking_items": [ { "landmark_class": "structure.part", "node_id": "LM:S:GB26:location:35-70", "node_type": "landmark", "reason": "no unique atlas name match", "source_raw": " the free extremity of the 11th rib", "status": "UNRESOLVED" }, { "landmark_class": "orifice_or_cavity", "node_id": "LM:S:GB26:location:93-116", "node_type": "landmark", "reason": "no unique atlas name match", "source_raw": "the centre of umbilicus", "status": "UNRESOLVED" }, { "landmark_class": "orifice_or_cavity", "node_id": "LM:S:GB26:location:107-116", "node_type": "landmark", "reason": "no unique atlas name match", "source_raw": "umbilicus", "status": "UNRESOLVED" } ], "downstream_stop_items": [ "RL:S:GB26:location:00:relative-to", "RL:S:GB26:location:01:same-level", "RL:S:GB26:location:02:center-of", "first_unresolved_dependency": { "landmark_class": "structure.part", "node_id": "LM:S:GB26:location:35-70", "node_type": "landmark", "reason": "no unique atlas name match", "source_raw": " the free extremity of the 11th rib", "status": "UNRESOLVED" }, "upstream_resolved_dependencies": [ "RL:S:GB26:location:03:surface-landmark", "LM:S:GB26:location:7-22" ] }
```

Coordinates generated: 0 | Legacy C coordinate referenced: 0

```
[ ] semantic decomposition correct  
[ ] operator semantics correct  
[ ] operand identity correct  
[ ] dependency structure correct  
[ ] unresolved/conditional handling correct  
[ ] ACCEPT  
[ ] REJECT
```

ST2 - UNRESOLVED

WHO primary Location

S:ST2:location: On the face, in the infraorbital foramen.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:ST2:location:20-40	infraorbital foramen	UNRESOLVED	atlas_name_resolution	{"kind":null}
LM:S:ST2:location:7-11	face	RESOLVED	fma_mesh	{"fma_id":"FMA24728","kind":"fma_concept","part_ids":["FMA24728"]}

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:ST2:location:00:surface-landmark	UNRESOLVED	surface_membership	LM:S:ST2:location:20-40	argument landmark not uniquely executed
RL:S:ST2:location:01:surface-landmark	RESOLVED	surface_membership	LM:S:ST2:location:7-11	None

Dependency edges (projection of existing explicit IDs)

LM:S:ST2:location:20-40 -> RL:S:ST2:location:00:surface-landmark [operand_to_relation]
LM:S:ST2:location:7-11 -> RL:S:ST2:location:01:surface-landmark [operand_to_relation]
RL:S:ST2:location:01:surface-landmark -> S:ST2:location [relation_to_statement]
S:ST2:location -> ST2 [statement_to_point]

Recorded data order

LM:S:ST2:location:20-40 -> LM:S:ST2:location:7-11 -> RL:S:ST2:location:00:surface-landmark -> RL:S:ST2:location:01:surface-landmark -> S:ST2:location -> ST2

Final semantic execution result

{"location_statement_status":"UNRESOLVED","primary_location_status":"UNRESOLVED"}

Blocking dependency

{"blocking_items":[{"landmark_class":"bone.opening","node_id":"LM:S:ST2:location:20-40","node_type":"landmark","reason":"no unique atlas name match","source_raw":"infraorbital foramen","status":"UNRESOLVED"}],"downstream_stop_items":["RL:S:ST2:location:00:surface-landmark"],"first_unresolved_dependency":{"landmark_class":"bone.opening","node_id":"LM:S:ST2:location:20-40","node_type":"landmark","reason":"no unique atlas name match","source_raw":"infraorbital foramen","status":"UNRESOLVED"},"upstream_resolved_dependencies":["RL:S:ST2:location:01:surface-landmark","LM:S:ST2:location:7-11"]}

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- [] semantic decomposition correct
- [] operator semantics correct
- [] operand identity correct
- [] dependency structure correct
- [] unresolved/conditional handling correct
- [] ACCEPT
- [] REJECT

TE20 - UNRESOLVED

WHO primary Location

S:TE20:location: On the head, just superior to the auricular apex.

Semantic decomposition / operands

landmark ID	source	status	executor	identity
LM:S:TE20:location:29-48	the auricular apex	UNRESOLVED	atlas_name_resolution	{"kind":null}
LM:S:TE20:location:7-11	head	RESOLVED	fma_mesh	{"fma_id":"FMA7154","kind":"fma_concept","part_ids":["FMA7154"]}

Relation / operator chain

relation ID	status	operator	operand IDs	reason
RL:S:TE20:location:00:relative-to	UNRESOLVED	directional_relation	LM:S:TE20:location:29-48	argument landmark not uniquely executed
RL:S:TE20:location:01:surface-landmark	RESOLVED	surface_membership	LM:S:TE20:location:7-11	None

Conditions

{"branch_id":"branch_1","condition_id":"CD:S:TE20:note:1:00","condition_type":"body_position","executor":"condition_contract","reason":null,"source_span":{"char_end":29,"char_start":6,"condition_type":"body_position","role":null,"source_raw":"With the auricle folded"},"source_statement_id":"S:TE20:note:1","status":"RESOLVED"}

Dependency edges (projection of existing explicit IDs)

CD:S:TE20:note:1:00 -> S:TE20:note:1 [condition_to_statement]
LM:S:TE20:location:29-48 -> RL:S:TE20:location:00:relative-to [operand_to_relation]
LM:S:TE20:location:7-11 -> RL:S:TE20:location:01:surface-landmark [operand_to_relation]
RL:S:TE20:location:01:surface-landmark -> S:TE20:location [relation_to_statement]
S:TE20:location -> TE20 [statement_to_point]
S:TE20:note:1 -> TE20 [statement_to_point]

Recorded data order

LM:S:TE20:location:29-48 -> LM:S:TE20:location:7-11 -> CD:S:TE20:note:1:00 -> RL:S:TE20:location:00:relative-to -> RL:S:TE20:location:01:surface-landmark -> S:TE20:location -> S:TE20:note:1 -> TE20

Final semantic execution result

{"location_statement_status":"UNRESOLVED","primary_location_status":"UNRESOLVED"}

Blocking dependency

{"blocking_items":[{"landmark_class":"soft_tissue_feature","node_id":"LM:S:TE20:location:29-48","node_type":"landmark","reason":"no unique atlas name match","source_raw":" the auricular apex","status":"UNRESOLVED"}],"downstream_stop_items":["RL:S:TE20:location:00:relative-to"],"first_unresolved_dependency":{"landmark_class":"soft_tissue_feature","node_id":"LM:S:TE20:location:29-48","node_type":"landmark","reason":"no unique atlas name match","source_raw":" the auricular apex","status":"UNRESOLVED"},"upstream_resolved_dependencies":["RL:S:TE20:location:01:surface-landmark","LM:S:TE20:location:7-11"]}

Coordinates generated: 0 | Legacy C coordinate referenced: 0

- [] semantic decomposition correct
- [] operator semantics correct
- [] operand identity correct
- [] dependency structure correct
- [] unresolved/conditional handling correct
- [] ACCEPT
- [] REJECT