

C v3 Vertical Slice v1 - Stage 2 Semantic Repair Human Review

Repair validation: PASS | Human semantic audit: PENDING | Stage 3: NOT STARTED

LI18: RESOLVED -> UNRESOLVED

Defect family: composite_subfeature_collapse, modifier_dependency_loss

WHO source

location | S:LI18:location | page NOT_RECORDED_IN_B_V2_1 | On the anterior aspect of the neck, at the same level as the superior border of the thyroid cartilage, between the anterior and posterior borders of the sternocleidomas-toid muscle.

Semantic decomposition

LM:S:LI18:location:115-180:0f3e9745 | source=anterior and posterior borders of the sternocleidomas-toid muscle | class=muscle | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:LI18:location:128-180:9046d75e | source=posterior borders of the sternocleidomas-toid muscle | class=muscle | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:LI18:location:57-101 | source=the superior border of the thyroid cartilage | class=cartilage | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:LI18:location:61-76 | source=superior border | class=boundary.border | parent=LM:S:LI18:location:84-101 | child=superior border | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no approved executable construction rule for subfeature 'superior border'

LM:S:LI18:location:7-22 | source=anterior aspect | class=surface.aspect | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:LI18:location:84-101 | source=thyroid cartilage | class=cartilage | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

PARENT LM:S:LI18:location:84-101 thyroid cartilage status=RESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:LI18:location:61-76 superior border status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:LI18:location:00:between | op=between_constraint | semantic=['LM:S:LI18:location:115-180:0f3e9745', 'LM:S:LI18:location:128-180:9046d75e'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:LI18:location:01:same-level | op=same_level_plane | semantic=['LM:S:LI18:location:57-101'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:LI18:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:LI18:location:7-22'] | executable=['LM:S:LI18:location:7-22'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:LI18:location:7-22 -> RL:S:LI18:location:02:surface-landmark [executable_to_relation]

RL:S:LI18:location:02:surface-landmark -> S:LI18:location [relation_to_statement]

LM:S:LI18:location:84-101 -> LM:S:LI18:location:61-76 [parent_to_child_subfeature]

S:LI18:location -> LI18 [statement_to_point]

BEFORE / AFTER diff

BEFORE: {"conditions":[],"relations":[{"constraint":{"argument_node_ids":["LM:S:LI18:location:115-180:0f3e9745","LM:S:LI18:location:128-180:9046d75e"],"branch_id":null,"op":"between_constraint","source_statement_id":"S:LI18:location"},"executor":"between_constraint","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:LI18:location:57-101"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:LI18:location"},"executor":"same_level_plane","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:LI18:location:7-22"],"branch_id":null,"op":"surface_membership","source_statement_id":"S:LI18:location"},"executor":"surface_membership","status":"RESOLVED"}],"status":"RESOLVED"}

AFTER: {"conditions":[],"relations":[{"executable_argument_node_ids":[],"executor":"between_constraint","operand_binding_trace":[{"binding":"missing_executable_subfeature","candidate_child_ids":[],"semantic_operand_id":"LM:S:LI18:location:115-180:0f3e9745","source_subfeature_types":["anterior border"],"posterior border"}]},{"binding":"missing_executable_subfeature","candidate_child_ids":[],"semantic_operand_id":"LM:S:LI18:location:128-180:9046d75e","source_subfeature_types":["posterior border"]}],reason:"semantic composite has multiple child subfeatures and no unique executable operand","semantic_argument_node_ids":["LM:S:LI18:location:115-180:0f3e9745","LM:S:LI18:location:128-180:9046d75e"],"status":"UNRESOLVED"},{"executable_argument_node_ids":[],"executor":"same_level_plane","operand_binding_trace":[{"binding":"unresolved_subfeature_binding","candidate_child_ids":["LM:S:LI18:location:61-76"],"resolved_child_ids":[],"semantic_operand_id":"LM:S:LI18:location:57-101","source_subfeature_types":["superior border"]}],reason:"semantic composite has multiple child subfeatures and no unique executable operand","semantic_argument_node_ids":["LM:S:LI18:location:57-101"],"status":"UNRESOLVED"},{"constraint":{"argument_node_ids":["LM:S:LI18:location:7-22"],"branch_id":null,"executable_argument_node_ids":["LM:S:LI18:location:7-22"],"op":"surface_membership","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:LI18:location:7-22","semantic_operand_id":"LM:S:LI18:location:7-22"}],"semantic_argument_node_ids":["LM:S:LI18:location:7-22"],"source_statement_id":"S:LI18:location"},"executor":"surface_membership","status":"RESOLVED"}],"status":"UNRESOLVED"}

Coordinates generated: 0 | Legacy C coordinate references: 0

[] WHO source phrase

[] semantic granularity

[] child subfeature[] execution[] []
[] distinct subfeatures[] distinct executable identity[] []
[] relation operator[] [] operand[] []
[] condition state[] [] []
[] RESOLVED/UNRESOLVED [] []
[] ACCEPT
[] REJECT

ST10: RESOLVED -> UNRESOLVED

Defect family: composite_subfeature_collapse

WHO source

location | S:ST10:location | page NOT_RECORDED_IN_B_V2_1 | In the anterior region of the neck, at the same level as the cricoid cartilage, just anterior to the border of the sternocleido-mastoid muscle.

Semantic decomposition

LM:S:ST10:location:100-107 | source= border | class=boundary.border | parent=LM:S:ST10:location:111-142 | child= border | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no approved executable construction rule for subfeature 'border'

LM:S:ST10:location:111-142 | source=the sternocleido-mastoid muscle | class=muscle | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13407","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST10:location:57-78 | source=the cricoid cartilage | class=cartilage | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA9615","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST10:location:7-34 | source=anterior region of the neck | class=region.body_region | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"71f7a5ab627b3c93a9aceb574aadbdb27ca3577688316b7de105a5effa7840dc7","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:anterior_neck","subfeature_type":null} | reason=None

LM:S:ST10:location:96-142 | source= the border of the sternocleido-mastoid muscle | class=muscle | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

Composite binding view

PARENT LM:S:ST10:location:111-142 the sternocleido-mastoid muscle status=RESOLVED
identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13407","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:ST10:location:100-107 border status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:ST10:location:00:relative-to | op=directional_relation | semantic=['LM:S:ST10:location:96-142'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:ST10:location:01:same-level | op=same_level_plane | semantic=['LM:S:ST10:location:57-78'] | executable=['LM:S:ST10:location:57-78'] | dir=None | status=RESOLVED | reason=None

RL:S:ST10:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:ST10:location:7-34'] | executable=['LM:S:ST10:location:7-34'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:ST10:location:57-78 -> RL:S:ST10:location:01:same-level [executable_to_relation]
RL:S:ST10:location:01:same-level -> S:ST10:location [relation_to_statement]
LM:S:ST10:location:7-34 -> RL:S:ST10:location:02:surface-landmark [executable_to_relation]
RL:S:ST10:location:02:surface-landmark -> S:ST10:location [relation_to_statement]
LM:S:ST10:location:111-142 -> LM:S:ST10:location:100-107 [parent_to_child_subfeature]
S:ST10:location -> ST10 [statement_to_point]

BEFORE / AFTER diff

BEFORE: {"conditions":[],"relations":[{"constraint":{"argument_node_ids":["LM:S:ST10:location:96-142"],"branch_id":null,"direction":"anterior","op":"directional_relation","source_statement_id":"S:ST10:location"},"executor":"directional_relation","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:ST10:location:57-78"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:ST10:location"},"executor":"same_level_plane","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:ST10:location:7-34"],"branch_id":null,"op":"surface_membership","source_statement_id":"S:ST10:location"},"executor":"surface_membership","status":"RESOLVED"}],"status":"RESOLVED"}

AFTER: {"conditions":[],"relations":[{"executable_argument_node_ids":[],"executor":"directional_relation","operand_binding_trace":[{"binding":"unresolved_subfeature_binding","candidate_child_ids":["LM:S:ST10:location:100-107"],"resolved_child_ids":[],"semantic_operand_id":"LM:S:ST10:location:96-142","source_subfeature_types":["border"]}],"reason":"semantic composite has multiple child subfeatures and no unique executable operand","semantic_argument_node_ids":["LM:S:ST10:location:96-142"],"status":"UNRESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:ST10:location:57-78"],"branch_id":null,"executable_argument_node_ids":["LM:S:ST10:location:57-78"],"op":"same_level_plane","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:ST10:location:57-78"},"semantic_operand_id":"LM:S:ST10:location:57-78"}],"semantic_argument_node_ids":["LM:S:ST10:location:57-78"],"source_statement_id":"S:ST10:location"},"executor":"same_level_plane","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:ST10:location:7-34"],"branch_id":null,"executable_argument_node_ids":["LM:S:ST10:location:7-34"],"op":"surface_membership","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:ST10:location:7-34"},"semantic_operand_id":"LM:S:ST10:location:7-34"}],"semantic_argument_node_ids":["LM:S:ST10:location:7-34"],"source_statement_id":"S:ST10:location"},"executor":"surface_membership","status":"RESOLVED"}],"status":"UNRESOLVED"}

Coordinates generated: 0 | Legacy C coordinate references: 0

[] WHO source phrase 0000 0000
[] semantic granularity 0000
[] child subfeature 00 execution 0000
[] distinct subfeatures 0 distinct executable identity 00
[] relation operator 0000 operand 0000

[] condition state
[] RESOLVED/UNRESOLVED
[] ACCEPT
[] REJECT

LI17: RESOLVED -> UNRESOLVED

Defect family: composite_subfeature_collapse

WHO source

location | S:LI17:location | page NOT_RECORDED_IN_B_V2_1 | On the anterior aspect of the neck, at the same level as the cricoid cartilage, just posterior to the border of the sternocleidomastoid muscle.

note | S:LI17:note:1 | page NOT_RECORDED_IN_B_V2_1 | Note: Directly inferior to LI18, at the same level as St10.

Semantic decomposition

LM:S:LI17:location:101-108 | source= border | class=boundary.border | parent=LM:S:LI17:location:112-143 | child= border | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no approved executable construction rule for subfeature 'border'

LM:S:LI17:location:112-143 | source=the sternocleidomastoid muscle | class=muscle | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13407","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:LI17:location:57-78 | source=the cricoid cartilage | class=cartilage | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA9615","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:LI17:location:7-22 | source=anterior aspect | class=surface.aspect | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"71f7a5ab627b3c93a9aceb574aabbdb27ca3577688316b7de105a5effa7840dc7","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:anterior_neck","subfeature_type":null} | reason=None

LM:S:LI17:location:97-143 | source= the border of the sternocleidomastoid muscle | class=muscle | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:LI17:note:1:26-31 | source= LI18 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LI18","registry_id":null,"subfeature_type":null} | reason=None

LM:S:LI17:note:1:54-58 | source=St10 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"ST10","registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

PARENT LM:S:LI17:location:112-143 the sternocleidomastoid muscle status=RESOLVED
identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13407","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:LI17:location:101-108 border status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:LI17:location:00:relative-to | op=directional_relation | semantic=['LM:S:LI17:location:97-143'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:LI17:location:01:same-level | op=same_level_plane | semantic=['LM:S:LI17:location:57-78'] | executable=['LM:S:LI17:location:57-78'] | dir=None | status=RESOLVED | reason=None

RL:S:LI17:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:LI17:location:7-22'] | executable=['LM:S:LI17:location:7-22'] | dir=None | status=RESOLVED | reason=None

RL:S:LI17:note:1:00:relative-to | op=directional_relation | semantic=['LM:S:LI17:note:1:26-31'] | executable=['LM:S:LI17:note:1:26-31'] | dir=inferior | status=RESOLVED | reason=None

RL:S:LI17:note:1:01:same-level | op=same_level_plane | semantic=['LM:S:LI17:note:1:54-58'] | executable=['LM:S:LI17:note:1:54-58'] | dir=None | status=RESOLVED | reason=None

RL21:S:LI17:note:1:27-31:reference-acupoint:9ab9a5cce4 | op=reference_dependency | semantic=['LM:S:LI17:note:1:26-31'] | executable=['LM:S:LI17:note:1:26-31'] | dir=None | status=RESOLVED | reason=None

RL21:S:LI17:note:1:54-58:reference-acupoint:87e9101b1e | op=reference_dependency | semantic=['LM:S:LI17:note:1:54-58'] | executable=['LM:S:LI17:note:1:54-58'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:LI17:location:57-78 -> RL:S:LI17:location:01:same-level [executable_to_relation]

RL:S:LI17:location:01:same-level -> S:LI17:location [relation_to_statement]

LM:S:LI17:location:7-22 -> RL:S:LI17:location:02:surface-landmark [executable_to_relation]

RL:S:LI17:location:02:surface-landmark -> S:LI17:location [relation_to_statement]

LM:S:LI17:note:1:26-31 -> RL:S:LI17:note:1:00:relative-to [executable_to_relation]

RL:S:LI17:note:1:00:relative-to -> S:LI17:note:1 [relation_to_statement]

LM:S:LI17:note:1:54-58 -> RL:S:LI17:note:1:01:same-level [executable_to_relation]

RL:S:LI17:note:1:01:same-level -> S:LI17:note:1 [relation_to_statement]

LM:S:LI17:note:1:26-31 -> RL21:S:LI17:note:1:27-31:reference-acupoint:9ab9a5cce4 [executable_to_relation]

RL21:S:LI17:note:1:27-31:reference-acupoint:9ab9a5cce4 -> S:LI17:note:1 [relation_to_statement]

LM:S:LI17:note:1:54-58 -> RL21:S:LI17:note:1:54-58:reference-acupoint:87e9101b1e [executable_to_relation]

RL21:S:LI17:note:1:54-58:reference-acupoint:87e9101b1e -> S:LI17:note:1 [relation_to_statement]

LM:S:LI17:location:112-143 -> LM:S:LI17:location:101-108 [parent_to_child_subfeature]

S:LI17:location -> LI17 [statement_to_point]

S:LI17:note:1 -> LI17 [statement_to_point]

BEFORE / AFTER diff

BEFORE: {"conditions":[],"relations":[{"constraint":{"argument_node_ids":["LM:S:LI17:location:97-143"],"branch_id":null,"direction":"posterior","op":"directional_relation","source_statement_id":"S:LI17:location"},"executor":"directional_relation","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:location:57-78"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:LI17:location"},"executor":"same_level_plane","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:location:7-22"],"branch_id":null,"op":"surface_membership","source_statement_id":"S:LI17:location"},"executor":"surface_membership","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:note:1:26-31"],"branch_id":null,"direction":"inferior","op":"directional_relation","source_statement_id":"S:LI17:note:1"},"executor":"directional_relation","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:note:1:54-58"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:LI17:note:1"},"executor":"same_level_plane","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:note:1:26-31"],"branch_id":null,"op":"reference_dependency","source_statement_id":"S:LI17:note:1"},"executor":"reference_dependency","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:note:1:54-58"],"branch_id":null,"op":"reference_dependency","source_statement_id":"S:LI17:note:1"},"executor":"reference_dependency","status":"RESOLVED"}]}

AFTER: {"conditions":[],"relations":[{"executable_argument_node_ids":[],"executor":"directional_relation","operand_binding_trace":[{"binding":"unresolved_subfeature_binding","candidate_child_ids":["LM:S:LI17:location:101-108"],"resolved_child_ids":[],"semantic_operand_id":"LM:S:LI17:location:97-143","source_subfeature_types":["border"]}],"reason":"semantic composite has multiple child subfeatures and no unique executable operand","semantic_argument_node_ids":["LM:S:LI17:location:97-143"],"status":"UNRESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:location:57-78"],"branch_id":null,"executable_argument_node_ids":["LM:S:LI17:location:57-78"],"op":"same_level_plane","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:LI17:location:57-78","semantic_operand_id":"LM:S:LI17:location:57-78"},"semantic_argument_node_ids":["LM:S:LI17:location:57-78"],"source_statement_id":"S:LI17:location"},"executor":"same_level_plane","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:location:7-22"],"branch_id":null,"executable_argument_node_ids":["LM:S:LI17:location:7-22"],"op":"surface_membership","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:LI17:location:7-22","semantic_operand_id":"LM:S:LI17:location:7-22"},"semantic_argument_node_ids":["LM:S:LI17:location:7-22"],"source_statement_id":"S:LI17:location"},"executor":"surface_membership","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:note:1:26-31"],"branch_id":null,"direction":"inferior","executable_argument_node_ids":["LM:S:LI17:note:1:26-31"],"op":"directional_relation","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:LI17:note:1:26-31","semantic_operand_id":"LM:S:LI17:note:1:26-31"},"semantic_argument_node_ids":["LM:S:LI17:note:1:26-31"],"source_statement_id":"S:LI17:note:1"},"executor":"directional_relation","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:note:1:54-58"],"branch_id":null,"executable_argument_node_ids":["LM:S:LI17:note:1:54-58"],"op":"same_level_plane","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:LI17:note:1:54-58","semantic_operand_id":"LM:S:LI17:note:1:54-58"},"semantic_argument_node_ids":["LM:S:LI17:note:1:54-58"],"source_statement_id":"S:LI17:note:1"},"executor":"same_level_plane","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:note:1:26-31"],"branch_id":null,"executable_argument_node_ids":["LM:S:LI17:note:1:26-31"],"op":"reference_dependency","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:LI17:note:1:26-31","semantic_operand_id":"LM:S:LI17:note:1:26-31"},"semantic_argument_node_ids":["LM:S:LI17:note:1:26-31"],"source_statement_id":"S:LI17:note:1"},"executor":"reference_dependency","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:LI17:note:1:54-58"],"branch_id":null,"executable_argument_node_ids":["LM:S:LI17:note:1:54-58"],"op":"reference_dependency","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:LI17:note:1:54-58","semantic_operand_id":"LM:S:LI17:note:1:54-58"},"semantic_argument_node_ids":["LM:S:LI17:note:1:54-58"],"source_statement_id":"S:LI17:note:1"},"executor":"reference_dependency","status":"RESOLVED"}]}

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature
- [] distinct subfeatures
- [] distinct executable identity
- [] relation operator
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

BL17: RESOLVED -> UNRESOLVED

Defect family: modifier_dependency_loss

WHO source

location | S:BL17:location | page NOT_RECORDED_IN_B_V2_1 | In the upper back region, at the same level as the inferior border of the spinous process of the seventh thoracic vertebra (T7), 1.5 B-cun lateral to the posterior median line.

note | S:BL17:note:1 | page NOT_RECORDED_IN_B_V2_1 | Note: The inferior angle of the scapula is at the same level as the spinous process of the seventh thoracic vertebra.

Semantic decomposition

LM:S:BL17:location:149-175 | source= the posterior median line | class=line.anatomical_line | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"","62a4312f07e04de5ebb4791906ed7098bb7c85bea907953c59c8c92bec7d9f4d","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:posterior_median_line","subfeature_type":null} | reason=None

LM:S:BL17:location:47-127 | source=the inferior border of the spinous process of the seventh thoracic vertebra (T7) | class=bone.bone | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:BL17:location:51-66 | source=inferior border | class=boundary.border | parent=LM:S:BL17:location:70-127 | child=inferior border | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no approved executable construction rule for subfeature 'inferior border'

LM:S:BL17:location:7-24 | source=upper back region | class=region.body_region | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"","86974891de98cccd457e268703bc6a672fce4777ca5d0776994671dd7f004323","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:upper_back","subfeature_type":null} | reason=None

LM:S:BL17:location:70-127 | source=the spinous process of the seventh thoracic vertebra (T7) | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA9968","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:BL17:note:1:64-116 | source=the spinous process of the seventh thoracic vertebra | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA9968","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:BL17:note:1:75-83 | source= process | class=bone.process_or_prominence | parent=LM:S:BL17:note:1:87-116 | child= process | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=child subfeature type is absent or semantically non-atomic

LM:S:BL17:note:1:87-116 | source=the seventh thoracic vertebra | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA9968","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

PARENT LM:S:BL17:location:70-127 the spinous process of the seventh thoracic vertebra (T7) status=RESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA9968","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:BL17:location:51-66 inferior border status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

PARENT LM:S:BL17:note:1:87-116 the seventh thoracic vertebra status=RESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA9968","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:BL17:note:1:75-83 process status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:BL17:location:00:relative-to | op=directional_relation | semantic=['LM:S:BL17:location:149-175'] | executable=['LM:S:BL17:location:149-175'] | dir=lateral | status=RESOLVED | reason=None

RL:S:BL17:location:01:same-level | op=same_level_plane | semantic=['LM:S:BL17:location:47-127'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:BL17:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:BL17:location:7-24'] | executable=['LM:S:BL17:location:7-24'] | dir=None | status=RESOLVED | reason=None

RL:S:BL17:note:1:00:same-level | op=same_level_plane | semantic=['LM:S:BL17:note:1:64-116'] | executable=['LM:S:BL17:note:1:64-116'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:BL17:location:149-175 -> RL:S:BL17:location:00:relative-to [executable_to_relation]

RL:S:BL17:location:00:relative-to -> S:BL17:location [relation_to_statement]

LM:S:BL17:location:7-24 -> RL:S:BL17:location:02:surface-landmark [executable_to_relation]

RL:S:BL17:location:02:surface-landmark -> S:BL17:location [relation_to_statement]

LM:S:BL17:note:1:64-116 -> RL:S:BL17:note:1:00:same-level [executable_to_relation]

RL:S:BL17:note:1:00:same-level -> S:BL17:note:1 [relation_to_statement]

LM:S:BL17:location:70-127 -> LM:S:BL17:location:51-66 [parent_to_child_subfeature]

LM:S:BL17:note:1:87-116 -> LM:S:BL17:note:1:75-83 [parent_to_child_subfeature]

S:BL17:location -> BL17 [statement_to_point]

S:BL17:note:1 -> BL17 [statement_to_point]

BEFORE / AFTER diff

BEFORE: {"conditions":[],"relations":[{"constraint":{"argument_node_ids":["LM:S:BL17:location:149-175"],"branch_id":null,"direction":"lateral","op":"directional_relation","source_statement_id":"S:BL17:location"},"executor":"directional_relation","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL17:location:47-127"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:BL17:location"},"executor":"same_level_plane","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL17:location:7-24"],"branch_id":null,"op":"surface_membership","source_statement_id":"S:BL17:location"},"executor":"surface_membership","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL17:note:1:64-116"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:BL17:note:1"},"executor":"same_level_plane","status":"RESOLVED"}],"status":"RESOLVED"}

AFTER: {"conditions":[],"relations":[{"constraint":{"argument_node_ids":["LM:S:BL17:location:149-175"],"branch_id":null,"direction":"lateral","executable_argument_node_ids":["LM:S:BL17:location:149-175"],"op":"directional_relation","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:BL17:location:149-175"},"semantic_operand_id":"LM:S:BL17:location:149-175"],"source_statement_id":"S:BL17:location"},"executor":"directional_relation","status":"RESOLVED"}, {"executable_argument_node_ids":[],"executor":"same_level_plane","operand_binding_trace":[{"binding":"unresolved_subfeature_binding","candidate_child_ids":["LM:S:BL17:location:51-66"],"resolved_child_ids":[],"semantic_operand_id":"LM:S:BL17:location:47-127","source_subfeature_types":["inferior border"]}], "reason":"semantic composite has multiple child subfeatures and no unique executable operand","semantic_argument_node_ids":["LM:S:BL17:location:47-127"],"status":"UNRESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL17:location:7-24"],"branch_id":null,"executable_argument_node_ids":["LM:S:BL17:location:7-24"],"op":"surface_membership","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:BL17:location:7-24"},"semantic_operand_id":"LM:S:BL17:location:7-24"],"semantic_argument_node_ids":["LM:S:BL17:location:7-24"],"source_statement_id":"S:BL17:location"},"executor":"surface_membership","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL17:note:1:64-116"],"branch_id":null,"executable_argument_node_ids":["LM:S:BL17:note:1:64-116"],"op":"same_level_plane","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:BL17:note:1:64-116"},"semantic_operand_id":"LM:S:BL17:note:1:64-116"],"semantic_argument_node_ids":["LM:S:BL17:note:1:64-116"],"source_statement_id":"S:BL17:note:1"},"executor":"same_level_plane","status":"RESOLVED"}],"status":"UNRESOLVED"}

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature
- [] distinct subfeatures
- [] distinct executable identity
- [] relation operator
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

BL23: RESOLVED -> UNRESOLVED

Defect family: modifier_dependency_loss

WHO source

location | S:BL23:location | page NOT_RECORDED_IN_B_V2_1 | In the lumbar region, at the same level as the inferior border of the spinous process of the second lumbar vertebra (L2), 1.5 B-cun lateral to the posterior median line.

Semantic decomposition

LM:S:BL23:location:142-168 | source= the posterior median line | class=line.anatomical_line | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"62a4312f07e04de5ebb4791906ed7098bb7c85bea907953c59c8c92bec7d9f4d","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:posterior_median_line","subfeature_type":null} | reason=None

LM:S:BL23:location:43-120 | source=the inferior border of the spinous process of the second lumbar vertebra (L2) | class=bone.bone | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:BL23:location:47-62 | source=inferior border | class=boundary.border | parent=LM:S:BL23:location:66-120 | child=inferior border | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no approved executable construction rule for subfeature 'inferior border'

LM:S:BL23:location:66-120 | source=the spinous process of the second lumbar vertebra (L2) | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13073","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:BL23:location:7-20 | source=lumbar region | class=region.body_region | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"ef7e2ce29e7bdfb2606e98c7c2254ff2a0c99337bcf65192272b78f367ce7244","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:lumbar_region","subfeature_type":null} | reason=None

Composite binding view

PARENT LM:S:BL23:location:66-120 the spinous process of the second lumbar vertebra (L2) status=RESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13073","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:BL23:location:47-62 inferior border status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:BL23:location:00:relative-to | op=directional_relation | semantic=['LM:S:BL23:location:142-168'] | executable=['LM:S:BL23:location:142-168'] | dir=lateral | status=RESOLVED | reason=None

RL:S:BL23:location:01:same-level | op=same_level_plane | semantic=['LM:S:BL23:location:43-120'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:BL23:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:BL23:location:7-20'] | executable=['LM:S:BL23:location:7-20'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:BL23:location:142-168 -> RL:S:BL23:location:00:relative-to [executable_to_relation]
RL:S:BL23:location:00:relative-to -> S:BL23:location [relation_to_statement]
LM:S:BL23:location:7-20 -> RL:S:BL23:location:02:surface-landmark [executable_to_relation]
RL:S:BL23:location:02:surface-landmark -> S:BL23:location [relation_to_statement]
LM:S:BL23:location:66-120 -> LM:S:BL23:location:47-62 [parent_to_child_subfeature]
S:BL23:location -> BL23 [statement_to_point]

BEFORE / AFTER diff

BEFORE: {"conditions":[],"relations":[{"constraint":{"argument_node_ids":["LM:S:BL23:location:142-168"],"branch_id":null,"direction":"lateral","op":"directional_relation","source_statement_id":"S:BL23:location"},"executor":"directional_relation","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL23:location:43-120"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:BL23:location"},"executor":"same_level_plane","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL23:location:7-20"],"branch_id":null,"op":"surface_membership","source_statement_id":"S:BL23:location"},"executor":"surface_membership","status":"RESOLVED"}],"status":"RESOLVED"}

AFTER: {"conditions":[],"relations":[{"constraint":{"argument_node_ids":["LM:S:BL23:location:142-168"],"branch_id":null,"direction":"lateral","executable_argument_node_ids":["LM:S:BL23:location:142-168"],"op":"directional_relation","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:BL23:location:142-168","semantic_operand_id":"LM:S:BL23:location:142-168"}],"semantic_argument_node_ids":["LM:S:BL23:location:142-168"],"source_statement_id":"S:BL23:location"},"executor":"directional_relation","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL23:location:7-20"],"branch_id":null,"op":"surface_membership","executable_argument_node_ids":["LM:S:BL23:location:7-20"],"semantic_operand_id":"LM:S:BL23:location:7-20"},"executor":"surface_membership","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL23:location:43-120"],"branch_id":null,"op":"same_level_plane","executable_argument_node_ids":["LM:S:BL23:location:43-120"],"semantic_operand_id":"LM:S:BL23:location:43-120"},"executor":"same_level_plane","status":"UNRESOLVED"}],"status":"UNRESOLVED"}]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature execution
- [] distinct subfeatures distinct executable identity

[] relation operator 关系运算符 operand 操作数
[] condition state 条件状态
[] RESOLVED/UNRESOLVED 已解决/未解决
[] ACCEPT
[] REJECT

BL25: RESOLVED -> UNRESOLVED

Defect family: modifier_dependency_loss

WHO source

location | S:BL25:location | page NOT_RECORDED_IN_B_V2_1 | In the lumbar region, at the same level as the inferior border of the spinous process of the fourth lumbar vertebra (L4), 1.5 B-cun lateral to the posterior median line.

Semantic decomposition

LM:S:BL25:location:142-168 | source= the posterior median line | class=line.anatomical_line | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"62a4312f07e04de5ebb4791906ed7098bb7c85bea907953c59c8c92bec7d9f4d","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:posterior_median_line","subfeature_type":null} | reason=None

LM:S:BL25:location:43-120 | source=the inferior border of the spinous process of the fourth lumbar vertebra (L4) | class=bone.bone | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:BL25:location:47-62 | source=inferior border | class=boundary.border | parent=LM:S:BL25:location:66-120 | child=inferior border | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no approved executable construction rule for subfeature 'inferior border'

LM:S:BL25:location:66-120 | source=the spinous process of the fourth lumbar vertebra (L4) | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13075","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:BL25:location:7-20 | source=lumbar region | class=region.body_region | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"ef7e2ce29e7bdfb2606e98c7c2254ff2a0c99337bcf65192272b78f367ce7244","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:lumbar_region","subfeature_type":null} | reason=None

Composite binding view

PARENT LM:S:BL25:location:66-120 the spinous process of the fourth lumbar vertebra (L4) status=RESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13075","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:BL25:location:47-62 inferior border status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:BL25:location:00:relative-to | op=directional_relation | semantic=['LM:S:BL25:location:142-168'] | executable=['LM:S:BL25:location:142-168'] | dir=lateral | status=RESOLVED | reason=None

RL:S:BL25:location:01:same-level | op=same_level_plane | semantic=['LM:S:BL25:location:43-120'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:BL25:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:BL25:location:7-20'] | executable=['LM:S:BL25:location:7-20'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:BL25:location:142-168 -> RL:S:BL25:location:00:relative-to [executable_to_relation]
RL:S:BL25:location:00:relative-to -> S:BL25:location [relation_to_statement]
LM:S:BL25:location:7-20 -> RL:S:BL25:location:02:surface-landmark [executable_to_relation]
RL:S:BL25:location:02:surface-landmark -> S:BL25:location [relation_to_statement]
LM:S:BL25:location:66-120 -> LM:S:BL25:location:47-62 [parent_to_child_subfeature]
S:BL25:location -> BL25 [statement_to_point]

BEFORE / AFTER diff

BEFORE: {"conditions":[],"relations":[{"constraint":{"argument_node_ids":["LM:S:BL25:location:142-168"],"branch_id":null,"direction":"lateral","op":"directional_relation","source_statement_id":"S:BL25:location"},"executor":"directional_relation","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL25:location:43-120"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:BL25:location"},"executor":"same_level_plane","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL25:location:7-20"],"branch_id":null,"op":"surface_membership","source_statement_id":"S:BL25:location"},"executor":"surface_membership","status":"RESOLVED"}],"status":"RESOLVED"}

AFTER: {"conditions":[],"relations":[{"constraint":{"argument_node_ids":["LM:S:BL25:location:142-168"],"branch_id":null,"direction":"lateral","executable_argument_node_ids":["LM:S:BL25:location:142-168"],"op":"directional_relation","operand_binding_trace":["binding":"identity","executable_operand_id":"LM:S:BL25:location:142-168","semantic_operand_id":"LM:S:BL25:location:142-168"],"semantic_argument_node_ids":["LM:S:BL25:location:142-168"],"source_statement_id":"S:BL25:location"},"executor":"directional_relation","status":"RESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL25:location:43-120"],"branch_id":null,"op":"same_level_plane","executable_argument_node_ids":["LM:S:BL25:location:43-120"],"semantic_operand_id":"LM:S:BL25:location:43-120","semantic_argument_node_ids":["LM:S:BL25:location:43-120"],"source_statement_id":"S:BL25:location"},"executor":"same_level_plane","status":"UNRESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:BL25:location:7-20"],"branch_id":null,"op":"surface_membership","executable_argument_node_ids":["LM:S:BL25:location:7-20"],"semantic_operand_id":"LM:S:BL25:location:7-20","semantic_argument_node_ids":["LM:S:BL25:location:7-20"],"source_statement_id":"S:BL25:location"},"executor":"surface_membership","status":"RESOLVED"}],"status":"UNRESOLVED"}

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature execution
- [] distinct subfeatures distinct executable identity

[] relation operator 关系运算符 operand 操作数
[] condition state 条件状态
[] RESOLVED/UNRESOLVED 已解决/未解决
[] ACCEPT
[] REJECT

ST9: RESOLVED -> UNRESOLVED

Defect family: modifier_dependency_loss

WHO source

location | S:ST9:location | page NOT_RECORDED_IN_B_V2_1 | In the anterior region of the neck, at the same level as the superior border of the thyroid cartilage, anterior to the sterno-cleidomastoid muscle, over the common carotid artery.

note | S:ST9:note:1 | page NOT_RECORDED_IN_B_V2_1 | Note 1: The sternocleidomastoid muscle is more distinct when the head is turned to the opposite side against resistance.

note | S:ST9:note:2 | page NOT_RECORDED_IN_B_V2_1 | Note 2: ST9 is located at the same level as LI18, SI16 and the superior border of the thyroid cartilage. St9 is located anterior to the sternocleidomastoid muscle, and SI16, posterior to the sternocleidomastoid muscle and LI18, between the anterior and pos-terior borders of the sternocleidomastoid muscle.

Semantic decomposition

LM:S:ST9:location:114-146 | source= the sterno-cleidomastoid muscle | class=muscle | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13407","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST9:location:157-178 | source=common carotid artery | class=vessel | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA3939","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST9:location:57-101 | source=the superior border of the thyroid cartilage | class=cartilage | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:ST9:location:61-76 | source=superior border | class=boundary.border | parent=LM:S:ST9:location:84-101 | child=superior border | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no approved executable construction rule for subfeature 'superior border'

LM:S:ST9:location:7-34 | source=anterior region of the neck | class=region.body_region | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"71f7a5ab627b3c93a9aceb574aabdb27ca3577688316b7de105a5effa7840dc7","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:anterior_neck","subfeature_type":null} | reason=None

LM:S:ST9:location:84-101 | source=thyroid cartilage | class=cartilage | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA55099","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST9:note:2:131-162 | source= the sternocleidomastoid muscle | class=muscle | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13407","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST9:note:2:186-226 | source= the sternocleidomastoid muscle and LI18 | class=muscle | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA13407","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST9:note:2:240-305:6f7a364e | source=anterior and pos-terior borders of the sternocleidomastoid muscle | class=muscle | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:ST9:note:2:253-305:a442a1a4 | source=pos-terior borders of the sternocleidomastoid muscle | class=muscle | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:ST9:note:2:44-48 | source=LI18 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LI18","registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST9:note:2:63-78 | source=superior border | class=boundary.border | parent=LM:S:ST9:note:2:82-103 | child=superior border | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no approved executable construction rule for subfeature 'superior border'

LM:S:ST9:note:2:82-103 | source=the thyroid cartilage | class=cartilage | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA55099","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM21:S:ST9:note:2:50-54:6775aaafef | source=SI16 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"SI16","registry_id":null,"subfeature_type":null} | reason=None

LM21:S:ST9:note:2:168-172:6775aaafef | source=SI16 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"SI16","registry_id":null,"subfeature_type":null} | reason=None

LM21:S:ST9:note:2:222-226:34574dfae8 | source=LI18 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LI18","registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

PARENT LM:S:ST9:location:84-101 thyroid cartilage status=RESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id": "FMA55099","geometry_hash":null,"kind": "fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:ST9:location:61-76 superior border status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id": null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

PARENT LM:S:ST9:note:2:82-103 the thyroid cartilage status=RESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id": "FMA55099","geometry_hash":null,"kind": "fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:ST9:note:2:63-78 superior border status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id": null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:ST9:location:00:relative-to | op=directional_relation | semantic=['LM:S:ST9:location:114-146'] | executable=['LM:S:ST9:location:114-146'] | dir=anterior | status=RESOLVED | reason=None

RL:S:ST9:location:01:same-level | op=same_level_plane | semantic=['LM:S:ST9:location:57-101'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:ST9:location:02:overlies | op=overlies_projection | semantic=['LM:S:ST9:location:157-178'] | executable=['LM:S:ST9:location:157-178'] | dir=None | status=RESOLVED | reason=None

RL:S:ST9:location:03:surface-landmark | op=surface_membership | semantic=['LM:S:ST9:location:7-34'] | executable=['LM:S:ST9:location:7-34'] | dir=None | status=RESOLVED | reason=None

RL:S:ST9:note:2:00:between | op=between_constraint | semantic=['LM:S:ST9:note:2:240-305:6f7a364e', 'LM:S:ST9:note:2:253-305:a442a1a4'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:ST9:note:2:01:relative-to | op=directional_relation | semantic=['LM:S:ST9:note:2:131-162'] | executable=['LM:S:ST9:note:2:131-162'] | dir=anterior | status=RESOLVED | reason=None

RL:S:ST9:note:2:02:relative-to | op=directional_relation | semantic=['LM:S:ST9:note:2:186-226'] | executable=['LM:S:ST9:note:2:186-226'] | dir=posterior | status=RESOLVED | reason=None

RL:S:ST9:note:2:03:same-level | op=same_level_plane | semantic=['LM:S:ST9:note:2:44-48'] | executable=['LM:S:ST9:note:2:44-48'] | dir=None | status=RESOLVED | reason=None

RL21:S:ST9:note:2:44-48:reference-acupoint:dfa4bc85d2 | op=reference_dependency | semantic=['LM:S:ST9:note:2:44-48'] | executable=['LM:S:ST9:note:2:44-48'] | dir=None | status=RESOLVED | reason=None

RL21:S:ST9:note:2:50-54:reference-acupoint:cf7c9e057c | op=reference_dependency | semantic=['LM21:S:ST9:note:2:50-54:6775aaafeb'] | executable=['LM21:S:ST9:note:2:50-54:6775aaafeb'] | dir=None | status=RESOLVED | reason=None

RL21:S:ST9:note:2:168-172:reference-acupoint:a3b2f0d073 | op=reference_dependency | semantic=['LM21:S:ST9:note:2:168-172:6775aaafeb'] | executable=['LM21:S:ST9:note:2:168-172:6775aaafeb'] | dir=None | status=RESOLVED | reason=None

RL21:S:ST9:note:2:222-226:reference-acupoint:01273086b9 | op=reference_dependency | semantic=['LM21:S:ST9:note:2:222-226:34574dfae8'] | executable=['LM21:S:ST9:note:2:222-226:34574dfae8'] | dir=None | status=RESOLVED | reason=None

Conditions

{"condition_id": "CD:S:ST9:note:1:00","condition_type": "body_position","default_pose_compatible": false,"reason": "condition requires pose incompatible with default BodyParts3D pose","repaired_status": "CONDITIONAL","source_raw": "when the head is turned to the opposite side against resistance","source_statement_id": "S:ST9:note:1"}

{"condition_id": "CD:S:ST9:note:1:01","condition_type": "palpation_dependent","default_pose_compatible": null,"reason": "condition preserved as non-executed conditional branch","repaired_status": "CONDITIONAL","source_raw": "more distinct when the head is turned to the opposite side against resistance","source_statement_id": "S:ST9:note:1"}

Dependency graph edge list

LM:S:ST9:location:114-146 -> RL:S:ST9:location:00:relative-to [executable_to_relation]

RL:S:ST9:location:00:relative-to -> S:ST9:location [relation_to_statement]

LM:S:ST9:location:157-178 -> RL:S:ST9:location:02:overlies [executable_to_relation]

RL:S:ST9:location:02:overlies -> S:ST9:location [relation_to_statement]

LM:S:ST9:location:7-34 -> RL:S:ST9:location:03:surface-landmark [executable_to_relation]

RL:S:ST9:location:03:surface-landmark -> S:ST9:location [relation_to_statement]

LM:S:ST9:note:2:131-162 -> RL:S:ST9:note:2:01:relative-to [executable_to_relation]

RL:S:ST9:note:2:01:relative-to -> S:ST9:note:2 [relation_to_statement]

LM:S:ST9:note:2:186-226 -> RL:S:ST9:note:2:02:relative-to [executable_to_relation]

RL:S:ST9:note:2:02:relative-to -> S:ST9:note:2 [relation_to_statement]

LM:S:ST9:note:2:44-48 -> RL:S:ST9:note:2:03:same-level [executable_to_relation]

RL:S:ST9:note:2:03:same-level -> S:ST9:note:2 [relation_to_statement]

LM:S:ST9:note:2:44-48 -> RL21:S:ST9:note:2:44-48:reference-acupoint:dfa4bc85d2 [executable_to_relation]

RL21:S:ST9:note:2:44-48:reference-acupoint:dfa4bc85d2 -> S:ST9:note:2 [relation_to_statement]

LM21:S:ST9:note:2:50-54:6775aaafeb -> RL21:S:ST9:note:2:50-54:reference-acupoint:cf7c9e057c [executable_to_relation]

RL21:S:ST9:note:2:50-54:reference-acupoint:cf7c9e057c -> S:ST9:note:2 [relation_to_statement]

LM21:S:ST9:note:2:168-172:6775aaafeb -> RL21:S:ST9:note:2:168-172:reference-acupoint:a3b2f0d073 [executable_to_relation]

RL21:S:ST9:note:2:168-172:reference-acupoint:a3b2f0d073 -> S:ST9:note:2 [relation_to_statement]

LM21:S:ST9:note:2:222-226:34574dfae8 -> RL21:S:ST9:note:2:222-226:reference-acupoint:01273086b9 [executable_to_relation]

RL21:S:ST9:note:2:222-226:reference-acupoint:01273086b9 -> S:ST9:note:2 [relation_to_statement]

LM:S:ST9:location:84-101 -> LM:S:ST9:location:61-76 [parent_to_child_subfeature]

LM:S:ST9:note:2:82-103 -> LM:S:ST9:note:2:63-78 [parent_to_child_subfeature]

S:ST9:location -> ST9 [statement_to_point]

S:ST9:note:1 -> ST9 [statement_to_point]

S:ST9:note:2 -> ST9 [statement_to_point]

BEFORE / AFTER diff

BEFORE: {"conditions":[{"branch_id":"branch_1","condition_type":"body_position","executor":"condition_contract","reason":"condition requires pose incompatible with default BodyParts3D pose","status":"CONDITIONAL"},{"branch_id":"branch_2","condition_type":"palpation_dependent","executor":"condition_contract","reason":"branch preserved; not forced into default-pose primary computation","status":"CONDITIONAL"}],"relations":[{"constraint":{"argument_node_ids":["LM:S:ST9:location:114-146"],"branch_id":null,"direction":"anterior","op":"directional_relation","source_statement_id":"S:ST9:location"},"executor":"directional_relation","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:location:57-101"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:ST9:location"},"executor":"same_level_plane","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:location:157-178"],"branch_id":null,"op":"overlies_projection","source_statement_id":"S:ST9:location"},"executor":"overlies_projection","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:location:7-34"],"branch_id":null,"op":"surface_membership","source_statement_id":"S:ST9:location"},"executor":"surface_membership","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:note:2:240-305:6f7a364e","LM:S:ST9:note:2:253-305:a442a1a4"],"branch_id":null,"op":"between_constraint","source_statement_id":"S:ST9:note:2"},"executor":"between_constraint","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:note:2:131-162"],"branch_id":null,"direction":"anterior","op":"directional_relation","source_statement_id":"S:ST9:note:2"},"executor":"directional_relation","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:note:2:186-226"],"branch_id":null,"direction":"posterior","op":"directional_relation","source_statement_id":"S:ST9:note:2"},"executor":"directional_relation","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:note:2:44-48"],"branch_id":null,"op":"same_level_plane","source_statement_id":"S:ST9:note:2"},"executor":"same_level_plane","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:note:2:44-48"],"branch_id":null,"op":"reference_dependency","source_statement_id":"S:ST9:note:2"},"executor":"reference_dependency","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM21:S:ST9:note:2:50-54:6775aaafeb"],"branch_id":null,"op":"reference_dependency","source_statement_id":"S:ST9:note:2"},"executor":"reference_dependency","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM21:S:ST9:note:2:168-172:6775aaafeb"],"branch_id":null,"op":"reference_dependency","source_statement_id":"S:ST9:note:2"},"executor":"reference_dependency","status":"RESOLVE D"},"constraint":{"argument_node_ids":["LM21:S:ST9:note:2:222-226:34574dfae8"],"branch_id":null,"op":"reference_dependency","source_statement_id":"S:ST9:note:2"},"executor":"reference_dependency","status":"RESOLVED"}]

AFTER: {"conditions":[{"branch_id":"branch_1","condition_type":"body_position","default_pose_compatible":false,"executor":"condition_contract","reason":"condition requires pose incompatible with default BodyParts3D pose","status":"CONDITIONAL"},{"branch_id":"branch_2","condition_type":"palpation_dependent","default_pose_compatible":null,"executor":"condition_contract","reason":"condition preserved as non-executed conditional branch","status":"CONDITIONAL"}],"relations":[{"constraint":{"argument_node_ids":["LM:S:ST9:location:114-146"],"branch_id":null,"direction":"anterior","executable_argument_node_ids":["LM:S:ST9:location:114-146"],"op":"directional_relation","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:ST9:location:114-146","semantic_operand_id":"LM:S:ST9:location:114-146"}],"semantic_argument_node_ids":["LM:S:ST9:location:114-146"],"source_statement_id":"S:ST9:location"},"executor":"directional_relation","status":"RESOLVED"},{"executable_argument_node_ids":["LM:S:ST9:location:114-146"],"executor":"same_level_plane","operand_binding_trace":[{"binding":"unresolved_subfeature_binding","candidate_child_ids":["LM:S:ST9:location:61-76"],"resolved_child_ids":["LM:S:ST9:location:114-146"],"semantic_operand_id":"LM:S:ST9:location:57-101","source_subfeature_types":["superior border"]},"reason":"semantic composite has multiple child subfeatures and no unique executable operand","semantic_argument_node_ids":["LM:S:ST9:location:57-101"],"status":"UNRESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:location:157-178"],"branch_id":null,"executable_argument_node_ids":["LM:S:ST9:location:157-178"],"op":"overlies_projection","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:ST9:location:157-178","semantic_operand_id":"LM:S:ST9:location:157-178"}],"semantic_argument_node_ids":["LM:S:ST9:location:157-178"],"source_statement_id":"S:ST9:location"},"executor":"overlies_projection","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:location:7-34"],"branch_id":null,"executable_argument_node_ids":["LM:S:ST9:location:7-34"],"op":"surface_membership","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:ST9:location:7-34","semantic_operand_id":"LM:S:ST9:location:7-34"}],"semantic_argument_node_ids":["LM:S:ST9:location:7-34"],"source_statement_id":"S:ST9:location"},"executor":"surface_membership","status":"RESOLVED"},{"executable_argument_node_ids":["LM:S:ST9:location:7-34"],"executor":"between_constraint","operand_binding_trace":[{"binding":"missing_executable_subfeature","candidate_child_ids":["LM:S:ST9:location:57-101"],"semantic_operand_id":"LM:S:ST9:location:57-101","source_subfeature_types":["anterior border","posterior border"]},"binding":"missing_executable_subfeature","candidate_child_ids":["LM:S:ST9:location:57-101"],"semantic_operand_id":"LM:S:ST9:location:57-101","source_subfeature_types":["anterior border","posterior border"]},"reason":"semantic composite has multiple child subfeatures and no unique executable operand","semantic_argument_node_ids":["LM:S:ST9:location:57-101"],"status":"UNRESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:note:2:131-162"],"branch_id":null,"direction":"anterior","executable_argument_node_ids":["LM:S:ST9:note:2:131-162"],"op":"directional_relation","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:ST9:note:2:131-162","semantic_operand_id":"LM:S:ST9:note:2:131-162"}],"semantic_argument_node_ids":["LM:S:ST9:note:2:131-162"],"source_statement_id":"S:ST9:note:2"},"executor":"directional_relation","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:note:2:186-226"],"branch_id":null,"direction":"posterior","executable_argument_node_ids":["LM:S:ST9:note:2:186-226"],"op":"directional_relation","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:ST9:note:2:186-226","semantic_operand_id":"LM:S:ST9:note:2:186-226"}],"semantic_argument_node_ids":["LM:S:ST9:note:2:186-226"],"source_statement_id":"S:ST9:note:2"},"executor":"directional_relation","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:note:2:44-48"],"branch_id":null,"executable_argument_node_ids":["LM:S:ST9:note:2:44-48"],"op":"same_level_plane","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:ST9:note:2:44-48","semantic_operand_id":"LM:S:ST9:note:2:44-48"}],"semantic_argument_node_ids":["LM:S:ST9:note:2:44-48"],"source_statement_id":"S:ST9:note:2"},"executor":"same_level_plane","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM:S:ST9:note:2:44-48"],"branch_id":null,"executable_argument_node_ids":["LM:S:ST9:note:2:44-48"],"op":"reference_dependency","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:ST9:note:2:44-48","semantic_operand_id":"LM:S:ST9:note:2:44-48"}],"semantic_argument_node_ids":["LM:S:ST9:note:2:44-48"],"source_statement_id":"S:ST9:note:2"},"executor":"reference_dependency","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM21:S:ST9:note:2:50-54:6775aaafeb"],"branch_id":null,"executable_argument_node_ids":["LM21:S:ST9:note:2:50-54:6775aaafeb"],"op":"reference_dependency","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM21:S:ST9:note:2:50-54:6775aaafeb"],"semantic_argument_node_ids":["LM21:S:ST9:note:2:50-54:6775aaafeb"],"source_statement_id":"S:ST9:note:2"},"executor":"reference_dependency","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM21:S:ST9:note:2:168-172:6775aaafeb"],"branch_id":null,"executable_argument_node_ids":["LM21:S:ST9:note:2:168-172:6775aaafeb"],"op":"reference_dependency","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM21:S:ST9:note:2:168-172:6775aaafeb"],"semantic_argument_node_ids":["LM21:S:ST9:note:2:168-172:6775aaafeb"],"source_statement_id":"S:ST9:note:2"},"executor":"reference_dependency","status":"RESOLVED"},{"constraint":{"argument_node_ids":["LM21:S:ST9:note:2:222-226:34574dfae8"],"branch_id":null,"executable_argument_node_ids":["LM21:S:ST9:note:2:222-226:34574dfae8"],"op":"reference_dependency","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM21:S:ST9:note:2:222-226:34574dfae8","semantic_operand_id":"LM21:S:ST9:note:2:222-226:34574dfae8"}],"semantic_argument_node_ids":["LM21:S:ST9:note:2:222-226:34574dfae8"],"source_statement_id":"S:ST9:note:2"},"executor":"reference_dependency","status":"RESOLVED"}],"status":"UNRESOLVED"}]

Coordinates generated: 0 | Legacy C coordinate references: 0

[] WHO source phrase 0000 0000

[] semantic granularity 0000

[] child subfeature 00 execution 0000

[] distinct subfeatures 00 distinct executable identity 00

[] relation operator 0000 operand 0000

[] condition state 0000 0000

[] RESOLVED/UNRESOLVED 0000 0000

[] ACCEPT

[] REJECT

TE20: UNRESOLVED -> UNRESOLVED

Defect family: condition_semantics_loss

WHO source

location | S:TE20:location | page NOT_RECORDED_IN_B_V2_1 | On the head, just superior to the auricular apex.

note | S:TE20:note:1 | page NOT_RECORDED_IN_B_V2_1 | Note: With the auricle folded forward and pressed against the head, the point is located where the auricular apex touches the head.

Semantic decomposition

LM:S:TE20:location:29-48 | source= the auricular apex | class=soft_tissue_feature | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={ "concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:TE20:location:7-11 | source=head | class=region.body_region | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={ "concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA7154","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

Relation execution

RL:S:TE20:location:00:relative-to | op=directional_relation | semantic=['LM:S:TE20:location:29-48'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:TE20:location:01:surface-landmark | op=surface_membership | semantic=['LM:S:TE20:location:7-11'] | executable=['LM:S:TE20:location:7-11'] | dir=None | status=RESOLVED | reason=None

Conditions

{ "condition_id":"CD:S:TE20:note:1:00","condition_type":"body_position","default_pose_compatible":false,"reason":"condition requires pose incompatible with default BodyParts3D pose","repaired_status":"CONDITIONAL","source_raw":"With the auricle folded","source_statement_id":"S:TE20:note:1" }

Dependency graph edge list

LM:S:TE20:location:7-11 -> RL:S:TE20:location:01:surface-landmark [executable_to_relation]

RL:S:TE20:location:01:surface-landmark -> S:TE20:location [relation_to_statement]

S:TE20:location -> TE20 [statement_to_point]

S:TE20:note:1 -> TE20 [statement_to_point]

BEFORE / AFTER diff

BEFORE: { "conditions":[{"branch_id":"branch_1","condition_type":"body_position","executor":"condition_contract","reason":null,"status":"RESOLVED"}], "relations":[{"argument_node_ids":["LM:S:TE20:location:29-48"],"executor":"directional_relation","reason":"argument landmark not uniquely executable","status":"UNRESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:TE20:location:7-11"],"branch_id":null,"op":"surface_membership","source_statement_id":"S:TE20:location"},"executor":"surface_membership","status":"RESOLVED"}], "status":"UNRESOLVED" }

AFTER: { "conditions":[{"branch_id":"branch_1","condition_type":"body_position","default_pose_compatible":false,"executor":"condition_contract","reason":"condition requires pose incompatible with default BodyParts3D pose","status":"CONDITIONAL"}], "relations":[{"executable_argument_node_ids":[],"executor":"directional_relation","operand_binding_trace":[{"binding":"missing_executable_subfeature","candidate_child_ids":[],"semantic_operand_id":"LM:S:TE20:location:29-48","source_subfeature_types":["apex"]}], "reason":"semantic composite has multiple child subfeatures and no unique executable operand","semantic_argument_node_ids":["LM:S:TE20:location:29-48"],"status":"UNRESOLVED"}, {"constraint":{"argument_node_ids":["LM:S:TE20:location:7-11"],"branch_id":null,"executable_argument_node_ids":["LM:S:TE20:location:7-11"],"op":"surface_membership","operand_binding_trace":[{"binding":"identity","executable_operand_id":"LM:S:TE20:location:7-11","semantic_operand_id":"LM:S:TE20:location:7-11"},"semantic_argument_node_ids":["LM:S:TE20:location:7-11"],"source_statement_id":"S:TE20:location"},"executor":"surface_membership","status":"RESOLVED"}], "status":"UNRESOLVED" }

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature execution
- [] distinct subfeatures distinct executable identity
- [] relation operator operand
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

HT7: UNRESOLVED -> UNRESOLVED

Defect family: operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete

WHO source

location | S:HT7:location | page NOT_RECORDED_IN_B_V2_1 | On the anteromedial aspect of the wrist, radial to the flexor carpi ulnaris tendon, on the palmar wrist crease.

note | S:HT7:note:1 | page NOT_RECORDED_IN_B_V2_1 | Note: In the depression radial to the proxi-mal border of the pisiform bone, on the palmar wrist crease.

Semantic decomposition

LM:S:HT7:location:50-82 | source= the flexor carpi ulnaris tendon | class=tendon | parent=None | child=None | executor=atlas_name_resolution | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no unique atlas name match

LM:S:HT7:location:7-26 | source=anteromedial aspect | class=surface.aspect | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"6621b519a3e9551fb3372da3e363c6dd82762c2bc01e5e66f461ac31124c6054","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:ant eromedial_wrist","subfeature_type":null} | reason=None

LM:S:HT7:location:91-110 | source=palmar wrist crease | class=crease.skin_crease | parent=None | child=None | executor=approved_surface_registry | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"383e200f286d70d3c13689830673e15bb470bf299882294478ffe17ce465fa2f","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:palm ar_wrist_crease","subfeature_type":null} | reason=None

LM:S:HT7:note:1:13-23 | source=depression | class=fossa_or_depression | parent=None | child=None | executor=explicit_unresolved_taxonomy | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=ambiguous_generic

LM:S:HT7:note:1:33-75 | source= the proxi-mal border of the pisiform bone | class=boundary.border | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:HT7:note:1:38-54 | source=proxi-mal border | class=boundary.border | parent=LM:S:HT7:note:1:58-75 | child=proxi-mal border | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=parent entity is not uniquely resolved

LM:S:HT7:note:1:58-75 | source=the pisiform bone | class=bone.bone | parent=None | child=None | executor=atlas_name_resolution | status=MULTIPLE | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=multiple atlas-name candidates

LM:S:HT7:note:1:84-103 | source=palmar wrist crease | class=crease.skin_crease | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"383e200f286d70d3c13689830673e15bb470bf299882294478ffe17ce465fa2f","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:palm ar_wrist_crease","subfeature_type":null} | reason=None

Composite binding view

PARENT LM:S:HT7:note:1:58-75 the pisiform bone status=MULTIPLE identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:HT7:note:1:38-54 proxi-mal border status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:HT7:location:00:relative-to | op=directional_relation | semantic=['LM:S:HT7:location:50-82'] | executable=['LM:S:HT7:location:50-82'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL:S:HT7:location:01:surface-landmark | op=surface_membership | semantic=['LM:S:HT7:location:7-26'] | executable=['LM:S:HT7:location:7-26'] | dir=None | status=RESOLVED | reason=None

RL:S:HT7:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:HT7:location:91-110'] | executable=['LM:S:HT7:location:91-110'] | dir=None | status=RESOLVED | reason=None

RL:S:HT7:note:1:00:relative-to | op=directional_relation | semantic=['LM:S:HT7:note:1:33-75'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:HT7:note:1:01:surface-landmark | op=surface_membership | semantic=['LM:S:HT7:note:1:13-23'] | executable=['LM:S:HT7:note:1:13-23'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL:S:HT7:note:1:03:surface-landmark | op=surface_membership | semantic=['LM:S:HT7:note:1:84-103'] | executable=['LM:S:HT7:note:1:84-103'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:HT7:location:50-82 -> RL:S:HT7:location:00:relative-to [executable_to_relation]

LM:S:HT7:location:7-26 -> RL:S:HT7:location:01:surface-landmark [executable_to_relation]

RL:S:HT7:location:01:surface-landmark -> S:HT7:location [relation_to_statement]

LM:S:HT7:location:91-110 -> RL:S:HT7:location:02:surface-landmark [executable_to_relation]

RL:S:HT7:location:02:surface-landmark -> S:HT7:location [relation_to_statement]

LM:S:HT7:note:1:13-23 -> RL:S:HT7:note:1:01:surface-landmark [executable_to_relation]

LM:S:HT7:note:1:84-103 -> RL:S:HT7:note:1:03:surface-landmark [executable_to_relation]

RL:S:HT7:note:1:03:surface-landmark -> S:HT7:note:1 [relation_to_statement]
LM:S:HT7:note:1:58-75 -> LM:S:HT7:note:1:38-54 [parent_to_child_subfeature]
S:HT7:location -> HT7 [statement_to_point]
S:HT7:note:1 -> HT7 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature
- [] distinct subfeatures
- [] relation operator
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

LI4: RESOLVED -> UNRESOLVED

Defect family: parent_only_composite_resolution, operand_trace_incomplete, parent_only_composite_resolution, operand_trace_incomplete, operand_trace_incomplete

WHO source

location | S:LI4:location | page NOT_RECORDED_IN_B_V2_1 | On the dorsum of the hand, radial to the midpoint of the second metacarpal bone.

Semantic decomposition

LM:S:LI4:location:36-79 | source= the midpoint of the second metacarpal bone | class=bone.bone | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:LI4:location:53-79 | source=the second metacarpal bone | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA23900","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:LI4:location:7-25 | source=dorsum of the hand | class=surface.aspect | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"660965ac347a4b5e19c1f02c3d45a8be59be919076604c2a490ce1a7242bf5f4","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:dorsum_hand","subfeature_type":null} | reason=None

Composite binding view

Relation execution

RL:S:LI4:location:00:relative-to | op=directional_relation | semantic=['LM:S:LI4:location:36-79'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:LI4:location:01:midpoint-of-entity | op=entity_midpoint | semantic=['LM:S:LI4:location:53-79'] | executable=['LM:S:LI4:location:53-79'] | dir=None | status=RESOLVED | reason=None

RL:S:LI4:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:LI4:location:7-25'] | executable=['LM:S:LI4:location:7-25'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:LI4:location:53-79 -> RL:S:LI4:location:01:midpoint-of-entity [executable_to_relation]

RL:S:LI4:location:01:midpoint-of-entity -> S:LI4:location [relation_to_statement]

LM:S:LI4:location:7-25 -> RL:S:LI4:location:02:surface-landmark [executable_to_relation]

RL:S:LI4:location:02:surface-landmark -> S:LI4:location [relation_to_statement]

S:LI4:location -> LI4 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature
- [] distinct subfeatures
- [] distinct subfeatures
- [] distinct executable identity
- [] relation operator
- [] operand
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

ST1: UNRESOLVED -> UNRESOLVED

Defect family: operand_trace_incomplete

WHO source

location | S:ST1:location | page NOT_RECORDED_IN_B_V2_1 | On the face, between the eyeball and the infraorbital margin, directly inferior to the pupil.

Semantic decomposition

LM:S:ST1:location:25-32 | source=eyeball | class=soft_tissue_feature | parent=None | child=None | executor=atlas_name_resolution | status=MULTIPLE | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=multiple atlas-name candidates

LM:S:ST1:location:37-60 | source=the infraorbital margin | class=boundary.border | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:ST1:location:7-11 | source=face | class=region.body_region | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA24728","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST1:location:82-92 | source= the pupil | class=soft_tissue_feature | parent=None | child=None | executor=no_family_executor | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=unsupported or unresolved landmark: geometry_or_surface/soft_tissue_feature

Composite binding view

Relation execution

RL:S:ST1:location:00:between | op=between_constraint | semantic=['LM:S:ST1:location:25-32', 'LM:S:ST1:location:37-60'] | executable=['LM:S:ST1:location:25-32'] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:ST1:location:01:relative-to | op=directional_relation | semantic=['LM:S:ST1:location:82-92'] | executable=['LM:S:ST1:location:82-92'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL:S:ST1:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:ST1:location:7-11'] | executable=['LM:S:ST1:location:7-11'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:ST1:location:25-32 -> RL:S:ST1:location:00:between [executable_to_relation]
LM:S:ST1:location:82-92 -> RL:S:ST1:location:01:relative-to [executable_to_relation]
LM:S:ST1:location:7-11 -> RL:S:ST1:location:02:surface-landmark [executable_to_relation]
RL:S:ST1:location:02:surface-landmark -> S:ST1:location [relation_to_statement]
S:ST1:location -> ST1 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature
- [] distinct subfeatures
- [] distinct executable identity
- [] relation operator
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

GB14: UNRESOLVED -> UNRESOLVED

Defect family: operand_trace_incomplete, operand_trace_incomplete

WHO source

location | S:GB14:location | page NOT_RECORDED_IN_B_V2_1 | On the head, 1 B-cun superior to the eye-brow, directly superior to the centre of the pupil.

Semantic decomposition

LM:S:GB14:location:32-45 | source= the eye-brow | class=soft_tissue_feature | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA54237","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:GB14:location:67-91 | source= the centre of the pupil | class=soft_tissue_feature | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:GB14:location:7-11 | source=head | class=region.body_region | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA7154","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:GB14:location:72-78 | source=centre | class=None | parent=LM:S:GB14:location:82-91 | child=centre | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=parent entity is not uniquely resolved

LM:S:GB14:location:82-91 | source=the pupil | class=soft_tissue_feature | parent=None | child=None | executor=no_family_executor | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=unsupported or unresolved landmark: geometry_or_surface/soft_tissue_feature

Composite binding view

PARENT LM:S:GB14:location:82-91 the pupil status=UNRESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:GB14:location:72-78 centre status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:GB14:location:00:relative-to | op=directional_relation | semantic=['LM:S:GB14:location:32-45'] | executable=['LM:S:GB14:location:32-45'] | dir=superior | status=RESOLVED | reason=None

RL:S:GB14:location:01:relative-to | op=directional_relation | semantic=['LM:S:GB14:location:67-91'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:GB14:location:02:center-of | op=entity_center | semantic=['LM:S:GB14:location:82-91'] | executable=['LM:S:GB14:location:82-91'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL:S:GB14:location:03:surface-landmark | op=surface_membership | semantic=['LM:S:GB14:location:7-11'] | executable=['LM:S:GB14:location:7-11'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:GB14:location:32-45 -> RL:S:GB14:location:00:relative-to [executable_to_relation]

RL:S:GB14:location:00:relative-to -> S:GB14:location [relation_to_statement]

LM:S:GB14:location:82-91 -> RL:S:GB14:location:02:center-of [executable_to_relation]

LM:S:GB14:location:7-11 -> RL:S:GB14:location:03:surface-landmark [executable_to_relation]

RL:S:GB14:location:03:surface-landmark -> S:GB14:location [relation_to_statement]

LM:S:GB14:location:82-91 -> LM:S:GB14:location:72-78 [parent_to_child_subfeature]

S:GB14:location -> GB14 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature
- [] distinct subfeatures
- [] relation operator
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

GB23: RESOLVED -> RESOLVED

Defect family: operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete

WHO source

location | S:GB23:location | page NOT_RECORDED_IN_B_V2_1 | In the lateral thoracic region, in the fourth intercostal space, 1 B-cun anterior to the midaxillary line.

Semantic decomposition

LM:S:GB23:location:39-63 | source=fourth intercostal space | class=space.anatomical_space | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"c8e8691e4f765638eb499518792d13bea202f0a5aa3a1f90a050c51fb2e2ed36","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:fourth_intercostal_space","subfeature_type":null} | reason=None

LM:S:GB23:location:7-30 | source=lateral thoracic region | class=region.body_region | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"8cf739f6e831150ec0c56595886dd8d46bc412a09ff8ff132ad1ae55e653d9da","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:latera l_thorax","subfeature_type":null} | reason=None

LM:S:GB23:location:84-105 | source= the midaxillary line | class=line.anatomical_line | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"643f43e0388878b8eb9f6175a1c685aeb1b7b80df0274d8adc5b0b25cfa1420","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:mid axillary_line","subfeature_type":null} | reason=None

Composite binding view

Relation execution

RL:S:GB23:location:00:relative-to | op=directional_relation | semantic=['LM:S:GB23:location:84-105'] | executable=['LM:S:GB23:location:84-105'] | dir=anterior | status=RESOLVED | reason=None

RL:S:GB23:location:01:surface-landmark | op=surface_membership | semantic=['LM:S:GB23:location:7-30'] | executable=['LM:S:GB23:location:7-30'] | dir=None | status=RESOLVED | reason=None

RL:S:GB23:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:GB23:location:39-63'] | executable=['LM:S:GB23:location:39-63'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:GB23:location:84-105 -> RL:S:GB23:location:00:relative-to [executable_to_relation]

RL:S:GB23:location:00:relative-to -> S:GB23:location [relation_to_statement]

LM:S:GB23:location:7-30 -> RL:S:GB23:location:01:surface-landmark [executable_to_relation]

RL:S:GB23:location:01:surface-landmark -> S:GB23:location [relation_to_statement]

LM:S:GB23:location:39-63 -> RL:S:GB23:location:02:surface-landmark [executable_to_relation]

RL:S:GB23:location:02:surface-landmark -> S:GB23:location [relation_to_statement]

S:GB23:location -> GB23 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature execution
- [] distinct subfeatures distinct executable identity
- [] relation operator operand
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

LU6: UNRESOLVED -> UNRESOLVED

Defect family: operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete

WHO source

location | S:LU6:location | page NOT_RECORDED_IN_B_V2_1 | On the anterolateral aspect of the forearm, on the line connecting LU5 with LU9, 7 B-cun superior to the palmar wrist crease.

note | S:LU6:note:1 | page NOT_RECORDED_IN_B_V2_1 | Note: LU6 is 5 B-cun inferior to LU5, 1 B-cun superior to the midpoint of the line connecting LU5 with LU9.

Semantic decomposition

LM:S:LU6:location:100-124 | source= the palmar wrist crease | class=crease.skin_crease | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"383e200f286d70d3c13689830673e15bb470bf299882294478ffe17ce465fa2f","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:palm_ar_wrist_crease","subfeature_type":null} | reason=None

LM:S:LU6:location:51-66 | source=line connecting | class=line.reference_line | parent=None | child=None | executor=no_family_executor | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=unsupported or unresolved landmark: geometry_or_surface/line.reference_line

LM:S:LU6:location:67-70 | source=LU5 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LU5","registry_id":null,"subfeature_type":null} | reason=None

LM:S:LU6:location:7-27 | source=anterolateral aspect | class=surface.aspect | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"8ce43d41eaba7ffc905ab399e621546e96abede4af22e20655f5814a9f8b665c","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:anterolateral_forearm","subfeature_type":null} | reason=None

LM:S:LU6:location:76-79 | source=LU9 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LU9","registry_id":null,"subfeature_type":null} | reason=None

LM:S:LU6:note:1:103-106 | source=LU9 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LU9","registry_id":null,"subfeature_type":null} | reason=None

LM:S:LU6:note:1:32-36 | source= LU5 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LU5","registry_id":null,"subfeature_type":null} | reason=None

LM:S:LU6:note:1:57-106 | source= the midpoint of the line connecting LU5 with LU9 | class=line.reference_line | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:LU6:note:1:94-97 | source=LU5 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LU5","registry_id":null,"subfeature_type":null} | reason=None

LM21:S:LU6:location:67-70:002c0a95e5 | source=LU5 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LU5","registry_id":null,"subfeature_type":null} | reason=None

LM21:S:LU6:location:76-79:30c4b43ed7 | source=LU9 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LU9","registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

Relation execution

RL:S:LU6:location:00:on-line | op=line_membership | semantic=['LM:S:LU6:location:67-70', 'LM:S:LU6:location:76-79'] | executable=['LM:S:LU6:location:67-70', 'LM:S:LU6:location:76-79'] | dir=None | status=RESOLVED | reason=None

RL:S:LU6:location:01:relative-to | op=directional_relation | semantic=['LM:S:LU6:location:100-124'] | executable=['LM:S:LU6:location:100-124'] | dir=superior | status=RESOLVED | reason=None

RL:S:LU6:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:LU6:location:7-27'] | executable=['LM:S:LU6:location:7-27'] | dir=None | status=RESOLVED | reason=None

RL:S:LU6:location:03:surface-landmark | op=surface_membership | semantic=['LM:S:LU6:location:51-66'] | executable=['LM:S:LU6:location:51-66'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL:S:LU6:note:1:00:on-line | op=line_membership | semantic=['LM:S:LU6:note:1:94-97', 'LM:S:LU6:note:1:103-106'] | executable=['LM:S:LU6:note:1:94-97', 'LM:S:LU6:note:1:103-106'] | dir=None | status=RESOLVED | reason=None

RL:S:LU6:note:1:01:midpoint-between | op=midpoint_between | semantic=['LM:S:LU6:note:1:94-97', 'LM:S:LU6:note:1:103-106'] | executable=['LM:S:LU6:note:1:94-97', 'LM:S:LU6:note:1:103-106'] | dir=None | status=RESOLVED | reason=None

RL:S:LU6:note:1:02:relative-to | op=directional_relation | semantic=['LM:S:LU6:note:1:32-36'] | executable=['LM:S:LU6:note:1:32-36'] | dir=inferior | status=RESOLVED | reason=None

RL:S:LU6:note:1:03:relative-to | op=directional_relation | semantic=['LM:S:LU6:note:1:57-106'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL21:S:LU6:location:67-70:reference-acupoint:f42e2db8d9 | op=reference_dependency | semantic=['LM21:S:LU6:location:67-70:002c0a95e5'] | executable=['LM21:S:LU6:location:67-70:002c0a95e5'] | dir=None | status=RESOLVED | reason=None

RL21:S:LU6:location:76-79:reference-acupoint:5171900d45 | op=reference_dependency | semantic=['LM21:S:LU6:location:76-79:30c4b43ed7'] | executable=['LM21:S:LU6:location:76-79:30c4b43ed7'] | dir=None | status=RESOLVED | reason=None

RL21:S:LU6:note:1:33-36:reference-acupoint:a79a726278 | op=reference_dependency | semantic=['LM:S:LU6:note:1:32-36'] | executable=['LM:S:LU6:note:1:32-36'] | dir=None | status=RESOLVED | reason=None

RL21:S:LU6:note:1:94-97:reference-acupoint:0d3fedaf0b | op=reference_dependency | semantic=['LM:S:LU6:note:1:94-97'] | executable=['LM:S:LU6:note:1:94-97'] | dir=None | status=RESOLVED | reason=None

RL21:S:LU6:note:1:103-106:reference-acupoint:ffaf5ca270 | op=reference_dependency | semantic=['LM:S:LU6:note:1:103-106'] | executable=['LM:S:LU6:note:1:103-106'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:LU6:location:67-70 -> RL:S:LU6:location:00:on-line [executable_to_relation]

LM:S:LU6:location:76-79 -> RL:S:LU6:location:00:on-line [executable_to_relation]

RL:S:LU6:location:00:on-line -> S:LU6:location [relation_to_statement]

LM:S:LU6:location:100-124 -> RL:S:LU6:location:01:relative-to [executable_to_relation]

RL:S:LU6:location:01:relative-to -> S:LU6:location [relation_to_statement]

LM:S:LU6:location:7-27 -> RL:S:LU6:location:02:surface-landmark [executable_to_relation]

RL:S:LU6:location:02:surface-landmark -> S:LU6:location [relation_to_statement]

LM:S:LU6:location:51-66 -> RL:S:LU6:location:03:surface-landmark [executable_to_relation]

LM:S:LU6:note:1:94-97 -> RL:S:LU6:note:1:00:on-line [executable_to_relation]

LM:S:LU6:note:1:103-106 -> RL:S:LU6:note:1:00:on-line [executable_to_relation]

RL:S:LU6:note:1:00:on-line -> S:LU6:note:1 [relation_to_statement]

LM:S:LU6:note:1:94-97 -> RL:S:LU6:note:1:01:midpoint-between [executable_to_relation]

LM:S:LU6:note:1:103-106 -> RL:S:LU6:note:1:01:midpoint-between [executable_to_relation]

RL:S:LU6:note:1:01:midpoint-between -> S:LU6:note:1 [relation_to_statement]

LM:S:LU6:note:1:32-36 -> RL:S:LU6:note:1:02:relative-to [executable_to_relation]

RL:S:LU6:note:1:02:relative-to -> S:LU6:note:1 [relation_to_statement]

LM21:S:LU6:location:67-70:002c0a95e5 -> RL21:S:LU6:location:67-70:reference-acupoint:f42e2db8d9 [executable_to_relation]

RL21:S:LU6:location:67-70:reference-acupoint:f42e2db8d9 -> S:LU6:location [relation_to_statement]

LM21:S:LU6:location:76-79:30c4b43ed7 -> RL21:S:LU6:location:76-79:reference-acupoint:5171900d45 [executable_to_relation]

RL21:S:LU6:location:76-79:reference-acupoint:5171900d45 -> S:LU6:location [relation_to_statement]

LM:S:LU6:note:1:32-36 -> RL21:S:LU6:note:1:33-36:reference-acupoint:a79a726278 [executable_to_relation]

RL21:S:LU6:note:1:33-36:reference-acupoint:a79a726278 -> S:LU6:note:1 [relation_to_statement]

LM:S:LU6:note:1:94-97 -> RL21:S:LU6:note:1:94-97:reference-acupoint:0d3fedaf0b [executable_to_relation]

RL21:S:LU6:note:1:94-97:reference-acupoint:0d3fedaf0b -> S:LU6:note:1 [relation_to_statement]

LM:S:LU6:note:1:103-106 -> RL21:S:LU6:note:1:103-106:reference-acupoint:ffaf5ca270 [executable_to_relation]

RL21:S:LU6:note:1:103-106:reference-acupoint:ffaf5ca270 -> S:LU6:note:1 [relation_to_statement]

S:LU6:location -> LU6 [statement_to_point]

S:LU6:note:1 -> LU6 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature
- [] distinct subfeatures
- [] relation operator
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

LI7: UNRESOLVED -> UNRESOLVED

Defect family: operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete

WHO source

location | S:LI7:location | page NOT_RECORDED_IN_B_V2_1 | On the posterolateral aspect of the forearm, on the line connecting LI5 with LI11, 5 B-cun superior to the dorsal wrist crease.

Semantic decomposition

LM:S:LI7:location:102-126 | source= the dorsal wrist crease | class=crease.skin_crease | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"0ff534739841ae12b463e9ea5102d7801e5de256871212f7ddeb84a0b0265288","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:dorsal_wrist_crease","subfeature_type":null} | reason=None

LM:S:LI7:location:52-67 | source=line connecting | class=line.reference_line | parent=None | child=None | executor=no_family_executor | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=unsupported or unresolved landmark: geometry_or_surface/line.reference_line

LM:S:LI7:location:68-71 | source=LI5 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LI5","registry_id":null,"subfeature_type":null} | reason=None

LM:S:LI7:location:7-28 | source=posterolateral aspect | class=surface.aspect | parent=None | child=None | executor=approved_surface_registry | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"4e542fb31cd71e7a148b3607b7424ea18ab74b0b8ddb0210ce3c5abccc2c54d9","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:posterolateral_forearm","subfeature_type":null} | reason=None

LM:S:LI7:location:77-81 | source=LI11 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LI11","registry_id":null,"subfeature_type":null} | reason=None

LM21:S:LI7:location:68-71:1bff496df7 | source=LI5 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LI5","registry_id":null,"subfeature_type":null} | reason=None

LM21:S:LI7:location:77-81:245ea01482 | source=LI11 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LI11","registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

Relation execution

RL:S:LI7:location:00:on-line | op=line_membership | semantic=['LM:S:LI7:location:68-71', 'LM:S:LI7:location:77-81'] | executable=['LM:S:LI7:location:68-71', 'LM:S:LI7:location:77-81'] | dir=None | status=RESOLVED | reason=None

RL:S:LI7:location:01:relative-to | op=directional_relation | semantic=['LM:S:LI7:location:102-126'] | executable=['LM:S:LI7:location:102-126'] | dir=superior | status=RESOLVED | reason=None

RL:S:LI7:location:02:surface-landmark | op=surface_membership | semantic=['LM:S:LI7:location:7-28'] | executable=['LM:S:LI7:location:7-28'] | dir=None | status=RESOLVED | reason=None

RL:S:LI7:location:03:surface-landmark | op=surface_membership | semantic=['LM:S:LI7:location:52-67'] | executable=['LM:S:LI7:location:52-67'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL21:S:LI7:location:68-71:reference-acupoint:931d5b1cfd | op=reference_dependency | semantic=['LM21:S:LI7:location:68-71:1bff496df7'] | executable=['LM21:S:LI7:location:68-71:1bff496df7'] | dir=None | status=RESOLVED | reason=None

RL21:S:LI7:location:77-81:reference-acupoint:bbace3ac1c | op=reference_dependency | semantic=['LM21:S:LI7:location:77-81:245ea01482'] | executable=['LM21:S:LI7:location:77-81:245ea01482'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:LI7:location:68-71 -> RL:S:LI7:location:00:on-line [executable_to_relation]

LM:S:LI7:location:77-81 -> RL:S:LI7:location:00:on-line [executable_to_relation]

RL:S:LI7:location:00:on-line -> S:LI7:location [relation_to_statement]

LM:S:LI7:location:102-126 -> RL:S:LI7:location:01:relative-to [executable_to_relation]

RL:S:LI7:location:01:relative-to -> S:LI7:location [relation_to_statement]

LM:S:LI7:location:7-28 -> RL:S:LI7:location:02:surface-landmark [executable_to_relation]

RL:S:LI7:location:02:surface-landmark -> S:LI7:location [relation_to_statement]

LM:S:LI7:location:52-67 -> RL:S:LI7:location:03:surface-landmark [executable_to_relation]

LM21:S:LI7:location:68-71:1bff496df7 -> RL21:S:LI7:location:68-71:reference-acupoint:931d5b1cfd [executable_to_relation]

RL21:S:LI7:location:68-71:reference-acupoint:931d5b1cfd -> S:LI7:location [relation_to_statement]

LM21:S:LI7:location:77-81:245ea01482 -> RL21:S:LI7:location:77-81:reference-acupoint:bbace3ac1c [executable_to_relation]

RL21:S:LI7:location:77-81:reference-acupoint:bbace3ac1c -> S:LI7:location [relation_to_statement]

S:LI7:location -> LI7 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase 何者 何
- [] semantic granularity 意味
- [] child subfeature 子特徴 execution 実行
- [] distinct subfeatures 異なる実行可能 identity 同一
- [] relation operator 関係演算器 operand 演算子
- [] condition state 条件状態
- [] RESOLVED/UNRESOLVED 解決済み/未解決
- [] ACCEPT 受入れ
- [] REJECT 拒絶

GB26: UNRESOLVED -> UNRESOLVED

Defect family: operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete

WHO source

location | S:GB26:location | page NOT_RECORDED_IN_B_V2_1 | On the lateral abdomen, inferior to the free extremity of the 11th rib, at the same level as the centre of umbilicus.

note | S:GB26:note:1 | page NOT_RECORDED_IN_B_V2_1 | Note 1: GB26 can be located by first locating the tenth rib, then searching for the free extremity of the 11th rib that is situated immediately below the inferior border of the costal arch.

note | S:GB26:note:2 | page NOT_RECORDED_IN_B_V2_1 | Note 2: GB26 is inferior to LR13, at the same level as CV8.

Semantic decomposition

LM:S:GB26:location:107-116 | source=umbilicus | class=orifice_or_cavity | parent=None | child=None | executor=atlas_name_resolution | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no unique atlas name match

LM:S:GB26:location:35-70 | source= the free extremity of the 11th rib | class=structure.part | parent=None | child=None | executor=atlas_name_resolution | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no unique atlas name match

LM:S:GB26:location:40-54 | source=free extremity | class=structure.part | parent=LM:S:GB26:location:58-70 | child=free extremity | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=child subfeature type is absent or semantically non-atomic

LM:S:GB26:location:58-70 | source=the 11th rib | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA8499","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:GB26:location:7-22 | source=lateral abdomen | class=region.body_region | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"912678a19ed1d94961027afd11c1d686ebc1dd7d67fe77a92a26935f99509145","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:lateral_abdomen","subfeature_type":null} | reason=None

LM:S:GB26:location:93-116 | source=the centre of umbilicus | class=orifice_or_cavity | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:GB26:location:97-103 | source=centre | class=None | parent=LM:S:GB26:location:107-116 | child=centre | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=parent entity is not uniquely resolved

LM:S:GB26:note:1:103-189 | source=the 11th rib that is situated immediately below the inferior border of the costal arch | class=boundary.border | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:GB26:note:1:85-99 | source=free extremity | class=structure.part | parent=LM:S:GB26:note:1:103-189 | child=free extremity | executor=composite_subfeature_binding | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=child subfeature type is absent or semantically non-atomic

LM:S:GB26:note:2:27-32 | source= LR13 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"LR13","registry_id":null,"subfeature_type":null} | reason=None

LM:S:GB26:note:2:55-58 | source=CV8 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"CV8","registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

PARENT LM:S:GB26:location:58-70 the 11th rib status=RESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA8499","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:GB26:location:40-54 free extremity status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

PARENT LM:S:GB26:location:107-116 umbilicus status=UNRESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:GB26:location:97-103 centre status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

PARENT LM:S:GB26:note:1:103-189 the 11th rib that is situated immediately below the inferior border of the costal arch status=UNRESOLVED identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

-> CHILD LM:S:GB26:note:1:85-99 free extremity status=UNRESOLVED executable={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null}

Relation execution

RL:S:GB26:location:00:relative-to | op=directional_relation | semantic=[LM:S:GB26:location:35-70] | executable=[LM:S:GB26:location:35-70] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL:S:GB26:location:01:same-level | op=same_level_plane | semantic=['LM:S:GB26:location:93-116'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:GB26:location:02:center-of | op=entity_center | semantic=['LM:S:GB26:location:107-116'] | executable=['LM:S:GB26:location:107-116'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL:S:GB26:location:03:surface-landmark | op=surface_membership | semantic=['LM:S:GB26:location:7-22'] | executable=['LM:S:GB26:location:7-22'] | dir=None | status=RESOLVED | reason=None

RL:S:GB26:note:2:00:relative-to | op=directional_relation | semantic=['LM:S:GB26:note:2:27-32'] | executable=['LM:S:GB26:note:2:27-32'] | dir=inferior | status=RESOLVED | reason=None

RL:S:GB26:note:2:01:same-level | op=same_level_plane | semantic=['LM:S:GB26:note:2:55-58'] | executable=['LM:S:GB26:note:2:55-58'] | dir=None | status=RESOLVED | reason=None

RL21:S:GB26:note:2:28-32:reference-acupoint:260f7e9589 | op=reference_dependency | semantic=['LM:S:GB26:note:2:27-32'] | executable=['LM:S:GB26:note:2:27-32'] | dir=None | status=RESOLVED | reason=None

RL21:S:GB26:note:2:55-58:reference-acupoint:3e3fd2558d | op=reference_dependency | semantic=['LM:S:GB26:note:2:55-58'] | executable=['LM:S:GB26:note:2:55-58'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:GB26:location:35-70 -> RL:S:GB26:location:00:relative-to [executable_to_relation]

LM:S:GB26:location:107-116 -> RL:S:GB26:location:02:center-of [executable_to_relation]

LM:S:GB26:location:7-22 -> RL:S:GB26:location:03:surface-landmark [executable_to_relation]

RL:S:GB26:location:03:surface-landmark -> S:GB26:location [relation_to_statement]

LM:S:GB26:note:2:27-32 -> RL:S:GB26:note:2:00:relative-to [executable_to_relation]

RL:S:GB26:note:2:00:relative-to -> S:GB26:note:2 [relation_to_statement]

LM:S:GB26:note:2:55-58 -> RL:S:GB26:note:2:01:same-level [executable_to_relation]

RL:S:GB26:note:2:01:same-level -> S:GB26:note:2 [relation_to_statement]

LM:S:GB26:note:2:27-32 -> RL21:S:GB26:note:2:28-32:reference-acupoint:260f7e9589 [executable_to_relation]

RL21:S:GB26:note:2:28-32:reference-acupoint:260f7e9589 -> S:GB26:note:2 [relation_to_statement]

LM:S:GB26:note:2:55-58 -> RL21:S:GB26:note:2:55-58:reference-acupoint:3e3fd2558d [executable_to_relation]

RL21:S:GB26:note:2:55-58:reference-acupoint:3e3fd2558d -> S:GB26:note:2 [relation_to_statement]

LM:S:GB26:location:58-70 -> LM:S:GB26:location:40-54 [parent_to_child_subfeature]

LM:S:GB26:location:107-116 -> LM:S:GB26:location:97-103 [parent_to_child_subfeature]

LM:S:GB26:note:1:103-189 -> LM:S:GB26:note:1:85-99 [parent_to_child_subfeature]

S:GB26:location -> GB26 [statement_to_point]

S:GB26:note:1 -> GB26 [statement_to_point]

S:GB26:note:2 -> GB26 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature
- [] distinct subfeatures
- [] distinct subfeatures
- [] distinct executable identity
- [] relation operator
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

ST2: UNRESOLVED -> UNRESOLVED

Defect family: operand_trace_incomplete

WHO source

location | S:ST2:location | page NOT_RECORDED_IN_B_V2_1 | On the face, in the infraorbital foramen.

Semantic decomposition

LM:S:ST2:location:20-40 | source=infraorbital foramen | class=bone.opening | parent=None | child=None | executor=atlas_name_resolution | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=no unique atlas name match

LM:S:ST2:location:7-11 | source=face | class=region.body_region | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA24728","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

Relation execution

RL:S:ST2:location:00:surface-landmark | op=surface_membership | semantic=['LM:S:ST2:location:20-40'] | executable=['LM:S:ST2:location:20-40'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL:S:ST2:location:01:surface-landmark | op=surface_membership | semantic=['LM:S:ST2:location:7-11'] | executable=['LM:S:ST2:location:7-11'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:ST2:location:20-40 -> RL:S:ST2:location:00:surface-landmark [executable_to_relation]

LM:S:ST2:location:7-11 -> RL:S:ST2:location:01:surface-landmark [executable_to_relation]

RL:S:ST2:location:01:surface-landmark -> S:ST2:location [relation_to_statement]

S:ST2:location -> ST2 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature execution
- [] distinct subfeatures distinct executable identity
- [] relation operator operand
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

BL40: RESOLVED -> RESOLVED

Defect family: operand_trace_incomplete, operand_trace_incomplete

WHO source

location | S:BL40:location | page NOT_RECORDED_IN_B_V2_1 | On the posterior aspect of the knee, at the midpoint of the popliteal crease.

Semantic decomposition

LM:S:BL40:location:56-76 | source=the popliteal crease | class=crease.skin_crease | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"1dbdd6b2b621a4ee0185cf93253f7062de8485746c285cadd13ae1177b60ff9","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:popliteal_crease","subfeature_type":null} | reason=None

LM:S:BL40:location:7-23 | source=posterior aspect | class=surface.aspect | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"12ffee9bff3884af77a892f4d06484125686f5b1fc7f181d5dc0a994051fc63e","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:posterior_knee","subfeature_type":null} | reason=None

Composite binding view

Relation execution

RL:S:BL40:location:00:midpoint-of-entity | op=entity_midpoint | semantic=['LM:S:BL40:location:56-76'] | executable=['LM:S:BL40:location:56-76'] | dir=None | status=RESOLVED | reason=None

RL:S:BL40:location:01:surface-landmark | op=surface_membership | semantic=['LM:S:BL40:location:7-23'] | executable=['LM:S:BL40:location:7-23'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:BL40:location:56-76 -> RL:S:BL40:location:00:midpoint-of-entity [executable_to_relation]

RL:S:BL40:location:00:midpoint-of-entity -> S:BL40:location [relation_to_statement]

LM:S:BL40:location:7-23 -> RL:S:BL40:location:01:surface-landmark [executable_to_relation]

RL:S:BL40:location:01:surface-landmark -> S:BL40:location [relation_to_statement]

S:BL40:location -> BL40 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature execution
- [] distinct subfeatures distinct executable identity
- [] relation operator operand
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

ST4: RESOLVED -> UNRESOLVED

Defect family: parent_only_composite_resolution, parent_only_composite_resolution, operand_trace_incomplete, parent_only_composite_resolution, operand_trace_incomplete, operand_trace_incomplete, parent_only_composite_resolution

WHO source

location | S:ST4:location | page NOT_RECORDED_IN_B_V2_1 | On the face, 0.4 f-cun lateral to the angle of the mouth.

note | S:ST4:note:1 | page NOT_RECORDED_IN_B_V2_1 | Note: Lateral to the angle of the mouth, the point is located in the nasolabial sulcus or on the continuation of the nasolabial sulcus.

Semantic decomposition

LM:S:ST4:location:33-56 | source= the angle of the mouth | class=orifice_or_cavity | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:ST4:location:7-11 | source=face | class=region.body_region | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA24728","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:ST4:note:1:16-39 | source= the angle of the mouth | class=orifice_or_cavity | parent=None | child=None | executor=bound_composite_subfeature | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=composite subfeature semantics lack a unique executable child geometry

LM:S:ST4:note:1:69-86 | source=nasolabial sulcus | class=soft_tissue_feature | parent=None | child=None | executor=approved_surface_registry | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=No approved BodyParts3D geometric definition; deliberately unresolved.

LM:S:ST4:note:1:97-134 | source=continuation of the nasolabial sulcus | class=soft_tissue_feature | parent=None | child=None | executor=approved_surface_registry | status=UNRESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":null,"parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=No approved BodyParts3D geometric definition; deliberately unresolved.

Composite binding view

Relation execution

RL:S:ST4:location:00:relative-to | op=directional_relation | semantic=['LM:S:ST4:location:33-56'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:ST4:location:01:surface-landmark | op=surface_membership | semantic=['LM:S:ST4:location:7-11'] | executable=['LM:S:ST4:location:7-11'] | dir=None | status=RESOLVED | reason=None

RL:S:ST4:note:1:00:relative-to | op=directional_relation | semantic=['LM:S:ST4:note:1:16-39'] | executable=[] | dir=None | status=UNRESOLVED | reason=semantic composite has multiple child subfeatures and no unique executable operand

RL:S:ST4:note:1:01:surface-landmark | op=surface_membership | semantic=['LM:S:ST4:note:1:69-86'] | executable=['LM:S:ST4:note:1:69-86'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

RL:S:ST4:note:1:02:surface-landmark | op=surface_membership | semantic=['LM:S:ST4:note:1:97-134'] | executable=['LM:S:ST4:note:1:97-134'] | dir=None | status=UNRESOLVED | reason=executable operand not uniquely executable

Conditions

{"condition_id":"CD:S:ST4:note:1:00","condition_type":"alternative","default_pose_compatible":null,"reason":"condition preserved as non-executed conditional branch","repaired_status":"CONDITIONAL","source_raw":"or on the continuation","source_statement_id":"S:ST4:note:1"}

Dependency graph edge list

LM:S:ST4:location:7-11 -> RL:S:ST4:location:01:surface-landmark [executable_to_relation]

RL:S:ST4:location:01:surface-landmark -> S:ST4:location [relation_to_statement]

LM:S:ST4:note:1:69-86 -> RL:S:ST4:note:1:01:surface-landmark [executable_to_relation]

LM:S:ST4:note:1:97-134 -> RL:S:ST4:note:1:02:surface-landmark [executable_to_relation]

S:ST4:location -> ST4 [statement_to_point]

S:ST4:note:1 -> ST4 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature execution
- [] distinct subfeatures distinct executable identity
- [] relation operator operand
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT

TE6: RESOLVED -> RESOLVED

Defect family: operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete, operand_trace_incomplete

WHO source

location | S:TE6:location | page NOT_RECORDED_IN_B_V2_1 | On the posterior aspect of the forearm, midpoint of the interosseous space between the radius and the ulna, 3 B-cun proximal to the dorsal wrist crease.

note | S:TE6:note:1 | page NOT_RECORDED_IN_B_V2_1 | Note: 1 B-cun proximal to TE5, between the radius and the ulna, at the same level as TE7.

Semantic decomposition

LM:S:TE6:location:127-151 | source= the dorsal wrist crease | class=crease.skin_crease | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"0ff534739841ae12b463e9ea5102d7801e5de256871212f7ddeb84a0b0265288","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:dorsal_wrist_crease","subfeature_type":null} | reason=None

LM:S:TE6:location:52-106 | source=the interosseous space between the radius and the ulna | class=space.anatomical_space | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"4b89dd3e588ceb0c6fc9aae7de7f8c71ea842a9e0305158cad97d76f12f35f33","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:radius_ulna_interosseous_space","subfeature_type":null} | reason=None

LM:S:TE6:location:7-23 | source=posterior aspect | class=surface.aspect | parent=None | child=None | executor=approved_surface_registry | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":"7809ff04bb161d448c5b90dbbb407ddc76c10e74e85ee7fe0c795e866ebad73c","kind":"surface_registry","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":"SR:posterior_forearm","subfeature_type":null} | reason=None

LM:S:TE6:location:87-93 | source=radius | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA23463","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:TE6:location:98-106 | source=the ulna | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA23466","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:TE6:note:1:25-29 | source= TE5 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"TE5","registry_id":null,"subfeature_type":null} | reason=None

LM:S:TE6:note:1:43-49 | source=radius | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA23463","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:TE6:note:1:54-62 | source=the ulna | class=bone.bone | parent=None | child=None | executor=fma_mesh | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":"FMA23466","geometry_hash":null,"kind":"fma_concept","parent_landmark_id":null,"part_id":null,"reference_point_id":null,"registry_id":null,"subfeature_type":null} | reason=None

LM:S:TE6:note:1:85-88 | source=tE7 | class=acupoint_reference | parent=None | child=None | executor=reference_acupoint | status=RESOLVED | identity={"concept_id":null,"constructed_id":null,"construction_rule":null,"fma_id":null,"geometry_hash":null,"kind":"reference_acupoint","parent_landmark_id":null,"part_id":null,"reference_point_id":"TE7","registry_id":null,"subfeature_type":null} | reason=None

Composite binding view

Relation execution

RL:S:TE6:location:00:between | op=between_constraint | semantic=['LM:S:TE6:location:87-93', 'LM:S:TE6:location:98-106'] | executable=['LM:S:TE6:location:87-93', 'LM:S:TE6:location:98-106'] | dir=None | status=RESOLVED | reason=None

RL:S:TE6:location:01:relative-to | op=directional_relation | semantic=['LM:S:TE6:location:127-151'] | executable=['LM:S:TE6:location:127-151'] | dir=proximal | status=RESOLVED | reason=None

RL:S:TE6:location:02:midpoint-of-entity | op=entity_midpoint | semantic=['LM:S:TE6:location:52-106'] | executable=['LM:S:TE6:location:52-106'] | dir=None | status=RESOLVED | reason=None

RL:S:TE6:location:03:surface-landmark | op=surface_membership | semantic=['LM:S:TE6:location:7-23'] | executable=['LM:S:TE6:location:7-23'] | dir=None | status=RESOLVED | reason=None

RL:S:TE6:note:1:00:between | op=between_constraint | semantic=['LM:S:TE6:note:1:43-49', 'LM:S:TE6:note:1:54-62'] | executable=['LM:S:TE6:note:1:43-49', 'LM:S:TE6:note:1:54-62'] | dir=None | status=RESOLVED | reason=None

RL:S:TE6:note:1:01:relative-to | op=directional_relation | semantic=['LM:S:TE6:note:1:25-29'] | executable=['LM:S:TE6:note:1:25-29'] | dir=proximal | status=RESOLVED | reason=None

RL:S:TE6:note:1:02:same-level | op=same_level_plane | semantic=['LM:S:TE6:note:1:85-88'] | executable=['LM:S:TE6:note:1:85-88'] | dir=None | status=RESOLVED | reason=None

RL21:S:TE6:note:1:26-29:reference-acupoint:87571bdea7 | op=reference_dependency | semantic=['LM:S:TE6:note:1:25-29'] | executable=['LM:S:TE6:note:1:25-29'] | dir=None | status=RESOLVED | reason=None

RL21:S:TE6:note:1:85-88:reference-acupoint:eeb3b40f1e | op=reference_dependency | semantic=['LM:S:TE6:note:1:85-88'] | executable=['LM:S:TE6:note:1:85-88'] | dir=None | status=RESOLVED | reason=None

Dependency graph edge list

LM:S:TE6:location:87-93 -> RL:S:TE6:location:00:between [executable_to_relation]

LM:S:TE6:location:98-106 -> RL:S:TE6:location:00:between [executable_to_relation]

RL:S:TE6:location:00:between -> S:TE6:location [relation_to_statement]

LM:S:TE6:location:127-151 -> RL:S:TE6:location:01:relative-to [executable_to_relation]
RL:S:TE6:location:01:relative-to -> S:TE6:location [relation_to_statement]
LM:S:TE6:location:52-106 -> RL:S:TE6:location:02:midpoint-of-entity [executable_to_relation]
RL:S:TE6:location:02:midpoint-of-entity -> S:TE6:location [relation_to_statement]
LM:S:TE6:location:7-23 -> RL:S:TE6:location:03:surface-landmark [executable_to_relation]
RL:S:TE6:location:03:surface-landmark -> S:TE6:location [relation_to_statement]
LM:S:TE6:note:1:43-49 -> RL:S:TE6:note:1:00:between [executable_to_relation]
LM:S:TE6:note:1:54-62 -> RL:S:TE6:note:1:00:between [executable_to_relation]
RL:S:TE6:note:1:00:between -> S:TE6:note:1 [relation_to_statement]
LM:S:TE6:note:1:25-29 -> RL:S:TE6:note:1:01:relative-to [executable_to_relation]
RL:S:TE6:note:1:01:relative-to -> S:TE6:note:1 [relation_to_statement]
LM:S:TE6:note:1:85-88 -> RL:S:TE6:note:1:02:same-level [executable_to_relation]
RL:S:TE6:note:1:02:same-level -> S:TE6:note:1 [relation_to_statement]
LM:S:TE6:note:1:25-29 -> RL21:S:TE6:note:1:26-29:reference-acupoint:87571bdea7 [executable_to_relation]
RL21:S:TE6:note:1:26-29:reference-acupoint:87571bdea7 -> S:TE6:note:1 [relation_to_statement]
LM:S:TE6:note:1:85-88 -> RL21:S:TE6:note:1:85-88:reference-acupoint:eeb3b40f1e [executable_to_relation]
RL21:S:TE6:note:1:85-88:reference-acupoint:eeb3b40f1e -> S:TE6:note:1 [relation_to_statement]
S:TE6:location -> TE6 [statement_to_point]
S:TE6:note:1 -> TE6 [statement_to_point]

Coordinates generated: 0 | Legacy C coordinate references: 0

- [] WHO source phrase
- [] semantic granularity
- [] child subfeature
- [] distinct subfeatures
- [] relation operator
- [] condition state
- [] RESOLVED/UNRESOLVED
- [] ACCEPT
- [] REJECT