

InterAleoable

Increasing wallet interoperability through ARC-1193

Problem


- Currently, there is **no standard way** for Dapps to communicate with Wallet apps
- Dapps **need to create multiple adapters** to communicate with different Wallet apps
- Will get **exponentially worse** as the number of Dapps and Wallets increase

*We pivoted from the Coinbase wallet extension project because the code was closed source

Solution: ARC-1193

Create a standard for communicating between wallets and dapps

- Define a standard for a set of APIs that wallets must expose to a dapp via a Javascript object.
- Reduces work for Dapps: can create a single adapter to communicate with all wallets that implement ARC-1193



Technical Overview

1 API (RPC-JSON call)

request({method: string, params: object})

- A general-purpose method that supports all types of requests
 - e.g) request({method: "aleo_latestBlock", params: []})
- Can easily be extended to support new requests

4 Events


1. connect
2. disconnect
3. accountsChanged
4. message

Demo


A single adapter connecting to two wallets

Link to demo video

<https://user-images.githubusercontent.com/4685781/211352774-2625e0dd-867e-4536-b56c-28eb24308876.mov>



Future Plans



Thank you!

ARC-1193 pull request: <https://github.com/AleoHQ/ARCs/pull/31>

ARC-1193 discussion: <https://github.com/AleoHQ/ARCs/discussions/30>

Demo: <https://github.com/seungjulee/aleo-provider-arc1193>

