
-- ファイルを作成しました - 日曜日-2月-25-2018

REM INSERTING into GT MA KAISYA

SET DEFINE OFF;

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('U0X','TELC',1,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('R0R','BP',3,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('CEC','BP',5,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('CM\$','KYOTEN',7,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('90K','BP',9,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('CL\$','KYOTEN',11,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZRR','BP',13,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZRQ','BP',15,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZRA','BP',17,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZRP','BP',19,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZTS','BP',21,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZRK','BP',23,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZRS','BP',25,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('DMCO','BP',27,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZRT','BP',29,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('SSC','BP',31,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('KONE','BP',33,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZRO','BP',35,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ECE','BP',37,'0');

```
Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('AMI','BP',39,'0');
```

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('KTI','BP',41,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('ZNE','BP',43,'0');

Insert into GT_MA_KAISYA (KAISYA_CD,KAISYA_KUBUN,DSP_SORT_ORDER,DEL_FLG) values ('4AV','BP',45,'0');

REM INSERTING into GT MA KAISYA LOCALE

SET DEFINE OFF;

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('U0X','en_US','Toshiba Elevator...','TELC');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('U0X','local_Lang','東芝エレベータ','TELC');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('R0R','en US','Company Name 1','R0R');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('R0R','local_Lang','会社名 1 ','R0R');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('CEC','en US','Company Name 2','CEC');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('CEC','local_Lang','会社名 2','CEC');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('CM\$','en_US','Company Name 3','STE');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('CM\$','local_Lang','会社名 3 ','STE');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('90K','en_US','Company Name 4','90K');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('90K','local_Lang','会社名 4 ','90K');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('CL\$','en_US','Company Name 5','TCE');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('CL\$','local_Lang','会社名 5','TCE');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRR','en_US','Company Name 6','ZRR');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRR','local_Lang','会社名 6 ','ZRR');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRQ','en_US','Company Name 7','ZRQ');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRQ','local_Lang','会社名 7 ','ZRQ');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO)

```
values ('ZRA','en_US','Company Name 8','ZRA');
```

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRA','local_Lang','会社名 8 ','ZRA');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRP','en_US','Company Name 9','ZRP');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRP','local_Lang','会社名 9 ','ZRP');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZTS','en_US','Company Name 10','ZTS');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZTS','local_Lang','会社名 1 0','ZTS');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRK','en_US','Company Name 11','ZRK');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRK','local_Lang','会社名 1 1','ZRK');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRS','en_US','Company Name 12','ZRS');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRS','local_Lang','会社名 1 2 ','ZRS');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('DMCO','en_US','Company Name 13','DMCO');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('DMCO','local_Lang','会社名 1 3 ','DMCO');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRT','en_US','Company Name 14','ZRT');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRT','local_Lang','会社名 1 4 ','ZRT');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('SSC','en_US','Company Name 15','SSC');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('SSC','local_Lang','会社名 1 5 ','SSC');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('KONE','en_US','Company Name 16','KONE');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('KONE','local_Lang','会社名 1 6 ','KONE');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRO','en_US','Company Name 17','ZRO');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZRO','local_Lang','会社名 1 7 ','ZRO');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ECE','en_US','Company Name 18','ECE');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ECE','local_Lang','会社名 1 8 ','ECE');

```
Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('AMI','en US','Company Name 19','AMI');
```

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('AMI','local_Lang','会社名 1 9 ','AMI');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('KTI','en_US','Company Name 20','KTI');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('KTI','local_Lang','会社名 2 0 ','KTI');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZNE','en_US','Company Name 21','ZNE');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('ZNE','local_Lang','会社名 2 1 ','ZNE');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('4AV','en_US','Company Name 22','4AV');

Insert into GT_MA_KAISYA_LOCALE (KAISYA_CD,LANG_ID,KAISYA_NAME,KAISHA_RGO) values ('4AV','local_Lang','会社名 2 2','4AV');

REM INSERTING into GT_MA_SOSIKI

SET DEFINE OFF;

Insert into GT_MA_SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('E10000','U0X',2,1,'A00000',null,null,'0'); Insert into GT_MA_SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('E20000','U0X',2,1,'A00000',null,null,'0'); Insert into GT_MA_SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('E10010','U0X',3,2,'E10000','t00003 z z ',null,'0');

Insert into GT MA SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('E25010','U0X',3,2,'E20000','t00004 z z ',null,'0');

Insert into GT MA SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('E25020','U0X',3,2,'E20000','t00005 z z ',null,'0');

Insert into GT_MA_SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSIKI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('8800000','CL\$',1,null,null,null,null,null,null,null);

Insert into GT MA SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('88C0000','CL\$',2,null,'8800000','t00006 z z ',null,'0');

Insert into GT_MA_SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('88C1000','CL\$',3,null,'88C0000','t00007 z z ',null,'0');

Insert into GT MA SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('88C1100','CL\$',4,null,'88C1000','t00008 z z ',null,'0');

Insert into GT_MA_SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('88C2000','CL\$',3,null,'88C0000','t00009 z z ',null,'0');

Insert into GT MA SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('88C2200','CL\$',4,null,'88C2000','t00010 z z ',null,'0');

Insert into GT_MA_SOSIKI

(SOSIKI_CD,KAISYA_CD,SOSIKI_LEVEL,UPPER_SOSIKI_LEVEL,UPPER_SOSIKI_CD,SOSI KI_CHO_ID,DISPLAY_ORDER,DEL_FLG) values ('88C2300','CL\$',4,null,'88C2000','t00011 z z ',null,'0');

REM INSERTING into GT_MA_SOSIKI_LOCALE

SET DEFINE OFF;

Insert into GT_MA_SOSIKI_LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('A00000','en_US','jigyoubu1','sosiki1','team1',null,null,null); Insert into GT_MA_SOSIKI_LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('A00000','local_Lang','事業部 1','組織 1','チーム 1',null,null,null);

Insert into GT_MA_SOSIKI_LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('E10000','en_US','jigyoubu2','sosiki2','team2',null,null,null); Insert into GT_MA_SOSIKI_LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('E10000','local_Lang','事業部 2','組織 2','チーム 2 ',null,null,null);

Insert into GT MA SOSIKI LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI

```
_RGO_2,SOSIKI_RGO_3) values ('E20000','en_US','jigyoubu3','sosiki3','team3',null,null,null); Insert into GT_MA_SOSIKI_LOCALE
```

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('E20000','local_Lang','事業部3','組織3','チーム3',null,null,null);

Insert into GT_MA_SOSIKI_LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('E10010','en_US','oversea','kaigi','honbu',null,null,null); Insert into GT_MA_SOSIKI_LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('E10010','local_Lang','海外事業部','海技','本部',null,null,null); Insert into GT_MA_SOSIKI_LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('E25010','en_US','oversea','kaigi','team1',null,null,null); Insert into GT_MA_SOSIKI_LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('E25010','local_Lang','海外事業部','海技','チーム 1 ',null,null,null);

Insert into GT MA SOSIKI LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('E25020','en_US','oversea','kaigi','team2',null,null,null); Insert into GT_MA_SOSIKI_LOCALE

(SOSIKI_CD,LANG_ID,SOSIKI_MEI_1,SOSIKI_MEI_2,SOSIKI_MEI_3,SOSIKI_RGO_1,SOSIKI_RGO_2,SOSIKI_RGO_3) values ('E25020','local_Lang','海外事業部','海技','チーム 2 ',null,null,null);

REM INSERTING into GT MA USER

SET DEFINE OFF;

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('t00001zz',0,'U0X','E10000',null,null,null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL FLG) values ('t00002zz',1,'CL\$','XXXXX',null,null,null,null,'0');

Insert into GT_MA_USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('t00003zz',0,'U0X','E10010',null,'01',null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('t00004zz',0,'U0X','E25010',null,'16',null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('t00005zz',0,'U0X','E25020',null,'16',null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('s00001zz',0,'U0X','E10010',null,null,null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('s00002zz',0,'U0X','E10010',null,null,null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('s00003zz',0,'U0X','E25010',null,null,null,null,'0');

Insert into GT_MA_USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('s00004zz',0,'U0X','E25010',null,null,null,null,'0');

Insert into GT_MA_USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('s00005zz',0,'U0X','E25020',null,null,null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('s00006zz',0,'U0X','E25020',null,null,null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('t00006zz',0,'CL\$','88C0000',null,null,null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('t00007zz',0,'CL\$','88C1000',null,null,null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('t00008zz',0,'CL\$','88C1100',null,null,null,null,'0');

Insert into GT_MA_USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL FLG) values ('t00009zz',0,'CL\$','88C2000',null,null,null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('t00010zz',0,'CL\$','88C2200',null,null,null,null,'0');

Insert into GT MA USER

(USER_ID,KENMU_SEQ,KAISYA_CD,SOSIKI_CD,JUGYOIN_NO,YAKU_CD,EMAIL,EXPIRE, DEL_FLG) values ('t00011zz',0,'CL\$','88C2300',null,null,null,null,'0');

REM INSERTING into GT MA USERS LOCALE

SET DEFINE OFF;

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00001zz','en_US','name','TELC1');

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00001zz','local_Lang','ユーザー','TELC1');

- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00002zz','en_US','name','TCE');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00002zz','local_Lang','ユーザー','TCE');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00003zz','en_US','name','shoninsha1');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00003zz','local_Lang','ユーザー','承認者 1');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00004zz','en_US','name','shoninsha2');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00004zz','local_Lang','ユーザー','承認者 2');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00005zz','en_US','name','shoninsha3');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00005zz','local_Lang','ユーザー','承認者 3');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00006zz','en_US','user','TCE 1');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00006zz','local_Lang','ユーザー','TCE 1');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00007zz','en_US','user','TCE 2');
- $Insert\ into\ GT_MA_USERS_LOCALE\ (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME)\ values \\ ('t00007zz','local_Lang','-1-t'-','TCE\ 2');$
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00008zz','en_US','user','TCE 3');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00008zz','local_Lang','ユーザー','TCE 3');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00009zz','en_US','user','TCE 4');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00009zz','local_Lang','ユーザー','TCE 4');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00010zz','en_US','user','TCE 5');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('t00010zz','local_Lang','ユーザー','TCE 5');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00001zz','en US','user','shain1');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00001zz','local_Lang','ユーザー','社員 1');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00002zz','en_US','user','shain2');
- Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values

('s00002zz','local_Lang','ユーザー','社員 2');

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00003zz','en_US','user','shain3');

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00003zz','local_Lang','ユーザー','社員3');

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00004zz','en_US','user','shain4');

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00004zz','local_Lang','ユーザー','社員 4');

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00005zz','en US','user','shain5');

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00005zz','local_Lang','ユーザー','社員 5');

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00006zz','en_US','user','shain6');

Insert into GT_MA_USERS_LOCALE (USER_ID,LANG_ID,FIRST_NAME,LAST_NAME) values ('s00006zz','local_Lang','ユーザー','社員 6');

REM INSERTING into GT MA CATEGORY

SET DEFINE OFF;

Insert into GT MA CATEGORY

(CATEGORY_ID,CATEGORY_NAME,DEL_FLG,CREATE_DATE,CREATE_USER,UPDATE_D ATE,UPDATE_USER) values ('001','技術関連','0',to_date('2018-03-03 00:00:00','YYYY-MM-DD HH24:MI:SS'),'SYSTEM',null,null);

Insert into GT_MA_CATEGORY

(CATEGORY_ID,CATEGORY_NAME,DEL_FLG,CREATE_DATE,CREATE_USER,UPDATE_D ATE,UPDATE_USER) values ('002','技術関連','0',to_date('2018-03-03 00:00:01','YYYY-MM-DD HH24:MI:SS'),'SYSTEM',null,null);

Insert into GT MA CATEGORY

(CATEGORY_ID,CATEGORY_NAME,DEL_FLG,CREATE_DATE,CREATE_USER,UPDATE_D ATE,UPDATE_USER) values ('003','教育関連','0',to_date('2018-03-03 00:00:02','YYYY-MM-DD HH24:MI:SS'),'SYSTEM',null,null);

Insert into GT MA CATEGORY

(CATEGORY_ID,CATEGORY_NAME,DEL_FLG,CREATE_DATE,CREATE_USER,UPDATE_D ATE,UPDATE_USER) values ('004','製作手配関連','0',to_date('2018-03-03

00:00:03','YYYY-MM-DD HH24:MI:SS'),'SYSTEM',null,null);

Insert into GT MA CATEGORY

(CATEGORY_ID,CATEGORY_NAME,DEL_FLG,CREATE_DATE,CREATE_USER,UPDATE_D ATE,UPDATE_USER) values ('005','写真','0',to_date('2018-03-03 00:00:03','YYYY-MM-DD HH24:MI:SS'),'SYSTEM',null,null);

Insert into GT MA CATEGORY

(CATEGORY_ID,CATEGORY_NAME,DEL_FLG,CREATE_DATE,CREATE_USER,UPDATE_D

ATE,UPDATE_USER) values ('XXX','削除','1',to_date('2018-03-03 00:00:03','YYYY-MM-DD HH24:MI:SS'),'SYSTEM',null,null);