# Learning Tex

### Sam Wang

### Oct 17, 2017

### Contents

1	Inst	callation	1	
2	Cor	ncept	2	
3				
	3.1	Semantic markup	2	
	3.2	New Command		
	3.3	Item		
		Table		
	3.5	Image	3	
	3.6	Reference		
	3.7	Math	3	
	3.8	Source code	3	

## 1 Installation

About Tex Distribution

On Windows, MiKTex is a good choice with not too large size. Note MiKTex has its own package manager (GUI of course, but not as same as that of TexLive) and make sure to use the best repository to fast-download packages.

On Mac, I tried a basic installation package of MacTex (the full package is over 3G). Note MacTex uses a basic version of TexLive as package manager. So make sure Tex commands are in user path and have correct user/group and permission to get executed. Also choose the right repository with

tlmgr option repository http://<mirror-domain>/systems/texlive/tlnet/

About Editor MiKTex includes a front end, Texworks while the basic MacTex does not. A better choice (for my taste) is  $Visual\ Code + Latex\ Workshop(plugin)$ . Latex Workshop uses latexmk to compile tex files by default. So make sure it is installed (via package manager).

About Q&A [Q&A]

## 2 Concept

Preamble Part before \begin{document}

**Command** Start from \

Environment Block to have settings in its own scope

Font serif has small details at the end of letter strokes and thus is suitable for body

sans-serif for headings and text on low-resolution screens

sans-serif for headings and text on low-resolution screens  ${\tt monospace(\backslash texttt)}$  for source code.

Online document (in case no texdoc) http://ctan.org/pkg/<package-name> to find document

## 3 Basic Style

### 3.1 Semantic markup

**\emph** is more flexible than **\textit** in that it represents the intention *instead* of a detailed style. Also note can be nested and the effect is to flip between normal and italic.

#### 3.2 New Command

Define new command inside preamble (before \begin{document}):  $\label{local_parameter} $$ \operatorname{command-name}[\operatorname{parameter-count}][\operatorname{parameters}]{\operatorname{definition}} \simeq [\operatorname{git}]{\operatorname{github.com/sevenbamboos}} \to \operatorname{git://github.com/sevenbamboos}$ 

#### 3.3 Item

- 1. First action
  - (a) Step one
  - (b) Step two
- 2. Second action
  - Member A

Courage Average \*\*
Intelligence Poor \*
Knowledge Good \*\*\*

• Member B

### 3.4 Table

Name	User-friendly	Powerful
TeXworks (see 1 on page 1)	**	***
Visual Code + Latex Workshop	* * **	**

## 3.5 Image

## 3.6 Reference

\label{key} \ref{key} \page{ref}

### 3.7 Math

Check math symbols at [symbols] Inline equation:  $x_{1,2}=\frac{-b\pm\sqrt{b^2-4ac}}{2a}$  Display equation:

$$x_{1,2} = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Numbered equation:

$$x_{1,2} = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$a + b + c = 1$$

$$b + c = 0$$

$$c = 2$$

$$s = \overline{AB}$$

$$s = \underline{AB}$$

$$n = \underbrace{1 + 1 + \dots + 1}_{n}$$

$$1 + 1 + \dots + 1 = ?$$

$$(1)$$

### 3.8 Source code

# References

[symbols] https://en.wikibooks.org/wiki/LaTeX/Mathematics

[Q&A] https://tex.stackexchange.com