



Politechnika Łódzka Wydział Elektrotechniki, Elektroniki, Informatyki i Automatyki Politechniki Łódzkiej

Praca Dyplomowa Magisterska

Cyfrowe przetwarzanie impulsów z detektorów promieniowania w czasie rzeczywistym z wykorzystaniem układów programowalnych FPGA

Real Time Digital Pulse Processing from Radiation Detectors Using Field Programmable Gate Arrays

inż. Wojciech Mateusz Walewski Nr albumu: 239587

Promotor:

dr hab. inż. Dariusz Makowski, prof. uczelni

17 lipca 2022

Contents

1	General Tools and Techniques for Your Master Thesis			
	1.1	Basic Commands and Writing Topics	1	
	1.2	Including Figures and Tables	4	
2	Spec	cific Tools for a Thesis in Computer Science	7	
	2.1	Writing Pseudo Code in LaTex	7	
	2.2	Mathematical Equations	9	
	2.3	Including Code into Your Text	10	
Bi	bliogi	raphy	11	



List of Figures

1.1	Figure description for the table of content	4
2.1	BubbleSort Algorithm Pseudocoe	8

List of Tables

1.1	Table description for list of tables	5
2.1	Example data for mathematical equations	ç

Streszczenie

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Abstract

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula. Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Chapter 1

General Tools and Techniques for Your Master Thesis

1.1 Basic Commands and Writing Topics

1.1.1 Introduction to Writing in LaTex

The text appearance and the thesis layout is sometimes determined by formal requirements. This text, for example is *Times* using 11pt size and a slight increase in space between the text lines. There are also requirements for indenting a new paragraph sometimes.

As you can see, this template does not indent the new paragraph. However, you can always change this setting in the *declarations.tex* file.

Some faculties require to include all references to external sources in *footnotes*. 123

You can enumerate or list some points and sketches of a topic using *list or enumerattions*:

- 1. Start
- 2. Work
- 3. Finish

¹This is a footnote. You can also include citations and many text formatting LaTex commands.

²You may also explain background information on a topic, which may be interesting for further reading.

³Footnotes also often include weblinks, for example http://www.jankuester.com

1.1.2 Structure of the Thesis

Since the current template is structured into chapters, sections and subsections. This is mainly because a master thesis may easily grow up to 100 pages and in some cases even bigger. Structuring your big parts into *chapters* makes it perfect for separating in logical units, such as:

- Introduction
- · Related Work
- · Research Design
- Proceedings and Data Collection
- Data Analysis and Evaluation
- · Discussion and Conclusion

The next smaller units are *sections* which structure a chapter into it's subtopics. Using *subsections* allows to cover these topics step by step and keep the reader on track with a mental model of all the parts of the current topic.

Now there are also *subsubsections* available in LaTex. It would become very confusing when even *including subsubsections in the table of contents (toc)*. For this reason, the toc is set to remove these subsubsections. You may alter this by taking a look into the main.tex and the declaration.tex.

This Subsubsection is not listed in the Table of Contents

The advantage is, that your work becomes more structured along the complexity of your topic. It may occur, that topics can become very granular, which is why this is the perfect counterpart for this issue.

1.1.3 Using a Shorthand Command in Writing

In the *declaration.tex file*, there is a shorthand command called *NOTE*. It is created to quickly emphasize important words and let them point out. It is declared by using the *newcommand* tag. You may read on the web about this command, since it is very handy once you understand how to use it. You can of course create your own commands but you can also stick to this, if you want to get things done fast.

1.1.4 Including a citation

Since we use the natbib environment, we need to use citep or citet as commans for our citations. This may look like the following:

With page - [2, p.123]

When the authors, e.g. Mayring and Fenzl [1] said something and you want to embed the citation in your text.

1.2 Including Figures and Tables

1.2.1 Including a Graphic

Including a graphics is not that hard. Important is to wrap it as a figure, so that it will be included into the *list of figures*. You can also *label* it, which allows to refer directly to this figure without the need of keeping track of it's id or name. Another handy parameter is the *width* parameter, which allows to set the dimensions according to the current text width.



Figure 1.1: This is the description of the figure. You may even include citations here, which is often important for a master thesis. For example:

1.2.2 Including a Table

When declaring a table, you have multiple options to project complex structures. The following example uses *multirows and multicolums* to create a multi-faceted overview of complex data. If you want the table to be listed in the *list of tables*, you need to wrap the tabular within a table declaration.

Category	Levels	Scale			
		low		high	
	1. first level	low	middle	high	
	2. second level				
A	Subsequence	none	some	many	
	Extensions	none	some	all	
	3. presentation	-	text	colored cell	
	4. fourth level				
	graphics	low	medium	high	
В	sound	mute	normal	loud	
	input	mouse	keyboard	gamepad	
	5. fifth leves	Low	Medium	High	

Table 1.1: Detailed description of the table, which can also use various LaTex commands and include citations.

Chapter 2

Specific Tools for a Thesis in Computer Science

2.1 Writing Pseudo Code in LaTex

The package *algorithm2e* allows you write nearly all imaginable code structures as pseudo code in LaTex. A referece of commands can be found here: http://www.cs.toronto.edu/~frank/Useful/algorithm2e.pdf. Do not forget to wrap the pseudo code into a figure, thus it will be included into list of figures.

The following example demonstrates the package with a bubble sort algorithm. Note, that the directive *repeat - until* is the same as the *do-while* directive.

```
Algorithm 1: bubbleSort(Array A)
   Data: A as Array to sort,
   Result: A as sorted Array
1 int n \leftarrow A.size; // cache the initial size of A
      int newn \leftarrow 1 for int i=0; i < n-1; i++ do
3
          if A[i] > A[i+1] then
4
              A.swap(i, +1);
 5
          end
6
      end
7
      n \leftarrow newn \\
8
9 until n>1;
10 return A
```

Figure 2.1: PseudoCode f the BubbleSort Algorithm, derived from https://de.wikipedia.org/wiki/Bubblesort.

2.2 Mathematical Equations

Writing mathematical equations can be a very important part of your work. This applies especially, if you want to analyze and evaluate your gathered data. The following example shows a calculation of Kohen's Cappa, a measurement which represents the inter coder reliability in coding qualitative data.

Let's assume the following results of coding a text by two different persons:	

result XY	Rater A					
		9	0	1	2	c(a)
	9	27	0	0	0	0.5510204082
Rater B	0	0	6	0	0	0.1224489796
Katel D	1	0	1	7	0	0.1632653061
	2	0	1	7	0	0.1632653061
	c(r)	0.5510204082	0.1632653061	0.2857142857	0	n=49

Table 2.1: A set of example data for further use in a mathematical equation.

Continuing from this basis, the calculation can be proceeded with Cohen's Kappa defined as

$$k = \frac{Pr(a) - Pr(e)}{1 - Pr(e)}$$

Where Pr(a) is the actual observed agreement of the codes and Pr(e) is the estimated agreement of the codes. The actual agreement can be calculated by building the sum of those codes, which have been assigned by both raters (in the table: diagonal from upper left to lower right). This sum is then divided by the amount of responses (n), which is expressed by the following calculation as

$$Pr(a) = (27+6+7+0)/49 = 0.8163265306$$

The estimated agreement is calculated out of the percentages of each code in relation to the amount of responses (n). The overall estimated agreement is then built by multiplying these chances and summing up their results. The term is described as

$$Pr(e) = \sum_{i=1}^{m} c(r)_i \times c(a)_i$$

where m is the number of all occurring codes, i is the current code and c(r) and c(a) are the chances of assigned codes (see table) for raters and auto. Applying this term is leading to:

```
Pr(e) = (0.5510204082 \times 0.5510204082) + (0,1632653061 \times 0.1224489796) + (0.285714285 \times 0.1632653061) + (0 \times 0) = 0.3702623907
```

The values for Pr(a) and Pr(e) are calculated and can be included into the kappa equation, resulting in the following kappa for item a2s1i1a:

```
k = \frac{0.8163265306 - 0.3702623907}{1 - 0.3702623907} = 0.70833333333
```

2.3 Including Code into Your Text

Sometimes you want to include text which include characters that could trigger commands. At this point it useful to wrap them into the *verbatim* environment. The text is uninterpreted and listet as is.

You can also include existing code and highlight it's syntax, using the *lstlisting* package. Look at the declarations.tex file for listings settings. The following example highlights xml syntax by given keywords.

```
<!-- an XML comment -->
<entry type="normal" pattern="a" />
<entry type="normal" pattern="b" />
<entry type="formula" pattern="t=a+b+c" required="1"/>
```

Bibliography

- [1] P. Mayring and T. Fenzl. Qualitative inhaltsanalyse. In N. Baur and J. Blasius, editors, Handbuch Methoden der empirischen Sozialforschung, pages 543–556. Springer Fachmedien Wiesbaden, 2014. ISBN 978-3-531-17809-7. doi: 10.1007/978-3-531-18939-0_38. URL http://dx.doi.org/10.1007/978-3-531-18939-0_38.
- [2] G. W. Ryan. *Analyzing qualitative data: systematic approaches*. Sage, Los Angeles, CA [u.a.], 2010. ISBN 9780761924906. URL http://katalog.suub.uni-bremen.de/DB=1/LNG= DU/CMD?ACT=SRCHA&IKT=8000&TRM=1229209042*.