AUTONOMOUS EVOLUTIONARY AGENT SWARM (v3.0)

Printable Desk Reference — Product Discovery & Planning (Phase A), Design Track, Goal-Loop Outcome Engine & Swarm Loop (Phase B: Lite default, best-of-3, Full)

/product-discovery
Phase A Master (Scout & Plan)

/invoke-swarm [lite]
Phase B Master (Lite by default)


1. QUICK DECISION GUIDE — "WHICH SKILL DO I TYPE RIGHT NOW?"

Pick by your immediate goal; every skill works standalone or via /product-discovery & /invoke-swarm

Starting a brand-new product/idea (Full Phase A)?	`/product-discovery`	Ready to build: Lite, 1 epoch, gate + Validator (default)?	`/invoke-swarm`
Backend / CLI / SDK product plan (skip HTML UI mockups)?	`/product-discovery no-ui`	Multi-epoch hardening with audit & scout (opt-in)?	`/invoke-swarm full`
Search my Zotero PDFs + high-impact papers + web SOTA?	`/tech-research`	Freeze shared types + mine brownfield invariants?	`/contract-lock`
Competitors, GitHub OSS parity, VoC pain & TAM/SAM/SOM?	`/market-research`	Categorical code review, authenticity & pass^k gate?	`/discriminator-gate`
Open-Core vs. B2B Enterprise licensing, COGS & kill-risks?	`/commercial-strategy`	Run Rigor, Safety & Innovation audit on existing repo?	`/triad-audit`
Co-brainstorm + 6-lens critique; then /design-draft & /goldfish-review?	`/coop-brainstorm`	Scan secrets, prompt-injection, Unicode & MCP tax?	`/agent-shield`
Generate 3 interactive single-file HTML/CSS/JS UI mockups?	`/ui-ux-design`	Turn paper math/equations into verified code + unit tests?	`/paper-to-code`

2. END-TO-END ARCHITECTURE & EXECUTION FLOW (PHASE A → PHASE B)

Phase A (/product-discovery) is on-demand only; Phase B (/invoke-swarm) runs Steps 0.5 → 7 autonomously



3. PHASE A SKILLS — INITIAL DISCOVERY, OPPORTUNITY SCOUTING, OPEN-CORE/B2B & PRODUCT PLANNING

Run all at once via /product-discovery or invoke any individual skill standalone on any repository

SKILL & CALLING MODES	WHEN TO USE (TRIGGER SCENARIO)	SUB-AGENTS & CORE CAPABILITIES	PERSISTENT OUTPUTS
`/product-discovery` `default` `no-ui` `tech-only` `market-only`	New product OR existing repo audit. Crawls web/literature/market potentials & plans product (2 waves, 2 checkpoints).	Wave 1: `/tech-research` + `/market-research` + `/commercial-strategy`. Checkpoint 1: `/coop-brainstorm` (can declare `ALREADY OPTIMAL`). Wave 2: `/ui-ux-design`. Design: `/design-draft` → `/goldfish-review` → `--import-design`.	All `.swarm/blueprint/*` files + `docs/designs/<product>.md`
`/tech-research`	Literature & Zotero grounding. Academic rigor + your own curated Zotero notes/ PDFs + web SOTA.	3 Parallel Streams (Prompt Defense): (A) Personal Zotero DB via `zotero_tool.py` (collections, notes, PDF grep), (B) High-impact papers (OpenAlex citations, arXiv, PubMed), (C) Web/OSS Build-vs-Adopt crawl.	`.swarm/blueprint/tech_research_report.md` `.swarm/sota/sota_knowledge_base.md`
`/market-research`	Competitive & buyer validation. Greenfield ideas OR existing repos (Truth-in-Code parity mode).	Spawns 3 Agents: `competitor_teardown_scout` (incumbents, SaaS, OSS velocity/licenses), `voice_of_customer_miner` (HN/Reddit/GitHub Switch Triggers), `tam_icp_gtm_analyst` (bottom-up TAM/SAM/SOM & ICP).	`.swarm/blueprint/market_research_report.md` `.swarm/blueprint/market_dashboard.html`
`/commercial-strategy`	Open-Core & B2B monetization. Designing OSS vs. paid boundaries, pricing, COGS margins, and moats.	Spawns 2 Agents: `pricing_monetization_strategist` (MIT/ Apache Core + `ee/` vs. BSL/AGPL, 3-tier OSS/Pro/ B2B Enterprise gates, COGS) & `moat_and_risk_skeptic` (cannibalization, IP/GPL scan, kill-risks).	`.swarm/blueprint/commercial_strategy_report.md` `.swarm/blueprint/market_dashboard.html`
`/coop-brainstorm`	Feature, arch & Search-First gate. Interactive ideation + categorical Sufficiency Table before coding.	Sufficiency Gate (`OPTIMAL` → `ALREADY OPTIMAL`) + 3 Pillars: (1) Innovations (`HIGH` Net-ROI), (2) Search-First `[ADOPT]` / `[EXTEND]` / `[BUILD]` + `[OSS]` / `[Pro]` / `[B2B]`, (3) Arch Option 0 vs. Alternatives; 6 read-only Goldfish lenses critique the concept first.	`.swarm/blueprint/brainstorm_blueprint.md` (product notes)
`/design-draft` `/goldfish-review` `/drift-report`	Design before code & drift check (EGM). Elephant polls live; fresh read-only Goldfish review; drift reconciles code vs. spec.	Polled section-by-section design (zero questions in `plan.md`); 4-stage read-only Goldfish review; `goal_loop.py --import-design` & `--drift-report` .	`docs/designs/<name>.md` `.swarm/design-reviews/*`
`/ui-ux-design`	Visual prototyping & UX selection. Audits existing UI (0 FAIL skips regen) or builds 3 HTML mockups.	Audits existing UI via `web_ui_validator.py` (keeps if `0 FAIL`); otherwise deals 3 distinct UI/UX directions, spawns 3 parallel UI Designers for self-contained HTML/CSS/JS files, and validates.	`.swarm/blueprint/ui_proposals/template_1..3.html`

SKILL & CALLING MODES	WHEN TO USE (TRIGGER SCENARIO)	SUB-AGENTS & CORE CAPABILITIES	PERSISTENT OUTPUTS
			`.swarm/blueprint/ui_ux_proposals.md`
`/paper-to-code`	Translating papers to verified math code. Turning Zotero/arXiv equations into tested reference modules.	Extracts formal equations/algorithms from Zotero PDFs or arXiv, cross-verifies closed-form identities via SymPy (optionally a local math model), and writes golden unit tests.	`.swarm/paper_spec.md` + Reference Module & Unit Tests

4. PHASE B SKILLS — LITE MODE (DEFAULT), BEST-OF-3 & FULL 3-EPOCH SWARM LOOP

Lite: /invoke-swarm; best-of-3: /invoke-swarm best-of-3; Full: /invoke-swarm full; or any stage standalone

SKILL & CALLING MODES	WHEN TO USE (TRIGGER SCENARIO)	WHAT IT DOES & GATE ENFORCEMENT RULES	PERSISTENT OUTPUTS
`/invoke-swarm` `lite (default)` `best-of-3` `full (3-Epoch)` `discriminate-only` `audit-only` `sota-only` `replan-only`	Autonomous multi-agent build. `lite` (default): 1 epoch in dependency waves, gate + Validator; reviewer only when needed; optional release-level audit. `best-of-3`: 3 workers + cross-test picker (Python). `full`: 3-Epoch Funnel.	Runs `--preflight`, locks contracts, dispatches workers via `--task-brief`, gates each worker with `/discriminator-gate`, merges, and runs Validator (plus Triad Audit & SOTA Scout in Full Mode).	`.swarm/swarm_tasks.json` `.swarm/dashboard.html` `.swarm/epoch_1..3/*`
`/contract-lock` `Step 0.5` `spec-miner`	Before parallel coding. Prevents signature collisions & mines brownfield invariants.	Defines and freezes shared cross-module interfaces (`src/contracts/`) on `main`. On brownfield repos, runs Sample & Expand `spec-miner` (15-file cap) to lock `WHEN→THEN` & `ALWAYS TRUE` invariants.	`src/contracts/*` `docs/INVARIANTS.md`
`/discriminator-gate` `Step 1.5` `pass^k`	Categorical branch review. Auditing a sub-agent or feature branch before allowing merge.	Inspects `--review-package` diff, runs `--audit-task` (AST wiring, stubs, fake-comment constant returns, mock-only tests) & tests. Enforces categorical gate (0 `BLOCKING_FAIL`, spec `PASS`, 0 Critical/Important; 5-round loop).	`.swarm/reviews/*` `.swarm/ledger.md`
`/merge-surgeon` `Step 2` `snapshots`	Integrating parallel branches. Merging multiple Git worktrees cleanly into `main`.	Creates pre-merge Git snapshots (`--snapshot-create`), merges approved worker branches (`git merge --no-ff`), resolves semantic conflicts honoring `src/contracts/`, and auto-restores (`--snapshot-restore`) on failure.	Integrated `main` branch + tag `swarm-epoch-<N>`
`/triad-audit` `Full Mode` `rigor-only` `safety-only` `innovation-only`	Deep codebase audit (Full Mode, or release-level audit after Lite). Finding math bugs, security holes, or UX gaps.	Spawns 3 parallel isolated auditors: `rigor_auditor` (math/algo, `pass^k` & `/perf-benchmarker`), `safety_auditor` (runs `/agent-shield` + threat tests), `innovation_auditor` (UX/visuals). Categorical `PASS/FAIL`.	`.swarm/epoch_<N>/audit_rigor.md` `audit_safety.md`, `audit_innovation.md`
`/agent-shield` `Step 4.2` `standalone`	Security, Prompt-Injection & MCP audit. Scanning secrets, Unicode, hooks & MCP tax.	Runs `scripts/agent_shield.py` across 5 categories: (1) Secrets & tracked `.env`, (2) Prompt-Injection & Trojan-Source Unicode, (3) Unsafe hook pipes (`curl| sh`), (4) MCP Context-Tax (≤5 servers), (5) Silent failures.	`.swarm/security_shield_report.md` (Grade `A-F`, `0-100`)
`/perf-benchmarker` `Step 4.1` `pass_hat_k`	Latency, RAM & flakiness tracking. Detecting speed, memory, or `pass^k` regressions.	Runs `scripts/perf_tracker.py` across K iterations, measuring wall-clock latency (ms), peak RSS memory (KB), `pass_at_k` (≥1/K), and `pass_hat_k` (K/K non-flaky passes). Flags regressions > 15%.	`.swarm/benchmarks.json`
`/visual-ui-validator` `UI Gate` `standalone`	Validating HTML/JS UIs. Checking UI prototypes or web apps across 3 viewports + reduced-motion.	Runs `scripts/web_ui_validator.py`: verifies DOM/layout at `1440/768/390`, rejects placeholders, runs `node --check` on inline `<script>`, and checks Chromium console/bounding boxes (`PASS/FAIL`).	JSON/CLI `PASS/FAIL` report + screenshots
`/sota-web-scout` `Full Mode` `standalone`	External SOTA benchmarking (Full Mode, or release-level audit after Lite). Comparing your repo against leading tools & papers.	Crawls web, GitHub, and literature in parallel (under Prompt Defense Baseline) for SOTA visualizations, architectures, and Build-vs-Adopt packages. Records categorical `ALREADY_SOTA` vs `UPGRADES_AVAILABLE`.	`.swarm/sota/sota_knowledge_base.md` `.swarm/epoch_<N>/sota_evaluation.md`
`/epoch-planner` & `/immortal-agents`	Milestone replanning (Steps 3/7) & sub-agent revival watchdog.	`/epoch-planner`: Writes `intermittent_report.md`, renders `dashboard.html`, checks convergence & writes `adjusted_plan.md`. `/immortal-agents`: Inspects `transcript.jsonl` & revives stalled workers (up to 5x).	`intermittent_report.md` `adjusted_plan.md` `.swarm/dashboard.html`

5. SUPPORTING ENGINEERING, GPU MATH & LIVE 3D EDITOR MCP SKILLS

Specialized execution contracts, binary runtime smoke testing, local GPU math proofs & singleton 3D scenes

SKILL	WHEN TO USE	CAPABILITIES & KEY COMMANDS
`/goal-loop`	Hierarchical Tasks, Briefs & Categorical Gate.	Runs `scripts/goal_loop.py`: `--preflight` conflict scan, `--task-brief` & `--review-package` bundlers, AST call-site wiring, fake-return & mock-only test detection, and categorical Two-Verdict recording.
`/swarm-diagnostics`	Diagnose slow, looping, or stalled sessions.	Runs `scripts/swarm_diagnostics.py` over `transcript.jsonl` & `.swarm/` across 7 dimensions with mandatory `path:line` / `step_index` citations.
`/quality-validator`	Smoke-testing compiled apps/games.	Runs `scripts/quality_validator.py ./build/app --timeout 10` enforcing fresh verification evidence before completion claims.
`/math-reasoning` & `/tmux-orchestrator`	Optional local math model & headless CLI daemons.	Optional extra: routes derivations to a local math model (falls back to SymPy); manages multi-pane Linux `tmux` runners.

6. TWO-VERDICT CATEGORICAL GATE & 5-ROUND ESCALATING LOOP

- Categories & Counts Decide the Outcome (No Decimal Scores): `goal_loop.py` checks `BLOCKING_FAIL` invariants (test exit code, AST call-site wiring, stubs, constant returns next to `fake` comments, mock-only/vacuous tests).
- Two-Verdict Discriminator: (1) Spec Compliance (`PASS | FAIL | UNVERIFIABLE` + `Review Focus` proof) & (2) Severity Buckets: `Critical`, `Important`, `Minor (Deferred)`.
- Categorical Verdicts:
  `Any BLOCKING_FAIL / Spec FAIL / Critical > 0 / Important > 0 → FAIL`
  `0 Blocking / Spec PASS / 0 Crit / 0 Imp → PASS`
  `Minor → Deferred to Ledger`
- 5-Round Escalating Fix Loop & Scoped Re-Review (`FIX_BASE..HEAD`): Rounds 1–3 resume same worker; Rounds 4–5 spawn a fresh worker sub-agent; Round 5 Breaker logs a typed `Ruling:` (`OVERRIDE` / `SPLIT_TASK` / `RE_ARCHITECT_CONTRACT` / `ESCALATE_TO_USER`) in `.swarm/ledger.md`; rulings never overturn a `BLOCKING_FAIL`.
- Lite Mode (`/invoke-swarm`, default): Runs 1 epoch with the deterministic gate + Validator; the reviewer (which restates the spec first and never writes files) runs only when acceptance is not command-checkable or parallel work merges.

7. PERSISTENT REPOSITORY FILE BUS (`.SWARM/` & `DESIGN.MD`)

`DESIGN.md & .swarm/surfaces/` — 3-Tier Design System, Tokens & Surface Briefs
`.swarm/blueprint/` — Phase A Discovery, Market & UI Prototypes
  ├─ `tech_research_report.md`, `market_research_report.md` & `market_dashboard.html`
  ├─ `brainstorm_blueprint.md` (with `Review Focus`) & `docs/INVARIANTS.md`
  └─ `ui_proposals/template_1..3.html` (3-viewport verified HTML UIs)
`.swarm/` — Phase B Briefs, Diff Packages, Ledgers & Telemetry
  ├─ `goal_loop.json`, `briefs/<ID>-brief.md` & `reviews/<ID>-review.diff.md`
  ├─ `ledger.md` (Round 5 Rulings) & `deferred_minor_ledger.md` (Minor notes)
  ├─ `dashboard.html`, `security_shield_report.md` & `diagnostics_report.md`
  └─ `instincts.json`, `epoch_<1..K>/` & `sota/sota_knowledge_base.md`