

Summary of Quantity			
Item Code	Name	Quantity	Unit
13.06	Surface Course_AC	796.956	M3
13.01(B)	Prime Coat	19600.25	L
13.02(B)	Tack Coat	11760.15	L
12.01(A)	SubBase	6095.499	M3
12.06(B)	Base Material	3187.829	M3
10.04(II)	SubGrade Preparation	2940.034	M3

Chainage (m)	Mean Distance (m)	Pavement			Shoulder		ShoulderL ayer-3	Base	SubBase	SubGrade Preparation	Surface Course_AC	Prime Coat	Tack Coat	SubBase	Base Material	SubGrade Preparation
		Surface Course_AC M3	Prime Coat L	Tack Coat L	Prime Coat L	Tack Coat L	SubBase M3	Base Material M3	SubBase Material M3	SubGrade Preparation M3						
0+000	5	1.375	27.5	16.5	7.5	4.5	1.875	5.5	8.938	5.25	1.375	35	21	10.813	5.5	5.25
0+010	10	2.907	58.14	34.884	15	9	3.75	11.628	18.896	10.971	2.907	73.14	43.884	22.646	11.628	10.971
0+020	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+030	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+040	10	3.321	66.419	39.851	15	9	3.75	13.284	21.586	12.213	3.321	81.419	48.851	25.336	13.284	12.213
0+050	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+060	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+070	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+080	10	3.017	60.34	36.204	15	9	3.75	12.068	19.61	11.301	3.017	75.34	45.204	23.36	12.068	11.301
0+090	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
0+100	10	2.912	58.244	34.946	15	9	3.75	11.649	18.929	10.987	2.912	73.244	43.946	22.679	11.649	10.987
0+110	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+120	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+130	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+140	10	3.003	60.059	36.035	15	9	3.75	12.012	19.519	11.259	3.003	75.059	45.035	23.269	12.012	11.259
0+150	10	2.786	55.72	33.432	15	9	3.75	11.144	18.109	10.608	2.786	70.72	42.432	21.859	11.144	10.608
0+160	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+170	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+180	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+190	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+200	10	3.271	65.422	39.253	15	9	3.75	13.084	21.262	12.063	3.271	80.422	48.253	25.012	13.084	12.063
0+210	10	3.345	66.904	40.142	15	9	3.75	13.381	21.744	12.286	3.345	81.904	49.142	25.494	13.381	12.286
0+220	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+230	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+240	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+250	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+260	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+270	10	2.903	58.063	34.838	15	9	3.75	11.613	18.87	10.959	2.903	73.063	43.838	22.62	11.613	10.959
0+280	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
0+290	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
0+300	10	2.948	58.962	35.377	15	9	3.75	11.792	19.163	11.094	2.948	73.962	44.377	22.913	11.792	11.094
0+310	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+320	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+330	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+340	10	3.442	68.843	41.306	15	9	3.75	13.769	22.374	12.576	3.442	83.843	50.306	26.124	13.769	12.576
0+350	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75

Chainage (m)	Mean Distance (m)	Pavement			Shoulder		ShoulderL ayer-3	Base	SubBase	SubGrade Preparation	Surface Course_AC	Prime Coat	Tack Coat	SubBase	Base Material	SubGrade Preparation
		Surface Course_AC M3	Prime Coat L	Tack Coat L	Prime Coat L	Tack Coat L	SubBase M3	Base Material M3	SubBase Material M3	SubGrade Preparation M3						
0+360	10	3.5	69.997	41.998	15	9	3.75	13.999	22.749	12.75	3.5	84.997	50.998	26.499	13.999	12.75
0+370	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+380	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+390	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+400	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+410	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+420	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+430	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+440	10	3.29	65.804	39.482	15	9	3.75	13.161	21.386	12.121	3.29	80.804	48.482	25.136	13.161	12.121
0+450	10	3.208	64.167	38.5	15	9	3.75	12.833	20.854	11.875	3.208	79.167	47.5	24.604	12.833	11.875
0+460	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+470	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+480	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+490	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+500	10	2.922	58.439	35.063	15	9	3.75	11.688	18.993	11.016	2.922	73.439	44.063	22.743	11.688	11.016
0+510	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
0+520	10	3.2	64.002	38.401	15	9	3.75	12.8	20.801	11.85	3.2	79.002	47.401	24.551	12.8	11.85
0+530	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+540	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+550	10	3.5	70.004	42.002	15	9	3.75	14.001	22.751	12.751	3.5	85.004	51.002	26.501	14.001	12.751
0+560	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+570	10	3.5	70.005	42.003	15	9	3.75	14.001	22.752	12.751	3.5	85.005	51.003	26.502	14.001	12.751
0+580	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+590	10	3.431	68.629	41.177	15	9	3.75	13.726	22.304	12.544	3.431	83.629	50.177	26.054	13.726	12.544
0+600	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+610	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+620	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+630	10	2.952	59.042	35.425	15	9	3.75	11.808	19.189	11.106	2.952	74.042	44.425	22.939	11.808	11.106
0+640	10	2.95	59.004	35.402	15	9	3.75	11.801	19.176	11.101	2.95	74.004	44.402	22.926	11.801	11.101
0+650	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+660	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+670	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+680	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+690	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+700	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+710	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
0+720	10	3.294	65.874	39.524	15	9	3.75	13.175	21.409	12.131	3.294	80.874	48.524	25.159	13.175	12.131
0+730	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+740	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+750	10	3.352	67.043	40.226	15	9	3.75	13.409	21.789	12.306	3.352	82.043	49.226	25.539	13.409	12.306
0+760	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+770	10	3.35	67.002	40.201	15	9	3.75	13.4	21.776	12.3	3.35	82.002	49.201	25.526	13.4	12.3
0+780	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+790	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+800	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+810	10	3.381	67.628	40.577	15	9	3.75	13.526	21.979	12.394	3.381	82.628	49.577	25.729	13.526	12.394

Chainage (m)	Mean Distance (m)	Pavement			Shoulder		ShoulderL ayer-3	Base	SubBase	SubGrade Preparation	Surface Course_AC	Prime Coat	Tack Coat	SubBase	Base Material	SubGrade Preparation
		Surface Course_AC M3	Prime Coat L	Tack Coat L	Prime Coat L	Tack Coat L	SubBase M3	Base Material M3	SubBase Material M3	SubGrade Preparation M3						
0+820	10	3.497	69.936	41.962	15	9	3.75	13.987	22.729	12.74	3.497	84.936	50.962	26.479	13.987	12.74
0+830	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+840	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
0+850	10	3.43	68.602	41.161	15	9	3.75	13.72	22.296	12.54	3.43	83.602	50.161	26.046	13.72	12.54
0+860	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+870	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+880	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+890	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+900	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+910	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+920	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+930	10	3.35	67.002	40.201	15	9	3.75	13.4	21.776	12.3	3.35	82.002	49.201	25.526	13.4	12.3
0+940	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+950	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+960	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
0+970	10	3.273	65.46	39.276	15	9	3.75	13.092	21.274	12.069	3.273	80.46	48.276	25.024	13.092	12.069
0+980	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
0+990	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+000	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+010	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+020	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+030	10	3.377	67.548	40.529	15	9	3.75	13.51	21.953	12.382	3.377	82.548	49.529	25.703	13.51	12.382
1+040	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+050	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+060	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+070	10	3.42	68.403	41.042	15	9	3.75	13.681	22.231	12.51	3.42	83.403	50.042	25.981	13.681	12.51
1+080	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+090	10	3.141	62.82	37.692	15	9	3.75	12.564	20.417	11.673	3.141	77.82	46.692	24.167	12.564	11.673
1+100	10	2.808	56.156	33.694	15	9	3.75	11.231	18.251	10.673	2.808	71.156	42.694	22.001	11.231	10.673
1+110	10	3.308	66.156	39.694	15	9	3.75	13.231	21.501	12.173	3.308	81.156	48.694	25.251	13.231	12.173
1+120	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+130	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+140	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+150	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+160	10	3.113	62.256	37.354	15	9	3.75	12.451	20.233	11.588	3.113	77.256	46.354	23.983	12.451	11.588
1+170	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
1+180	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
1+190	10	3.046	60.917	36.55	15	9	3.75	12.183	19.798	11.388	3.046	75.917	45.55	23.548	12.183	11.388
1+200	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
1+210	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
1+220	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
1+230	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
1+240	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
1+250	10	3.188	63.75	38.25	15	9	3.75	12.75	20.719	11.813	3.188	78.75	47.25	24.469	12.75	11.813
1+260	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+270	10	3.364	67.271	40.363	15	9	3.75	13.454	21.863	12.341	3.364	82.271	49.363	25.613	13.454	12.341

Chainage (m)	Mean Distance (m)	Pavement			Shoulder		ShoulderL ayer-3	Base	SubBase	SubGrade Preparation	Surface Course_AC	Prime Coat	Tack Coat	SubBase	Base Material	SubGrade Preparation
		Surface Course_AC M3	Prime Coat L	Tack Coat L	Prime Coat L	Tack Coat L	SubBase M3	Base Material M3	SubBase Material M3	SubGrade Preparation M3						
1+280	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
1+290	10	3.05	61	36.6	15	9	3.75	12.2	19.825	11.4	3.05	76	45.6	23.575	12.2	11.4
1+300	10	3.306	66.123	39.674	15	9	3.75	13.225	21.49	12.168	3.306	81.123	48.674	25.24	13.225	12.168
1+310	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+320	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+330	10	3.5	70.001	42.001	15	9	3.75	14	22.75	12.75	3.5	85.001	51.001	26.5	14	12.75
1+340	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+350	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+360	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+370	10	3.5	69.999	41.999	15	9	3.75	14	22.75	12.75	3.5	84.999	50.999	26.5	14	12.75
1+380	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+390	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+400	10	3.06	61.2	36.72	15	9	3.75	12.24	19.89	11.43	3.06	76.2	45.72	23.64	12.24	11.43
1+410	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
1+420	10	3.243	64.865	38.919	15	9	3.75	12.973	21.081	11.98	3.243	79.865	47.919	24.831	12.973	11.98
1+430	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+440	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+450	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+460	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+470	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+480	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+490	10	3.35	67.004	40.202	15	9	3.75	13.401	21.776	12.301	3.35	82.004	49.202	25.526	13.401	12.301
1+500	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+510	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+520	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+530	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+540	10	3.476	69.528	41.717	15	9	3.75	13.906	22.597	12.679	3.476	84.528	50.717	26.347	13.906	12.679
1+550	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+560	10	3.5	69.996	41.998	15	9	3.75	13.999	22.749	12.749	3.5	84.996	50.998	26.499	13.999	12.749
1+570	10	3.5	70.002	42.001	15	9	3.75	14	22.751	12.75	3.5	85.002	51.001	26.501	14	12.75
1+580	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+590	10	3.093	61.86	37.116	15	9	3.75	12.372	20.104	11.529	3.093	76.86	46.116	23.854	12.372	11.529
1+600	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
1+610	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
1+620	10	3.197	63.943	38.366	15	9	3.75	12.789	20.781	11.841	3.197	78.943	47.366	24.531	12.789	11.841
1+630	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+640	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+650	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+660	10	3.394	67.887	40.732	15	9	3.75	13.577	22.063	12.433	3.394	82.887	49.732	25.813	13.577	12.433
1+670	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+680	10	3.5	70.003	42.002	15	9	3.75	14.001	22.751	12.75	3.5	85.003	51.002	26.501	14.001	12.75
1+690	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+700	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+710	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+720	10	3.462	69.234	41.54	15	9	3.75	13.847	22.501	12.635	3.462	84.234	50.54	26.251	13.847	12.635
1+730	10	3.378	67.567	40.54	15	9	3.75	13.513	21.959	12.385	3.378	82.567	49.54	25.709	13.513	12.385

Chainage (m)	Mean Distance (m)	Pavement			Shoulder		ShoulderL ayer-3	Base	SubBase	SubGrade Preparation	Surface Course_AC	Prime Coat	Tack Coat	SubBase	Base Material	SubGrade Preparation
		Surface Course_AC M3	Prime Coat L	Tack Coat L	Prime Coat L	Tack Coat L	SubBase M3	Base Material M3	SubBase Material M3	SubGrade Preparation M3						
1+740	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+750	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
1+760	10	3.436	68.715	41.229	15	9	3.75	13.743	22.332	12.557	3.436	83.715	50.229	26.082	13.743	12.557
1+770	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+780	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+790	10	3.204	64.08	38.448	15	9	3.75	12.816	20.826	11.862	3.204	79.08	47.448	24.576	12.816	11.862
1+800	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
1+810	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+820	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+830	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+840	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
1+850	10	3.318	66.355	39.813	15	9	3.75	13.271	21.565	12.203	3.318	81.355	48.813	25.315	13.271	12.203
1+860	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+870	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+880	10	3.5	70.002	42.001	15	9	3.75	14	22.751	12.75	3.5	85.002	51.001	26.501	14	12.75
1+890	10	3.5	70.002	42.001	15	9	3.75	14	22.751	12.75	3.5	85.002	51.001	26.501	14	12.75
1+900	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+910	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+920	10	3.5	69.997	41.998	15	9	3.75	13.999	22.749	12.75	3.5	84.997	50.998	26.499	13.999	12.75
1+930	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+940	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+950	10	3.5	70.004	42.002	15	9	3.75	14.001	22.751	12.751	3.5	85.004	51.002	26.501	14.001	12.751
1+960	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+970	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
1+980	10	3.5	69.997	41.998	15	9	3.75	13.999	22.749	12.75	3.5	84.997	50.998	26.499	13.999	12.75
1+990	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+000	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+010	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+020	10	3.463	69.251	41.551	15	9	3.75	13.85	22.507	12.638	3.463	84.251	50.551	26.257	13.85	12.638
2+030	10	3.3	65.999	39.599	15	9	3.75	13.2	21.45	12.15	3.3	80.999	48.599	25.2	13.2	12.15
2+040	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
2+050	10	3.247	64.949	38.969	15	9	3.75	12.99	21.108	11.992	3.247	79.949	47.969	24.858	12.99	11.992
2+060	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+070	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+080	10	3.5	69.995	41.997	15	9	3.75	13.999	22.748	12.749	3.5	84.995	50.997	26.498	13.999	12.749
2+090	10	3.5	69.996	41.998	15	9	3.75	13.999	22.749	12.749	3.5	84.996	50.998	26.499	13.999	12.749
2+100	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+110	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+120	10	3.5	69.999	41.999	15	9	3.75	14	22.75	12.75	3.5	84.999	50.999	26.5	14	12.75
2+130	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+140	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+150	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+160	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+170	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+180	10	3.5	70	42	15	9	3.75	14	22.75	12.75	3.5	85	51	26.5	14	12.75
2+190	10	3.351	67.02	40.212	15	9	3.75	13.404	21.781	12.303	3.351	82.02	49.212	25.531	13.404	12.303

Chainage (m)	Mean Distance (m)	Pavement			Shoulder		ShoulderL ayer-3	Base	SubBase	SubGrade Preparation	Surface Course_AC	Prime Coat	Tack Coat	SubBase	Base Material	SubGrade Preparation
		Surface Course_AC M3	Prime Coat L	Tack Coat L	Prime Coat L	Tack Coat L	SubBase M3	Base Material M3	SubBase Material M3	SubGrade Preparation M3						
2+200	10	2.851	57.01	34.206	15	9	3.75	11.402	18.528	10.802	2.851	72.01	43.206	22.278	11.402	10.802
2+210	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+220	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+230	10	3.116	62.322	37.393	15	9	3.75	12.464	20.255	11.598	3.116	77.322	46.393	24.005	12.464	11.598
2+240	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
2+250	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
2+260	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
2+270	10	3.342	66.832	40.099	15	9	3.75	13.366	21.72	12.275	3.342	81.832	49.099	25.47	13.366	12.275
2+280	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
2+290	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
2+300	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
2+310	10	3.35	67	40.2	15	9	3.75	13.4	21.775	12.3	3.35	82	49.2	25.525	13.4	12.3
2+320	10	3.03	60.596	36.358	15	9	3.75	12.119	19.694	11.339	3.03	75.596	45.358	23.444	12.119	11.339
2+330	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+340	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+350	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+360	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+370	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+380	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+390	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+400	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
2+410	10	3.2	64	38.4	15	9	3.75	12.8	20.8	11.85	3.2	79	47.4	24.55	12.8	11.85
2+420	10	3.089	61.78	37.068	15	9	3.75	12.356	20.078	11.517	3.089	76.78	46.068	23.828	12.356	11.517
2+430	10	2.75	55	33	15	9	3.75	11	17.875	10.5	2.75	70	42	21.625	11	10.5
2+440	5.3645	1.475	29.505	17.703	8.047	4.828	2.012	5.901	9.589	5.633	1.475	37.552	22.531	11.601	5.901	5.633
2+440.729	0.3645	0.1	2.005	1.203	0.547	0.328	0.137	0.401	0.652	0.383	0.1	2.552	1.531	0.789	0.401	0.383