

# Cucumber Report

Apr 17, 2023 10:28:11 PM

Start : Apr 17, 10:28:05.845 PM

End : Apr 17, 10:28:10.703 PM

Duration : 4.858 s

Features



Scenarios

Steps


PASSED - 0  
FAILED - 7  
SKIPPED - 0

PASSED - 0  
FAILED - 36  
SKIPPED - 0


PASSED - 0  
FAILED - 36  
SKIPPED - 183



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup</u>	4.273 s	5	0	5	0	29	0	5	24
<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup</u>	0.095 s	5	0	5	0	29	0	5	24
<u>As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup</u>	0.078 s	5	0	5	0	32	0	5	27
<u>As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup</u>	0.282 s	10	0	10	0	62	0	10	52
<u>Admin User should be able to Add Positions under Resources Setup</u>	0.076 s	5	0	5	0	34	0	5	29
<u>As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup</u>	0.010 s	1	0	1	0	4	0	1	3
<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters</u>	0.091 s	5	0	5	0	29	0	5	24




#	Feature Name	T	P	F	S	Duration
1	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup</u>	5	0	5	0	4.273 s
2	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup</u>	5	0	5	0	0.095 s
3	<u>As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup</u>	5	0	5	0	0.078 s
4	<u>As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup</u>	10	0	10	0	0.282 s
5	<u>Admin User should be able to Add Positions under Resources Setup</u>	5	0	5	0	0.076 s
6	<u>As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup</u>	1	0	1	0	0.010 s
7	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters</u>	5	0	5	0	0.091 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-01) Check Add new position category - Positive Scenario</u>	7	0	1	6	4.201 s
2	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-02) Check Add new position category with same data - Negative Scenario</u>	6	0	1	5	0.012 s
3	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-03) Check Edit the position category - Positive Scenario</u>	7	0	1	6	0.011 s
4	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-04) Check Delete the position category - Positive Scenario</u>	4	0	1	3	0.010 s
5	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-05) Check Delete the position category already deleted - Negative Scenario</u>	5	0	1	4	0.008 s
6	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	<u>(SP-2-TC-01) Check Add new Attestations - Positive Scenario</u>	7	0	1	6	0.011 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	<u>(SP-2-TC-02) Check Add new Attestations with same data - Negative Scenario</u>	6	0	1	5	0.010 s
8	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	<u>(SP-2-TC-03) Check Edit the Attestations - Positive Scenario</u>	7	0	1	6	0.019 s
9	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	<u>(SP-2-TC-04) Check Delete the Attestations - Positive Scenario</u>	4	0	1	3	0.016 s
10	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	<u>(SP-2-TC-05) Check Delete the Attestations already deleted - Negative Scenario</u>	5	0	1	4	0.010 s
11	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-01) Check Add new document - Positive Scenario</u>	7	0	1	6	0.010 s
12	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-02) Check Add new document with same data - Negative Scenario</u>	7	0	1	6	0.010 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
13	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-03) Check Edit the document - Positive Scenario</u>	8	0	1	7	0.010 s
14	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-04) Check Delete the field - Positive Scenario</u>	5	0	1	4	0.013 s
15	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-05) Check Delete the field already deleted - Negative Scenario</u>	5	0	1	4	0.012 s
16	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-01) Check Add new field - Positive Scenario</u>	7	0	1	6	0.013 s
17	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-02) Check Add new field with same data - Negative Scenario</u>	7	0	1	6	0.010 s
18	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-03) Check Edit the field - Positive Scenario</u>	7	0	1	6	0.010 s
19	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-04) Check Delete the field - Positive Scenario</u>	5	0	1	4	0.012 s

\* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-05) Check Delete the field already deleted - Negative Scenario</u>	5	0	1	4	0.011 s
21	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-01) Check Add new field - Positive Scenario</u>	7	0	1	6	0.011 s
22	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-02) Check Add new field with same data - Negative Scenario</u>	7	0	1	6	0.014 s
23	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-03) Check Edit the field - Positive Scenario</u>	7	0	1	6	0.010 s
24	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-04) Check Delete the field - Positive Scenario</u>	5	0	1	4	0.009 s
25	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-05) Check Delete the field already deleted - Negative Scenario</u>	5	0	1	4	0.012 s
26	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-01) Admin should be already in the Setup under Human Resources Functionality - Positive Scenario</u>	7	0	1	6	0.010 s


\* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-02) Admin should have already created a new positions - Negative Scenario</u>	7	0	1	6	0.009 s
28	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-03) Admin should have already created a new positions</u>	8	0	1	7	0.010 s
29	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-04) Admin User should be able to Delete Positions under Resources Setup</u>	7	0	1	6	0.010 s
30	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-05) Admin User should not be able to access deleted Positions under Resources Setup</u>	5	0	1	4	0.010 s
31	<u>As an Admin User I should be able to Add-Edit-Delete School Locations *</u>	<u>(SP-7-TC-01) Check Add new location - Positive Scenario</u>	4	0	1	3	0.010 s
32	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-01) Check Add new bank account - Positive Scenario</u>	7	0	1	6	0.011 s

\* The feature name and/or scenario name has been cropped to fit in the available space.









#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-02) Check Add new bank account with same data - Negative Scenario</u>	6	0	1	5	0.011 s
34	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-03) Check Edit the bank account - Positive Scenario</u>	7	0	1	6	0.009 s
35	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-04) Check Delete the position category - Positive Scenario</u>	4	0	1	3	0.009 s
36	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-05) Check Delete the position category already deleted - Negative Scenario</u>	5	0	1	4	0.009 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

## As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup

<b>FAILED</b>	<b>DURATION - 4.273 s</b>	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 29 Pass - 0 Fail - 5 Skip - 24	
/ 10:28:05.845 PM // 10:28:10.118 PM /					

### (SP-1-TC-01) Check Add new position category - Positive Scenario



<div>FAILED</div> <div>DURATION - 4.201 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 10:28:05.849 PM // 10:28:10.050 PM /</div>				
<div>As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p>	<b>FAILED</b>	4.174 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:954) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:19) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-1-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Click on the element in LeftNav <div>humanResources</div> <div>setupInHumanR</div> <div>positionCategories</div>	SKIPPED	0.004 s
3	And Click on the element in Dialog <div>addButton</div>	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content <div>nameInput</div> <div>Quality Assurance</div>	SKIPPED	0.000 s
5	And Click on the element in Dialog <div>saveButton</div>	SKIPPED	0.001 s
6	Then Verify contains text <div>successMessage</div> <div>successfully</div>	SKIPPED	0.000 s
7	Then Display required element <div>searchBox</div>	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

### (SP-1-TC-02) Check Add new position category with same data - Negative Scenario



<b>FAILED</b>	<b>DURATION - 0.012 s</b>		<b>Steps</b> Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 10:28:10.064 PM // 10:28:10.076 PM /				
As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) </pre>	<b>FAILED</b>	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-1-TC.feature:4) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	<b>When Click on the element in LeftNav</b> <div>humanResources</div> <div>setupInHumanR</div> <div>positionCategories</div>	SKIPPED	0.001 s
3	<b>And Click on the element in Dialog</b> <div>addButton</div>	SKIPPED	0.000 s
4	<b>And User sending the keys in Dialog Content</b> <div>nameInput</div> <div>Quality Assurance</div>	SKIPPED	0.000 s
5	<b>And Click on the element in Dialog</b> <div>saveButton</div>	SKIPPED	0.000 s
6	<b>Then Verify contains text</b> <div>alreadyExists</div> <div>already exists</div>	SKIPPED	0.000 s
	<b>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</b> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

### (SP-1-TC-03) Check Edit the position category - Positive Scenario



<b>FAILED</b>	<b>DURATION - 0.011 s</b>		<b>Steps</b> Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 10:28:10.080 PM // 10:28:10.091 PM /				
As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup				

#	Step / Hook Details	Status	Duration
1	<b>Given I log in as an Admin</b> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre>	<b>FAILED</b>	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-1-TC.feature:4) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
2	When Click on the element in LeftNav <div>humanResources</div> <div>setupInHumanR</div> <div>positionCategories</div>	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content <div>searchName</div> Quality Assurance	SKIPPED	0.000 s
4	And Click on the element in Dialog <div>searchButton</div> <div>editButton</div>	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content <div>nameInput</div> Quality	SKIPPED	0.000 s
6	And Click on the element in Dialog <div>saveButton</div>	SKIPPED	0.000 s
7	Then Verify contains text <div>successMessage</div> successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>		

### (SP-1-TC-04) Check Delete the position category - Positive Scenario

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
<div>/ 10:28:10.096 PM // 10:28:10.106 PM /</div>				
<div>As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:</p>	FAILED	0.005 s



#	Step / Hook Details	Status	Duration
	<p>WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)  at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-1-TC.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	<p>When Click on the element in LeftNav</p> <p>humanResources  setupInHumanR  positionCategories</p>	SKIPPED	0.001 s
3	<p>And User delete item from Dialog Content</p> <p>Quality</p>	SKIPPED	0.000 s
4	<p>Then Verify contains text</p> <p>successMessage successfully</p>	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

### (SP-1-TC-05) Check Delete the position category already deleted - Negative Scenario



<b>FAILED</b>	DURATION - 0.008 s		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 10:28:10.110 PM // 10:28:10.118 PM /				
As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre>	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-1-TC.feature:4) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	<b>When Click on the element in LeftNav</b> <div>humanResources</div> <div>setupInHumanR</div> <div>positionCategories</div>	SKIPPED	0.000 s
3	<b>And User sending the keys in Dialog Content</b> <div>searchName</div> <div>Quality</div>	SKIPPED	0.000 s
4	<b>And Click on the element in Dialog</b> <div>searchButton</div>	SKIPPED	0.000 s
5	<b>Then Verify contains text</b> <div>verifyDelete</div> <div>no data to display</div>	SKIPPED	0.000 s
	<b>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</b> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 </pre> <pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

## As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup

<b>FAILED</b>	DURATION - 0.095 s	Scenarios		Steps	
/ 10:28:10.127 PM // 10:28:10.222 PM /		Total - 5		Total - 29	
		Pass - 0	5	Pass - 0	29
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 24	

### (SP-2-TC-01) Check Add new Attestations - Positive Scenario



<b>FAILED</b>	DURATION - 0.011 s		Steps	
/ 10:28:10.127 PM // 10:28:10.138 PM /			Total - 7	
As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup			Pass - 0	
			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch:		

#	Step / Hook Details	Status	Duration
	<p>'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)  at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When Click on the element in LeftNav <div> humanResources setupInHumanR Attestations </div>	SKIPPED	0.000 s
3	And Click on the element in Dialog <div> addButton </div>	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content <div> nameInput Sdet Man </div>	SKIPPED	0.000 s
5	And Click on the element in Dialog <div> saveButton </div>	SKIPPED	0.000 s
6	Then Verify contains text <div> successMessage successfully </div>	SKIPPED	0.000 s
7	Then Display required element	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	searchBox		
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>	FAILED	0.003 s

### (SP-2-TC-02) Check Add new Attestations with same data - Negative Scenario



FAILED		DURATION - 0.010 s			<b>Steps</b> Total - 6 Pass - 0 Fail - 1 Skip - 5		
/ 10:28:10.144 PM // 10:28:10.154 PM /							
As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup							

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)     at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s
2	<p>When Click on the element in LeftNav</p> <div> <div>humanResources</div> <div>setupInHumanR</div> <div>Attestations</div> </div>	SKIPPED	0.001 s
3	<p>And Click on the element in Dialog</p> <div> <div>addButton</div> </div>	SKIPPED	0.000 s
4	<p>And User sending the keys in Dialog Content</p> <div> <div>nameInput</div> <div>Sdet Man</div> </div>	SKIPPED	0.000 s
5	<p>And Click on the element in Dialog</p> <div> <div>saveButton</div> </div>	SKIPPED	0.000 s
6	Then Verify contains text	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
	alreadyExists already exists		
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>	FAILED	0.004 s

### (SP-2-TC-03) Check Edit the Attestations - Positive Scenario



FAILED	DURATION - 0.019 s		<b>Steps</b> Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 10:28:10.162 PM // 10:28:10.181 PM /				
As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup				



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)     at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.009 s
2	<p>When Click on the element in LeftNav</p> <div>humanResources</div> <div>setupInHumanR</div> <div>Attestations</div>	SKIPPED	0.000 s
3	<p>And User sending the keys in Dialog Content</p> <div>searchName Sdet Man</div>	SKIPPED	0.000 s
4	<p>And Click on the element in Dialog</p> <div>searchButton</div> <div>editButton</div>	SKIPPED	0.000 s
5	<p>And User sending the keys in Dialog Content</p> <div>nameInput Sdet</div>	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
6	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
7	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>	FAILED	0.008 s



### (SP-2-TC-04) Check Delete the Attestations - Positive Scenario

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:28:10.189 PM // 10:28:10.205 PM /				
As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)     at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:4)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.009 s
2	<p>When Click on the element in LeftNav</p> <pre>humanResources setupInHumanR Attestations</pre>	SKIPPED	0.000 s
3	And User delete item from Dialog Content	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	Sdet		
4	Then Verify contains text	SKIPPED	0.000 s
	successMessage successfully		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.005 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>		



### (SP-2-TC-05) Check Delete the Attestations already deleted - Negative Scenario

FAILED	DURATION - 0.010 s		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 10:28:10.212 PM // 10:28:10.222 PM /				
As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)     at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s
2	<p>When Click on the element in LeftNav</p> <div>humanResources</div> <div>setupInHumanR</div> <div>Attestations</div>	SKIPPED	0.000 s
3	<p>And User sending the keys in Dialog Content</p> <div>searchName Sdet</div>	SKIPPED	0.000 s
4	<p>And Click on the element in Dialog</p> <div>searchButton</div>	SKIPPED	0.000 s
5	<p>Then Verify contains text</p> <div>verifyDelete no data to display</div>	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>		

### As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup

<b>FAILED</b>	<b>DURATION - 0.078 s</b>	Scenarios		Steps	
/ 10:28:10.231 PM // 10:28:10.309 PM /		Total - 5		Total - 32	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 27	



### (SP-3-TC-01) Check Add new document - Positive Scenario



#	Step / Hook Details	Status	Duration
	<code>addButton</code>		
4	And User sending the keys in Dialog Content <code>nameInput</code> <code>group5testing</code>	SKIPPED	0.000 s
5	And Click on the element in Dialog <code>selectStageNewDoc</code> <code>employment</code>	SKIPPED	0.000 s
6	And Click on the element in Dialog <code>saveButton</code>	SKIPPED	0.001 s
7	Then Verify contains text <code>successMessage</code> <code>successfully</code>	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog.chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)     at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)     at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.004 s



**(SP-3-TC-02) Check Add new document with same data - Negative Scenario**



<b>FAILED</b>	<b>DURATION - 0.010 s</b>		<b>Steps</b> Total - 7 <b>Pass - 0</b> <b>Fail - 1</b> Skip - 6	
/ 10:28:10.245 PM // 10:28:10.255 PM /				
As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup				

#	Step / Hook Details	Status	Duration
1	<b>Given I log in as an Admin</b> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	<b>FAILED</b>	0.005 s
2	<b>When Click on the element in LeftNav</b> <pre> setup parameters </pre>	<b>SKIPPED</b>	0.000 s

#	Step / Hook Details	Status	Duration
	documentTypes		
3	And Click on the element in Dialog addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content nameInput group5testing	SKIPPED	0.000 s
5	And Click on the element in Dialog selectStageEditDoc employment	SKIPPED	0.000 s
6	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
7	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Hooks.after(Hooks.java:17)		

**(SP-3-TC-03) Check Edit the document - Positive Scenario**



<div>FAILED</div> <div>DURATION - 0.010 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 10:28:10.261 PM // 10:28:10.271 PM /			
As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup			

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Local\Temp\scoped_dir1110_11105563148}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtools, se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/leeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	<b>FAILED</b>	0.004 s

#	Step / Hook Details	Status	Duration
2	When Click on the element in LeftNav	SKIPPED	0.000 s
	<div>setup</div> <div>parameters</div> <div>documentTypes</div>		
3	And User sending the keys in Dialog Content	SKIPPED	0.000 s
	<div>searchName</div> <div>group5testing</div>		
4	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>selectStageEditDoc</div> <div>employment</div>		
5	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>searchButton</div> <div>editButton</div>		
6	And User sending the keys in Dialog Content	SKIPPED	0.000 s
	<div>nameInput</div> <div>group5test</div>		
7	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>saveButton</div>		
8	Then Verify contains text	SKIPPED	0.000 s
	<div>successMessage</div> <div>successfully</div>		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

**(SP-3-TC-04) Check Delete the field - Positive Scenario**



FAILED	DURATION - 0.013 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 10:28:10.278 PM // 10:28:10.291 PM /				
As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup				

#	Step / Hook Details	Status	Duration
1	<b>Given I log in as an Admin</b> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) </pre>	<b>FAILED</b>	0.007 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav <div> <div>setup</div> <div>parameters</div> <div>documentTypes</div> </div>	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content <div> <div>searchName</div>group5test <div>searchCode</div>12345 </div>	SKIPPED	0.000 s
4	And Click on the element in Dialog <div> <div>searchButton</div> <div>deleteButton</div> <div>deleteDialogBtn</div> </div>	SKIPPED	0.000 s
5	Then Verify contains text <div> <div>successMessage</div>successfully </div>	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

### (SP-3-TC-05) Check Delete the field already deleted - Negative Scenario

FAILED	DURATION - 0.012 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 10:28:10.297 PM // 10:28:10.309 PM /				
As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup				



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) </pre>	<b>FAILED</b>	0.006 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav setup parameters documentTypes	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content searchName group5test searchCode 12345	SKIPPED	0.000 s
4	And Click on the element in Dialog searchButton	SKIPPED	0.000 s
5	Then Verify contains text verifyDelete no data to display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	FAILED	0.005 s





#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

## As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup

<b>FAILED</b>	DURATION - 0.282 s	Scenarios		Steps	
/ 10:28:10.322 PM // 10:28:10.604 PM /		Total - 10		Total - 62	
		Pass - 0		Pass - 0	
		Fail - 10		Fail - 10	
		Skip - 0		Skip - 52	

### (SP-4-TC-01) Check Add new field - Positive Scenario



<b>FAILED</b>	DURATION - 0.013 s		Steps	
/ 10:28:10.322 PM // 10:28:10.335 PM /			Total - 7	
As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup			Pass - 0	
			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	<b>FAILED</b>	0.006 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
2	When Click on the element in LeftNav <div> <div>setup</div> <div>parameters</div> <div>fields</div> </div>	SKIPPED	0.000 s
3	And Click on the element in Dialog <div> <div>addButton</div> </div>	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content <div> <div>nameInput group5testing</div> <div>codeInput 12345</div> </div>	SKIPPED	0.000 s
5	And Click on the element in Dialog <div> <div>selectarrow</div> <div>logical</div> </div>	SKIPPED	0.000 s
6	And Click on the element in Dialog <div> <div>saveButton</div> </div>	SKIPPED	0.000 s
7	Then Verify contains text <div> <div>successMessage successfully</div> </div>	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)</p> <p>at StepDefinitions.Hooks.after(Hooks.java:17)</p>		

### (SP-4-TC-02) Check Add new field with same data - Negative Scenario



<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 10:28:10.342 PM // 10:28:10.352 PM /				
As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true,</p>	<b>FAILED</b>	0.004 s

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)  at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When Click on the element in LeftNav <div> <div>setup</div> <div>parameters</div> <div>fields</div> </div>	SKIPPED	0.000 s
3	And Click on the element in Dialog <div> <div>addButton</div> </div>	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content <div> <div>nameInput group5testing</div> <div>codeInput 12345</div> </div>	SKIPPED	0.000 s
5	And Click on the element in Dialog <div> <div>selectarrow</div> <div>logical</div> </div>	SKIPPED	0.000 s
6	And Click on the element in Dialog <div> <div>saveButton</div> </div>	SKIPPED	0.000 s
7	Then Verify contains text <div> <div>alreadyExists already exists</div> </div>	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>		

### (SP-4-TC-03) Check Edit the field - Positive Scenario



<b>FAILED</b>	<b>DURATION - 0.010 s</b>		<b>Steps</b> Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 10:28:10.357 PM // 10:28:10.367 PM /				
As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:</p>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	[75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4) <i>* Not displayable characters are replaced by '?'.</i>		
2	When Click on the element in LeftNav <div><div>setup</div><div>parameters</div><div>fields</div></div>	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content <div><div>searchNamegroup5testing</div><div>searchCode12345</div></div>	SKIPPED	0.000 s
4	And Click on the element in Dialog <div><div>searchButton</div><div>editButton</div></div>	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content <div><div>nameInputgroup5test</div></div>	SKIPPED	0.000 s
6	And Click on the element in Dialog <div><div>saveButton</div></div>	SKIPPED	0.000 s
7	Then Verify contains text	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	successMessage successfully		
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)</p> <p>at StepDefinitions.Hooks.after(Hooks.java:17)</p>	FAILED	0.004 s

### (SP-4-TC-04) Check Delete the field - Positive Scenario

FAILED	DURATION - 0.012 s		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 10:28:10.374 PM // 10:28:10.386 PM /				
As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup				

#	Step / Hook Details	Status	Duration
1	<div>Given I log in as an Admin</div> <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4) * Not displayable characters are replaced by '?'. </div>	FAILED	0.006 s
2	<div>When Click on the element in LeftNav</div> <div><div>setup</div><div>parameters</div><div>fields</div></div>	SKIPPED	0.000 s
3	<div>And User sending the keys in Dialog Content</div> <div><div>searchNamegroup5test</div><div>searchCode12345</div></div>	SKIPPED	0.000 s
4	<div>And Click on the element in Dialog</div> <div><div>searchButton</div><div>deleteButton</div><div>deleteDialogBtn</div></div>	SKIPPED	0.000 s
5	<div>Then Verify contains text</div> <div><div>successMessagesuccessfully</div></div>	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
	<b>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</b> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)     at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)     at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.005 s

### (SP-4-TC-05) Check Delete the field already deleted - Negative Scenario



<b>FAILED</b>	<b>DURATION - 0.011 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 10:28:10.390 PM // 10:28:10.401 PM /				
As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup				

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</div> <div>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)</div> <div>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div> <div>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)</div> <div>at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)</div> <div>at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4)</div> <div>* Not displayable characters are replaced by '?'. </div>		
2	<div>When Click on the element in LeftNav</div> <div><div>setup</div><div>parameters</div><div>fields</div></div>	SKIPPED	0.000 s
3	<div>And User sending the keys in Dialog Content</div> <div><div>searchNamegroup5test</div><div>searchCode12345</div></div>	SKIPPED	0.000 s
4	<div>And Click on the element in Dialog</div> <div><div>searchButton</div></div>	SKIPPED	0.000 s
5	<div>Then Verify contains text</div> <div><div>verifyDelete</div><div>no data to display</div></div>	SKIPPED	0.000 s
	<div>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</div> <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found</div>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>		

### (SP-8-TC-01) Check Add new field - Positive Scenario



<b>FAILED</b>	<b>DURATION - 0.011 s</b>		<b>Steps</b> Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 10:28:10.514 PM // 10:28:10.525 PM /				
As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:</p>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<div>[75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</div> <div>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4)</div> <div>* Not displayable characters are replaced by '?'. </div>		
2	<div>When Click on the element in LeftNav</div> <div><div>setup</div><div>schoolSetup</div><div>departments</div></div>	SKIPPED	0.000 s
3	<div>And Click on the element in Dialog</div> <div><div>addButton</div></div>	SKIPPED	0.000 s
4	<div>And User sending the keys in Dialog Content</div> <div><div><div>nameInput</div><div>group5testing</div></div><div><div>codeInput</div><div>12345</div></div></div>	SKIPPED	0.000 s
5	<div>And Click on the element in Dialog</div> <div><div>selectarrow</div><div>logical</div></div>	SKIPPED	0.000 s
6	<div>And Click on the element in Dialog</div> <div><div>saveButton</div></div>	SKIPPED	0.000 s
7	<div>Then Verify contains text</div>	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	successMessage successfully		
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)</p> <p>at StepDefinitions.Hooks.after(Hooks.java:17)</p>	FAILED	0.004 s



### (SP-8-TC-02) Check Add new field with same data - Negative Scenario

FAILED	DURATION - 0.014 s		<b>Steps</b> Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 10:28:10.532 PM // 10:28:10.546 PM /				
As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)     at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.009 s
2	<p>When Click on the element in LeftNav</p> <div> <div>setup</div> <div>schoolSetup</div> <div>departments</div> </div>	SKIPPED	0.000 s
3	<p>And Click on the element in Dialog</p> <div> <div>addButton</div> </div>	SKIPPED	0.000 s
4	<p>And User sending the keys in Dialog Content</p> <div> <div>nameInput</div>group5testing <div>codeInput</div>12345 </div>	SKIPPED	0.000 s
5	<p>And Click on the element in Dialog</p> <div> <div>selectarrow</div> <div>logical</div> </div>	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
7	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>	FAILED	0.004 s

### (SP-8-TC-03) Check Edit the field - Positive Scenario



<div>FAILED</div> <div>DURATION - 0.010 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
<div>/ 10:28:10.556 PM // 10:28:10.566 PM /</div>			
<div>As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\gphmoeikfimehdofhikemgfbnfhnnh, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtools, se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s
2	<p>When Click on the element in LeftNav</p> <pre>setup schoolSetup departments</pre>	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
	<div>searchName group5testing</div> <div>searchCode 12345</div>		
4	And Click on the element in Dialog <div>searchButton</div> <div>editButton</div>	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content <div>nameInput group5test</div>	SKIPPED	0.000 s
6	And Click on the element in Dialog <div>saveButton</div>	SKIPPED	0.001 s
7	Then Verify contains text <div>successMessage successfully</div>	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) <div> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)</p> <p>at StepDefinitions.Hooks.after(Hooks.java:17)</p> </div>	FAILED	0.004 s



**(SP-8-TC-04) Check Delete the field - Positive Scenario**

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 10:28:10.573 PM // 10:28:10.582 PM /				
As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup				

#	Step / Hook Details	Status	Duration
1	<b>Given I log in as an Admin</b> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	<b>FAILED</b>	0.005 s
2	<b>When Click on the element in LeftNav</b> <pre> setup schoolSetup </pre>	<b>SKIPPED</b>	0.000 s

#	Step / Hook Details	Status	Duration
	departments		
3	And User sending the keys in Dialog Content	SKIPPED	0.000 s
	searchName group5test searchCode 12345		
4	And Click on the element in Dialog	SKIPPED	0.000 s
	searchButton deleteButton deleteDialogBtn		
5	Then Verify contains text	SKIPPED	0.000 s
	successMessage successfully		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.003 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)  at StepDefinitions.Hooks.after(Hooks.java:17)</p>		



**(SP-8-TC-05) Check Delete the field already deleted - Negative Scenario**

<div>FAILED</div>	<div>DURATION - 0.012 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
<div>/ 10:28:10.592 PM // 10:28:10.604 PM /</div>				
<div>As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\gphmoeikfimehdhbhgmjgkfhknefjfk, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtools, se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)     at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.006 s
2	<p>When Click on the element in LeftNav</p> <pre>setup schoolSetup departments</pre>	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<div>searchName group5test</div> <div>searchCode 12345</div>		
4	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>searchButton</div>		
5	Then Verify contains text	SKIPPED	0.000 s
	<div>verifyDelete no data to display</div>		
	<b>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)	FAILED	0.006 s

**Admin User should be able to Add Positions under Resources Setup**

<b>FAILED</b>	<b>DURATION - 0.076 s</b>	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 34 Pass - 0 Fail - 5 Skip - 29	
/ 10:28:10.411 PM // 10:28:10.487 PM /					

### (SP-5-TC-01) Admin should be already in the Setup under Human Resources Functionality - Positive Scenario



<div>FAILED</div> <div>DURATION - 0.010 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 10:28:10.411 PM // 10:28:10.421 PM /				
Admin User should be able to Add Positions under Resources Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Local\Temp\googchromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav humanResources setupInHumanR positionsInHumanR	SKIPPED	0.000 s
3	And Click on the element in Dialog addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content nameInput Kito Mamaseverrr	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content shortName kitoş	SKIPPED	0.000 s
6	And Click on the element in Dialog saveButton	SKIPPED	0.001 s
7	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

### (SP-5-TC-02) Admin should have already created a new positions - Negative Scenario

FAILED	DURATION - 0.009 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 10:28:10.427 PM // 10:28:10.436 PM /				
Admin User should be able to Add Positions under Resources Setup				



#	Step / Hook Details	Status	Duration
1	<b>Given I log in as an Admin</b> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) </pre>	<b>FAILED</b>	0.004 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav humanResources setupInHumanR positionsInHumanR	SKIPPED	0.000 s
3	And Click on the element in Dialog addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content nameInput Kito Mamaseverrr	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content shortName kitoş	SKIPPED	0.000 s
6	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
7	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

**(SP-5-TC-03) Admin should have already created a new positions**



<b>FAILED</b>	<b>DURATION - 0.010 s</b>		<b>Steps</b> Total - 8 <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 7</b>	
/ 10:28:10.443 PM // 10:28:10.453 PM /				
Admin User should be able to Add Positions under Resources Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) </pre>	<b>FAILED</b>	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
2	When Click on the element in LeftNav <div>humanResources</div> <div>setupInHumanR</div> <div>positionsInHumanR</div>	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content <div>searchNameInHumanR</div> Kito Mamaseverrr <div>searchShortNameInHumanR</div> kitoş	SKIPPED	0.000 s
4	And Click on the element in Dialog <div>searchButton</div>	SKIPPED	0.000 s
5	And Click on the element in Dialog <div>editButton</div>	SKIPPED	0.000 s
6	And User sending the keys in Dialog Content <div>searchNameInHumanR</div> Kito Mamasever	SKIPPED	0.000 s
7	And Click on the element in Dialog <div>saveButton</div>	SKIPPED	0.000 s
8	Then Verify contains text <div>successMessage</div> successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

### (SP-5-TC-04)Admin User should be able to Delete Positions under Resources Setup



FAILED	DURATION - 0.010 s		<b>Steps</b> Total - 7 <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 6</b>	
/ 10:28:10.459 PM // 10:28:10.469 PM /				
Admin User should be able to Add Positions under Resources Setup				

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87	<b>FAILED</b>	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
2	<b>When Click on the element in LeftNav</b> <div>humanResources</div> <div>setupInHumanR</div> <div>positionsInHumanR</div>	SKIPPED	0.000 s
3	<b>And User sending the keys in Dialog Content</b> <div>searchNameInHumanR</div> Kito Mamasever <div>searchShortNameInHumanR</div> kitoş	SKIPPED	0.000 s
4	<b>And Click on the element in Dialog</b> <div>searchButton</div>	SKIPPED	0.000 s
5	<b>And Click on the element in Dialog</b> <div>deleteButton</div>	SKIPPED	0.000 s
6	<b>And Click on the element in Dialog</b> <div>deleteDialogBtn</div>	SKIPPED	0.000 s
7	<b>Then Verify contains text</b> <div>successMessage</div> successfully	SKIPPED	0.000 s
	<b>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</b> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)</p> <p>at StepDefinitions.Hooks.after(Hooks.java:17)</p>		

### (SP-5-TC-05) Admin User should not be able to access deleted Positions under Resources Setup



<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 10:28:10.477 PM // 10:28:10.487 PM /				
Admin User should be able to Add Positions under Resources Setup				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true,</p>	FAILED	0.006 s



#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <p>at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)  at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	<p>When Click on the element in LeftNav</p> <div>humanResources</div> <div>setupInHumanR</div> <div>positionsInHumanR</div>	SKIPPED	0.000 s
3	<p>And User sending the keys in Dialog Content</p> <div>searchNameInHumanR Kito Mamasever</div> <div>searchShortNameInHumanR kitoş</div>	SKIPPED	0.000 s
4	<p>And Click on the element in Dialog</p> <div>searchButton</div>	SKIPPED	0.000 s
5	<p>Then Verify contains text</p> <div>verifyDelete no data to display</div>	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</p>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

### As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup

<b>FAILED</b>	DURATION - 0.010 s	Scenarios		Steps	
/ 10:28:10.493 PM // 10:28:10.503 PM /		Total - 1		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

### (SP-7-TC-01) Check Add new location - Positive Scenario



<b>FAILED</b>	DURATION - 0.010 s		Steps	
/ 10:28:10.493 PM // 10:28:10.503 PM /			Total - 4	
As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup			Pass - 0	
			Fail - 1	
			Skip - 3	





#	Step / Hook Details	Status	Duration						
1	<div>Given I log in as an Admin</div> <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-7-TC.feature:4)  * Not displayable characters are replaced by '?'. </div>	FAILED	0.006 s						
2	<div>When Click on the element in LeftNav</div> <div><table><tr><td>setup</td></tr><tr><td>schoolSetup</td></tr><tr><td>locations</td></tr></table></div>	setup	schoolSetup	locations	SKIPPED	0.000 s			
setup									
schoolSetup									
locations									
3	<div>And Click on the element in Dialog</div> <div><table><tr><td>addButton</td></tr></table></div>	addButton	SKIPPED	0.000 s					
addButton									
4	<div>And User sending the keys in Dialog Content</div> <div><table><tr><td>nameInput</td><td>name1</td></tr><tr><td>codeInput</td><td>shortname</td></tr><tr><td>capacity</td><td>2000</td></tr></table></div>	nameInput	name1	codeInput	shortname	capacity	2000	SKIPPED	0.000 s
nameInput	name1								
codeInput	shortname								
capacity	2000								
	<div>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</div> <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch:</div>	FAILED	0.004 s						

#	Step / Hook Details	Status	Duration
	<pre>'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)     at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)     at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

### As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters

<b>FAILED</b>	<b>DURATION - 0.091 s</b>	Scenarios		Steps	
/ 10:28:10.612 PM // 10:28:10.703 PM /		Total - 5		Total - 29	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 24	

**(SP-9-TC-01) Check Add new bank account - Positive Scenario**



<div>FAILED</div> <div>DURATION - 0.011 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
<div>/ 10:28:10.612 PM // 10:28:10.623 PM /</div>			
<div>As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87     at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)     at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.006 s
2	<p>When Click on the element in LeftNav</p> <pre>setup parameters bankAccount</pre>	SKIPPED	0.000 s
3	And Click on the element in Dialog	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<div>addButton</div>		
4	And User sending the keys in Dialog Content <div><div>nameInput</div><div>Grup5</div><div>iban</div><div>TR11 1111 1111 1111 1111 1111 11</div><div>integrationCode</div><div>123456</div></div>	SKIPPED	0.000 s
5	And Click on the element in Dialog <div><div>currency</div><div>tryInCurrency</div><div>saveButton</div></div>	SKIPPED	0.000 s
6	Then Verify contains text <div><div>successMessage</div><div>successfully</div></div>	SKIPPED	0.000 s
7	Then Display required element <div><div>searchBox</div></div>	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)</div>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Hooks.after(Hooks.java:17)		

### (SP-9-TC-02) Check Add new bank account with same data - Negative Scenario



<div>FAILED</div>	<div>DURATION - 0.011 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 10:28:10.632 PM // 10:28:10.643 PM /				
As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Local\Temp\scoped_dir1111_1111111111}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtools, se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>	<b>FAILED</b>	0.006 s

#	Step / Hook Details	Status	Duration
2	When Click on the element in LeftNav <div> <div>setup</div> <div>parameters</div> <div>bankAccount</div> </div>	SKIPPED	0.000 s
3	And Click on the element in Dialog <div> <div>addButton</div> </div>	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content <div> <div> <div>nameInput</div> <div>Grup5</div> </div> <div> <div>iban</div> <div>TR11 1111 1111 1111 1111 1111 11</div> </div> <div> <div>integrationCode</div> <div>123456</div> </div> </div>	SKIPPED	0.000 s
5	And Click on the element in Dialog <div> <div>currency</div> <div>tryInCurrency</div> <div>saveButton</div> </div>	SKIPPED	0.000 s
6	Then Verify contains text <div> <div>alreadyExists</div> <div>already exists</div> </div>	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87</p> <pre> at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

**(SP-9-TC-03) Check Edit the bank account - Positive Scenario**

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 10:28:10.663 PM // 10:28:10.672 PM /				
As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters				



#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)	<b>FAILED</b>	0.005 s

#	Step / Hook Details	Status	Duration
	at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav setup parameters bankAccount	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content searchName Grup5	SKIPPED	0.000 s
4	And Click on the element in Dialog searchButton editButton	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content nameInput Grup5 New Account iban TR11 1111 1111 1111 1111 00 integrationCode 654321	SKIPPED	0.000 s
6	And Click on the element in Dialog currency usdInCurrency saveButton	SKIPPED	0.000 s
7	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55204/devtoo..., se.cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423)	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

### (SP-9-TC-04) Check Delete the position category - Positive Scenario



<b>FAILED</b>	<b>DURATION - 0.009 s</b>		<b>Steps</b> Total - 4 <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 3</b>	
/ 10:28:10.677 PM // 10:28:10.686 PM /				
As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters				

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	<b>FAILED</b>	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	<b>When Click on the element in LeftNav</b> <div> <div>setup</div> <div>parameters</div> <div>bankAccount</div> </div>	SKIPPED	0.000 s
3	<b>And User delete item from Dialog Content</b> <div> <div>Grup5 New Account</div> </div>	SKIPPED	0.000 s
4	<b>Then Verify contains text</b> <div> <div>successMessage</div> <div>successfully</div> </div>	SKIPPED	0.000 s
	<b>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</b> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

### (SP-9-TC-05) Check Delete the position category already deleted - Negative Scenario

<b>FAILED</b>		<b>DURATION - 0.009 s</b>			<b>Steps</b> Total - 5 <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 4</b>		
/ 10:28:10.694 PM // 10:28:10.703 PM /							
As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters							

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)	<b>FAILED</b>	0.005 s

#	Step / Hook Details	Status	Duration
	at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav setup parameters bankAccount	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content searchName Grup5 New Account	SKIPPED	0.000 s
4	And Click on the element in Dialog searchButton	SKIPPED	0.000 s
5	Then Verify contains text verifyDelete no data to display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75c22a8beaa1cab091ba3a5b2c6e4b87, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75c22a8beaa1cab091ba3a5b2c6e4b87 at sun.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)	FAILED	0.003 s