

Cucumber Report

Apr 16, 2023 6:50:36 PM

Start : Apr 16, 6:46:09.420 PM

End : Apr 16, 6:50:34.975 PM

Duration : 4 m 25.555 s

Features







PASSED - 0
FAILED - 7
SKIPPED - 0

Scenarios


PASSED - 4
FAILED - 32
SKIPPED - 0

Steps


PASSED - 45
FAILED - 32
SKIPPED - 142



Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup</u>	1 m 40.838 s	5	4	1	0	29	25	1	3	
<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup</u>	1 m 19.592 s	5	0	5	0	29	5	5	19	
<u>As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup</u>	1 m 24.651 s	5	0	5	0	32	15	5	12	
<u>As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup</u>	0.280 s	10	0	10	0	62	0	10	52	
<u>Admin User should be able to Add Positions under Resources Setup</u>	0.100 s	5	0	5	0	34	0	5	29	
<u>As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup</u>	0.008 s	1	0	1	0	4	0	1	3	
<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters</u>	0.056 s	5	0	5	0	29	0	5	24	




#	Feature Name	T	P	F	S	Duration
1	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup</u>	5	4	1	0	1 m 40.838 s
2	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup</u>	5	0	5	0	1 m 19.592 s
3	<u>As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup</u>	5	0	5	0	1 m 24.651 s
4	<u>As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup</u>	10	0	10	0	0.280 s
5	<u>Admin User should be able to Add Positions under Resources Setup</u>	5	0	5	0	0.100 s
6	<u>As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup</u>	1	0	1	0	0.008 s
7	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters</u>	5	0	5	0	0.056 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-01) Check Add new position category - Positive Scenario</u>	7	7	0	0	20.004 s
2	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-02) Check Add new position category with same data - Negative Scenario</u>	6	6	0	0	18.317 s
3	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-03) Check Edit the position category - Positive Scenario</u>	7	3	1	3	23.026 s
4	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-04) Check Delete the position category - Positive Scenario</u>	4	4	0	0	20.152 s
5	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	<u>(SP-1-TC-05) Check Delete the position category already deleted - Negative Scenario</u>	5	5	0	0	19.286 s
6	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	<u>(SP-2-TC-01) Check Add new Attestations - Positive Scenario</u>	7	1	1	5	16.071 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	(SP-2-TC-02) Check Add new Attestations with same data - Negative Scenario	6	1	1	4	16.701 s
8	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	(SP-2-TC-03) Check Edit the Attestations - Positive Scenario	7	1	1	5	15.301 s
9	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	(SP-2-TC-04) Check Delete the Attestations - Positive Scenario	4	1	1	2	16.141 s
10	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	(SP-2-TC-05) Check Delete the Attestations already deleted - Negative Scenario	5	1	1	3	15.250 s
11	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	(SP-3-TC-01) Check Add new document - Positive Scenario	7	5	1	1	23.213 s
12	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	(SP-3-TC-02) Check Add new document with same data - Negative Scenario	7	4	1	2	19.380 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
13	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-03) Check Edit the document - Positive Scenario</u>	8	4	1	3	19.395 s
14	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-04) Check Delete the field - Positive Scenario</u>	5	2	1	2	22.616 s
15	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-05) Check Delete the field already deleted - Negative Scenario</u>	5	0	1	4	0.010 s
16	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-01) Check Add new field - Positive Scenario</u>	7	0	1	6	0.014 s
17	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-02) Check Add new field with same data - Negative Scenario</u>	7	0	1	6	0.007 s
18	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-03) Check Edit the field - Positive Scenario</u>	7	0	1	6	0.009 s
19	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-04) Check Delete the field - Positive Scenario</u>	5	0	1	4	0.008 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-05) Check Delete the field already deleted - Negative Scenario</u>	5	0	1	4	0.007 s
21	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-01) Check Add new field - Positive Scenario</u>	7	0	1	6	0.007 s
22	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-02) Check Add new field with same data - Negative Scenario</u>	7	0	1	6	0.008 s
23	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-03) Check Edit the field - Positive Scenario</u>	7	0	1	6	0.007 s
24	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-04) Check Delete the field - Positive Scenario</u>	5	0	1	4	0.008 s
25	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-05) Check Delete the field already deleted - Negative Scenario</u>	5	0	1	4	0.008 s
26	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-01) Admin should be already in the Setup under Human Resources Functionality - Positive Scenario</u>	7	0	1	6	0.008 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-02) Admin should have already created a new positions - Negative Scenario</u>	7	0	1	6	0.012 s
28	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-03) Admin should have already created a new positions</u>	8	0	1	7	0.020 s
29	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-04) Admin User should be able to Delete Positions under Resources Setup</u>	7	0	1	6	0.013 s
30	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-05) Admin User should not be able to access deleted Positions under Resources Setup</u>	5	0	1	4	0.009 s
31	<u>As an Admin User I should be able to Add-Edit-Delete School Locations *</u>	<u>(SP-7-TC-01) Check Add new location - Positive Scenario</u>	4	0	1	3	0.008 s
32	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-01) Check Add new bank account - Positive Scenario</u>	7	0	1	6	0.008 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-02) Check Add new bank account with same data - Negative Scenario</u>	6	0	1	5	0.007 s
34	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-03) Check Edit the bank account - Positive Scenario</u>	7	0	1	6	0.007 s
35	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-04) Check Delete the position category - Positive Scenario</u>	4	0	1	3	0.006 s
36	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-05) Check Delete the position category already deleted - Negative Scenario</u>	5	0	1	4	0.005 s

* The feature name and/or scenario name has been cropped to fit in the available space.

As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup




(SP-1-TC-01) Check Add new position category - Positive Scenario



#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	8.174 s
2	When Click on the element in LeftNav humanResources setupInHumanR positionCategories	PASSED	3.845 s
3	And Click on the element in Dialog addButton	PASSED	0.933 s
4	And User sending the keys in Dialog Content nameInput Quality Assurance	PASSED	0.335 s
5	And Click on the element in Dialog saveButton	PASSED	0.238 s
6	Then Verify contains text successMessage successfully	PASSED	0.655 s


#	Step / Hook Details	Status	Duration
7	Then Display required element searchBox	PASSED	0.078 s

(SP-1-TC-02) Check Add new position category with same data - Negative Scenario



#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.140 s
2	When Click on the element in LeftNav humanResources setupInHumanR positionCategories	PASSED	4.252 s
3	And Click on the element in Dialog addButton	PASSED	0.870 s
4	And User sending the keys in Dialog Content nameInput Quality Assurance	PASSED	0.403 s
5	And Click on the element in Dialog saveButton	PASSED	0.260 s
6	Then Verify contains text alreadyExists already exists	PASSED	0.650 s


(SP-1-TC-03) Check Edit the position category - Positive Scenario



#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.414 s
2	When Click on the element in LeftNav humanResources setupInHumanR positionCategories	PASSED	4.008 s
3	And User sending the keys in Dialog Content searchName Quality Assurance	PASSED	0.873 s
4	And Click on the element in Dialog searchButton editButton org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=111.0.5563.148) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aa56b17c28ee4f986aa03d5fb53e9eb3, executeScript {script=arguments[0].scrollIntoView(false);, args=[{ELEMENT=bbfe57f2-1365-419e-9df0-52cffc5c3dff, element-6066-11e4-a52e-4f735466cecf=bbfe57f2-1365-419e-9df0-52cffc5c3dff}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65184}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65184/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: aa56b17c28ee4f986aa03d5fb53e9eb3 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.365 s


#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480) at Pages.Parent.scrollToElement(Parent.java:49) at Pages.Parent.clickFunction(Parent.java:28) at StepDefinitions._00_DataTableSteps.clickOnTheElementInDialog(_00_DataTableSteps.java:40) at ?.Click on the element in Dialog(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-1-TC.feature:48) * Not displayable characters are replaced by '?'.</pre>		
5	<p>And User sending the keys in Dialog Content</p> <p>nameInput Quality</p>	SKIPPED	0.000 s
6	<p>And Click on the element in Dialog</p> <p>saveButton</p>	SKIPPED	0.001 s
7	<p>Then Verify contains text</p> <p>successMessage successfully</p>	SKIPPED	0.001 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>screenshot name</p> 	PASSED	11.357 s

(SP-1-TC-04) Check Delete the position category - Positive Scenario



#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.329 s
2	When Click on the element in LeftNav humanResources setupInHumanR positionCategories	PASSED	4.907 s
3	And User delete item from Dialog Content Quality	PASSED	2.825 s
4	Then Verify contains text successMessage successfully	PASSED	0.194 s

(SP-1-TC-05) Check Delete the position category already deleted - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	7.492 s
2	When Click on the element in LeftNav humanResources setupInHumanR positionCategories	PASSED	4.235 s
3	And User sending the keys in Dialog Content searchName Quality	PASSED	0.857 s
4	And Click on the element in Dialog searchButton	PASSED	0.298 s
5	Then Verify contains text verifyDelete no data to display	PASSED	0.596 s


As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup





(SP-2-TC-01) Check Add new Attestations - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.390 s
2	<p>When Click on the element in LeftNav</p> <div style="border: 1px solid #ccc; padding: 2px;">humanResources</div> <div style="border: 1px solid #ccc; padding: 2px;">setupInHumanR</div> <div style="border: 1px solid #ccc; padding: 2px;">Attestations</div> <pre>java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27) at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6)</pre>	FAILED	3.631 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. 3 And Click on the element in Dialog addButton		
4	And User sending the keys in Dialog Content nameInput Sdet Man	SKIPPED	0.001 s
5	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
6	Then Verify contains text successMessage successfully	SKIPPED	0.001 s
7	Then Display required element searchBox	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name 	PASSED	6.046 s


(SP-2-TC-02) Check Add new Attestations with same data - Negative Scenario

FAILED	DURATION - 16.701 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 6:48:06.403 PM // 6:48:23.104 PM /	As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup			


#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	7.398 s
2	When Click on the element in LeftNav	FAILED	3.359 s

#	Step / Hook Details	Status	Duration
	<pre>humanResources setupInHumanR Attestations</pre> <p>java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27) at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6)</p> <p>* Not displayable characters are replaced by '?'.</p>		
3	And Click on the element in Dialog addButton	SKIPPED	0.001 s
4	And User sending the keys in Dialog Content nameInput Sdet Man	SKIPPED	0.000 s
5	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
6	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name 	PASSED	5.941 s


(SP-2-TC-03) Check Edit the Attestations - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.149 s
2	When Click on the element in LeftNav humanResources setupInHumanR Attestations java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27) at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.202 s
3	And User sending the keys in Dialog Content searchName Sdet Man	SKIPPED	0.000 s
4	And Click on the element in Dialog searchButton editButton	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content nameInput Sdet	SKIPPED	0.000 s
6	And Click on the element in Dialog	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	<p>saveButton</p> <p>Then Verify contains text</p> <p>successMessage successfully</p> <p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>screenshot name</p> 	SKIPPED	0.000 s
		PASSED	5.949 s


(SP-2-TC-04) Check Delete the Attestations - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.513 s
2	<p>When Click on the element in LeftNav</p> <p>humanResources</p> <p>setupInHumanR</p> <p>Attestations</p> <p>java.lang.NullPointerException</p> <pre>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</pre>	FAILED	3.596 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27) at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6) * Not displayable characters are replaced by '?'.</pre>		
3	And User delete item from Dialog Content Sdet	SKIPPED	0.000 s
4	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name 	PASSED	6.030 s

(SP-2-TC-05) Check Delete the Attestations already deleted - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.166 s
2	When Click on the element in LeftNav humanResources setupInHumanR Attestations	FAILED	3.056 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27) at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6) * Not displayable characters are replaced by '?'.</pre>		
3	And User sending the keys in Dialog Content searchName Sdet	SKIPPED	0.000 s
4	And Click on the element in Dialog searchButton	SKIPPED	0.000 s
5	Then Verify contains text verifyDelete no data to display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name 	PASSED	6.027 s

As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup




(SP-3-TC-01) Check Add new document - Positive Scenario



#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	7.411 s
2	When Click on the element in LeftNav setup parameters documentTypes	PASSED	7.033 s
3	And Click on the element in Dialog addButton	PASSED	0.849 s
4	And User sending the keys in Dialog Content nameInput group5testing	PASSED	0.354 s
5	And Click on the element in Dialog selectStageNewDoc employment	PASSED	0.433 s
6	And Click on the element in Dialog saveButton	FAILED	1.212 s
	org.openqa.selenium.ElementClickInterceptionException: element click intercepted: Element <button _ngcontent-ubt-c103="" mat-button="" color="accent" mattooltipposition="above" class="mat-focus-indicator mat-tooltip-trigger mat-accent mat-button mat-button-base ng-star-inserted mat-raised-button">...</button> is not clickable at point (1011, 569). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop cdk-overlay-backdrop-showing"></div> (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75eb5dbfde7d18a7a748415d2c2ad604, clickElement {id=a77d6414-44b8-4efb-b953-fc709cf899b6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65487}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65487/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

#	Step / Hook Details	Status	Duration
	<pre> webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (75eb5dbfde7d18a7a748415d2c2ad604)] -> xpath: //ms-save-button//button] Session ID: 75eb5dbfde7d18a7a748415d2c2ad604 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.\$Proxy25.click(Unknown Source) at Pages.Parent.clickFunction(Parent.java:29) at StepDefinitions._00_DataTableSteps.clickOnTheElementInDialog(_00_DataTableSteps.java:40) at ?.Click on the element in Dialog(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:27) * Not displayable characters are replaced by '?'. </pre>		
7	<p>Then Verify contains text</p> <pre>successMessage successfully</pre>	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <p>screenshot name</p> 	PASSED	5.914 s


(SP-3-TC-02) Check Add new document with same data - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.501 s
2	When Click on the element in LeftNav setup parameters documentTypes	PASSED	4.062 s
3	And Click on the element in Dialog addButton	PASSED	1.071 s
4	And User sending the keys in Dialog Content nameInput group5testing	PASSED	0.435 s
5	And Click on the element in Dialog selectStageEditDoc employment	FAILED	1.199 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="mat-select-arrow-wrapper ng-tns-c76-51">...</div> is not clickable at point (1426, 105). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-dark-backdrop cdk-overlay-backdrop-showing"></div> (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8cbf8d145d57db74409f31dea10eee0e, clickElement {id=5cd289ca-26c3-46ec-a8ed-36c3edc33683}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDatumDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:65518}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65518/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8cbf8d145d57db74409f31dea10eee0e)] -> xpath: (/div[contains(@class,'mat-select-arrow-wrapper')])[1]] Session ID: 8cbf8d145d57db74409f31dea10eee0e at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.\$Proxy25.click(Unknown Source) at Pages.Parent.clickFunction(Parent.java:29) at StepDefinitions._00_DataTableSteps.clickOnTheElementInDialog(_00_DataTableSteps.java:40) at ?.Click on the element in Dialog(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:46) * Not displayable characters are replaced by '?'. </pre>		
6	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
7	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) Screenshot name 	PASSED	6.108 s


(SP-3-TC-03) Check Edit the document - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.631 s
2	When Click on the element in LeftNav setup parameters documentTypes	PASSED	5.127 s
3	And User sending the keys in Dialog Content searchName group5testing	PASSED	0.862 s
4	And Click on the element in Dialog selectStageEditDoc employment	PASSED	0.494 s
5	And Click on the element in Dialog searchButton editButton	FAILED	0.378 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=111.0.5563.148) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [56a227e8f90e708b608bd50880d28d7a, executeScript {script=arguments[0].scrollIntoView(false);, args=[{ELEMENT=21158cbe-1c45-41b4-8ec9-e21a44fbe415, element=6066-11e4-a52e-4f735466cecf=21158cbe-1c45-41b4-8ec9-e21a44fbe415}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49161}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49161/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 56a227e8f90e708b608bd50880d28d7a at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480) at Pages.Parent.scrollToElement(Parent.java:49) at Pages.Parent.clickFunction(Parent.java:28) at StepDefinitions._00_DataTableSteps.clickOnTheElementInDialog(_00_DataTableSteps.java:40) at ?.Click on the element in Dialog(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:71) * Not displayable characters are replaced by '?'. </pre>		
6	And User sending the keys in Dialog Content nameInput group5test	SKIPPED	0.000 s
7	And Click on the element in Dialog saveButton	SKIPPED	0.001 s
8	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name 	PASSED	5.900 s

(SP-3-TC-04) Check Delete the field - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.405 s
2	When Click on the element in LeftNav setup parameters documentTypes	PASSED	4.883 s
3	And User sending the keys in Dialog Content searchName group5test searchCode 12345 <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, findElement {using=xpath, value=(//mat-form-field//input)[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) </p>	FAILED	11.322 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.toString(Unknown Source) at java.lang.String.valueOf(String.java:2994) at java.lang.StringBuilder.append(StringBuilder.java:136) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.lang.String.valueOf(String.java:2994) at java.lang.StringBuilder.append(StringBuilder.java:136) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at Pages.Parent.waitUntilVisible(Parent.java:53) at Pages.Parent.sendKeysFunction(Parent.java:20) at StepDefinitions._00_DataTableSteps.userSendingTheKeysInDialogContent(_00_DataTableSteps.java:49) at ?.User sending the keys in Dialog Content(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:89) * Not displayable characters are replaced by '?'. </pre>		
4	<p>And Click on the element in Dialog</p> 	SKIPPED	0.000 s
5	<p>Then Verify contains text</p> 	SKIPPED	0.001 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

(SP-3-TC-05) Check Delete the field already deleted - Negative Scenario



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	FAILED	0.005 s


#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>						
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>documentTypes</td></tr> </table>	setup	parameters	documentTypes	SKIPPED	0.001 s	
setup							
parameters							
documentTypes							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchName</td><td>group5test</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5test	searchCode	12345	SKIPPED	0.000 s
searchName	group5test						
searchCode	12345						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> </table>	searchButton	SKIPPED	0.000 s			
searchButton							
5	<p>Then Verify contains text</p> <table border="1"> <tr><td>verifyDelete</td><td>no data to display</td></tr> </table>	verifyDelete	no data to display	SKIPPED	0.000 s		
verifyDelete	no data to display						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</pre>	FAILED	0.004 s				

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup




(SP-4-TC-01) Check Add new field - Positive Scenario



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDatumDir: C:\Users\leeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration				
	<pre>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>						
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>fields</td></tr> </table>	setup	parameters	fields	SKIPPED	0.000 s	
setup							
parameters							
fields							
3	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>addButton</td></tr> </table>	addButton	SKIPPED	0.000 s			
addButton							
4	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>nameInput</td><td>group5testing</td></tr> <tr><td>codeInput</td><td>12345</td></tr> </table>	nameInput	group5testing	codeInput	12345	SKIPPED	0.000 s
nameInput	group5testing						
codeInput	12345						
5	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>selectarrow</td></tr> <tr><td>logical</td></tr> </table>	selectarrow	logical	SKIPPED	0.000 s		
selectarrow							
logical							
6	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>saveButton</td></tr> </table>	saveButton	SKIPPED	0.000 s			
saveButton							
7	<p>Then Verify contains text</p> <table border="1"> <tr><td>successMessage</td><td>successfully</td></tr> </table>	successMessage	successfully	SKIPPED	0.000 s		
successMessage	successfully						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch:</pre>	FAILED	0.005 s				

#	Step / Hook Details	Status	Duration
1	'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		


(SP-4-TC-02) Check Add new field with same data - Negative Scenario

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome,	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Click on the element in LeftNav setup parameters fields	SKIPPED	0.000 s
3	And Click on the element in Dialog addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content nameInput group5testing codeInput 12345	SKIPPED	0.000 s
5	And Click on the element in Dialog selectarrow logical	SKIPPED	0.000 s
6	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
7	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.002 s

(SP-4-TC-03) Check Edit the field - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	FAILED	0.005 s

#	Step / Hook Details	Status	Duration				
1	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca... }, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>						
2	When Click on the element in LeftNav	SKIPPED	0.000 s				
	<table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>fields</td></tr> </table>	setup	parameters	fields			
setup							
parameters							
fields							
3	And User sending the keys in Dialog Content	SKIPPED	0.000 s				
	<table border="1"> <tr><td>searchName</td><td>group5testing</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5testing	searchCode	12345		
searchName	group5testing						
searchCode	12345						
4	And Click on the element in Dialog	SKIPPED	0.001 s				
	<table border="1"> <tr><td>searchButton</td></tr> <tr><td>editButton</td></tr> </table>	searchButton	editButton				
searchButton							
editButton							
5	And User sending the keys in Dialog Content	SKIPPED	0.000 s				
	<table border="1"> <tr><td>nameInput</td><td>group5test</td></tr> </table>	nameInput	group5test				
nameInput	group5test						
6	And Click on the element in Dialog	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
7	<p>saveButton</p> <p>Then Verify contains text</p> <p>successMessage successfully</p>	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.003 s


(SP-4-TC-04) Check Delete the field - Positive Scenario



#	Step / Hook Details	Status	Duration				
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.004 s				
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>fields</td></tr> </table>	setup	parameters	fields	SKIPPED	0.000 s	
setup							
parameters							
fields							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchName</td><td>group5test</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5test	searchCode	12345	SKIPPED	0.001 s
searchName	group5test						
searchCode	12345						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> <tr><td>deleteButton</td></tr> <tr><td>deleteDialogBtn</td></tr> </table>	searchButton	deleteButton	deleteDialogBtn	SKIPPED	0.000 s	
searchButton							
deleteButton							
deleteDialogBtn							
5	<p>Then Verify contains text</p> <table border="1"> <tr><td>successMessage</td><td>successfully</td></tr> </table>	successMessage	successfully	SKIPPED	0.000 s		
successMessage	successfully						

#	Step / Hook Details	Status	Duration
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.003 s

(SP-4-TC-05) Check Delete the field already deleted - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	FAILED	0.004 s




#	Step / Hook Details	Status	Duration				
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>						
2	When Click on the element in LeftNav <table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>fields</td></tr> </table>	setup	parameters	fields	SKIPPED	0.000 s	
setup							
parameters							
fields							
3	And User sending the keys in Dialog Content <table border="1"> <tr><td>searchName</td><td>group5test</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5test	searchCode	12345	SKIPPED	0.000 s
searchName	group5test						
searchCode	12345						
4	And Click on the element in Dialog <table border="1"> <tr><td>searchButton</td></tr> </table>	searchButton	SKIPPED	0.000 s			
searchButton							
5	Then Verify contains text <table border="1"> <tr><td>verifyDelete</td><td>no data to display</td></tr> </table>	verifyDelete	no data to display	SKIPPED	0.000 s		
verifyDelete	no data to display						
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found</pre>	FAILED	0.003 s				

#	Step / Hook Details	Status	Duration
1	(Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

(SP-8-TC-01) Check Add new field - Positive Scenario






#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>[11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Click on the element in LeftNav 	SKIPPED	0.000 s
3	And Click on the element in Dialog 	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content 	SKIPPED	0.000 s
5	And Click on the element in Dialog 	SKIPPED	0.000 s
6	And Click on the element in Dialog 	SKIPPED	0.000 s
7	Then Verify contains text	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>successMessage successfully</pre> <p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.003 s


(SP-8-TC-02) Check Add new field with same data - Negative Scenario

FAILED	DURATION - 0.008 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 6:50:34.849 PM // 6:50:34.857 PM /	As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup			

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.004 s
2	<p>When Click on the element in LeftNav</p> 	SKIPPED	0.000 s
3	<p>And Click on the element in Dialog</p> 	SKIPPED	0.001 s
4	<p>And User sending the keys in Dialog Content</p> 	SKIPPED	0.000 s
5	<p>And Click on the element in Dialog</p> 	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
7	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)	FAILED	0.003 s


(SP-8-TC-03) Check Edit the field - Positive Scenario



#	Step / Hook Details	Status	Duration			
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.003 s			
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>schoolSetup</td></tr> <tr><td>departments</td></tr> </table>	setup	schoolSetup	departments	SKIPPED	0.001 s
setup						
schoolSetup						
departments						
3	And User sending the keys in Dialog Content	SKIPPED	0.000 s			

#	Step / Hook Details	Status	Duration				
	<table border="1"> <tr><td>searchName</td><td>group5testing</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5testing	searchCode	12345		
searchName	group5testing						
searchCode	12345						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> <tr><td>editButton</td></tr> </table>	searchButton	editButton	SKIPPED	0.000 s		
searchButton							
editButton							
5	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>nameInput</td><td>group5test</td></tr> </table>	nameInput	group5test	SKIPPED	0.000 s		
nameInput	group5test						
6	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>saveButton</td></tr> </table>	saveButton	SKIPPED	0.000 s			
saveButton							
7	<p>Then Verify contains text</p> <table border="1"> <tr><td>successMessage</td><td>successfully</td></tr> </table>	successMessage	successfully	SKIPPED	0.000 s		
successMessage	successfully						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.003 s				


(SP-8-TC-04) Check Delete the field - Positive Scenario



#	Step / Hook Details	Status	Duration		
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s		
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>schoolSetup</td></tr> </table>	setup	schoolSetup	SKIPPED	0.001 s
setup					
schoolSetup					

#	Step / Hook Details	Status	Duration
	departments		
3	And User sending the keys in Dialog Content searchName group5test searchCode 12345	SKIPPED	0.000 s
4	And Click on the element in Dialog searchButton deleteButton deleteDialogBtn	SKIPPED	0.000 s
5	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)	FAILED	0.003 s

(SP-8-TC-05) Check Delete the field already deleted - Negative Scenario




#	Step / Hook Details	Status	Duration			
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.004 s			
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>schoolSetup</td></tr> <tr><td>departments</td></tr> </table>	setup	schoolSetup	departments	SKIPPED	0.000 s
setup						
schoolSetup						
departments						
3	And User sending the keys in Dialog Content	SKIPPED	0.000 s			

#	Step / Hook Details	Status	Duration				
	<table border="1"> <tr><td>searchName</td><td>group5test</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5test	searchCode	12345		
searchName	group5test						
searchCode	12345						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> </table>	searchButton	SKIPPED	0.001 s			
searchButton							
5	<p>Then Verify contains text</p> <table border="1"> <tr><td>verifyDelete</td><td>no data to display</td></tr> </table>	verifyDelete	no data to display	SKIPPED	0.000 s		
verifyDelete	no data to display						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.003 s				

Admin User should be able to Add Positions under Resources Setup



(SP-5-TC-01) Admin should be already in the Setup under Human Resources Functionality - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca... }, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) * Not displayable characters are replaced by '?'. 		
2	When Click on the element in LeftNav humanResources setupInHumanR positionsInHumanR	SKIPPED	0.000 s
3	And Click on the element in Dialog addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content nameInput Kito Mamaseverrr	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content shortName kitoş	SKIPPED	0.000 s
6	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
7	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

(SP-5-TC-02) Admin should have already created a new positions - Negative Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca... }, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration			
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>					
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>humanResources</td></tr> <tr><td>setupInHumanR</td></tr> <tr><td>positionsInHumanR</td></tr> </table>	humanResources	setupInHumanR	positionsInHumanR	SKIPPED	0.000 s
humanResources						
setupInHumanR						
positionsInHumanR						
3	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>addButton</td></tr> </table>	addButton	SKIPPED	0.000 s		
addButton						
4	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>nameInput</td><td>Kito Mamaseverrr</td></tr> </table>	nameInput	Kito Mamaseverrr	SKIPPED	0.000 s	
nameInput	Kito Mamaseverrr					
5	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>shortName</td><td>kitos</td></tr> </table>	shortName	kitos	SKIPPED	0.000 s	
shortName	kitos					
6	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>saveButton</td></tr> </table>	saveButton	SKIPPED	0.000 s		
saveButton						
7	<p>Then Verify contains text</p> <table border="1"> <tr><td>alreadyExists</td><td>already exists</td></tr> </table>	alreadyExists	already exists	SKIPPED	0.000 s	
alreadyExists	already exists					
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.006 s			

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		


(SP-5-TC-03) Admin should have already created a new positions



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>						
2	<p>When Click on the element in LeftNav</p>	SKIPPED	0.000 s				
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr> <td>searchNameInHumanR</td> <td>Kito Mamaseverrr</td> </tr> <tr> <td>searchShortNameInHumanR</td> <td>kitoş</td> </tr> </table>	searchNameInHumanR	Kito Mamaseverrr	searchShortNameInHumanR	kitoş	SKIPPED	0.001 s
searchNameInHumanR	Kito Mamaseverrr						
searchShortNameInHumanR	kitoş						
4	<p>And Click on the element in Dialog</p>	SKIPPED	0.000 s				
5	<p>And Click on the element in Dialog</p>	SKIPPED	0.000 s				
6	<p>And User sending the keys in Dialog Content</p>	SKIPPED	0.000 s				
7	<p>And Click on the element in Dialog</p>	SKIPPED	0.000 s				
8	<p>Then Verify contains text</p>	SKIPPED	0.000 s				
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</pre>	FAILED	0.005 s				

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqaqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		


(SP-5-TC-04)Admin User should be able to Delete Positions under Resources Setup

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a	FAILED	0.006 s

#	Step / Hook Details	Status	Duration				
	<pre> at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>						
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>humanResources</td></tr> <tr><td>setupInHumanR</td></tr> <tr><td>positionsInHumanR</td></tr> </table>	humanResources	setupInHumanR	positionsInHumanR	SKIPPED	0.001 s	
humanResources							
setupInHumanR							
positionsInHumanR							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchNameInHumanR</td><td>Kito Mamasever</td></tr> <tr><td>searchShortNameInHumanR</td><td>kitoş</td></tr> </table>	searchNameInHumanR	Kito Mamasever	searchShortNameInHumanR	kitoş	SKIPPED	0.000 s
searchNameInHumanR	Kito Mamasever						
searchShortNameInHumanR	kitoş						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> </table>	searchButton	SKIPPED	0.000 s			
searchButton							
5	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>deleteButton</td></tr> </table>	deleteButton	SKIPPED	0.000 s			
deleteButton							
6	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>deleteDialogBtn</td></tr> </table>	deleteDialogBtn	SKIPPED	0.000 s			
deleteDialogBtn							
7	<p>Then Verify contains text</p> <table border="1"> <tr><td>successMessage</td><td>successfully</td></tr> </table>	successMessage	successfully	SKIPPED	0.000 s		
successMessage	successfully						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, </pre>	FAILED	0.003 s				

#	Step / Hook Details	Status	Duration
	<pre>goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

(SP-5-TC-05) Admin User should not be able to access deleted Positions under Resources Setup




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true,</pre>	FAILED	0.005 s


#	Step / Hook Details	Status	Duration				
	<pre>strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>						
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>humanResources</td></tr> <tr><td>setupInHumanR</td></tr> <tr><td>positionsInHumanR</td></tr> </table>	humanResources	setupInHumanR	positionsInHumanR	SKIPPED	0.000 s	
humanResources							
setupInHumanR							
positionsInHumanR							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchNameInHumanR</td><td>Kito Mamasever</td></tr> <tr><td>searchShortNameInHumanR</td><td>kito\$</td></tr> </table>	searchNameInHumanR	Kito Mamasever	searchShortNameInHumanR	kito\$	SKIPPED	0.000 s
searchNameInHumanR	Kito Mamasever						
searchShortNameInHumanR	kito\$						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> </table>	searchButton	SKIPPED	0.000 s			
searchButton							
5	<p>Then Verify contains text</p> <table border="1"> <tr><td>verifyDelete</td><td>no data to display</td></tr> </table>	verifyDelete	no data to display	SKIPPED	0.000 s		
verifyDelete	no data to display						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</pre>	FAILED	0.003 s				



#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup




(SP-7-TC-01) Check Add new location - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-7-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.004 s
2	<p>When Click on the element in LeftNav</p> 	SKIPPED	0.000 s
3	<p>And Click on the element in Dialog</p> 	SKIPPED	0.001 s
4	<p>And User sending the keys in Dialog Content</p> 	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch:</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters



(SP-9-TC-01) Check Add new bank account - Positive Scenario




#	Step / Hook Details	Status	Duration			
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.003 s			
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>bankAccount</td></tr> </table>	setup	parameters	bankAccount	SKIPPED	0.000 s
setup						
parameters						
bankAccount						
3	And Click on the element in Dialog	SKIPPED	0.000 s			

#	Step / Hook Details	Status	Duration
	addButton		
4	And User sending the keys in Dialog Content nameInput Grup5 iban TR11 1111 1111 1111 1111 1111 11 integrationCode 123456	SKIPPED	0.000 s
5	And Click on the element in Dialog currency tryInCurrency saveButton	SKIPPED	0.000 s
6	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
7	Then Display required element searchBox	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Hooks.after(Hooks.java:17)		

(SP-9-TC-02) Check Add new bank account with same data - Negative Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
2	When Click on the element in LeftNav setup parameters bankAccount	SKIPPED	0.000 s
3	And Click on the element in Dialog addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content nameInput Grup5 iban TR11 1111 1111 1111 1111 11 integrationCode 123456	SKIPPED	0.000 s
5	And Click on the element in Dialog currency tryInCurrency saveButton	SKIPPED	0.000 s
6	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

(SP-9-TC-03) Check Edit the bank account - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav setup parameters bankAccount	SKIPPED	0.001 s
3	And User sending the keys in Dialog Content searchName Grup5	SKIPPED	0.000 s
4	And Click on the element in Dialog searchButton editButton	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content nameInput Grup5 New Account iban TR11 1111 1111 1111 1111 1111 00 integrationCode 654321	SKIPPED	0.000 s
6	And Click on the element in Dialog currency usdInCurrency saveButton	SKIPPED	0.000 s
7	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

(SP-9-TC-04) Check Delete the position category - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration			
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>					
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>bankAccount</td></tr> </table>	setup	parameters	bankAccount	SKIPPED	0.000 s
setup						
parameters						
bankAccount						
3	<p>And User delete item from Dialog Content</p> <table border="1"> <tr><td>Grup5 New Account</td></tr> </table>	Grup5 New Account	SKIPPED	0.000 s		
Grup5 New Account						
4	<p>Then Verify contains text</p> <table border="1"> <tr><td>successMessage</td></tr> <tr><td>successfully</td></tr> </table>	successMessage	successfully	SKIPPED	0.000 s	
successMessage						
successfully						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) </pre>	FAILED	0.002 s			

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

(SP-9-TC-05) Check Delete the position category already deleted - Negative Scenario



#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav setup parameters bankAccount	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content searchName Grup5 New Account	SKIPPED	0.000 s
4	And Click on the element in Dialog searchButton	SKIPPED	0.000 s
5	Then Verify contains text verifyDelete no data to display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11293dd87f53b4ef7111652cccc98a1a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49188/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11293dd87f53b4ef7111652cccc98a1a at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)	FAILED	0.002 s