

# Cucumber Report

Apr 17, 2023 8:09:09 PM

**Start : Apr 17, 8:04:48.764 PM**

**End : Apr 17, 8:09:08.121 PM**

**Duration : 4 m 19.357 s**

Features







PASSED - 1  
FAILED - 6  
SKIPPED - 0

Scenarios


PASSED - 6  
FAILED - 30  
SKIPPED - 0

Steps


PASSED - 53  
FAILED - 30  
SKIPPED - 136



<b>Feature</b>		<b>Scenario</b>					<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	
<u>As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup</u>	1 m 38.875 s	5	5	0	0	29	29	0	0	
<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup</u>	1 m 19.401 s	5	0	5	0	29	5	5	19	
<u>As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup</u>	1 m 20.636 s	5	1	4	0	32	19	4	9	
<u>As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup</u>	0.312 s	10	0	10	0	62	0	10	52	
<u>Admin User should be able to Add Positions under Resources Setup</u>	0.094 s	5	0	5	0	34	0	5	29	
<u>As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup</u>	0.008 s	1	0	1	0	4	0	1	3	
<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters</u>	0.068 s	5	0	5	0	29	0	5	24	




#	Feature Name	T	P	F	S	Duration
1	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup</u>	5	5	0	0	1 m 38.875 s
2	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup</u>	5	0	5	0	1 m 19.401 s
3	<u>As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup</u>	5	1	4	0	1 m 20.636 s
4	<u>As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup</u>	10	0	10	0	0.312 s
5	<u>Admin User should be able to Add Positions under Resources Setup</u>	5	0	5	0	0.094 s
6	<u>As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup</u>	1	0	1	0	0.008 s
7	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters</u>	5	0	5	0	0.068 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	(SP-1-TC-01) Check Add new position category - Positive Scenario	7	7	0	0	21.785 s
2	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	(SP-1-TC-02) Check Add new position category with same data - Negative Scenario	6	6	0	0	19.044 s
3	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	(SP-1-TC-03) Check Edit the position category - Positive Scenario	7	7	0	0	20.771 s
4	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	(SP-1-TC-04) Check Delete the position category - Positive Scenario	4	4	0	0	19.150 s
5	<u>As an Admin User I should be able to Add-Edit-Delete Position Categories *</u>	(SP-1-TC-05) Check Delete the position category already deleted - Negative Scenario	5	5	0	0	18.061 s
6	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	(SP-2-TC-01) Check Add new Attestations - Positive Scenario	7	1	1	5	15.936 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
7	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	(SP-2-TC-02) Check Add new Attestations with same data - Negative Scenario	6	1	1	4	16.030 s
8	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	(SP-2-TC-03) Check Edit the Attestations - Positive Scenario	7	1	1	5	15.865 s
9	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	(SP-2-TC-04) Check Delete the Attestations - Positive Scenario	4	1	1	2	15.721 s
10	<u>As an Admin User I should be able to Add-Edit-Delete Attestations Under *</u>	(SP-2-TC-05) Check Delete the Attestations already deleted - Negative Scenario	5	1	1	3	15.746 s
11	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	(SP-3-TC-01) Check Add new document - Positive Scenario	7	5	1	1	19.272 s
12	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	(SP-3-TC-02) Check Add new document with same data - Negative Scenario	7	4	1	2	18.876 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
13	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-03) Check Edit the document - Positive Scenario</u>	8	8	0	0	20.599 s
14	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-04) Check Delete the field - Positive Scenario</u>	5	2	1	2	21.793 s
15	<u>As an Admin User I should be able to Add-Edit-Delete Documents under *</u>	<u>(SP-3-TC-05) Check Delete the field already deleted - Negative Scenario</u>	5	0	1	4	0.015 s
16	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-01) Check Add new field - Positive Scenario</u>	7	0	1	6	0.020 s
17	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-02) Check Add new field with same data - Negative Scenario</u>	7	0	1	6	0.008 s
18	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-03) Check Edit the field - Positive Scenario</u>	7	0	1	6	0.006 s
19	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-04) Check Delete the field - Positive Scenario</u>	5	0	1	4	0.007 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-4-TC-05) Check Delete the field already deleted - Negative Scenario</u>	5	0	1	4	0.007 s
21	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-01) Check Add new field - Positive Scenario</u>	7	0	1	6	0.011 s
22	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-02) Check Add new field with same data - Negative Scenario</u>	7	0	1	6	0.012 s
23	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-03) Check Edit the field - Positive Scenario</u>	7	0	1	6	0.008 s
24	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-04) Check Delete the field - Positive Scenario</u>	5	0	1	4	0.008 s
25	<u>As an Admin User I should be able to Add-Edit-Delete Fields under *</u>	<u>(SP-8-TC-05) Check Delete the field already deleted - Negative Scenario</u>	5	0	1	4	0.008 s
26	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-01) Admin should be already in the Setup under Human Resources Functionality - Positive Scenario</u>	7	0	1	6	0.008 s

\* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-02) Admin should have already created a new positions - Negative Scenario</u>	7	0	1	6	0.007 s
28	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-03) Admin should have already created a new positions</u>	8	0	1	7	0.009 s
29	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-04) Admin User should be able to Delete Positions under Resources Setup</u>	7	0	1	6	0.010 s
30	<u>Admin User should be able to Add Positions under Resources Setup</u>	<u>(SP-5-TC-05) Admin User should not be able to access deleted Positions under Resources Setup</u>	5	0	1	4	0.011 s
31	<u>As an Admin User I should be able to Add-Edit-Delete School Locations *</u>	<u>(SP-7-TC-01) Check Add new location - Positive Scenario</u>	4	0	1	3	0.008 s
32	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-01) Check Add new bank account - Positive Scenario</u>	7	0	1	6	0.006 s

\* The feature name and/or scenario name has been cropped to fit in the available space.



#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
33	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-02) Check Add new bank account with same data - Negative Scenario</u>	6	0	1	5	0.008 s
34	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-03) Check Edit the bank account - Positive Scenario</u>	7	0	1	6	0.007 s
35	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-04) Check Delete the position category - Positive Scenario</u>	4	0	1	3	0.007 s
36	<u>As an Admin User I should be able to Add-Edit-Delete Bank Account Under *</u>	<u>(SP-9-TC-05) Check Delete the position category already deleted - Negative Scenario</u>	5	0	1	4	0.007 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

## As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup

PASSED	DURATION - 1 m 38.875 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 29 Pass - 29 Fail - 0 Skip - 0	
/ 8:04:48.764 PM // 8:06:27.639 PM /					


### (SP-1-TC-01) Check Add new position category - Positive Scenario

PASSED	DURATION - 21.785 s	As an Admin User I should be able to Add-Edit-Delete Position Categories Under Human Resources Setup		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 8:04:48.769 PM // 8:05:10.554 PM /					

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	9.530 s
2	When Click on the element in LeftNav  humanResources setupInHumanR positionCategories	PASSED	4.169 s
3	And Click on the element in Dialog  addButton	PASSED	0.912 s
4	And User sending the keys in Dialog Content  nameInput Quality Assurance	PASSED	0.375 s
5	And Click on the element in Dialog  saveButton	PASSED	0.185 s
6	Then Verify contains text  successMessage successfully	PASSED	0.656 s


#	Step / Hook Details	Status	Duration
7	Then Display required element searchBox	PASSED	0.086 s

### (SP-1-TC-02) Check Add new position category with same data - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	7.178 s
2	When Click on the element in LeftNav humanResources setupInHumanR positionCategories	PASSED	3.900 s
3	And Click on the element in Dialog addButton	PASSED	0.804 s
4	And User sending the keys in Dialog Content nameInput Quality Assurance	PASSED	0.508 s
5	And Click on the element in Dialog saveButton	PASSED	0.253 s
6	Then Verify contains text alreadyExists already exists	PASSED	0.637 s

### (SP-1-TC-03) Check Edit the position category - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	7.316 s
2	When Click on the element in LeftNav  humanResources setupInHumanR positionCategories	PASSED	5.165 s
3	And User sending the keys in Dialog Content  searchName   Quality Assurance	PASSED	0.844 s
4	And Click on the element in Dialog  searchButton editButton	PASSED	0.474 s
5	And User sending the keys in Dialog Content  nameInput   Quality	PASSED	0.317 s
6	And Click on the element in Dialog  saveButton	PASSED	0.229 s
7	Then Verify contains text  successMessage   successfully	PASSED	0.612 s

(SP-1-TC-04) Check Delete the position category - Positive Scenario



#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.452 s
2	When Click on the element in LeftNav  humanResources setupInHumanR positionCategories	PASSED	4.189 s
3	And User delete item from Dialog Content  Quality	PASSED	2.058 s
4	Then Verify contains text  successMessage successfully	PASSED	0.617 s

### (SP-1-TC-05) Check Delete the position category already deleted - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.833 s
2	When Click on the element in LeftNav  humanResources	PASSED	3.828 s

#	Step / Hook Details	Status	Duration
	setupInHumanR positionCategories		
3	And User sending the keys in Dialog Content searchName   Quality	PASSED	0.766 s
4	And Click on the element in Dialog searchButton	PASSED	0.174 s
5	Then Verify contains text verifyDelete   no data to display	PASSED	0.634 s


### As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup




### (SP-2-TC-01) Check Add new Attestations - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.119 s
2	When Click on the element in LeftNav humanResources setupInHumanR	FAILED	3.770 s

#	Step / Hook Details	Status	Duration
	Attestations		
	<pre>java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27) at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6) * Not displayable characters are replaced by '?'.</pre>		
3	And Click on the element in Dialog addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content nameInput Sdet Man	SKIPPED	0.000 s
5	And Click on the element in Dialog saveButton	SKIPPED	0.002 s
6	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
7	Then Display required element searchBox	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name 	PASSED	6.041 s


(SP-2-TC-02) Check Add new Attestations with same data - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.708 s
2	When Click on the element in LeftNav  humanResources setupInHumanR Attestations  java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27) at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.261 s
3	And Click on the element in Dialog  addButton	SKIPPED	0.001 s
4	And User sending the keys in Dialog Content  nameInput Sdet Man	SKIPPED	0.000 s
5	And Click on the element in Dialog  saveButton	SKIPPED	0.000 s
6	Then Verify contains text	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	alreadyExists   already exists		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  screenshot name  	PASSED	6.059 s


### (SP-2-TC-03) Check Edit the Attestations - Positive Scenario



#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.506 s
2	When Click on the element in LeftNav  humanResources setupInHumanR Attestations  java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27)	FAILED	3.361 s


#	Step / Hook Details	Status	Duration
	at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6) * Not displayable characters are replaced by '?'.  3 And User sending the keys in Dialog Content  searchName   Sdet Man		
4	And Click on the element in Dialog  searchButton editButton	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content  nameInput   Sdet	SKIPPED	0.000 s
6	And Click on the element in Dialog  saveButton	SKIPPED	0.000 s
7	Then Verify contains text  successMessage   successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  screenshot name  	PASSED	5.996 s

### (SP-2-TC-04) Check Delete the Attestations - Positive Scenario


FAILED	DURATION - 15.721 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 8:07:15.580 PM // 8:07:31.301 PM /				
As an Admin User I should be able to Add-Edit-Delete Attestations Under Human Resources Setup				

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.550 s
2	When Click on the element in LeftNav  humanResources setupInHumanR Attestations  java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27) at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6) * Not displayable characters are replaced by '?'. 	FAILED	3.151 s
3	And User delete item from Dialog Content  Sdet	SKIPPED	0.000 s
4	Then Verify contains text  successMessage successfully	SKIPPED	0.002 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  screenshot name  	PASSED	6.018 s

### (SP-2-TC-05) Check Delete the Attestations already deleted - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.406 s
2	When Click on the element in LeftNav  humanResources setupInHumanR Attestations  java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:57) at Pages.Parent.clickFunction(Parent.java:27) at StepDefinitions._00_DataTableSteps.clickOnTheElementInLeftNav(_00_DataTableSteps.java:30) at ?.Click on the element in LeftNav(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-2-TC.feature:6) * Not displayable characters are replaced by '?'.	FAILED	3.332 s
3	And User sending the keys in Dialog Content  searchName   Sdet	SKIPPED	0.001 s
4	And Click on the element in Dialog  searchButton	SKIPPED	0.000 s
5	Then Verify contains text  verifyDelete   no data to display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  screenshot name	PASSED	6.006 s

#	Step / Hook Details	Status	Duration
			

## As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup




### (SP-3-TC-01) Check Add new document - Positive Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.368 s
2	When Click on the element in LeftNav  setup parameters documentTypes	PASSED	3.994 s
3	And Click on the element in Dialog  addButton	PASSED	0.810 s
4	And User sending the keys in Dialog Content	PASSED	0.333 s

#	Step / Hook Details	Status	Duration
	nameInput   group5testing		
5	And Click on the element in Dialog  selectStageNewDoc employment	PASSED	0.483 s
6	And Click on the element in Dialog  saveButton  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-egy-c103="" mat-button="" color="accent" mattooltipposition="above" class="mat-focus-indicator mat-tooltip-trigger mat-accent mat-button mat-button-base ng-star-inserted mat-raised-button">...</button> is not clickable at point (1011, 569). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop cdk-overlay-backdrop-showing"></div> (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca143065988e988ab9a7114f523a5b94, clickElement {id=23301979-b52e-4561-bb8e-811750812d7c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56423}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56423/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ca143065988e988ab9a7114f523a5b94)] -> xpath: //ms-save-button//button] Session ID: ca143065988e988ab9a7114f523a5b94  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.\$Proxy25.click(Unknown Source) at Pages.Parent.clickFunction(Parent.java:29)	FAILED	1.160 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions._00_DataTableSteps.clickOnTheElementInDialog(_00_DataTableSteps.java:40) at ?.Click on the element in Dialog(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:27) * Not displayable characters are replaced by '?'.  7 Then Verify contains text successMessage successfully		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  screenshot name  	PASSED	6.122 s

### (SP-3-TC-02) Check Add new document with same data - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.497 s
2	When Click on the element in LeftNav  setup parameters documentTypes	PASSED	4.035 s
3	And Click on the element in Dialog  addButton	PASSED	0.826 s
4	And User sending the keys in Dialog Content  nameInput group5testing	PASSED	0.324 s

#	Step / Hook Details	Status	Duration
5	<p>And Click on the element in Dialog</p> <pre>selectStageEditDoc employment</pre> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;div class="mat-select-arrow-wrapper ng-tns-c76-51"&gt;...&lt;/div&gt; is not clickable at point (1426, 105). Other element would receive the click: &lt;div class="cdk-overlay-backdrop cdk-overlay-dark-backdrop cdk-overlay-backdrop-showing"&gt;&lt;/div&gt; (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [02eb8fe09c43c91991356e28db033138, clickElement {id=3f01cdd0-d10d-4c1e-bcc6-7bd894c9b804}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56451}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56451/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (02eb8fe09c43c91991356e28db033138)] -&gt; xpath: (/div[contains(@class,'mat-select-arrow-wrapper')])[1]] Session ID: 02eb8fe09c43c91991356e28db033138</p> <pre>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at com.sun.proxy.\$Proxy25.click(Unknown Source) at Pages.Parent.clickFunction(Parent.java:29) at StepDefinitions._00_DataTableSteps.clickOnTheElementInDialog(_00_DataTableSteps.java:40) at ?.Click on the element in Dialog(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:46) * Not displayable characters are replaced by '?'.</pre>	FAILED	1.193 s
6	<p>And Click on the element in Dialog</p> <pre>saveButton</pre>	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name 	PASSED	5.999 s


**(SP-3-TC-03) Check Edit the document - Positive Scenario**

PASSED	DURATION - 20.599 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/8:08:25.278 PM // 8:08:45.877 PM /	As an Admin User I should be able to Add/Edit/Delete Documents under Parameters Setup			


#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.692 s
2	When Click on the element in LeftNav setup parameters documentTypes	PASSED	4.340 s
3	And User sending the keys in Dialog Content searchName group5testing	PASSED	0.820 s
4	And Click on the element in Dialog selectStageEditDoc employment	PASSED	0.555 s
5	And Click on the element in Dialog	PASSED	1.250 s

#	Step / Hook Details	Status	Duration
	searchButton editButton		
6	And User sending the keys in Dialog Content nameInput group5test	PASSED	0.338 s
7	And Click on the element in Dialog saveButton	PASSED	0.190 s
8	Then Verify contains text successMessage successfully	PASSED	0.621 s

### (SP-3-TC-04) Check Delete the field - Positive Scenario





#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin	PASSED	6.482 s
2	When Click on the element in LeftNav setup parameters documentTypes	PASSED	4.054 s
3	And User sending the keys in Dialog Content searchName group5test searchCode 12345	FAILED	11.250 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, findElement {using=xpath, value=(/mat-form-field//input)[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir:		

#	Step / Hook Details	Status	Duration
	<pre>C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.toString(Unknown Source) at java.lang.String.valueOf(String.java:2994) at java.lang.StringBuilder.append(StringBuilder.java:136) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.lang.String.valueOf(String.java:2994) at java.lang.StringBuilder.append(StringBuilder.java:136) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at Pages.Parent.waitUntilVisible(Parent.java:53) at Pages.Parent.sendKeysFunction(Parent.java:20) at StepDefinitions._00_DataTableSteps.userSendingTheKeysInDialogContent(_00_DataTableSteps.java:49) at ?.User sending the keys in Dialog Content(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:89) * Not displayable characters are replaced by '?'.</pre>		
4	And Click on the element in Dialog 	SKIPPED	0.000 s
5	Then Verify contains text	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>successMessage successfully</pre> <p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.003 s


### (SP-3-TC-05) Check Delete the field already deleted - Negative Scenario

FAILED	DURATION - 0.015 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 8:09:07.698 PM // 8:09:07.713 PM /	As an Admin User I should be able to Add-Edit-Delete Documents under Parameters Setup			


#	Step / Hook Details	Status	Duration				
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-3-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.009 s				
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>documentTypes</td></tr> </table>	setup	parameters	documentTypes	SKIPPED	0.001 s	
setup							
parameters							
documentTypes							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchName</td><td>group5test</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5test	searchCode	12345	SKIPPED	0.000 s
searchName	group5test						
searchCode	12345						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> </table>	searchButton	SKIPPED	0.000 s			
searchButton							
5	<p>Then Verify contains text</p> <table border="1"> <tr><td>verifyDelete</td><td>no data to display</td></tr> </table>	verifyDelete	no data to display	SKIPPED	0.000 s		
verifyDelete	no data to display						
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.004 s				


#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\lAppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

## As an Admin User I should be able to Add-Edit-Delete Fields under Parameters Setup




(SP-4-TC-01) Check Add new field - Positive Scenario



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.013 s
2	When Click on the element in LeftNav  	SKIPPED	0.000 s
3	And Click on the element in Dialog	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	addButton		
4	And User sending the keys in Dialog Content nameInput group5testing codeInput 12345	SKIPPED	0.000 s
5	And Click on the element in Dialog selectarrow logical	SKIPPED	0.000 s
6	And Click on the element in Dialog saveButton	SKIPPED	0.001 s
7	Then Verify contains text successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)	FAILED	0.004 s


**(SP-4-TC-02) Check Add new field with same data - Negative Scenario**

#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s
2	<p>When Click on the element in LeftNav</p> <pre>setup parameters</pre>	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	fields		
3	And Click on the element in Dialog addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content nameInput group5testing codeInput 12345	SKIPPED	0.000 s
5	And Click on the element in Dialog selectarrow logical	SKIPPED	0.000 s
6	And Click on the element in Dialog saveButton	SKIPPED	0.000 s
7	Then Verify contains text alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

### (SP-4-TC-03) Check Edit the field - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8     at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)     at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)     at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
2	When Click on the element in LeftNav  setup parameters fields	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content  searchName   group5testing searchCode   12345	SKIPPED	0.000 s
4	And Click on the element in Dialog  searchButton editButton	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content  nameInput   group5test	SKIPPED	0.000 s
6	And Click on the element in Dialog  saveButton	SKIPPED	0.000 s
7	Then Verify contains text  successMessage   successfully	SKIPPED	0.001 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

### (SP-4-TC-04) Check Delete the field - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4) * Not displayable characters are replaced by '?'.  2 When Click on the element in LeftNav   setup   parameters   fields		
3	And User sending the keys in Dialog Content   searchName   group5test   searchCode   12345	SKIPPED	0.000 s
4	And Click on the element in Dialog   searchButton   deleteButton   deleteDialogBtn	SKIPPED	0.000 s
5	Then Verify contains text   successMessage   successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

### (SP-4-TC-05) Check Delete the field already deleted - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-4-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav  setup parameters fields	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content  searchName   group5test searchCode   12345	SKIPPED	0.000 s
4	And Click on the element in Dialog  searchButton	SKIPPED	0.000 s
5	Then Verify contains text  verifyDelete   no data to display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Hooks.after(Hooks.java:17)		

### (SP-8-TC-01) Check Add new field - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
2	When Click on the element in LeftNav  setup schoolSetup departments	SKIPPED	0.000 s
3	And Click on the element in Dialog  addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content  nameInput group5testing codeInput 12345	SKIPPED	0.001 s
5	And Click on the element in Dialog  selectarrow logical	SKIPPED	0.000 s
6	And Click on the element in Dialog  saveButton	SKIPPED	0.000 s
7	Then Verify contains text  successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

### (SP-8-TC-02) Check Add new field with same data - Negative Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4) * Not displayable characters are replaced by '?'.  2 When Click on the element in LeftNav  setup schoolSetup departments		
2	When Click on the element in LeftNav  setup schoolSetup departments	SKIPPED	0.001 s
3	And Click on the element in Dialog  addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content  nameInput group5testing codeInput 12345	SKIPPED	0.000 s
5	And Click on the element in Dialog  selectarrow logical	SKIPPED	0.000 s
6	And Click on the element in Dialog  saveButton	SKIPPED	0.000 s
7	Then Verify contains text  alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

### (SP-8-TC-03) Check Edit the field - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>						
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>schoolSetup</td></tr> <tr><td>departments</td></tr> </table>	setup	schoolSetup	departments	SKIPPED	0.000 s	
setup							
schoolSetup							
departments							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchName</td><td>group5testing</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5testing	searchCode	12345	SKIPPED	0.000 s
searchName	group5testing						
searchCode	12345						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> <tr><td>editButton</td></tr> </table>	searchButton	editButton	SKIPPED	0.000 s		
searchButton							
editButton							
5	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>nameInput</td><td>group5test</td></tr> </table>	nameInput	group5test	SKIPPED	0.000 s		
nameInput	group5test						
6	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>saveButton</td></tr> </table>	saveButton	SKIPPED	0.000 s			
saveButton							
7	<p>Then Verify contains text</p> <table border="1"> <tr><td>successMessage</td><td>successfully</td></tr> </table>	successMessage	successfully	SKIPPED	0.000 s		
successMessage	successfully						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)</pre>	FAILED	0.002 s				

#	Step / Hook Details	Status	Duration
	<pre>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

### (SP-8-TC-04) Check Delete the field - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>						
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>schoolSetup</td></tr> <tr><td>departments</td></tr> </table>	setup	schoolSetup	departments	SKIPPED	0.000 s	
setup							
schoolSetup							
departments							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchName</td><td>group5test</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5test	searchCode	12345	SKIPPED	0.000 s
searchName	group5test						
searchCode	12345						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> <tr><td>deleteButton</td></tr> <tr><td>deleteDialogBtn</td></tr> </table>	searchButton	deleteButton	deleteDialogBtn	SKIPPED	0.000 s	
searchButton							
deleteButton							
deleteDialogBtn							
5	<p>Then Verify contains text</p> <table border="1"> <tr><td>successMessage</td><td>successfully</td></tr> </table>	successMessage	successfully	SKIPPED	0.000 s		
successMessage	successfully						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</pre>	FAILED	0.003 s				

#	Step / Hook Details	Status	Duration
	<pre> at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

### (SP-8-TC-05) Check Delete the field already deleted - Negative Scenario



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	0.005 s


#	Step / Hook Details	Status	Duration				
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-8-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>						
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>schoolSetup</td></tr> <tr><td>departments</td></tr> </table>	setup	schoolSetup	departments	SKIPPED	0.000 s	
setup							
schoolSetup							
departments							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchName</td><td>group5test</td></tr> <tr><td>searchCode</td><td>12345</td></tr> </table>	searchName	group5test	searchCode	12345	SKIPPED	0.000 s
searchName	group5test						
searchCode	12345						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> </table>	searchButton	SKIPPED	0.000 s			
searchButton							
5	<p>Then Verify contains text</p> <table border="1"> <tr><td>verifyDelete</td><td>no data to display</td></tr> </table>	verifyDelete	no data to display	SKIPPED	0.000 s		
verifyDelete	no data to display						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	0.002 s				

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

## Admin User should be able to Add Positions under Resources Setup




## (SP-5-TC-01) Admin should be already in the Setup under Human Resources Functionality - Positive Scenario



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: ..}</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8  at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)  at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)  at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Click on the element in LeftNav  humanResources setupInHumanR positionsInHumanR	SKIPPED	0.000 s
3	And Click on the element in Dialog  addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content  nameInput Kito Mamaseverrr	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content  shortName kitoş	SKIPPED	0.000 s
6	And Click on the element in Dialog  saveButton	SKIPPED	0.001 s
7	Then Verify contains text  successMessage successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch:	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
1	'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		


**(SP-5-TC-02) Admin should have already created a new positions - Negative Scenario**

#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome,	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Click on the element in LeftNav  humanResources setupInHumanR positionsInHumanR	SKIPPED	0.000 s
3	And Click on the element in Dialog  addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content  nameInput Kito Mamaseverrr	SKIPPED	0.000 s
5	And User sending the keys in Dialog Content  shortName kitoş	SKIPPED	0.000 s
6	And Click on the element in Dialog  saveButton	SKIPPED	0.000 s
7	Then Verify contains text  alreadyExists already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

### (SP-5-TC-03) Admin should have already created a new positions




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch:</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav  humanResources setupInHumanR positionsInHumanR	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content  searchNameInHumanR Kito Mamaseverrr searchShortNameInHumanR kitoş	SKIPPED	0.000 s
4	And Click on the element in Dialog  searchButton	SKIPPED	0.000 s
5	And Click on the element in Dialog  editButton	SKIPPED	0.000 s
6	And User sending the keys in Dialog Content  searchNameInHumanR Kito Mamasever	SKIPPED	0.000 s
7	And Click on the element in Dialog	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	<p>saveButton</p> <p>Then Verify contains text</p> <p>successMessage successfully</p>	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63...), userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.003 s


### (SP-5-TC-04)Admin User should be able to Delete Positions under Resources Setup



#	Step / Hook Details	Status	Duration				
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.006 s				
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>humanResources</td></tr> <tr><td>setupInHumanR</td></tr> <tr><td>positionsInHumanR</td></tr> </table>	humanResources	setupInHumanR	positionsInHumanR	SKIPPED	0.000 s	
humanResources							
setupInHumanR							
positionsInHumanR							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchNameInHumanR</td><td>Kito Mamasever</td></tr> <tr><td>searchShortNameInHumanR</td><td>kito\$</td></tr> </table>	searchNameInHumanR	Kito Mamasever	searchShortNameInHumanR	kito\$	SKIPPED	0.000 s
searchNameInHumanR	Kito Mamasever						
searchShortNameInHumanR	kito\$						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> </table>	searchButton	SKIPPED	0.000 s			
searchButton							
5	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>deleteButton</td></tr> </table>	deleteButton	SKIPPED	0.000 s			
deleteButton							
6	<p>And Click on the element in Dialog</p>	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
7	<p>deleteDialogBtn</p> <p>Then Verify contains text</p> <p>successMessage successfully</p>	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63...), userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.003 s


### (SP-5-TC-05) Admin User should not be able to access deleted Positions under Resources Setup




#	Step / Hook Details	Status	Duration				
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-5-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.006 s				
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>humanResources</td></tr> <tr><td>setupInHumanR</td></tr> <tr><td>positionsInHumanR</td></tr> </table>	humanResources	setupInHumanR	positionsInHumanR	SKIPPED	0.000 s	
humanResources							
setupInHumanR							
positionsInHumanR							
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchNameInHumanR</td><td>Kito Mamasever</td></tr> <tr><td>searchShortNameInHumanR</td><td>kito\$</td></tr> </table>	searchNameInHumanR	Kito Mamasever	searchShortNameInHumanR	kito\$	SKIPPED	0.000 s
searchNameInHumanR	Kito Mamasever						
searchShortNameInHumanR	kito\$						
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> </table>	searchButton	SKIPPED	0.000 s			
searchButton							
5	<p>Then Verify contains text</p> <table border="1"> <tr><td>verifyDelete</td><td>no data to display</td></tr> </table>	verifyDelete	no data to display	SKIPPED	0.000 s		
verifyDelete	no data to display						
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.003 s				


#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

## As an Admin User I should be able to Add-Edit-Delete School Locations under School Setup




(SP-7-TC-01) Check Add new location - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-7-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.004 s
2	<p>When Click on the element in LeftNav</p> 	SKIPPED	0.000 s
3	And Click on the element in Dialog	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration						
	addButton								
4	And User sending the keys in Dialog Content  <table border="1"> <tr> <td>nameInput</td> <td>name1</td> </tr> <tr> <td>codeInput</td> <td>shortname</td> </tr> <tr> <td>capacity</td> <td>2000</td> </tr> </table>	nameInput	name1	codeInput	shortname	capacity	2000	SKIPPED	0.000 s
nameInput	name1								
codeInput	shortname								
capacity	2000								
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeskil\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	0.003 s						

## As an Admin User I should be able to Add-Edit-Delete Bank Account Under Setup-Parameters



## (SP-9-TC-01) Check Add new bank account - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.002 s
2	<p>When Click on the element in LeftNav</p> <pre>setup parameters</pre>	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration						
	bankAccount								
3	And Click on the element in Dialog addButton	SKIPPED	0.000 s						
4	And User sending the keys in Dialog Content <table border="1"><tr><td>nameInput</td><td>Grup5</td></tr><tr><td>iban</td><td>TR11 1111 1111 1111 1111 1111 11</td></tr><tr><td>integrationCode</td><td>123456</td></tr></table>	nameInput	Grup5	iban	TR11 1111 1111 1111 1111 1111 11	integrationCode	123456	SKIPPED	0.000 s
nameInput	Grup5								
iban	TR11 1111 1111 1111 1111 1111 11								
integrationCode	123456								
5	And Click on the element in Dialog currency tryInCurrency saveButton	SKIPPED	0.000 s						
6	Then Verify contains text successMessage successfully	SKIPPED	0.000 s						
7	Then Display required element searchBox	SKIPPED	0.000 s						
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	FAILED	0.002 s						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		

### (SP-9-TC-02) Check Add new bank account with same data - Negative Scenario




#	Step / Hook Details	Status	Duration
1	Given I log in as an Admin  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav  setup parameters bankAccount	SKIPPED	0.001 s
3	And Click on the element in Dialog  addButton	SKIPPED	0.000 s
4	And User sending the keys in Dialog Content  nameInput   Grup5 iban   TR11 1111 1111 1111 1111 1111 11 integrationCode   123456	SKIPPED	0.000 s
5	And Click on the element in Dialog  currency tryInCurrency saveButton	SKIPPED	0.000 s
6	Then Verify contains text  alreadyExists   already exists	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

### (SP-9-TC-03) Check Edit the bank account - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration						
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'.</pre>								
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>bankAccount</td></tr> </table>	setup	parameters	bankAccount	SKIPPED	0.000 s			
setup									
parameters									
bankAccount									
3	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>searchName</td><td>Grup5</td></tr> </table>	searchName	Grup5	SKIPPED	0.000 s				
searchName	Grup5								
4	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>searchButton</td></tr> <tr><td>editButton</td></tr> </table>	searchButton	editButton	SKIPPED	0.000 s				
searchButton									
editButton									
5	<p>And User sending the keys in Dialog Content</p> <table border="1"> <tr><td>nameInput</td><td>Grup5 New Account</td></tr> <tr><td>iban</td><td>TR11 1111 1111 1111 1111 1111 00</td></tr> <tr><td>integrationCode</td><td>654321</td></tr> </table>	nameInput	Grup5 New Account	iban	TR11 1111 1111 1111 1111 1111 00	integrationCode	654321	SKIPPED	0.000 s
nameInput	Grup5 New Account								
iban	TR11 1111 1111 1111 1111 1111 00								
integrationCode	654321								
6	<p>And Click on the element in Dialog</p> <table border="1"> <tr><td>currency</td></tr> <tr><td>usdInCurrency</td></tr> <tr><td>saveButton</td></tr> </table>	currency	usdInCurrency	saveButton	SKIPPED	0.001 s			
currency									
usdInCurrency									
saveButton									
7	<p>Then Verify contains text</p> <table border="1"> <tr><td>successMessage</td><td>successfully</td></tr> </table>	successMessage	successfully	SKIPPED	0.000 s				
successMessage	successfully								
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8</pre>	FAILED	0.002 s						

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17) </pre>		

### (SP-9-TC-04) Check Delete the position category - Positive Scenario




#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca... }, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration			
	<pre> at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLoginAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'. </pre>					
2	<p>When Click on the element in LeftNav</p> <table border="1"> <tr><td>setup</td></tr> <tr><td>parameters</td></tr> <tr><td>bankAccount</td></tr> </table>	setup	parameters	bankAccount	SKIPPED	0.000 s
setup						
parameters						
bankAccount						
3	<p>And User delete item from Dialog Content</p> <table border="1"> <tr><td>Grup5 New Account</td></tr> </table>	Grup5 New Account	SKIPPED	0.000 s		
Grup5 New Account						
4	<p>Then Verify contains text</p> <table border="1"> <tr><td>successMessage</td></tr> <tr><td>successfully</td></tr> </table>	successMessage	successfully	SKIPPED	0.000 s	
successMessage						
successfully						
	<p>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) </pre>	FAILED	0.002 s			

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)</pre>		

### (SP-9-TC-05) Check Delete the position category already deleted - Negative Scenario



#	Step / Hook Details	Status	Duration
1	<p>Given I log in as an Admin</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff00821111932fe96091fae5235f8, get {url=https://test.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\leesk\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff00821111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at StepDefinitions.SP_1_TC.iLogInAsAnAdmin(SP_1_TC.java:18) at ?.I log in as an Admin(file:///C:/Users/eeski/IdeaProjects/StajProjesiGrup/src/test/java/FeatureFiles/SP-9-TC.feature:4) * Not displayable characters are replaced by '?'.		
2	When Click on the element in LeftNav <div style="border: 1px solid #ccc; padding: 2px;">setup</div> <div style="border: 1px solid #ccc; padding: 2px;">parameters</div> <div style="border: 1px solid #ccc; padding: 2px;">bankAccount</div>	SKIPPED	0.000 s
3	And User sending the keys in Dialog Content <div style="border: 1px solid #ccc; padding: 2px;">searchName</div> Grup5 New Account	SKIPPED	0.000 s
4	And Click on the element in Dialog <div style="border: 1px solid #ccc; padding: 2px;">searchButton</div>	SKIPPED	0.000 s
5	Then Verify contains text <div style="border: 1px solid #ccc; padding: 2px;">verifyDelete</div> no data to display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.148) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [215ff0082111932fe96091fae5235f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.148, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\eeski\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56505}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56505/devtoo..., se:cdpVersion: 111.0.5563.148, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 215ff0082111932fe96091fae5235f8 at sun.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.Hooks.after(Hooks.java:17)		