Secure Programming

Mehmet Tahir SANDIKKAYA

Spring 2022

Istanbul Technical University Computer Engineering Department

Syllabus	2
Recitation	3
Canonicalization and Command Injection	4
Matching Patterns	5
How could I match patterns?	
RegEx basics	
Regular Expressions	
An example: e-mail	14
Remarks on RegExes	16
Bibliography	18

Veek	Date	Rct	Covers	Subject	Announcement	Submit
1	22 nd Feb		7	Fundamental concepts of security	TP-A	
2	01 st Mar		1, 7	Compilation and Execution		
3	08 th Mar		1, 7	Stack overflow and its mitigation	Asg1-A	
4	15 th Mar		1, 7	Dynamic memory management		
5	22 nd Mar	R	3, 7	Canonicalization attacks and mitigation	Asg2-A	Asg1-S
6	29 th Mar		2, 7	Injection attacks	Asg1-G	
7	05 th Apr	R	2, 7	Injection mitigation	Asg3-A	Asg2-S
8	12 th Apr		4	Reverse engineering and obfuscation	Asg2-G	
9	19 th Apr		5	Fundamental cryptography		Asg3-S
Α	26 th Apr	R	5	Principles of computer communication	Asg3-G	MT
-	03 rd May			Spring break		
В	10 th May		5	XSS & CSRF attacks and mitigation	Asg4-A	
C	17 th May	R	5	Race conditions	MT-G	
D	24 th May		6	Permission and authorization mechanisms in contemporary languages		Asg4-S
Е	31 st May		7	Test and static analysis tools	Asg4-G	TP-S

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 2 / 19

Recitation 3 / 19

Canonicalization and Command Injection

Recitation by Ayşe SAYIN covering canonicalization and command injections.

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 4 / 19

Matching Patterns

5 / 19

How could I match patterns?

Study regular expressions but do not rely on them! [Stackoverflow, 2014]

You cannot match a context-free language^a with a regular expression!

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 6 / 19

RegEx basics

- ✔ A literal matches a literal: cat matches cat but not Cat
- ✓ There are 12 metacharacters: \^\$.|?*+()[{
- ✓ Escaping could be mind-blowing [xkcd, 1996]: e.g. Following SQL query in Java SELECT * FROM table WHERE addr='http:\\'

could be matched by

SELECT * FROM table WHERE addr='http:\\\\\\\

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 7 / 19

^aor context-sensitive or unrestricted

How could I match patterns?

- ✓ Akin to dialects of a natural language, consider the RegEx flavou?r you use
- ✓ \cM, \r, \x0D, \15, and \u000D match a carriage return
- ✓ RegEx is eager and greedy to find the longest sequence:
 catdog|cat|dog
 cat dog catdog
 cat|dog|catdog
- ✔ Characters (including metacharacters) apart from]\^- are regular characters inside character classes: [.] matches a .
- ✔ Character classes could be subtracted and intersected

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 8 / 19

Regular Expressions

RegEx	Match
^	Matches the start of the string
\$	Matches the end of the string
*	Matches the preceding pattern zero or more times. Same as {0,}
+	Matches the preceding pattern one or more times. Same as {1,}
?	Matches the preceding pattern zero or one time. Same as {0,1}
{n}	Matches the preceding pattern exactly n times
{n,}	Matches the preceding pattern n or more times
{ , m}	Matches the preceding pattern no more than m times
$\{n,m\}$	Matches the preceding pattern between n and m times
•	Most of the time matches any single character, except a newline

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 9 / 19

Regular	Expression	ns
	PogEv	N

RegEx	Match
cat dog	Matches cat or dog
a(a b)b	Matches aab or abb
(aa bb)	Matches aa or bb
(?i)abc	Switches off case sensitivity. Same as (a A)(b B)(c C)
ab\u{63}	Matches abc (Unicode RegEx [Davis and Heninger, 2016])
^Abc	Matches any string starting with Abc
١.	Matches a .
a-z	Matches a-z
.*	Matches a line most of the time (Expands)
.*?	Prefers to match a zero length string (Lazy)
.+?	Matches any single character (Lazy)
.??	Prefers not to match anything. A zero-length match (Lazy)
/abc/	Matches abc. Many dialects prefer / to mark a RegEx

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 10 / 19

Regular Expressions Match RegEx [.] A character class that matches only ... A character class that matches one of the enclosed characters. [abc] A character class that matches none of the enclosed characters. [^abc] [a-z]A character class that matches the range from a to z. A character class that matches uppercase letters. [A-Z][^0-9] A character class that matches anything but the digits. [?.] A character class that matches either . or ?. A character class that matches one of the enclosed characters. [a^b] [-ab] A character class that matches one of the enclosed characters. May match c. Never matches cat. [c|cat]

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 11 / 19

RegEx	Match
\r	Matches a carriage return
\n	Matches a newline
\t	Matches a tab
\b	Matches the position between a word and a space
∖B	Matches a non-word boundary
\d	Matches a digit, same as [0-9]
\D	Matches a non-digit, same as [^0-9]
\s	Matches a white-space character; same as $[\f \r \t \v \]$
\S	Matches a non-white-space character; same as [^ \f\n\r\t\v\h]
\w	Matches a word character; same as [a-zA-Z0-9_]
\W	Matches a non-word character; same as [^a-zA-Z0-9_]
\w{3}	Matches three word characters; same as \w\w\w

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 12 / 19

RegEx	Match
(a*)x\1	Matches equal number of a's around x
$([cat]+)\1$	Matches catcat, or cc, or caca
([cat])+\1	Matches catt, or catcat, or aa
aca(?=b)	Matches aca in acab
(? a)b</td <td>Matches b that is not preceded by a</td>	Matches b that is not preceded by a
(?!foo).{3}	Matches any three character word that is not foo
(?!.*)	Does not matches anything

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 13 / 19

An example: e-mail

See [Schaumann, 2022]

- ✓ @1st.relay,@2nd.relay:sandikkaya@itu.edu.tr
- ✓ !google.com!google.com.tr!metu.edu.tr!sandikkaya@itu.edu.tr
- ✓ !sandikkaya%itu.edu.tr@relay.through
- ✓ '*+-/=?^_`{|}~#\$@itu.edu.tr
- ✓ . and + are not special: sandik+kaya@itu.edu.tr sandik.kaya@itu.edu.tr
- ✓ sandikkaya@itu.edu.tr and SANDIKKAYA@itu.edu.tr are different
- ✔ Unicode is valid áçãb@itu.edu.tr
- ✓ sandikkaya@[160.75.1.1]

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 14 / 19

An example: e-mail

- ✓ Incomplete e-mail regex is 4724 characters long
- ✓ Optimized e-mail regex is 6598 character long
- ✓ They are both known to be incomplete "what could you do (sometimes...)"@domain.com

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 15 / 19

Remarks on RegExes

- ✓ Consider ^x|y\$ and ^(x|y)\$
- ✔ Another kind of attack: reDoS
- ✔ Consider ^([a-zA-Z]+)*\$
- ✔ Now, try to match aaaaaaaaaaaaaaaa
- ✔ How many unchecked branches you have before you decide this pattern does not match?^a
- ✓ Thus, first convert all NFA's to DFA's before writing your RegExes (so, no backtracking)

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 16 / 19

Do these till next week...

- ✔ Check input validation on [Wheeler, 2015]
- ✓ Get used to regular expressions [Kleene, 1951], [Goyvaerts, 2020] is a nice tutorial to learn.

^aYou may want to check Turing's undecidability theorem [Turing, 1936].

Bibliography 18 / 19

References

[Davis and Heninger, 2016] Davis, M. and Heninger, A. (2016). Unicode Regular Expressions. http://unicode.org/reports/tr18/.

[Goyvaerts, 2020] Goyvaerts, J. (2020). Regular expression tutorial. https://www.regular-expressions.info/tutorial. html.

[Kleene, 1951] Kleene, S. C. (1951). Representation of events in nerve nets and finite automata. Technical report, RAND PROJECT, AIR FORCE, SANTA MONICA, CA.

[Schaumann, 2022] Schaumann, J. (2022). Look, your email validation logic is very, very likely wrong. Accessed on 18.02.2022, https://mobile.twitter.com/jschauma/status/1378172844169961477.

[Stackoverflow, 2014] Stackoverflow (2014). RegEx match open tags except XHTML self-contained tags. https://stackoverflow.com/questions/1732348/regex-match-open-tags-except-xhtml-self-contained-tags/.

[Turing, 1936] Turing, A. M. (1936). On computable numbers, with an application to the entscheidungs problem. J. of Math, 58(345-363):5.

[Wheeler, 2015] Wheeler, D. A. (2015). Secure programming for Linux and Unix HOWTO. http://www.dwheeler.com/secure-programs.

[xkcd, 1996] xkcd (1996). Backslashes. https://xkcd.com/1638/.

Mehmet Tahir SANDIKKAYA

Istanbul Tech. - 19 / 19