

Chart 1 - 12th code block (of 52)




Chart 2 - 21st code block (of 52)

Problem 5: the delay distribution is lopsided - a few very late flights pull the average up

Distribution of departure delay




Chart 3 - 31st code block (of 52)

Chart 1: share of flights delayed, by scheduled hour




Chart 4 - 32nd code block (of 52)

Chart 2: share delayed by month




Chart 5 - 33rd code block (of 52)

Chart 3: share delayed by carrier




Chart 6 - 34th code block (of 52)

Chart 4: Seattle vs Portland, by month




Chart 7 - 35th code block (of 52)

Chart 5: weather - put each measurement into bands and compare the share delayed




Chart 8 - 36th code block (of 52)




Chart 9 - 37th code block (of 52)




Chart 10 - 38th code block (of 52)




Chart 11 - 39th code block (of 52)

Chart 6: correlation of each number with departure delay (Session 3 style)




Chart 12 - 40th code block (of 52)

How precise is our overall number? Take many random samples of 1,000 flights




Chart 13 - 45th code block (of 52)




Chart 14 - 51st code block (of 52)

Session 3 style: bar chart of average actual vs average predicted delay in each group




Chart 15 - 52nd code block (of 52)

Even if minutes are hard to predict, can the model RANK flights by risk?

