

SNOWPRO® ADVANCED: SECURITY ENGINEER EXAM STUDY GUIDE

Last Updated: November 6, 2025



TABLE OF CONTENTS

SNOWPRO ADVANCED: SECURITY ENGINEER STUDY GUIDE OVERVIEW	2
RECOMMENDATIONS FOR USING THE GUIDE	2
SNOWPRO ADVANCED: SECURITY ENGINEER CERTIFICATION OVERVIEW	3
SNOWPRO ADVANCED: SECURITY ENGINEER PREREQUISITE	3
STEPS TO SUCCESS	4
SNOWPRO ADVANCED: SECURITY ENGINEER SUBJECT AREA BREAKDOWN	4
Domain 1.0: Account and Security	5
Domain 1.0 Study Resources	6
Domain 2.0: Data Protection, Data Privacy, and Data Governance	7
Domain 2.0 Study Resources	9
Domain 3.0: Auditing, Monitoring, and Compliance	10
Domain 3.0 Study Resources	11
Domain 4.0: Threats, Risk Assessment, Incident Response, and Forensics	12
Domain 4.0 Study Resources	13
Domain 5.0: Securing Snowflake Services and Features for AI/ML and Applications	14
Domain 5.0 Study Resources	15
SNOWPRO ADVANCED: SECURITY ENGINEER SAMPLE QUESTIONS	16
NEXT STEPS	19
REGISTERING FOR YOUR EXAM	19
MAINTAINING YOUR CERTIFICATION	19

SNOWPRO ADVANCED: SECURITY ENGINEER STUDY GUIDE OVERVIEW

This is a self-learning study guide that highlights concepts that may be covered on Snowflake's SnowPro Advanced: Security Engineer Certification exam.

Using this study guide does not guarantee certification success.

Holding the SnowPro Core certification in good standing is a prerequisite for taking the Advanced: Security Engineer certification.

For an overview and more information on the SnowPro Core Certification exam or the SnowPro Advanced Certification series, please navigate [here](#).

RECOMMENDATIONS FOR USING THE GUIDE

This guide will show the Snowflake topics and subtopics covered on the exam. Following the topics will be additional resources consisting of videos, documentation, blogs, and/or exercises to help you understand security engineering on Snowflake.

Estimated length of time required to complete the study guide: 10 – 13 hours.

SNOWPRO ADVANCED: SECURITY ENGINEER CERTIFICATION OVERVIEW

The **SnowPro Advanced: Security Engineer** certification proves a candidate's high-level proficiency across key security domains in Snowflake, including:

- The ability to design and enforce **data protection, privacy, and governance** policies across the Snowflake Data Cloud.
- Expertise in implementing and managing **user identity and access control mechanisms**.
- Skills in **auditing and monitoring security policies, controls, and regulatory compliance** requirements.
- The ability to **assess threats and risks**, and execute robust **security incident response protocols**.
- The ability to leverage **Snowflake AI/ML capabilities** to proactively enhance security postures.

Target Audience:

2+ years of hands-on expertise managing data governance and data security on a complex Snowflake account.

- 2+ years of general IT cloud security and data governance experience outside of Snowflake is assumed but not tested.
- Having coding experience outside of SQL and DevOps/DataOps design experience is a plus.

This exam is designed for:

- Security Administrators
- Security Engineers
- Snowflake Security Engineers
- Security Architects

SNOWPRO ADVANCED: SECURITY ENGINEER PREREQUISITE

Eligible individuals must hold an active SnowPro Core credential. If you feel you need more guidance on the fundamentals, please see the [SnowPro Core Exam Study Guide](#).

STEPS TO SUCCESS

1. Review the [Advanced: Security Engineer Exam Guide](#)
 - [Get started with the Snowflake Developer Guides](#)
 - [Review recommended Snowflake Documentation](#)
2. For additional training, attend [Snowflake's Data Governance Course](#) and the [Administering Snowflake Course](#)
3. [Take the Level Up: Snowflake Ecosystem On-Demand Training](#)
4. [Check out the latest Snowflake Blogs](#)
5. [Review the Snowflake White Papers](#)
6. Get hands-on practical experience with relevant security engineering requirements using [Snowflake](#)
7. [Attend Snowflake Webinars](#)
8. [Attend Virtual Hands-on Labs for more hands-on practical experience](#)
9. Schedule your exam
10. Take your exam!

SNOWPRO ADVANCED: SECURITY ENGINEER SUBJECT AREA BREAKDOWN

This exam guide includes test domains, weightings, and objectives. It is not a comprehensive listing of all the content that will be presented on this examination. The table below lists the main content domains and their weightings.

Domain	Domain Weightings
1. Access Control and Identity Management	22%
2. Data Protection, Data Privacy, and Data Governance	30%
3. Auditing, Monitoring, and Compliance	18%
4. Threats, Risk Assessment, Incident Response, and Forensics	18%
5. Securing Snowflake Services and Features for AI/ML and Applications	12%



Domain 1.0: Account and Security

1.1 Design and implement access control strategies.

- Configure and implement Role-Based Access Control (RBAC):
 - Automate RBAC management programmatically
 - Integrate RBAC management with IdPs using SCIM (user group membership)
 - Manage hierarchical RBAC models
- Define and manage custom roles and least-privilege role hierarchies:
 - Understand best practices for role design (functional vs. access roles):
 - System-defined roles
 - SNOWFLAKE database roles
 - SNOWFLAKE application roles
 - User-defined custom roles (account, database, and application)
 - Manage privilege grants in Snowflake

1.2 Configure and monitor user authentication and session management.

- Implement authenticators, passkeys, and IdP-driven access
- Define, configure, and enforce Multi-Factor Authentication (MFA):
 - Snowflake-managed MFA
 - Externally-managed MFA
- Implement Single-Sign-On (SSO):
 - Configure SAML, and OAuth authentication

- Troubleshoot SSO integration issues
- Manage secure programmatic access:
 - Implement key-pair authentication
 - Implement Programmatic Access Token (PAT) authentication
 - Implement external API authentication and secrets
- Rotate user credentials
- Configure and monitor session policies
- Design and manage leaked password and malicious IP protections

1.3 Implement network security controls.

- Create, implement, and manage network and rules policies:
 - Use network rules for granular access control
 - Rules policies: IP allow lists and deny lists
 - Apply network policies to accounts and users
- Configure and troubleshoot private connectivity and storage integrations:
 - AWS PrivateLink, Azure Private Link, and GCP Private Service Connect
 - Troubleshoot private connectivity issues
- Support multi-cloud network policy enforcement

1.4 Manage external access integrations.

- Create, implement and manage external access integrations:
 - Use network rules to manage allowed external endpoints
 - Leverage API authentication integrations
 - Establish the order of operations:
 - Perform third-party vendor risk assessment
- Leverage Snowflake secrets for secure authentication with external endpoints:
 - OAuth
 - Cloud provider tokens
 - Passwords
 - Generic strings
- Understand best practice recommendations for secure connectivity from Snowflake to external systems:
 - Egress proxy configurations
 - Configure external functions

Domain 1.0 Study Resources

Lab Guides

[Snowflake Multi-Factor Authentication Essentials \(MFA\)](#)

Snowflake Documentation

[Access control best practices](#)
[Best practices for migration from single-factor authentication](#)
[Configuring access control](#)
[Controlling network traffic with network policies](#)
[CREATE AUTHENTICATION POLICY](#)
[CREATE EXTERNAL ACCESS INTEGRATION](#)

CREATE NETWORK RULE

[Creating and using an external access integration](#)

GRANT DATABASE ROLE ... TO SHARE

[Key-pair authentication and rotation](#)

[Microsoft Entra ID SCIM integration with Snowflake](#)

[Network rules](#)

[Overview of Access Control](#)

[Overview of federated authentication and SSO](#)

[Snowflake SCIM support](#)

[Snowflake Sessions and Session Policies](#)



➤ Domain 2.0: Data Protection, Data Privacy, and Data Governance

2.1 Implement data security features.

- Implement, configure, and manage the customer-managed key component of Tri-Secret Secure
- Implement column-level security
 - Design and apply Dynamic Data Masking policies
 - Create masking policies with SQL expressions and Snowflake functions
 - Manage the masking policy lifecycle:
 - Monitor the impact of policy changes on data visibility
- Use the External Tokenization function
- Use tag-based masking policies
- Use projection policies
- Implement row-access policies:
 - Design and apply row-access policies with SQL expressions and Snowflake functions
 - Understand policy precedence and interactions
 - Manage the row access policy lifecycle:
 - Troubleshoot row access policy enforcement
- Utilize aggregation policies, differential privacy policies, and budgets

2.2 Manage and audit Secure Data Sharing and collaborations.

- Apply advanced privacy controls for shared data:
 - Use synthetic data to support privacy
- Configure and manage Snowflake Data Clean Rooms:
 - Apply the principles of secure multi-party computation
 - Support collaborative analysis without direct data exposure
 - Understand the security implications of using secure objects, including views, functions, and procedures
- Configure Data Listings

2.3 Restrict data exfiltration.

- Leverage account-level parameters to restrict the destinations where Snowflake can write data programmatically
- Leverage account-level and user-level parameters to restrict when users can download query result sets

2.4 Establish and manage data retention and data lifecycle management.

- Implement Time Travel and Fail-safe for data recovery:
 - Manage Time Travel settings at the table, schema, and account levels
 - Understand the differences and use cases for Time Travel and Fail-safe

- Differentiate between Time Travel and Fail-safe in context of security and compliance
- Configure and enforce data retention policies
- Define appropriate retention strategies for structured and semi-structured data:
 - Align retention policies with compliance requirements (for example, GDPR and HIPAA)
 - Apply retention settings using DDL and governance tools (for example, tagging and policies)
- Manage the data lifecycle using object lifecycle management features:
 - Automate data archival and purging using lifecycle management best practices
 - Use table metadata and access patterns to determine data aging strategies
 - Leverage features including transient tables, temporary tables, and auto-drop configurations

2.5 Configure object tagging and data classification frameworks.

- Use automatic tag propagation, including tag inheritance:
 - Audit tagging using the TAG_REFERENCES and TAG_REFERENCES_HISTORY views
 - Visualize data lineage
- Implement data classification:
 - Configure automatic, custom, and manual classifications
 - Integrate data classification into data governance policies

2.6 Configure and maintain data replication policies and procedures.

- Manage data replication access control and privileges:
 - Implement the principle of least privilege for replication-specific roles
 - Manage and audit privileges such as CREATE REPLICATION GROUP and REPLICATE
- Define and secure ownership of replication and failover group objects
- Manage replication protocols and policies
 - Configure replication groups to include critical security objects
 - Replicate network policies to maintain consistent access controls
- Manage the replication of security integrations (SAML2, OAuth, SCIM) to ensure seamless authentication and authorization post-failover
- Validate the replication of users, roles, and grants

2.7 Manage secure replication and failover operations.

- Audit pre-failover readiness:
 - Conduct periodic audits of replication configurations
 - Perform controlled tests of the failover process to validate security object promotion and functionality
- Configure Client Redirect
- Execute replication and failover operations:
 - Monitor audit logs for anomalies during the transition process

- Re-establish security configurations for external resources, for example trust relationships for external stages
- Perform a post-failover validation audit:
 - Verify that replicated network policies and security integrations are active and enforced on the new primary account.
 - Audit user roles and permissions
 - Validate the secure client redirection configurations

Domain 2.0 Study Resources

Lab Guides

[Level Up: Backup and Recovery](#)

Additional Assets

[How to Configure a Snowflake Account to Prevent Data Exfiltration](#)

Snowflake Documentation

[About Snowflake Data Clean Rooms](#)

[Aggregation policies](#)

[Data Lineage](#)

[Data Sharing Usage](#)

[GENERATE_SYNTHETIC_DATA](#)

[GRANT DATABASE ROLE ... TO SHARE](#)

[Introduction to replication and failover across multiple accounts](#)

[Parameters](#)

[Projection policies](#)

[Redirecting client connections](#)

[Replicating databases across multiple accounts](#)

[Share data from multiple databases](#)

[Share data in non-secured views](#)

[Tag inheritance](#)

[TAG_REFERENCES view](#)

[Tag-based masking policies](#)

[Understanding & using Time Travel](#)

[Understanding Dynamic Data Masking](#)



➤ Domain 3.0: Auditing, Monitoring, and Compliance

3.1 Monitor data security.

- Analyze the QUERY_HISTORY and ACCESS_HISTORY views to identify suspicious query patterns and unauthorized data access
- Monitor data access and data transfer history:
 - Monitor the ACCOUNT_USAGE views for information on alert thresholds, correlating events, and incident responses:
 - Use Snowflake Trail observability features
 - Map evidence to security frameworks (such as GDPR, HIPAA, etc.)
 - Manage interfaces for auditors
- Integrate external monitoring and observability tools with Snowflake
- Trace data access within AI/ML workloads running on Snowpark Container Services
- Track changes of the use of secure objects (for example, views, functions, and procedures)
- Monitor login history for authentication anomalies, including brute-force attacks and unauthorized access attempts manually, or using Trust Center and external tools
- Set up automated alerts and notifications for security events:
 - Configure email or external integrations for security alerts using tasks and streams

3.2 Implement a strategic security architecture to balance data protection and credit efficiency.

- Compare and contrast the benefits and consequences of enabling or disabling Snowflake security services and features:
 - Security-related implications
 - Credit consumption considerations
 - Operational-overhead implications
 - Cloud provider implications
- Monitor anomalous credit consumption as a critical security signal:
 - Changes in serverless compute consumption
 - Credit consumption of advanced features, for example AI, Snowpark and Container Services

3.3 Design and manage data compliance policies.

- Outline how Snowflake's security and governance features support regulatory compliance:
 - Explain how encryption, access controls, masking, and auditing support regulatory requirements (for example, GDPR, HIPAA, CCPA, and PCI DSS)
- Define, enable, and automate audit policies to support compliance reporting
- Use Snowflake Trust Center resources to support compliance and security:
 - Snowflake Compliance Center
 - Security certifications
 - Compliance reports

Domain 3.0 Study Resources

Lab Guides

[Free On-Demand Level Up: Backup and Recovery](#)

Additional Assets

[GDPR: Best Practices, Common Reference Architecture Patterns](#)

[Snowflake Technical Tools for Protecting Sensitive Customer Data](#)

Snowflake Documentation

[ACCESS_HISTORY view](#)

[Data Governance in Snowflake](#)

[SERVERLESS_TASK_HISTORY](#)

[Setting up alerts based on data in Snowflake](#)

[Snowpark Container Services: Additional considerations for services](#)

[Tag-based masking policies](#)

[Trust Center](#)

[Understanding compute cost](#)

[Using Dynamic Data Masking](#)



➤ Domain 4.0: Threats, Risk Assessment, Incident Response, and Forensics

4.1 Perform threat modeling, identification, and analyses.

- Identify and catalog critical assets within Snowflake
- Identify and document data entry and exit points
- Apply threat modeling methodologies to identify potential threats specific to Snowflake:
 - Data sharing configurations
 - Over-privileged roles and users
 - Compromised service account credentials
 - Vulnerabilities in 3rd-party connections and packages
- Implement mitigation strategies

4.2 Perform risk assessment and manage risk.

- Use Snowflake Horizon Catalog to enable security best practices and compliance
- Assess the security of data sharing agreements and configurations with external partners
- Analyze vulnerabilities to determine the likelihood and potential impact
- Develop, implement, and monitor risk mitigation strategies

4.3 Identify and manage security incidents.

- Configure and test security alerting mechanisms within Snowflake and integrated SIEM platforms
- Identify, triage, and contain security incidents:
 - Monitor Snowflake logs

- Investigate alerts from security tools
- Triage incoming alerts
- Isolate affected user accounts
- Revoke compromised credentials or API keys
- Implement new or update existing network policies
- Suspend data sharing or integration
- Manage eradication and recovery:
 - Identify the root cause of the incident
 - Remove any malicious access or persisting mechanisms
 - Restore data from backups, Time Travel, or Fail-safe

4.4 Conduct a post-security-incident forensic analysis.

- Collect and preserve relevant logs and data:
 - ACCOUNT_USAGE views
 - Use Time Travel and Fail-safe to access historical states of data
 - Establish a chain of custody for evidence
- Perform a forensic analysis:
 - Analyze query logs (query_history) to identify what actions were performed
 - Review access logs (access_history) to determine which tables, views, and columns were read or modified

- Examine login history (login_history) to trace the source IP, client application, and authentication methods used
- Correlate Snowflake data with logs from other systems (for example, identity provider, network devices) to build an incident timeline

Domain 4.0 Study Resources

Lab Guides

[Free On-Demand Webinar: What's New: Snowflake Horizon Series](#)

[Free Virtual Hands-On Lab: Unify Your Governance Strategy with Snowflake Horizon Catalog](#)

Snowflake Documentation

[Access control best practices](#)

[Access History](#)

[ACCESS_HISTORY view](#)

[Account Usage](#)

[ALTER EXTERNAL ACCESS INTEGRATION](#)

[Data sharing and collaboration in Snowflake](#)

[GRANTS_TO_ROLES view](#)

[Network rules](#)

[Parameters](#)

[Understanding Column-level Security](#)



➤ Domain 5.0: Securing Snowflake Services and Features for AI/ML and Applications

5.1 Secure and govern applications with Snowpark Container Services.

- Design and deploy containerized services using Snowpark Container Services
- Understand the security model of compute pools (for example, isolation and network rules for inbound/outbound data)
- Manage secrets and `EXTERNAL_ACCESS_INTEGRATIONS` for controlled external network access from services
- Understand the lifecycle management of services and their security implications
- Implement secure data access patterns for services running in Snowpark Container Services:
 - Establish roles and permissions to ensure services access Snowflake data securely
 - Manage sensitive configurations within service specifications (YAML)
- Monitor and troubleshoot security issues within Snowpark Container Services deployments:
 - Use the `SERVICE_USAGE_HISTORY` and compute pool monitoring views
 - Monitor container logs

5.2 Leverage Snowflake Cortex AI to enhance data security.

- Implement content moderation and safety using Cortex Large Language Model (LLM) functions:
 - Configure `COMPLETE()` and `TRY_COMPLETE()` functions to filter content
 - Use filtered responses (for example, NULL from `TRY_COMPLETE()`)
- Use Cortex functions to classify data and detect anomalies:
 - Apply `CLASSIFY_TEXT()` to identify and tag sensitive data categories
- Use Cortex AI for data security:
 - Apply AI Observability features for Gen AI application security
 - Use LLM-as-a-Judge to evaluate AI application responses for bias, toxicity, and accuracy (relevant to data security and responsible AI)
 - Interpret traces to debug and audit the flow of sensitive data through Gen AI applications
 - Monitor AI application performance metrics related to security and data quality
- Use Cortex Analyst to support secure data exploration:
 - Securely configure semantic models
 - Access Cortex Analyst request logs to audit natural language queries and generated SQL

- Configured Cortex Agents to automate security and governance workflows:
 - Manage Agent orchestration and tool usage
 - Use Copilot for Snowflake Horizon Catalog to analyze and audit security

5.3 Manage security in Snowflake Native Apps.

- Design and enforce security policies for Native Apps:
 - Secure, package, and share Native Apps
 - Use Streamlit in Snowflake application role ownership parameters

- Use OAuth to authenticate app users
- Implications of running Native Apps in Snowpark Container Services
- Implement User-Based Access Control (UBAC) features with Native Apps
- Manage permissions for app installation and usage
- Secure application code and its dependencies:
 - App internal code
 - Third-party packages and libraries
 - App secrets and credentials

Domain 5.0 Study Resources

Additional Assets

[Snowflake Native Apps: Secure By Design](#)
[Key Security Must-Haves for Safely Integrating Your Data with LLMs](#)
[Securely Deploy Custom Apps and Models with Snowpark Container Services](#)

Snowflake Documentation

[About the Snowflake Native App Framework](#)
[AI_CLASSIFY](#)
[CREATE SERVICE](#)
[Security requirements and best practices for a Snowflake Native App](#)
[Snowflake Cortex AISQL \(including LLM functions\)](#)
[Snowpark Container Services](#)
[Snowpark Container Services: Additional considerations for services](#)
[Snowpark Container Services: Working with services](#)
[TRY_COMPLETE](#)
[\(SNOWFLAKE.CORTEX\)](#)

SNOWPRO ADVANCED: SECURITY ENGINEER SAMPLE QUESTIONS

1. A Security Engineer needs to generate multiple sets of synthetic data for a machine learning model that will be used to detect fraudulent financial transactions.

How can the Engineer ensure join key values will remain consistent across all runs?

- A. Add the similarity filter parameter and set it to true:
`'similarity_filter': True`
 - B. Create a dedicated secret, and reference the `consistency_secret`:
`SYSTEM$REFERENCE('SECRET', 'MY_SECRET'))` in the procedure call.
 - C. In the columns parameter, set the join key argument to true: `'columns': {'<column_name>': {'join_key': True}}`
 - D. Add the replace output tables parameter set to true:
`'replace_output_tables': TRUE`
2. A Security Engineer is designing a role hierarchy for a multi-team environment that has these requirements:

1. Data Scientists need read-only access to sensitive data sets in `SECURE_DB.SCIENCE_DATA`.
2. Data Engineers need to create and manage objects in the same data set but should not be able to access sensitive data.
3. Compliance Officers must have audit access and be able to manage grants without modifying or querying data.
4. All roles must be custom, follow least privilege best practice, and support future scalability.

Which implementation should be used?

- A. Create three custom roles with scoped privileges and nest them under a parent role, giving the custom roles limited access.
- B. Create individual custom roles and assign them directly to users, eliminating privilege inheritance vulnerabilities.
- C. Use masking policies and schema-level grants to control access, assigning all users a shared role.
- D. Assign system roles and restrict access using network policies and warehouse-level controls.

3. An audit identified that there may be user and custom roles that are over-privileged at the Snowflake account level.

Which combination of steps should be implemented to monitor this situation? (Select THREE).

- A. Check the `GRANTS_TO_USERS` view to identify users who have access to system roles.
- B. Check the `ACCESS_HISTORY` view to identify which users have accessed which data.
- C. Check the `CREDENTIALS` view to see which authentication methods have been used by users.
- D. Check the `GRANTS_TO_ROLES` view to identify roles that have been granted the `MANAGE GRANTS` privilege.
- E. Check the `QUERY_HISTORY` view to identify if unexpected `GRANT`, `REVOKE`, `CREATE USER`, or `ALTER_USER` queries have been run.
- F. Check the `ROLES` view to see who owns the existing roles.

4. A governance pipeline has been configured to ingest AI decisions only if they match a JSON schema.

Which is the MOST direct way to generate the LLM return schema-conformant JSON WITHOUT writing a custom validator?

- A. Wrap the output string with `OBJECT_CONSTRUCT` before performing the insert.
- B. Use `CLASSIFY_TEXT` to identify the categories and rebuild the JSON in SQL.
- C. Set a session parameter to force the JSON mode.
- D. Use the `SNOWFLAKE.CORTEX.COMPLETE` command with the `=> {'response_format': <JSON schema>}` argument.

5. As part of a security investigation, a Security Engineer identified a suspicious query (`QUERY_ID = '01c-b3a-d3c'`) in the `ACCOUNT_USAGE.QUERY_HISTORY` view. The query executed a complex, multi-layered secure view.

The Engineer must provide definitive proof of all underlying tables that were read by that single, specific execution of the query.

How should this requirement be met?

- A. Query `ACCOUNT_USAGE.VIEWS` to find the view definition, and manually parse the DDL text to list all referenced tables.
- B. Query the `ACCOUNT_USAGE.ACCESS_HISTORY` view, filtering `WHERE QUERY_ID = '01c-b3a-d3c'`, and inspect the `BASE_OBJECTS_ACCESSED`.
- C. Query the `ACCOUNT_USAGE.OBJECT_DEPENDENCIES` view to recursively find all tables that the secure view is linked to.
- D. Monitor the `SNOWFLAKE.TRUST_CENTER` views for login anomalies associated with the user who ran the query.

Correct responses for sample questions:

1: b, 2: a, 3: a, d, & e 4: d , 5: b

NEXT STEPS

REGISTERING FOR YOUR EXAM

When you are ready to register for the exam navigate [here](#) to get started. Select the exam you want to take and click “Register Now”. This will take you to our Certification Management system where you will register to take the exam.

MAINTAINING YOUR CERTIFICATION

All Snowflake Certifications expire two (2) years after the certification issue date.

SnowPro Certifications can now be recertified through the [Snowflake Continuing Education \(CE\) program](#) which includes these options -

- Completion of eligible Snowflake [Instructor Led \(ILT\) Training Courses](#)
- Earning of an equivalent level SnowPro Certification

Note: You must have a valid Certification to participate in the Continuing Education (CE) program.

The information provided in this study guide is provided for your purposes only and may not be provided to third parties.

IN ADDITION, THIS STUDY GUIDE IS PROVIDED “AS IS”. NEITHER SNOWFLAKE NOR ITS SUPPLIERS MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY, TITLE, FITNESS FOR A PARTICULAR PURPOSE OR NONINFRINGEMENT.