


NOTES:

- CONTRACTOR IS TO REMOVE 8"Ø ISP SEWER TO BE ABANDONED IF WORK IS UNABLE TO BE COMPLETED PER ORIGINAL SCOPE.
- REMOVE/DEMOLISH SPEED HUMP PRIOR TO FINAL ACWS RESTORATION. SEE PR-4 FOR RESTORATION OF SPEED HUMP.
- CONTRACTOR IS TO USE A WYE CONNECTION FOR SIDE SEWER LATERAL LOCATIONS ON THE SAME PROPERTY IF LATERALS ARE TOO CLOSE TO EACH OTHER TO BE REINSTATED SEPARATELY.



| REFERENCE INFORMATION & FILE NO. OF SURVEYS | |
|---|--|
| 612 | |
| A-7008 | |
| EX-3180.1 | |
| EX-2180.2 | |



| CITY AND COUNTY OF SAN FRANCISCO SAN FRANCISCO PUBLIC WORKS BUREAU OF ENGINEERING | | | |
|---|------------|-----------------------|-----------|
| SECTION MANAGER L.WONG | 05/12/2022 | DRAWN AK/ V.CHEUNG | 05/2022 |
| DEPUTY BUREAU MANAGER F.CISNEROS | 06/24/2022 | DESIGNED H.BAKER | 05/2022 |
| ACTING BUREAU MANAGER I.DHAPA | 07/07/2022 | CHECKED C.LINH | 05/2022 |
| NO. | DATE | DESCRIPTION | BY APPR'D |
| REVISIONS | | | |

| CONTRACT NO. WW-684 CITY AND COUNTY OF SAN FRANCISCO PUBLIC UTILITIES COMMISSION INFRASTRUCTURE DIVISION ENGINEERING MANAGEMENT BUREAU | | | |
|--|------------------|---|-------------------|
| 45TH AVE, 46TH AVE, 47TH AVE, VICENTE ST, WAWONA ST, AND SLOAT BLVD SEWER REPLACEMENT | | | |
| 46TH AVENUE WAWONA STREET TO VICENTE STREET PLAN AND PROFILE | | | |
| CHECKED / APPROVED | DRAWN | SCALE | |
| SECTION MANAGER | DESIGNED | DATE | |
| APPROVED | APPROVED | | |
| MANAGER, ENGINEERING MANAGEMENT BUREAU | | ASSISTANT GENERAL MANAGER WASTE WATER ENTERPRISE | |
| SHEET 11 OF 44 | PLAN NO. SW-7 | DRAWING / FILE NO. 121,458 | REVISION NO. 0 |