


NOTES:

- PRIOR TO LINING, REMOVE ALL PROTRUDING BRICKS (APPROXIMATELY 10' ON CENTER, EACH SIDE) AND SIDE SEWERS.
- PRIOR TO LINING REMOVE DEBRIS AND RATWALK AS NECESSARY TO INSTALL UNIFORM LINER.
- FOLLOW LINING DETAIL FROM DRAWING SW-G2 "LINING 3'x5' BRICK SEWER".
- OPEN CUT CONSTRUCTION IS NOT ALLOWED AT THE INTERSECTIONS.

ELEVATION DATUM	SEWER SIZED BY Y.W.
CITY	APPROVED BY N.B.



REFERENCE INFORMATION
& FILE NO. OF SURVEYS

91,321.2
BK079 PG031



CITY AND COUNTY OF SAN FRANCISCO SAN FRANCISCO PUBLIC WORKS BUREAU OF ENGINEERING			
SECTION MANAGER L.WONG	DRAWN S.HUEY	07/2021	
DEPUTY BUREAU MANAGER F.CISNEROS	DESIGNED T.WON	07/2021	
ACTING BUREAU MANAGER I.DHAPA	CHECKED J.HELMUTH	07/2021	
REVISIONS			
NO.	DATE	DESCRIPTION	BY APPR'D

SOURCING EVENT ID: 0000003759			
CITY AND COUNTY OF SAN FRANCISCO PUBLIC UTILITIES COMMISSION INFRASTRUCTURE DIVISION ENGINEERING MANAGEMENT BUREAU			
VARIOUS LOCATION PAVEMENT RENOVATION NO. 54 AND SEWER REPLACEMENT			
SOUTH VAN NESS AVE SEWER REPLACEMENT 17TH STREET TO MATCHLINE "A" PLAN AND PROFILE			
CHECKED / APPROVED	DRAWN	SCALE	
SECTION MANAGER	DESIGNED	DATE	
APPROVED	APPROVED		
MANAGER, ENGINEERING MANAGEMENT BUREAU		ASSISTANT GENERAL MANAGER WASTE WATER ENTERPRISE	
SHEET 53 OF 75	PLAN NO. SW-3	DRAWING / FILE NO. 119,170	REVISION NO. 0