

- 1. PRIOR TO ABANDON MAIN SEWER, CONTRACTOR TO CONFIRM THERE ARE NO ACTIVE LATERAL CONNECTIONS.
- 2. CONTRACTOR SHALL CONSTRUCT MAIN SEWERS ON THE EAST SIDE OF 19TH AVENUE FIRST PRIOR TO ABANDONING MAIN SEWER.
- 3. CONCRETE PARKING STRIP, CONCRETE CURB, AND CONCRETE SIDEWALK RESTORATION REQUIRED FOR SEWER REPLACEMENT WORK.
- 4. PRIOR TO CONSTRUCTION OF MAIN SEWER BETWEEN VICENTE & ULLOA (WESTSIDE), CONTRACTOR SHALL CONFIRM IF LATERAL CONNECTIONS ARE ACTIVE. CONTRACTOR SHALL PROVIDE INFORMATION TO THE CITY TO DETERMINE IF THE MAIN SEWER CONSTRUCTION IS REQUIRED.

					ELEVATION DATUM	PLAN APPROVAL DATE	CONTRACT No.	PROJECT ID	DISTRICT	COUNTY	ROUTE	POST MILES TOTAL PROJECT
APPROVED BY SCALE: 1"=20' B.S.					NAVD88		04-0G3501	0400000325	04	SF	1	R0.94/4.05
	REFERENCE INFORMATION & FILE NO. OF SURVEYS  A-11533	OF SE	PUBLIC SAN FRANCISCO PUBLIC WORKS	Deputy Bureau Mar:	DESIGNED: DATE:  B.NG B/V 12/2019  DRAWN: DATE:	9 No. C72192	SCALE:  AS SHOWN	19TH AVENUE (STATE ROUTE 1) COMBINED CITY PROJECT			CONTRACT ID 100005832 DRAWING NO. SW-14	
0 12/19 ISSUE FOR BID BN LW  NO. DATE DESCRIPTION BY APP.  TABLE OF REVISIONS		70 - 25 O O S T O O O O O O O O O O O O O O O O		FERNANDO CISNEROS (***)	CHECKED: DATE: G.FONG 12/2019		SHEET OF SHEETS 153 OF 356	19TH AVENUE SEWER REPLACEMENT STA 87+75 TO STA 90+95 PLAN				FILE NO.  111,451  REV. NO.  0