

NOZZLE DIMENSIONS (INCHES) No. BOLT BOLT HOLE DIA NOZZLE tn (PER ANSI B16.5 CLASS 300) 10.62 12.50 0.365 3/4 6.75 3.25 7/8 12 1.38 1/2 7/8 1.56 8.75 13.00 4.25 15.00 0.365 12 12.00 3/4 24.25 32.00 36.00 24 0.375 1 1/2 2.69 1 5/8

NOZZLE DIMENSIONS (INCHES) FOR 36" SHOWN ON WD-2775-2C No. BOLT BOLT HOLE DIA BOLT DIA NOZZLE tn PER AWWA CLASS "E" 1/2 0.875 0.750 1.50 11.75 4.25 0.365 8.72 13.5 5/8 2.00 1.125 16 16.19 21.25 10.00 23.50 0.375 1.000

NOTES:

1. ALL FLEXPOSED METAL SURFACES, EXCEPT FLANGE FACE SHALL BE COATED WITH DIELECTRIC COATING PER SPECIFICATION SECTION 09 97 72. FLANGE FACE SHALL BE COATED WITH SHOP PRIMER.

> FOR THE SOLE USE OF THE DOCUMENT RECIPIENT - DO NOT CITE, COPY, OR CIRCULATE WITHOUT THE EXPRESSED PERMISSION OF THE SFPUC.

REFERENCES
GATE BOOK PAGES, PLANS,
SURVEY NOTES, ETC, USED 103/10/21 PCO #3 - REVISE NOZZLE DIMENSIONS CCSF 2013 NO. DATE 04/22/2021 NAVD88

DESCRIPTION

REVISIONS

BY APPR'D

CONTRA	CT N	 52J	
PUBLIC		 AN FRANCIS	

WATER CONTRACT NO. WD-2775

## INFRASTRUCTURE DIVISION

ENGINEERING MANAGEMENT BUREAU

INSTALLATION OF 16-INCH AND 36-INCH, AND RELOCATION OF 8-INCH DUCTILE IRON WATER MAINS AT VARIOUS LOCATIONS ON 19TH AVENUE FROM HOLLOWAY AVENUE TO LINCOLN WAY

## STEEL NOZZLE LAYOUT DETAILS

CHECKED / APPROVED	BY / EC	DRAWN	AS SHOWN	
SECTION MANAGER	T. LEE	DESIGNED	OCT 2018	
APPROVED	,	APPROVED		
fatt L for		William P. Teahan		
MANAGER, ENGINEERING MANAGEMENT BUREAU		MANAGER, CITY DISTRIBUTION DIVISION		
SHEET	PLAN NO.	DRAWING NO.	REVISION NO.	
. OF .	WD-2775	-6 E-31374		

PLAN APPROVAL DATE CONTRACT No.

PROJECT ID DISTRICT COUNTY ROUTE POST MILES TOTAL PROJECT 04-0G3501 0400000325 R0.94/4.05

FILE: Q:\CUW2600111\WD-2775\CONFORMED\WD-2775.DWG 4/12/2021 2:45 PM

PLOT: EXTEND SCALE: 1:1

22,34

COLOR: No.
RED 0.70MM
YELLOW 0.20MM
GREEN 0.25MM
CYAN 0.40MM
BLUE 0.50MM
MAGENTAO.20MM
WHITE 0.35MM
GRAY 0.15MM
9 0.15MM
10 1.00MM

0.70MM 0.60MM

10 100 210

BORDER: