
DISTRIBUTION-INDEPENDENT TOUR-LENGTH ESTIMATION FOR THE TRAVELING SALESMAN PROBLEM ACROSS DIMENSIONS

Stephen Feldman, James P. Bailey, Bahar Cavdar
Rensselaer Polytechnic Institute, Troy, NY
{feldms5, bailej6, cavdab2}@rpi.edu

ABSTRACT

We present the Geometrically Assisted Regression Tree (GART) 2.0, an improved estimator, to demonstrate that a learned model can give a reliable tour-length estimate with bounded complexity across dimensions and distributions. Existing estimators either assume a known sampling density or depend on planar geometry that becomes unstable as dimension grows. GART 2.0 is a LightGBM regressor that predicts the instance-specific ratio of tour length to minimum-spanning-tree length. This iteration improves on the initial estimator by avoiding features that scale poorly in high dimensions. Trained on synthetic instances alone, it transfers to TSPLIB95 and, through a multidimensional-scaling embedding, to non-Euclidean instances. GART 2.0 compared favorably to 7 other estimators across 4 distinct benchmarks. Comparison against the known Held–Karp 1-tree lower bound, demonstrates the GART 2.0 approaches the frontier of prediction quality and performance, especially in large cases. The reason is structural: the bound pays a quadratic price in instance size for a fixed accuracy in every dimension, while the estimator’s cost carries no accuracy term—so the estimator sharpens exactly where an exact solve becomes infeasible. Comparing GART 2.0’s performance to classical estimators and bounds shows it has a niche in high-throughput tour-length estimation for large instances. However, it requires further refinement to perform better on non-Euclidean real-world data.

Keywords Traveling Salesman Problem · Tour-length estimation · Distribution-independent · Arbitrary dimension

1 Introduction

The Traveling Salesman Problem (TSP) is NP-hard [Karp, 1972, Papadimitriou, 1977] and appears throughout logistics operations planning, network design, and resource allocation [Chien, 1992, Applegate et al., 2006]. It often enters as a subproblem of a larger optimization, where only its cost is needed. A facility-location decision, for example, requires the route cost of every candidate, so a full solve is paid once per candidate.

1.1 Background and Motivation

Last-mile delivery accounts for approximately 53% of total shipping costs by one industry estimate [Finmile], and the UPS ORION system is reported to save roughly 100 million miles and \$300–400 million annually through route optimization [Holland et al., 2017]. In such systems orders arrive continuously and routes are long, so the cost of a full solve is paid many times over. An estimator replaces that solve wherever only the relative cost of candidate routes matters.

The same estimation problem recurs wherever a TSP appears as a subproblem, and it rarely arrives in the plane. Radiation hybrid mapping orders genetic markers by a TSP over an abstract similarity metric [Agarwala et al., 2000]. Mobile-sink routing in wireless sensor networks contains a TSP through the data-collection locations [Yuan and Peng,

2010]. UAV structural inspection places viewpoints around a three-dimensional structure and solves a TSP through them [Bircher et al., 2016]. Large-scale routing methods partition an instance into sub-TSPs and compare candidate partitions [Mariescu-Istodor and Fränti, 2021], and Pan et al. [2023] learn a hierarchical policy that repeatedly selects node subsets and routes through them. Each of these planners needs the cheaper option predicted as cheaper, so the estimator must be accurate and rank-preserving.

Most classical tour-length estimators, however, are built for planar Euclidean inputs and become unstable or intractable as dimension grows [Chazelle, 1993]. An estimator for these settings must be defined for arbitrary d without using features that scale poorly. A distance matrix admits a Euclidean representation of bounded distortion once enough dimensions are allowed [Bourgain, 1985], so an estimator that stays accurate at those dimensions can consume the embedding.

1.2 Limitations of the Current Estimators

No published estimator reaches high-dimensional or non-Euclidean instances without losing calibration or requiring an embedding. The Held–Karp 1-tree bound reaches both directly, but it is a known bound, rather than a classical estimator. The Beardwood–Halton–Hammersley (BHH) theorem [Beardwood et al., 1959] is stated for arbitrary dimension, but it is asymptotic in n and its calibrating constants and density integral are not recoverable from an arbitrary finite point set. Published constants exist for $d = 2$ [Johnson et al., 1996] and $d = 3$ [Percus and Martin, 1996], and above that only a large- d approximation [Bertsimas and van Ryzin, 1990]. The estimators of Chien [1992] are planar and depend on particular depot and covering-region definitions. A parallel line of work is tuned to the 2D Euclidean case: Daganzo [1984b] gives a strip-based construction, Kwon et al. [1995] fit regression and neural models on rectangular-region predictors, and Çavdar and Sokol [2015] propose a distribution-free estimator built from per-axis spread statistics about the covering rectangle. Space-filling heuristics such as the planar construction of Bartholdi and Platzman [1982] instead build a tour outright in $O(n \log n)$. Embedding a non-Euclidean instance therefore returns the classical estimators above to the dimensions where their geometric inputs are unstable.

Recent neural approaches address the same gap from the learning side. Varol et al. [2024] report sub-1% deviation on standard distributions by combining a multilayer perceptron (MLP) with domain-knowledge features, but their pipeline requires solution-level features, which are computationally expensive and challenging to generalize across all instance sizes. Kou et al. [2022] use the standard deviation of random feasible tour lengths as a single-feature, distribution-independent predictor on Euclidean and non-Euclidean instances, but the repeated tour sampling raises its per-instance cost. Kou et al. [2024] extend this principle beyond the TSP to the vehicle-routing (VRP), MST, and matching problems, again from the standard deviation of random feasible solutions. We exclude that sampling cost on the same grounds as solution-level features. The closest methodological neighbor is Kou et al. [2023], which pairs a Sammon-map embedding with a distribution-independent estimator on non-Euclidean TSPLIB95 instances. Our pipeline uses classical metric MDS for the embedding and computes MST-topology features on the original distance matrix, not on the embedded coordinates.

Held and Karp [1970, 1971] relax the Hamiltonian-cycle constraint to a *1-tree*, a spanning tree on all but one node plus any two edges at that node. The minimum 1-tree under any vector of node penalties yields a proven lower bound on the optimal tour. The bound uses no training data and no distributional assumption, and it does not invoke the triangle inequality: it is defined for any symmetric distance matrix, including the non-Euclidean instances Section 6 reaches only through an embedding. Its cost is quadratic in n per ascent iteration. In the plane and at $d = 3$, Section 5 shows that GART 2.0 beats this bound at large n : feature extraction is subquadratic while the ascent is quadratic in every dimension, and the accuracy it gives up is small.

1.3 Contribution

We present the Geometrically Assisted Regression Tree (GART) 2.0, a LightGBM regressor [Ke et al., 2017] that predicts a per-instance scaling factor $\hat{\alpha}$ rather than applying a fixed constant. It is distribution-independent and supports arbitrary dimensions: all 31 features are defined for arbitrary d through MST topology, centroid dispersion and coordinate ranges. GART 2.0 gives stronger accuracy and precision than classical tour-length estimators across a broad range of cases, at higher computational cost. However, compared with the known lower bound, it is the more efficient instrument on large instances (Section 5).

2 Theoretical Foundations

The ratio $\alpha = L_{\text{TSP}}/L_{\text{MST}}$ varies from instance to instance. Let $\mathcal{G} = (V, E)$ be a complete undirected graph on the node set $V = \{1, \dots, n\}$ with non-negative edge costs c_{ij} , typically the Euclidean distance between points in $\mathbb{R}^d$. Throughout, n is the number of nodes and d is the dimension of the coordinate space. The TSP asks for a minimum-cost Hamiltonian cycle, a connected 2-regular spanning subgraph [Dantzig et al., 1954, Applegate et al., 2006]. Relaxing 2-regularity to connectivity alone gives the minimum spanning tree (MST).

Prim’s algorithm constructs one in $O(n^2)$ on a complete graph [Prim, 1957], and in $\mathbb{R}^d$ the pairwise distances cost $O(n^2 d)$, linear in d . Removing the heaviest edge from any tour leaves a spanning tree, so $L_{\text{MST}} \leq L_{\text{TSP}}$. The double-tree heuristic [Rosenkrantz et al., 1977] builds a feasible tour of length at most $2 L_{\text{MST}}$ on any instance obeying the triangle inequality. Together these give

$$L_{\text{MST}} \leq L_{\text{TSP}} \leq 2 \cdot L_{\text{MST}}. \quad (1)$$

For collinear point sets the optimal tour must traverse the line to its far end and return, so $L_{\text{TSP}} = 2 L_{\text{MST}}$ exactly.

A tighter known lower bound comes from the Held–Karp relaxation. Fix a node s . A *1-tree* is a spanning tree on $V \setminus \{s\}$ together with any two edges incident to s . Every Hamiltonian tour is a 1-tree, so the minimum 1-tree relaxes the tour problem. Introduce node potentials $\pi \in \mathbb{R}^n$ and transformed costs $c_{ij}^\pi = c_{ij} + \pi_i + \pi_j$. Under c^π every tour’s cost shifts by exactly $2 \sum_i \pi_i$, because every node of a tour has degree two, and for *any* real π

$$w(\pi) = L_{\text{1tree}}(\pi) - 2 \sum_{i \in V} \pi_i \leq L_{\text{TSP}}, \quad (2)$$

which is the Held–Karp bound [Held and Karp, 1970, 1971]. The map w is concave and piecewise linear, a subgradient at π is $g_i = \deg_i(\pi) - 2$, and subgradient ascent over π approaches $\max_\pi w(\pi)$. Each iteration builds its spanning tree on the perturbed costs directly. The ascent is not monotone in w , so the scored quantity at budget k is the incumbent $\hat{w}_k = \max_{j \leq k} w(\pi_j)$. Eq. (2) needs neither $\pi \geq 0$ nor $c^\pi \geq 0$, so $\hat{w}_k$ is a valid bound at any budget.

The Christofides–Serdyukov algorithm [Christofides, 1976, Serdyukov, 1978] returns a tour within a factor $\frac{3}{2}$ of the *optimum*, and Karlin et al. [2021] reach a randomized $\frac{3}{2} - \epsilon$ approximation by a different construction. Both bound an algorithm’s output against the optimal tour, so neither tightens the intrinsic ratio $L_{\text{TSP}}/L_{\text{MST}}$, which can still equal 2. The matching step costs $O(n^3)$ [Edmonds, 1965, Gabow, 1990, Cook and Rohe, 1999] against $O(n^2)$ for the MST, so the Christofides refinement is impractical as an estimation subroutine for increasing n .

For symmetric metric instances we therefore treat $\alpha \in [1, 2]$ as an intrinsic, instance-dependent quantity to be predicted. Over our training split the standard deviation of α falls monotonically from 0.184 at $d = 2$ to 0.0762 at $d = 50$, while the cost of computing either quantity does not. For uniformly distributed points the TSP constant itself varies with dimension [Percus and Martin, 1996], and no published MST constant covers every d . A constant calibrated in the plane is therefore biased at higher d . GART 2.0 predicts α from the observed instance features instead.

3 Methodology: The Geometrically Assisted Regression Tree

GART 2.0 extends the estimator of Feldman [2025]. It predicts α and returns $\hat{L}_{\text{TSP}} = \hat{\alpha}L_{\text{MST}}$. We constrain the regression target to $\alpha \in [1, 2]$, the metric-TSP interval implied by Eq. (1).

3.1 Feature Selection

3.1.1 Geometric and Centroid Descriptors

The geometric descriptors, such as bounding hypervolume and centroid distance, generalize to arbitrary d without a convex hull. They encode the scale information of the BHH volume term [Beardwood et al., 1959] and adapt centroid statistics from Çavdar and Sokol [2015]. Before evaluating them we rotate the coordinates into their principal-axis frame [Jolliffe, 2002], which makes the axis-aligned bounding-box descriptors independent of the input orientation. The rotation costs $O(nd^2 + d^3)$ and is dominated by dense MST construction whenever n is large relative to d . Appendix C lists the geometric group.

3.1.2 MST Edge and Topological Features

MST edge weights and the degree sequence are invariant to rotation, translation and coordinate-system choice. The MST’s total length is not among the edge and topology statistics, because it is the multiplicand L_{MST} and withholding it keeps the learned quantity a scale-free ratio. The one input GART 2.0 adds to the 30-feature block it inherits is `greedy_nn_over_mst`, the length of an exact greedy nearest-neighbor tour divided by L_{MST} . A greedy tour is feasible, so its length is at least L_{TSP} and the ratio is a constructed upper bound on α . That ratio also gates coverage on the non-Euclidean path of Section 6, where the metric is given but coordinates are not. The estimator returns a status row instead of a prediction for any instance whose ratio falls outside $[1.035, 2.209]$, the range the ratio spans over the full 106,272-row corpus, training, validation and test together. The training split alone spans the narrower $[1.0465, 2.1295]$.

3.2 Dataset Generation

We built the corpus from four one-dimensional generators: Uniform, Normal, Clustered, and Correlated (Appendix B). Each axis of each instance draws its generator independently, so configurations are anisotropic and topology varies by axis. Over all 2,444,256 axes, 68.7% are uniform, 12.5% clustered, 12.5% normal, and 6.2% correlated. The multidimensional results below should be read against that mix.

The full feature corpus comprises 106,272 solved instances with node counts $n \in [5, 1000]$ and dimensions $d \in \{2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 35, 40, 45, 50\}$ (17 training-visible dimension values), plus a held-out extrapolation bucket at $d = 100$. Instances are partitioned into training (69,768), validation (19,584), and test (16,920) via a stratified split on $(d, n, \text{grid size})$; all $d = 100$ instances are locked into the test partition. For each instance, the generation pipeline ran Concorde [Applegate et al., 2006] and LKH-3 [Helsgaun, 2017] and retained the shorter tour.

3.3 Model Architecture and Training

The estimator for α is a gradient-boosted decision tree (GBDT) ensemble [Friedman, 2001], implemented in LightGBM [Ke et al., 2017]. The learner uses squared-error regression on the logit-transformed target $z = \log((\alpha - 1)/(2 - \alpha))$, and predictions are returned through its inverse $\alpha = 1 + (1 + e^{-z})^{-1}$. The bound $\alpha \in [1, 2]$ is therefore structural. The inverse transform cannot leave the open interval $(1, 2)$, so the collinear extreme of Eq. (1) is never attained. A clip to $[1, 2]$ remains in the released wrapper as a guard against non-finite inputs, and it is never binding. On the 16,920 multidimensional test predictions $\hat{\alpha}$ fell in $[1.03, 1.92]$. The hyperparameters are inherited and frozen. An Optuna search [Akiba et al., 2019] against in-distribution validation moved multidimensional MAPE by 0.011 percentage points while costing 0.16 points of TSPLIB MAPE, and we rejected it (Appendix I).

3.4 Feature Importance

By mean absolute SHAP magnitude [Lundberg and Lee, 2017] against the released booster, the MST dominance ratio contributes 26.5% of the total and greedy_nn_over_mst 23.9%. Node count and dimension jointly contribute 14.1%. Appendix D gives the group-level shares and the sample they are measured on.

A *cell* is one exact dimension and one size band of the held-out test split. Within cells the greedy-to-MST ratio holds 35.0% of the SHAP variance at $d = 2$, flat across every band, and the MST dominance ratio holds 23.9% to 27.5%. Within-cell fit in α space rises with dimension, from R^2 0.870 at $d = 2$ to 0.974 at the withheld $d = 100$. The generator mix explains 14.1% of the within-cell target at $d = 2$ and close to zero by $d = 100$. The geometric group carries scale. The MST edge statistics track the sampling distribution, and that dependence fades with dimension.

4 Benchmarking

Each results table reports the standard deviation of percent error (SDPE), the mean absolute percentage error (MAPE), the median absolute percentage error (the |Median| column), and the mean signed percent error (MSPE). Rows that predict a multiple of L_{MST} also carry $R_\alpha^2 = 1 - \sum_i (\hat{\alpha}_i - \alpha_i)^2 / \sum_i (\alpha_i - \bar{\alpha})^2$, with $\bar{\alpha}$ the mean of α over the reported bucket. SDPE is the primary metric:

$$\text{SDPE} = 100 \cdot \sqrt{\frac{1}{N-1} \sum_{i=1}^N (e_i - \bar{e})^2}, \quad \bar{e} = \frac{1}{N} \sum_{i=1}^N e_i.$$

Here $e_i = (\hat{L}_i - L_i)/L_i$ is the signed relative error and N is the number of scored instances. Several baselines beat it in individual cells. Each SDPE carries a 95% confidence interval. The intervals are computed per estimator and ignore the pairing, so overlapping intervals establish nothing on their own. We test each comparison on the instances where both estimators produce a finite prediction, using the paired difference in absolute percent error with a 1,000-resample paired bootstrap and a Wilcoxon signed-rank test.

4.1 Benchmark Roster

We score estimators against their published domains. In the BHH form, $\mathcal{V}$ is the measure of the sampling region [Beardwood et al., 1959]: $\beta_2 = 0.7124$ [Johnson et al., 1996], $\beta_3 = 0.6979$ [Percus and Martin, 1996], and the conjectured large- d asymptotic is $\beta_d \approx \sqrt{d/(2\pi e)}$ for $d \geq 4$ [Bertsimas and van Ryzin, 1990]. In the Çavdar–Sokol form, A is the area of the rectangle covering the nodes, stdev_j is the standard deviation of the raw coordinates on axis j , and $\bar{c}_j$ and cstdev_j are the mean and standard deviation of the absolute distances from the nodes to that rectangle’s midpoint line on axis j . The Çavdar–Sokol estimate is divided by the finite- n adjustment factor its source fits, held fixed outside the node range that fit covers. Both constant sets and the adjustment factor come from Çavdar [2014]. The asymptotic ratio’s constant, $\beta_{\text{TSP}}/\beta_{\text{MST}} \approx 1.1253$ [Johnson et al., 1996, Cortina-Borja and Robinson, 2000], comes from the literature; $\hat{\rho}(d, n)$ is fitted on the training split.

GART 1.0 [Feldman, 2025] is our prior model and the one learned estimator in the baseline count. Originally trained for the VRP, it takes the first unique coordinate as the depot for two features. GART 2.0 also has a more diverse and larger training, features, and training, so the comparison isolates no single causal change. The planar guarantee of Bartholdi and Platzman [1982] does not transfer to the Hilbert row’s multidimensional variant (Table 1).

Table 1: Benchmark roster. D and N are the dimension and instance-size range each source fits or derives; a dash means the method reads only a distance matrix, so no dimension applies.

Estimator	Formula	D	N	Cost	Source
<i>Classical region-based estimators</i>					
BHH	$\beta_d n^{(d-1)/d} \mathcal{V}^{1/d}$, independent, uniformly distributed on a region of measure $\mathcal{V}$	$[2, \infty)$	$\rightarrow \infty$	$O(nd)$	Beardwood et al. [1959], Johnson et al. [1996], Bertsimas and van Ryzin [1990]
Çavdar–Sokol	$2.791 \sqrt{n \text{cstdev}_x \text{cstdev}_y} + 0.2669 \sqrt{n \text{stdev}_x \text{stdev}_y A / (\bar{c}_x \bar{c}_y)}$	$\{2\}$	$[100, 975]$	$O(nd)$	Çavdar [2014]
<i>Constant-ratio references</i>					
$L_{\text{MST}} (\alpha = 1)$	L_{MST}	–	$[3, \infty)$	$O(n^2 d)$	Lower bound of Eq. (1)
Asymptotic MST ratio	$(\beta_{\text{TSP}} / \beta_{\text{MST}}) L_{\text{MST}} \approx 1.1253 L_{\text{MST}}$, uniform limit	$\{2\}$	$\rightarrow \infty$	$O(n^2 d)$	Johnson et al. [1996], Cortina-Borja and Robinson [2000]
Calibrated MST ratio $\hat{\rho}(d, n)$	$\hat{\rho}(d, n) L_{\text{MST}}$, one constant per trained cell	$[2, 50]$	$[5, 1000]$	$O(n^2 d)$	This work
<i>Prior model and constructive heuristic</i>					
GART 1.0	2D-only feature set, GBDT regression on α	$\{2\}$	$[3, \infty)$	$O(n^2)$	Feldman [2025]
Custom Hilbert sort	Bare d -dimensional Hilbert ordering, per-axis normalized, order $h = 16$; returns a tour	$[2, \infty)$	$[3, \infty)$	$O(n \log n)$	After Bartholdi and Platzman [1982]
<i>Known lower bound</i>					
1-tree, Volgenant–Jonker step	incumbent $\hat{w}_k = \max_{j \leq k} w(\pi_j)$ over budget k ; the schedule consults no upper bound	–	$[3, \infty)$	$\Theta(n^2 d + kn^2)$	Held and Karp [1970, 1971], Volgenant and Jonker [1982], Helsgaun [2000]
1-tree, Polyak step	the same incumbent; step $\gamma(\text{UB} - w) / \ g\ ^2$ against a constructive tour	–	$[3, \infty)$	$\Theta(n^2 d + kn^2)$	Held and Karp [1970], Polyak [1969]

4.2 Datasets

TSPLIB95’s screened non-EUC_2D instances form the fourth benchmark (Section 6), and our generation pipeline produces the held-out synthetic sets (Appendix B). Non-metric instances stay out of every metric-dependent aggregate here.

4.2.1 Multidimensional Synthetic

The split shares the training generators, so it tests held-out sampling, not held-out geometry. Appendix B.3 gives the full (d, n) count grid (Table 9).

4.2.2 2D Diverse Synthetic

Each class in Table 2 probes a different assumption the classical 2D estimators make. Two of the thirteen sub-generators, Line Noise and grid, test geometry the training corpus does not contain (Appendix B.2).

Table 2: 2D benchmark dataset composition (2,580 instances).

Class	Generators	Count	Stress target
Isotropic [Çavdar and Sokol, 2015, Golden and Stewart, 1985]	Uniform, Normal, Triangular, Truncated Exp.	840	Control: $A_{\text{hull}} \approx A_{\text{box}}$.
Biased / Skewed [Çavdar and Sokol, 2015]	Squeezed, Uni-Tri, Tri-Squeezed, Correlated	840	Aspect-ratio distortion: $\sigma_x \neq \sigma_y$.
Geometric Struct. [Reinelt, 1991, Bossek et al., 2019]	Grid [†] , Boundary (hollow), X-Central	630	Lattice regularity, hollow voids.
Clustered [Golden and Stewart, 1985, Bossek et al., 2019]	k -Means ($k \in [5, 20]$)	60	Bimodal edge-weight distribution.
Line Noise [†]	Boundary-clipped $y = mx + b + \epsilon$; realized as a 2–4 segment union	210	Locally 1D structure; hull/box divergence.
Total		2,580	

[†] Not represented in training.

Grid is one of the three Geometric Struct. generators.

4.2.3 TSPLIB95 EUC_2D

The benchmark contains 78 EUC_2D instances with n from 51 (e1151) to 18,512 (d18512) [Reinelt, 1991]. Every 2D baseline scored here returns a value on all 78, the paper’s common instance set.

4.3 Results

4.3.1 Multidimensional Benchmark




Figure 1: Percent error on the multidimensional benchmark ($N = 16,846$ per estimator).


GART 2.0 obtains 0.618% MAPE and 0.986% SDPE overall (Table 3), a factor of 2.9 on MAPE and 3.0 on SDPE over the strongest baseline that uses no learned model, the calibrated ratio $\hat{\rho}(d, n)$ at 1.82%/2.94%. That baseline is a lookup table of 102 constants, one per trained cell, fitted on the same training split. The multidimensional benchmark is 16,920 held-out instances, of which the 16,846 with a recoverable reference cost are scored (Appendix E). Figures 1, 3, and 4 draw the Held–Karp 1-tree bound at ascent budget $k = 100$.

Table 3: Multidimensional benchmark results, by dimension band.

Bucket	Count	GART 2.0		$\hat{\rho}(d, n)$		$\alpha = 1$		BHH		Hilbert	
		MAPE	SDPE	MAPE	SDPE	MAPE	SDPE	MAPE	SDPE	MAPE	SDPE
$d = 2$	647	1.57	2.37	4.05	6.19	19.1	9.78	18.9	30.9	29.7	15.8
$d \in [3, 5]$	1,944	1.07	1.71	2.53	4.05	15.0	7.67	26.8	24.1	35.7	15.7
$d \in [6, 10]$	3,238	0.644	1.01	1.79	2.98	11.9	6.46	27.6	10.3	32.5	13.8
$d \in [15, 25]$	1,942	0.421	0.679	1.40	2.46	9.40	5.98	27.0	6.17	24.6	11.7
$d \in [30, 50]$	3,228	0.291	0.477	1.29	2.31	8.02	5.94	28.2	4.34	17.1	7.99
$d = 100^\dagger$	5,847	0.593	0.441	1.78	2.21	6.73	5.93	29.9	2.76	10.4	4.60
Total	16,846	0.618	0.986	1.82	2.94	9.71	7.26	28.0	13.6	21.2	14.4

[†] Not represented in training.

SDPE falls monotonically with instance size and with dimension (Figure 2). The unseen $d = 100$ row extrapolates off the training grid: SDPE falls further there while MAPE rises.

Figure 2: GART 2.0 MAPE by dimension and instance-size band; the red rule marks the held-out $d = 100$ row.

The constant dominates BHH’s 28.0% error: for $d \geq 4$ the scored form substitutes a conjectured large- d asymptotic for β_d (Appendix F), and the row’s signed error is negative at every $d \geq 3$, the direction an understated constant produces. The theorem’s uniformity and large- n premises also fail here. Only 68.7% of axes are uniform, so the region measure G^d exceeds the effective support of the rest, visible as the positive signed error at $d = 2$. Instances at $n \leq 1000$ with $d \geq 4$ are far from the asymptotic regime the theorem describes, where the sample must fill the region. Supplying the exact region in place of the convex hull nonetheless cuts its MAPE from 39.1% to 28.0%, the share of the convex-hull form’s error that is an input substitution. At $d > 3$ that hull is replaced by the coordinate bounding box (Appendix F), so the row would mix two region definitions across dimensions.

4.3.2 2D Diverse Benchmark




Figure 3: Percent error on the diverse 2D benchmark ($N = 2,580$ per estimator).

GART 2.0 obtains 2.89% MAPE and 4.68% SDPE overall (Table 4, Figure 3), roughly half the error of the strongest baseline, the calibrated ratio $\hat{\rho}(d, n)$ at 5.76%/9.38%. Its SDPE stays below 5.9% in every size bucket and falls to 2.75% in the $[501, 1000]$ bucket. The custom Hilbert sort has 30.9% MAPE against 14.2% SDPE, so its error is a near-constant positive offset, the signature a space-filling-curve tour should produce.

Table 4: 2D diverse benchmark results, by generator class.

Bucket	Count	GART 2.0		GART 1.0		$\hat{\rho}(d, n)$		Asymptotic		$\alpha = 1$	
		MAPE	SDPE	MAPE	SDPE	MAPE	SDPE	MAPE	SDPE	MAPE	SDPE
Isotropic	840	1.47	2.23	5.38	5.18	3.31	5.11	7.12	8.77	17.1	7.79
Biased	840	1.79	2.51	7.93	7.97	3.21	5.24	8.22	10.1	18.4	8.97
Geometric: Grid [†]	210	7.07	1.92	11.9	4.97	16.0	6.42	9.43	6.76	4.54	6.01
Geometric: Boundary, X-Central	420	1.96	2.60	5.50	5.33	2.99	5.06	6.69	8.87	17.0	7.89
Clustered	60	2.24	2.75	5.41	6.71	7.94	5.36	10.5	6.36	20.5	5.65
Line Noise [†]	210	10.8	6.09	12.0	14.9	20.4	8.64	25.9	12.0	34.1	10.7
Total	2,580	2.89	4.68	7.30	7.90	5.76	9.38	9.20	11.6	18.0	10.3

[†] Not represented in training.

Every estimator degrades from the isotropic class to Line Noise. Near-collinear point sets drive α toward its upper bound of 2, and no estimator anchored on a typical ratio tracks that. Realized α averages 1.05 on grid against 1.56 on Line Noise, so the two unrepresented generators sit at opposite ends of the target range and the estimator errs toward the middle on both. Both therefore confound unseen geometry with an extreme target value. On grid the $\alpha = 1$ floor is more accurate than the released model, the only row in this paper on which the floor beats it.

4.3.3 TSPLIB95 EUC_2D Benchmark




Figure 4: Percent error on the TSPLIB95 EUC_2D benchmark ($N = 78$ per estimator).

On the full EUC_2D benchmark GART 2.0 obtains 2.53% MAPE and 2.92% SDPE, against 3.53%/4.74% for the asymptotic ratio. This is the narrowest margin in the paper. α on these 78 instances has mean 1.13 and standard deviation 0.0558, so a single well-chosen constant is already close. The MAPE-minimizing constant on these instances is 1.13 and reaches 3.52%, so no constant multiplier does better on MAPE, and GART 2.0's 2.53% improves on that bound by 0.99 percentage points. The dispersion gap is the larger one, 2.92% SDPE against 4.74%, but SDPE alone cannot carry that comparison: for $\hat{L} = cL_{MST}$ the signed error is $c/\alpha - 1$, so SDPE is proportional to c and shrinking c drives it to zero at ruinous MAPE. GART 2.0 attains the lower SDPE at the lower MAPE. Table 17 splits the 78 instances into three size buckets; the coarse $n > 400$ bucket should not be read as a homogeneous asymptotic regime.

In the coarse $n > 400$ bucket the GART 2.0 and asymptotic-ratio SDPE intervals overlap, on $[3.20, 3.62]$. In the post hoc $n > 10,000$ slice of five instances GART 2.0 is lower on both metrics, 0.57% MAPE and 0.72% SDPE against the asymptotic ratio's 2.74% and 1.46%. The largest instance, d18512, is more than $18\times$ the training-size cap.

Both classical estimators are far behind here. TSPLIB instances carry no uniform density on a known region, so each area-based estimator runs outside the conditions it was derived under. BHH receives a convex hull in place of a sampling region that does not exist. Çavdar–Sokol is evaluated on graphs without a node at the corners of their covering rectangle, a property every one of its training graphs had. Both overpredict. These rows measure the cost of that mismatch, not the quality of the cited methods.

4.4 Matched-Domain Comparison

Estimators marketed across domains do better on these generalized benchmarks than others.

BHH falls from 23.8% MAPE on the full 2D benchmark to 8.91% here, and Çavdar–Sokol from 18.2% to 8.16%. Çavdar–Sokol itself did not change between panels, so its drop is a domain effect. BHH’s region input changed with the instance set, so its drop combines the two effects and does not isolate the region input. What remains of BHH’s error is a systematic underprediction, -8.65% signed against 7.76% SDPE, the direction an asymptotic constant takes at n as low as 5. Çavdar–Sokol carries the lower MAPE of the two on every corpus and the lower median absolute error here, 2.84% , at the widest dispersion in the panel, 14.3% SDPE. It is close on most uniform instances and badly wrong on a few.

GART 2.0 beats both classical estimators on the matched domain, on both metrics. On the 210 uniform instances it obtains 1.31% MAPE against Çavdar–Sokol’s 8.16% , BHH’s 8.91% and the $\alpha = 1$ floor’s 15.6% . Its SDPE is 2.07% against Çavdar–Sokol’s 14.3% , BHH’s 7.76% and the $\alpha = 1$ floor’s 7.70% .

4.5 Generalization Beyond the Training Grid

Withholding both $d = 15$ and $d = 25$ from training, 11.8% of the training rows, raises test MAPE at $d = 15$ from 0.50% to 0.58% and at $d = 25$ from 0.35% to 0.38% . The neighboring trained dimensions $d \in \{10, 20, 30\}$ do not degrade at all, moving from 0.43% to 0.42% , so the loss is specific to the withheld strata, not to the reduced training volume. It takes the form of a bias shift. Mean signed error at $d = 15$ moves from -0.008% to $+0.134\%$. Training only on $n \leq 200$ and testing on $n \in (200, 1000]$ raises MAPE from 0.41% to 0.59% , again almost entirely as a uniform offset. SDPE moves only from 0.47% to 0.56% while mean signed error rises from $+0.28\%$ to $+0.51\%$, a factor of 1.8.

The refits vary only the training data, at fixed hyperparameters and seed, and the baseline among them reproduces the released model bit-for-bit at 0.618% MAPE over the 16,846 scored rows. Off the grid the model acquires a systematic offset and keeps its structure. We demonstrate no correction for that offset.

4.6 Failure on Near-Collinear Geometry

Section 4.3.2 reports 10.8% MAPE on the near-collinear Line Noise class against 1.47% on the isotropic class, and the error is almost entirely one-sided: MSPE is -10.8 , so the model under-predicts.

TreeSHAP on the released booster, run over the 2,580 diverse 2D benchmark instances, shows why. On the Isotropic class (840 instances) the Greedy-to-MST Ratio carries 28.7% of the total mean $|\text{SHAP}|$, the largest share of any feature; the MST Dominance Ratio is next at 19.3% , then dimension at 8.16% , n at 7.97% , and normalized MST diameter at 6.36% . Isotropic predictions are unbiased: mean predicted α is 1.22 against a mean true α of 1.22 .

On Line Noise (210 instances) its mean signed SHAP rises from $+0.417$ on Isotropic to $+0.732$ on Line Noise, and the MST Dominance Ratio’s from $+0.105$ to $+0.369$, both correctly pushing α up. The prediction still falls short: mean predicted α is 1.38 against a mean true α of 1.56 , a shortfall of 0.174 , the largest of any class (the jittered-grid class is next at 0.0738). The training split itself contains zero instances with $\alpha > 1.5$ at $n \geq 200$; its α 99th percentile is 1.54 , and 54% of the 210 Line Noise instances exceed it.

The reason is support, on exactly the feature carrying the prediction. On the training split the Greedy-to-MST Ratio spans $[1.06, 1.67]$ between its 1st and 99th percentiles; on Line Noise it averages 1.77 , and 78.1% of the class’s rows fall outside that band. The other top features stay inside it: the MST Dominance Ratio is 14.3% outside; dimension, n , and MST diameter are 0% outside. A boosted tree cannot predict past the highest split value it saw in training, so the output saturates while the true α keeps rising.

4.7 Rank Agreement and Calibration

The estimator must *order* instances the way the stored references do even when its absolute numbers are off. Cross-instance cost varies over orders of magnitude and L_{MST} already tracks that variation, so global rank correlation is close to 1 for every estimator here and demonstrates nothing about the learned ratio. The close-pair statistic is a plain concordant fraction and sits at 0.5 under an unrelated ordering. Both metrics are reported with L_{MST} itself as the control. Every constant multiplier is a monotone transform of L_{MST} and scores identically to it, so the asymptotic-ratio and $\alpha = 1$ controls coincide on 2D and TSPLIB.

For pairs satisfying $|L_A - L_B| / \max(L_A, L_B) < 5\%$, GART 2.0 orders 74.5% of 74,826 2D pairs, 92.4% of 1,647,719 multidimensional pairs, and 72.2% of 54 TSPLIB pairs correctly, against 71.0%, 69.1%, and 61.1% for the $\alpha = 1$ control. The multidimensional gain of 23.4 percentage points is the substantive one. The 2D gain of 3.44 points is not, and 54 TSPLIB pairs cannot support an 11.1-point claim. At a 10% threshold GART 2.0 obtains 83.6%, 96.1%, and 81.0%, against 77.8%, 75.9%, and 73.3% for the $\alpha = 1$ control. The percentages remain descriptive because the pairs share instances and no block-bootstrap interval is computed over them. GART 1.0 trails GART 2.0 on the TSPLIB close-pair statistic at the tighter threshold, at 70.4%.

The $n > 400$ TSPLIB bucket has $R_\alpha^2 = -0.0710$. The model predicts α there worse than the bucket mean does. That bucket has low target variance and an upward mean prediction offset while its tour-cost MAPE remains 2.90%, so the cost-level result does not remove the ratio-calibration failure. On TSPLIB EUC_2D the difference between GART 2.0 and the asymptotic MST ratio is -0.997 percentage points with a 95% interval of $[-1.77, -0.224]$ and $p = 0.0049$, so the MAPE advantage is small but significant.

4.8 Computational Cost

Feature extraction dominates the estimator’s cost. GART 2.0 spends 92.9% of its wall time on feature extraction and MST construction against 5.03% on LightGBM inference. We time each instance as the median of 11 repeats, one estimator per process on a single thread. The Time column of Table 17 prints the median of those times across instances. Timed the same way, GART 2.0 costs roughly twice the MST-ratio family and an order of magnitude over the two classical closed forms, which compute a convex hull and then evaluate an algebraic expression.

Those multiples are ratios of medians, not of summed totals, and are the wrong comparison for deployment, where the alternative is a solve. On the multidimensional benchmark the median prediction and the median reference-tour generation cost the same, 121 ms against 122 ms, since most of those instances are small enough to solve outright. The argument holds only where the solve is expensive: at $n \in [501, 1000]$ the reference tour takes 3,799 ms against GART 2.0’s 460 ms, and on TSPLIB d18512, at $n = 18,512$ and more than $18\times$ the largest training instance, GART 2.0 predicts in 237 ms against the known lower bound, which costs 167 times as much at the crossing budget and 2,078 times as much, 493 seconds, at the largest ascent budget.

5 Comparison Against a Known Lower Bound

The Held–Karp 1-tree bound is cheaper and more accurate than GART 2.0 on aggregate in all benchmarks. Those averages, however, do not show how either family’s cost and accuracy change as n grows.

The bound $\hat{w}_k$ is the best value the ascent reaches within a budget of k iterations. It never exceeds the optimum, so its error against a reference tour is the room it leaves below the optimum plus whatever that reference sits above it. The *calibrated* bound $c_k \hat{w}_k$ multiplies it by one constant, which we fit per budget on the planar training split and never on a scored instance. That constant lifts the bound to where the tour length sits and makes it comparable with a trained estimator. That row is not a lower bound, since $c_k > 1$ pushes some predictions above the optimum, and it is not training-free. We fit the constant in the plane, so the multidimensional table reports the raw bound $\hat{w}_k$ alone.

Both ascents run on all four benchmarks, and each headline table reports the arm that leads on its own corpus. The planar tables use the Volgenant–Jonker step schedule with Helsgaun’s direction smoothing [Volgenant and Jonker, 1982, Helsgaun, 2000]. The multidimensional tables use a Polyak step [Polyak, 1969] against a constructive upper bound, a nearest-neighbor tour improved by 2-opt and built from coordinates alone. Neither ascent is proved to attain $\max_{\pi} w(\pi)$, so every accuracy figure below is a floor on what this family reaches.

5.1 Results on the Multidimensional Benchmark

At an ascent budget of 200 (Table 5) the bound reaches 0.111% MAPE against GART 2.0’s 0.618%, a factor of 5.56, at 0.709 times the cost, and it is the more accurate of the two on 82.9% of instances. It first overtakes GART 2.0 at a budget of 100, where it costs 0.400 times as much.

The bound is both cheaper and more accurate than GART 2.0 in every dimension group except $d \in \{2, 3\}$, and its lead is widest where the estimator was never trained. At $d \in \{2, 3\}$ matching GART 2.0’s accuracy costs the bound 1.27 times as much.

That advantage is an artifact of instance size. Of the 16,846 scored instances 10,569, or 62.7%, carry at most 100 nodes, where the relaxation is nearly exact and nearly free, so a corpus mean over that mix describes small instances more than it describes the estimator. We therefore price the two methods on 20 instances per (dimension, size band) cell, matched on size across dimensions, and time them the same way as Appendix Table 14. The bound’s cost is far more load-sensitive than GART 2.0’s. Accuracy in each cell is measured on every instance both methods score, between 108 and 2,209 of them. At $n \geq 200$ no budget is both cheaper and more accurate than GART 2.0 in any dimension it was trained on. Only at $d = 100$, the dimension withheld from training, does the bound beat it on both counts, and there GART 2.0’s own accuracy degrades to 0.824% against 0.0622% at $d = 50$.

In the $n \in [600, 1000]$ band the highest budget at which GART 2.0 is still both cheaper and more accurate is $k = 500$ in the plane and $k = 200$ at $d = 3$ and $d = 4$. The bound reads 0.784% MAPE at 246 ms for $k = 500$ at $d = 2$, 0.450% at 144 ms for $k = 200$ at $d = 3$, and 0.291% at 86.2 ms for the same budget at $d = 4$. Outright reversal, with GART 2.0 cheaper and more accurate across the budgets the row lists, arrives only in the plane and at $d = 3$, from roughly 200 nodes upward.

Roughly one instance in seven exhausts the largest budget we ran, so at the top of the size range the reported accuracy is a floor. Read any cell whose verdict turns on a few milliseconds as a trade-off: the ascent stops early when its 1-tree is already a tour, or when its bound reaches the cost of the tour it built for itself, so a larger budget can occasionally time a fraction of a millisecond cheaper than a smaller one. Table 6 measures a constant factor between the two families, in the estimator’s favor at $n \geq 200$ and in the bound’s below it. That constant is not a complexity argument, and we do not extrapolate it past $n = 1000$, the largest size this corpus carries.

Table 5: Multidimensional cost and accuracy by ascent budget, all 16,846 scored instances, Polyak ascent; conventions as in Appendix G.1. Only the raw bound is reported, the calibration constant being planar-fitted.

	$d \in \{2, 3\}, N = 1,295$			$d \in [4, 10], N = 4,534$			$d \in [15, 50], N = 5,170$			$d = 100, N = 5,847$		
Row	ms	×	MAPE	ms	×	MAPE	ms	×	MAPE	ms	×	MAPE
GART 2.0	5.87	1.00	1.45	3.30	1.00	0.728	3.59	1.00	0.340	3.26	1.00	0.593
$k = 0$	2.43	0.235	12.2	0.127	0.0412	7.45	0.374	0.0740	3.83	0.234	0.0742	2.13
$k = 10$	3.51	0.315	7.39	0.237	0.0769	4.50	0.362	0.125	2.16	0.263	0.0827	1.03
$k = 25$	5.18	0.474	4.75	0.383	0.126	3.24	0.552	0.165	1.46	0.373	0.119	0.691
$k = 50$	7.37	0.690	3.18	0.620	0.207	1.97	0.918	0.274	0.870	0.494	0.154	0.412
$k = 100$	12.9	1.27	1.39	1.21	0.387	0.692	1.95	0.563	0.301	0.758	0.233	0.147
$k = 200$	23.0	2.18	0.557	2.15	0.685	0.161	3.30	0.953	0.0534	1.19	0.369	0.0247
$k = 500$	50.8	4.92	0.384	4.51	1.38	0.0674	6.05	1.75	0.0114	1.12	0.347	0.00421

Table 6: The multidimensional frontier stratified by size and dimension; “Dominates” means strictly better on cost and accuracy at the listed budgets. The bound is the Polyak arm.

d	n band	N	GART 2.0 MAPE (%)	GART 2.0 (ms)	Verdict against the bound
2	[20, 100]	243	1.83	2.86	bound dominates ($k = 200, 500$)
	[200, 500]	108	0.662	5.70	GART 2.0 dominates ($k = 25, 50, 100, 200, 500$)
	[600, 1,000]	135	0.429	10.0	GART 2.0 dominates ($k = 25, 50, 100, 200, 500$)
3	[20, 100]	243	1.43	3.41	bound dominates ($k = 100, 200, 500$)
	[200, 500]	108	0.459	12.2	GART 2.0 dominates ($k = 100, 200$)
	[600, 1,000]	135	0.332	25.7	GART 2.0 dominates ($k = 25, 50, 100, 200$)
4	[20, 100]	243	1.02	2.42	bound dominates ($k = 200$)
	[200, 500]	108	0.403	14.2	trade-off at every budget
	[600, 1,000]	135	0.251	58.2	GART 2.0 dominates ($k = 200$)
10	[20, 100]	243	0.566	2.37	bound dominates ($k = 200$)
	[200, 500]	108	0.204	14.7	trade-off at every budget
	[600, 1,000]	135	0.173	100	trade-off at every budget
50	[20, 100]	243	0.214	2.79	bound dominates ($k = 200$)
	[200, 500]	108	0.0951	22.7	trade-off at every budget
	[600, 1,000]	134	0.0622	114	trade-off at every budget
100	[20, 100]	2,209	0.501	3.37	bound dominates ($k = 100, 200$)
	[200, 500]	977	0.723	26.8	bound dominates ($k = 50, 100$)
	[600, 1,000]	1,185	0.824	120	bound dominates ($k = 50, 100$)

5.2 Complexity of the Estimator Families

The 1-tree cannot use the Delaunay shortcut the MST family relies on in the plane, where a minimum spanning tree needs only triangulation edges. The node potentials leave costs that are no longer Euclidean distances, so after the first iteration the perturbed minimum spanning tree is not a subgraph of the triangulation. At 144 potential vectors drawn from real ascent runs the 1-tree restricted to Delaunay edges is heavier than the unrestricted one at 141 of them: the bound sits a complexity class above the MST family, not a constant factor above it.

In the plane GART 2.0 is $\Theta(n \log n)$ and the bound is $\Theta(n^2 d + kn^2)$, and the measured *cost exponent*, the power of n that per-instance cost grows with, agrees with both: 0.975 for GART 2.0 above a thousand nodes against 2.08–2.13 for the bound over the same window. GART 2.0 costs a flat 1.99 to 2.34 times the MST-ratio family across four orders of magnitude in n , while the 1-tree at a fixed budget costs 7.70 times GART 2.0 at a thousand nodes and 211 times at sixteen thousand (Figure 5).

That separation holds only in the plane. On the multidimensional benchmark GART 2.0’s own measured cost exponent in n is 2.02 at $d \in [4, 10]$ and 1.82 at $d \in [15, 50]$, against 1.78–1.89 for the bound, because from $d = 4$ upward the MST construction has to compute every pairwise distance. At $d \in \{2, 3\}$ that exponent is 0.556. Both families are quadratic on that benchmark, and the constant factor runs in the bound’s favor. The bound is $\Theta(kn^2)$ in every dimension, so the cost of matching a fixed accuracy grows quadratically while the estimator’s cost carries no accuracy term.

5.3 Operating Regime

In the plane GART 2.0 is cheaper than a 1-tree bound above roughly 400 nodes and more expensive below roughly 150 (Appendix Table 14). Its accuracy sits between the bound’s and the constant-ratio family’s: on the full 78-instance EUC_2D set it is 0.997 percentage points better than the MST-ratio family and 1.35 points worse than the bound run to convergence.




Figure 5: Per-instance cost against instance size on TSPLIB95 EUC_2D.

Table 7: Dominant per-instance cost of each family as the released code executes it.

Family	Dominant term as implemented	Guarantee	Training
Classical closed forms	$\Theta(d n \log n)$; a row-deduplication pass, not the arithmetic	None	Constants fitted in the source
Constant multiples of L_{MST}	$\Theta(n \log n)$ at $d = 2$ (Delaunay); $\Theta(n^2 d + n^2 \log n)$ otherwise	Lower bound only at $\alpha = 1$	The two calibrated rows only
Space-filling curve (Hilbert)	$\Theta(ndh)$ interpreted, plus an $O(n \log n)$ sort	Upper bound: it builds a tour	None
GART 2.0 (learned head on this feature block)	Feature cost as the MST family above, except the greedy tour's dense $\Theta(n^2)$ scan below its candidate-list threshold; head $O(1)$ in n	None	Yes
GART 1.0	$\Theta(n^2 d)$ time and $\Theta(n^2)$ memory; a dense matrix for two scalars	None	Yes
Held-Karp 1-tree, budget k	$\Theta(n^2 d + kn^2)$; no Delaunay path exists after the first iteration	Lower bound	None
Calibrated 1-tree	As above	None	One scalar per budget
Exact solver	$\Theta(n^2 2^n)$ for the Held-Karp dynamic program; branch-and-cut admits no polynomial bound	Exact	None

On the aggregate of every benchmark here the bound is the better instrument, because that aggregate is dominated by small instances. Read at fixed size instead (Table 6), the ordering turns over. In the two larger size bands GART 2.0 is cheaper and more accurate than the bound from an ascent budget of 25 upward in the plane, and over the middle budgets at $d = 3$.

Below roughly 200 nodes, prefer the known lower bound at any dimension (Appendix Table 15). It is cheaper and more accurate, it needs no training corpus, and it tells the caller how wrong it can be. Above that size prefer the estimator at any dimension it was trained on, in the plane and at $d = 3$ where the ordering reverses. Each ascent iteration costs the bound $\Theta(n^2)$ at a fixed accuracy in every dimension, while the estimator’s planar cost stays subquadratic. At $d = 100$, outside the training grid, prefer the bound at every size. Large n does not rescue the estimator there, and the reason is its own degradation off the grid, not the bound’s strength. Given only a distance matrix, prefer the bound at any size (Appendix G.2). Where inputs are known to be independent, uniformly distributed on a known region and an error in the high single digits of percent is acceptable, the classical closed forms remain the cheapest instrument by an order of magnitude over GART 2.0, with no MST to build. In the last-mile and partitioning setting of Section 1, large instances are re-evaluated many times under changing input: an exact solve is out of reach, a quadratic bound is already expensive, and GART 2.0’s cost stays sub-quadratic.

6 Application: Non-Euclidean Estimation via MDS Embedding

We evaluate a hybrid pipeline that computes MST features from the original matrix and geometric features from a multidimensional-scaling (MDS) embedding. TSPLIB95 contains 33 non-EUC_2D instances: 4 CEIL_2D, 2 ATT, 10 GEO, and 17 EXPLICIT. An exhaustive triangle-inequality scan identifies ten EXPLICIT matrices with structural violations (worst direct-edge ratio at least 1.2), which are outside every metric-dependent aggregate in this paper: brg180, brazil58, gr120, gr48, gr24, gr21, bays29, hk48, dantzig42, and gr17. That leaves 23 instances, seven of them EXPLICIT, and three of those (swiss42, pa561, and fri26) carry mild rounding-level violations, so we restrict our conclusions to this screened set. The paired reference is a constant multiple of the original-distance MST, a fixed $\alpha = 1.14$ close to the MAPE-minimizing constant 1.13 over the full 111-instance TSPLIB set. The MAPE-minimizing constant over these 23 instances is 1.17 and reaches 7.55%, the floor any constant multiplier faces on this metric.

6.1 MDS Preprocessing

CEIL_2D cases use their native coordinates. For ATT, GEO, and EXPLICIT cases, classical MDS gives an approximate Euclidean embedding of the distance matrix [Torgerson, 1952, Gower, 1966, Borg and Groenen, 2005, Cox and Cox, 2000]. We select the smallest embedding dimension κ retaining at least 99.9% of positive eigenvalue mass, subject to $\kappa \leq 100$, and pass κ as the model’s dimension feature. The cap prevents five of 19 MDS cases from reaching 99.9%; hence this criterion does not imply distance preservation.

6.2 Results on Non-Euclidean TSPLIB95

On the instances it accepts, the hybrid pipeline clears the 7.55% constant-multiplier floor.

α ranges from 1.01 to 1.51 across the set, and a single multiplier cannot track that spread without trading one metric against the other. On the two ATT instances the fixed constant has the lower MAPE, and on CEIL_2D the two estimators are close in SDPE. Groups of two and four instances cannot separate estimators. GART 2.0 declines si1032 instead of extrapolating below the greedy-to-MST ratio it was trained on. We do not estimate the relationship between per-instance embedding distortion and prediction error, so this remains a feasibility study for the hybrid pipeline.

The Held–Karp relaxation never invokes the triangle inequality, so it is defined on any symmetric matrix and reads these instances directly. On the 29 instances both methods score over all 33 non-EUC_2D files, GART 2.0 obtains 3.81%

Table 8: Paired evaluation on the 23 screened non-EUC_2D instances. GART 2.0 declines si1032, so the Total row is not like-for-like.

Distance type	Count	Estimator	N	SDPE (%) [95% CI]	MAPE (%)	Median (%)	MSPE (%)
ATT	2	GART 2.0	2	1.42 [—, —]	3.66	3.66	−3.66
		Fixed $\alpha = 1.136$	2	4.12 [—, —]	3.38	3.38	−3.38
CEIL_2D	4	GART 2.0	4	5.16 [0.112, 6.35]	5.77	6.05	4.04
		Fixed $\alpha = 1.136$	4	6.44 [1.08, 7.86]	7.54	7.77	5.95
GEO	10	GART 2.0	10	2.60 [1.48, 3.23]	2.51	2.90	−1.63
		Fixed $\alpha = 1.136$	10	9.49 [2.13, 10.9]	9.62	4.10	−9.62
EXPLICIT screened	7	GART 2.0	6	3.11 [1.44, 3.87]	3.01	2.35	−2.15
		Fixed $\alpha = 1.136$	7	9.55 [5.04, 10.9]	8.12	10.2	1.75
Total	23	GART 2.0	22	3.89 [2.52, 4.79]	3.34	3.21	−0.925
		Fixed $\alpha = 1.136$	23	10.5 [6.94, 12.9]	8.26	6.29	−2.91

MAPE against 1.27% for the raw bound at an ascent budget of 100 under the Volgenant–Jonker step. At a budget of 500 the Polyak step reaches 0.509%, a factor of 7.50 against GART 2.0. The bound also scores brg180 and si1032.

7 Conclusion

The GART 2.0 framework, trained on synthetic data, is competitive on real-world problems. Exposing the model to more relevant training data can move it from a prototype to a viable product.

The estimator’s advantage is scale. The known lower bound is cheaper and more accurate on the aggregate of all four benchmarks, and on TSPLIB EUC_2D once a single training-split constant scales it. On the non-Euclidean instances it reads directly, the bound obtains 1.27% MAPE at an ascent budget of 100 against GART 2.0’s 3.81%. Above a few hundred nodes, however, no ascent budget is both cheaper and more accurate than GART 2.0 at any dimension it was trained on. In the plane the measured cost exponents put the two families in different complexity classes (Section 5). Below a few hundred nodes, off the training grid in dimension, or given only a distance matrix, prefer the bound. The model weights, the scored benchmark outputs, and the scripts that regenerate every table and figure are released (Appendix A).

On the 2D diverse benchmark GART 2.0’s MAPE runs from 1.47% on the isotropic class to 10.8% on the near-collinear Line Noise class across generator classes, and from 1.64% at $n \in [501, 1000]$ to 4.07% at $n \in [11, 50]$ across size bands. Section 4.6 traces the Line Noise error to a training-coverage gap and a feature gap at once. We tested two repairs against gates fixed before either candidate was scored, rejected both, and left the released model unchanged. Withholding a whole dimension or the large- n range from training costs a fraction of a MAPE point and appears as a systematic offset, not as scatter. The estimator degrades predictably off its training grid, and we demonstrate no correction for that offset. The labels are not uniformly proven optima. Some are proven optimal by a 1-tree bound that closes on the tour and some by exact dynamic programming (Appendix E), and the remainder carry an upper bound.

Can a learned estimator understand the relationship between the MST and the TSP to create an efficient tour-length estimator?

References

- R. Agarwala, D. L. Applegate, D. Maglott, G. D. Schuler, and A. A. Schäffer. A fast and scalable radiation hybrid map construction and integration strategy. *Genome Research*, 10(3):350–364, 2000.
- T. Akiba, S. Sano, T. Yanase, T. Ohta, and M. Koyama. Optuna: A next-generation hyperparameter optimization framework. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, pages 2623–2631. ACM, 2019. doi: 10.1145/3292500.3330701.

- D. L. Applegate, R. E. Bixby, V. Chvátal, and W. J. Cook. *The Traveling Salesman Problem: A Computational Study*. Princeton University Press, 2006.
- J. J. Bartholdi, III and L. K. Platzman. An $O(N \log N)$ planar travelling salesman heuristic based on spacefilling curves. *Operations Research Letters*, 1(4):121–125, 1982. doi: 10.1016/0167-6377(82)90012-8.
- J. Beardwood, J. H. Halton, and J. M. Hammersley. The shortest path through many points. *Mathematical Proceedings of the Cambridge Philosophical Society*, 55(4):299–327, 1959. doi: 10.1017/S0305004100034095.
- D. J. Bertsimas and G. van Ryzin. An asymptotic determination of the minimum spanning tree and minimum matching constants in geometrical probability. *Operations Research Letters*, 9(4):223–231, 1990. doi: 10.1016/0167-6377(90)90066-E.
- A. Bircher, M. Kamel, K. Alexis, M. Burri, P. Oettershagen, S. Omari, T. Mantel, and R. Siegwart. Three-dimensional coverage path planning via viewpoint resampling and tour optimization for aerial robots. *Autonomous Robots*, 40(6):1059–1078, 2016.
- I. Borg and P. J. Groenen. *Modern Multidimensional Scaling: Theory and Applications*. Springer, 2nd edition, 2005. doi: 10.1007/0-387-28981-X.
- J. Bossek, P. Kerschke, A. Neumann, M. Wagner, F. Neumann, and H. Trautmann. Evolving diverse TSP instances by means of novel and creative mutation operators. In *Proc. 15th ACM/SIGEVO Conference on Foundations of Genetic Algorithms (FOGA XV)*, pages 58–71, 2019. doi: 10.1145/3299904.3340307.
- J. Bourgain. On Lipschitz embedding of finite metric spaces in Hilbert space. *Israel Journal of Mathematics*, 52(1–2):46–52, 1985. doi: 10.1007/BF02776078.
- B. Çavdar. *A computation-implementation parallelization approach to time-sensitive applications*. PhD thesis, Georgia Institute of Technology, Atlanta, GA, 2014. URL <https://repository.gatech.edu/handle/1853/52322>. H. Milton Stewart School of Industrial and Systems Engineering; advisor Joel S. Sokol. Chapter 4 is the tour-length estimation model later published as Çavdar and Sokol (2015).
- B. Çavdar and J. Sokol. A distribution-free TSP tour length estimation model for random graphs. *European Journal of Operational Research*, 243(2):588–598, 2015. doi: 10.1016/j.ejor.2014.12.020.
- B. Chazelle. An optimal convex hull algorithm in any fixed dimension. *Discrete & Computational Geometry*, 10(4):377–409, 1993. doi: 10.1007/BF02573985.
- T. W. Chien. Operational estimators for the length of a traveling salesman tour. *Computers & Operations Research*, 19(6):469–478, 1992. doi: 10.1016/0305-0548(92)90002-M.
- N. Christofides. Worst-case analysis of a new heuristic for the travelling salesman problem. Technical Report 388, Carnegie-Mellon University, 1976. Reprinted in *Operations Research Forum* 3:20, 2022, doi:10.1007/s43069-021-00101-z.
- W. J. Cook and A. Rohe. Computing minimum-weight perfect matchings. *INFORMS Journal on Computing*, 11(2):138–148, 1999.
- M. Cortina-Borja and T. Robinson. Estimating the asymptotic constants of the total length of Euclidean minimum spanning trees with power-weighted edges. *Statistics & Probability Letters*, 47(2):125–128, 2000. doi: 10.1016/S0167-7152(99)00147-9.
- T. F. Cox and M. A. Cox. *Multidimensional Scaling*. Chapman and Hall/CRC, 2nd edition, 2000. ISBN 9781584880943.
- C. F. Daganzo. The distance traveled to visit N points with a maximum of C stops per vehicle: An analytic model and an application. *Transportation Science*, 18(4):331–350, 1984a. doi: 10.1287/trsc.18.4.331.
- C. F. Daganzo. The length of tours in zones of different shapes. *Transportation Research Part B: Methodological*, 18(2):135–145, 1984b. doi: 10.1016/0191-2615(84)90027-4.
- G. B. Dantzig, D. R. Fulkerson, and S. M. Johnson. Solution of a large-scale traveling-salesman problem. *Operations Research*, 2(4):393–410, 1954. doi: 10.1287/opre.2.4.393.
- B. Delaunay. Sur la sphère vide. *Bulletin de l’Académie des Sciences de l’URSS, Classe des Sciences Mathématiques et Naturelles*, 6:793–800, 1934.
- J. Edmonds. Paths, trees, and flowers. *Canadian Journal of Mathematics*, 17:449–467, 1965. doi: 10.4153/CJM-1965-045-4.
- S. Feldman. Tour length estimation guided vehicle routing. Master’s thesis, Rensselaer Polytechnic Institute, 2025. URL <https://search.proquest.com/openview/d4a8aaeb70d19bb62af72359b5caf7f7/1?pq-origsite=gscholar&cb1=18750&diss=y>. Introduces the original GART 1.0 tour-length estimator. Available via ProQuest Dissertations Publishing.

- M. A. Figliozzi. Planning approximations to the average length of vehicle routing problems with time window constraints. *Transportation Research Part B: Methodological*, 43(4):438–447, 2009. doi: 10.1016/j.trb.2008.08.004.
- Finmile. Revolutionizing last-mile delivery for unparalleled efficiency and customer satisfaction. Finmile industry resource page, 2025. URL <https://finmile.co/resources/finmile-revolutionizing-last-mile-delivery>. Accessed 2026-08-26.
- H. Freeman and R. Shapira. Determining the minimum-area encasing rectangle for an arbitrary closed curve. *Communications of the ACM*, 18(7):409–413, 1975. doi: 10.1145/360881.360919.
- J. H. Friedman. Greedy function approximation: A gradient boosting machine. *Annals of Statistics*, 29(5):1189–1232, 2001.
- H. N. Gabow. Data structures for weighted matching and nearest common ancestors with linking. In *Proceedings of the 1st Annual ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pages 434–443, 1990.
- B. L. Golden and W. R. Stewart. Empirical analysis of heuristics. In E. L. Lawler, J. K. Lenstra, A. H. G. Rinnooy Kan, and D. B. Shmoys, editors, *The Traveling Salesman Problem: A Guided Tour of Combinatorial Optimization*, pages 207–249. Wiley, 1985.
- J. C. Gower. Some distance properties of latent root and vector methods used in multivariate analysis. *Biometrika*, 53(3–4):325–338, 1966. doi: 10.1093/biomet/53.3-4.325.
- C. R. Harris, K. J. Millman, S. J. van der Walt, R. Gommers, P. Virtanen, D. Cournapeau, E. Wieser, J. Taylor, S. Berg, N. J. Smith, R. Kern, M. Picus, S. Hoyer, M. H. van Kerkwijk, M. Brett, A. Haldane, J. F. del Río, M. Wiebe, P. Peterson, P. Gérard-Marchant, K. Sheppard, T. Reddy, W. Weckesser, H. Abbasi, C. Gohlke, and T. E. Oliphant. Array programming with NumPy. *Nature*, 585:357–362, 2020. doi: 10.1038/s41586-020-2649-2.
- M. Held and R. M. Karp. The traveling-salesman problem and minimum spanning trees. *Operations Research*, 18(6):1138–1162, 1970. doi: 10.1287/opre.18.6.1138.
- M. Held and R. M. Karp. The traveling-salesman problem and minimum spanning trees: Part II. *Mathematical Programming*, 1(1):6–25, 1971. doi: 10.1007/BF01584070.
- K. Helsgaun. An effective implementation of the Lin-Kernighan traveling salesman heuristic. *European Journal of Operational Research*, 126(1):106–130, 2000.
- K. Helsgaun. An extension of the Lin-Kernighan-Helsgaun TSP solver for constrained traveling salesman and vehicle routing problems. Technical report, Roskilde University, 2017.
- D. Hilbert. Ueber die stetige Abbildung einer Linie auf ein Flächenstück. *Mathematische Annalen*, 38(3):459–460, 1891. doi: 10.1007/BF01199431.
- C. Holland, J. Levis, R. Nuggehalli, B. Santilli, and J. Winters. UPS optimizes delivery routes. *Interfaces*, 47(1):8–23, 2017. doi: 10.1287/inte.2016.0875. Winner of the 2016 Franz Edelman Award.
- D. S. Johnson, L. A. McGeoch, and E. E. Rothberg. Asymptotic experimental analysis for the Held–Karp traveling salesman bound. In *Proceedings of the 7th Annual ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pages 341–350, 1996.
- I. Jolliffe. *Principal Component Analysis*. Springer, 2002.
- A. R. Karlin, N. Klein, and S. Oveis Gharan. A (slightly) improved approximation algorithm for metric TSP. In *Proceedings of the 53rd Annual ACM Symposium on Theory of Computing*, pages 32–45, 2021. doi: 10.1145/3406325.3451009.
- R. M. Karp. Reducibility among combinatorial problems. In R. E. Miller and J. W. Thatcher, editors, *Complexity of Computer Computations*, pages 85–103. Plenum Press, 1972. doi: 10.1007/978-1-4684-2001-2_9.
- G. Ke, Q. Meng, T. Finley, T. Wang, W. Chen, W. Ma, Q. Ye, and T.-Y. Liu. LightGBM: A highly efficient gradient boosting decision tree. In *Advances in Neural Information Processing Systems 30*, pages 3146–3154, 2017.
- S. Kou, B. L. Golden, and S. Poikonen. Optimal TSP tour length estimation using standard deviation as a predictor. *Computers & Operations Research*, 148:105993, 2022. doi: 10.1016/j.cor.2022.105993.
- S. Kou, B. L. Golden, and S. Poikonen. Optimal TSP tour length estimation using Sammon maps. *Optimization Letters*, 17(1):89–105, 2023. doi: 10.1007/s11590-022-01937-y.
- S. Kou, B. L. Golden, and S. Poikonen. Estimating optimal objective values for the TSP, VRP, and other combinatorial problems using randomization. *International Transactions in Operational Research*, 31(5):3443–3458, 2024. doi: 10.1111/itor.13260.

- O. Kwon, B. L. Golden, and E. A. Wasil. Estimating the length of the optimal TSP tour: An empirical study using regression and neural networks. *Computers & Operations Research*, 22(10):1039–1046, 1995. doi: 10.1016/0305-0548(94)00093-N.
- S. K. Lam, A. Pitrou, and S. Seibert. Numba: A LLVM-based Python JIT compiler. In *Proceedings of the Second Workshop on the LLVM Compiler Infrastructure in HPC*, pages 1–6, 2015. doi: 10.1145/2833157.2833162.
- S. M. Lundberg and S.-I. Lee. A unified approach to interpreting model predictions. In *Advances in Neural Information Processing Systems 30*, pages 4765–4774, 2017.
- R. Mariescu-Istodor and P. Fránti. Solving the large-scale TSP problem in 1 h: Santa Claus Challenge 2020. *Frontiers in Robotics and AI*, 8:689908, 2021. doi: 10.3389/frobt.2021.689908.
- X. Pan, Y. Jin, Y. Ding, M. Feng, L. Zhao, L. Song, and J. Bian. H-TSP: Hierarchically solving the large-scale traveling salesman problem. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 37, pages 9345–9353, Washington, DC, USA, 2023. AAAI Press. doi: 10.1609/aaai.v37i8.26120.
- C. H. Papadimitriou. The Euclidean traveling salesman problem is NP-complete. *Theoretical Computer Science*, 4(3):237–244, 1977. doi: 10.1016/0304-3975(77)90012-3.
- F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, et al. Scikit-learn: Machine learning in Python. *Journal of Machine Learning Research*, 12:2825–2830, 2011.
- A. G. Percus and O. C. Martin. Finite size and dimensional dependence in the Euclidean traveling salesman problem. *Physical Review Letters*, 76(8):1188–1191, 1996. doi: 10.1103/PhysRevLett.76.1188.
- B. T. Polyak. Minimization of unsmooth functionals. *USSR Computational Mathematics and Mathematical Physics*, 9(3):14–29, 1969. doi: 10.1016/0041-5553(69)90061-5.
- R. C. Prim. Shortest connection networks and some generalizations. *Bell System Technical Journal*, 36(6):1389–1401, 1957.
- G. Reinelt. TSPLIB—a traveling salesman problem library. *ORSA Journal on Computing*, 3(4):376–384, 1991. doi: 10.1287/ijoc.3.4.376.
- D. J. Rosenkrantz, R. E. Stearns, and P. M. Lewis, II. An analysis of several heuristics for the traveling salesman problem. *SIAM Journal on Computing*, 6(3):563–581, 1977. doi: 10.1137/0206041.
- A. I. Serdyukov. On some extremal tours in graphs (in Russian). *Upravlyaemye Sistemy*, 17:76–79, 1978.
- K. Smith-Miles, J. I. van Hemert, and X. Y. Lim. Understanding TSP difficulty by learning from evolved instances. In *Learning and Intelligent Optimization*, volume 6073 of *Lecture Notes in Computer Science*, pages 266–280. Springer, 2010. doi: 10.1007/978-3-642-13800-3_29.
- W. S. Torgerson. Multidimensional scaling: I. Theory and method. *Psychometrika*, 17(4):401–419, 1952. doi: 10.1007/BF02288916.
- T. Varol, O. Ö. Özener, and E. Albey. Neural network estimators for optimal tour lengths of traveling salesperson problem instances with arbitrary node distributions. *Transportation Science*, 58(1):45–66, 2024. doi: 10.1287/trsc.2022.0015.
- P. Virtanen, R. Gommers, T. E. Oliphant, M. Haberland, T. Reddy, D. Cournapeau, E. Burovski, P. Peterson, W. Weckesser, J. Bright, et al. SciPy 1.0: fundamental algorithms for scientific computing in Python. *Nature Methods*, 17:261–272, 2020. doi: 10.1038/s41592-019-0686-2.
- T. Volgenant and R. Jonker. A branch and bound algorithm for the symmetric traveling salesman problem based on the 1-tree relaxation. *European Journal of Operational Research*, 9(1):83–89, 1982. doi: 10.1016/0377-2217(82)90015-7.
- Y. Yuan and Y. Peng. RaceTrack: An approximation algorithm for the mobile sink routing problem. In *Ad-Hoc, Mobile and Wireless Networks*, volume 6288 of *Lecture Notes in Computer Science*, pages 135–148. Springer, 2010. doi: 10.1007/978-3-642-14785-2_11.

A Code and Data Availability

Our implementation, trained model weights, and benchmark scripts are available at <https://github.com/sfeldmanMIG25/Area-and-Distribution-Free-Estimator-for-TSP>. We release the per-class, per-dimension, per-size, rank-agreement, and paired-test grids as tidy tables with the per-instance predictions, and the provided scripts regenerate the synthetic instances, the MDS diagnostics of Appendix J, and every table and figure. A verification pass re-derives all 425 benchmark table cells against the typeset value, and a second pass does the same for the 182 cells of the cost and accuracy tables of Section 5. We transcribe the remaining tables and the scalars quoted in the running prose by hand from the same artifacts, and neither check covers them. Two released rows carry a raw α outside the $[1, 2]$ target interval and enter the fit at the clipped value: N1000_D15_G100_pchergphhtgncoe_59 (training, raw $\alpha = 0.975$) and N5_D2_G100_oc_33 (validation, raw $\alpha = 2.06$).

The GART 2.0 pipeline uses SciPy [Virtanen et al., 2020] for Delaunay triangulation [Delaunay, 1934] and MST construction, Numba [Lam et al., 2015] for centroid-distance computation, NumPy [Harris et al., 2020] symmetric eigendecomposition for classical MDS, LightGBM [Ke et al., 2017] for regression, and scikit-learn [Pedregosa et al., 2011] for metric computation. Estimator timings were collected on one Intel i7 13th Gen machine with 64GB RAM and Windows 11. Concorde 03.12.19 and LKH-3 3.0.13 generated the stored reference tour costs.

B Training Data Generation

B.1 Training Corpus

The uniform class draws coordinates from $\mathcal{U}(0, G)$ where G is the grid size. The normal class draws from $\mathcal{N}(G/2, G/6)$ and clips to $[0, G]$. The clustered class places $\max(2, \lfloor \sqrt{n}/4 \rfloor)$ centers uniformly, assigns each point to a center uniformly at random, draws it from a normal of standard deviation $0.05G$ about that center, and clips to $[0, G]$. A correlated axis adds $\mathcal{N}(0, G/10)$ noise to the first non-correlated axis already drawn and clips to $[0, G]$; an axis drawn before any non-correlated one falls back to a uniform draw.

The 106,272 solved instances are partitioned into training (69,768, 65.7%), validation (19,584, 18.4%), and test (16,920, 15.9%) using a stratified sample on $(d, n, \text{grid size})$. $d = 100$ instances bypass this rule and are locked to the test partition, which lifts the corpus-level test share to the 15.9% above. Grid size $G \in \{100, 1,000, 10,000\}$ is sampled uniformly within each cell.

B.2 2D Benchmark Generator Design

Four classes (isotropic, biased, geometric, clustered) follow conventions from the TSP-instance-generation literature, including the variants Çavdar and Sokol [2015] reports for the distribution-free baseline. The fifth class, Line Noise, samples $y = mx + b + \epsilon$ with small ϵ and clips out-of-range coordinates to the grid boundary instead of resampling them. Its slope reaches ± 5 while x is drawn across the full grid width, so most points fall outside the box and are pinned to a face. The realized geometry is a union of two to four thin segments with dense collinear masses along the boundary. At $n \geq 200$ a median 59.9% of points lie exactly on a face, and α tracks that fraction closely (Spearman 0.86, rising monotonically from 1.18 to 1.43 across its quartiles) with no relationship to the transverse noise width. The grid member of the Geometric Struct. class draws a jittered square lattice, a pattern the four independent per-axis draws of Section 3.2 cannot produce; the training corpus contains no lattice instance.

Table 9: Multidimensional synthetic benchmark grid: instance count per (d, n) bucket.

$d \setminus n$	[5, 10]	[11, 50]	[51, 100]	[101, 200]	[201, 500]	[501, 1000]	Total
$d = 2$	162	108	135	27	81	135	648
$d \in [3, 5]$	486	324	405	81	243	405	1,944
$d \in [6, 10]$	810	540	675	135	405	675	3,240
$d \in [15, 25]$	486	324	405	81	243	405	1,944
$d \in [30, 50]$	810	540	675	135	405	675	3,240
$d = 100$	1,476	984	1,230	246	738	1,230	5,904
Total	4,230	2,820	3,525	705	2,115	3,525	16,920

Table 10: Geometric and centroid feature specifications.

Feature Name	Description & Rationale	Complexity	Origin / Citation
Dimension (d)	The number of spatial coordinates defining each point.	$O(1)$	Standard
Number of Nodes (n)	The total count of nodes in the instance; released feature name <code>n_customers</code> .	$O(1)$	Standard
Aspect Ratio	Ratio of the largest dimension range to the smallest. Detects subspace distortion.	$O(n \cdot d)$	Proposed
Bounding Hypervolume	Product of coordinate ranges: $\prod_{j=1}^d (\max_j - \min_j)$. Approximates the sampling-region measure $\mathcal{V}$ for BHH bounds; stored capped at e^{690} , beyond which the log twin carries the scale.	$O(n \cdot d)$	Adapted from Beardwood et al. [1959]
Log Bounding Hypervolume	Logarithm of hypervolume: $\sum_{j=1}^d \ln(\max_j - \min_j)$. Log-space stable for $d \geq 100$.	$O(n \cdot d)$	Proposed
Node Density	Ratio of n to Bounding Hypervolume. Proxy for point intensity $\delta = n/\mathcal{V}$.	$O(1)$	Proposed ; cf. Beardwood et al. [1959]
Log Node Density	Logarithm of node density: $\ln(n) - \sum \ln(\max_d - \min_d)$. Log-space stable.	$O(1)$	Proposed
Centroid Dist (Mean, Std)	Average and deviation of distances to the centroid. Measures central tendency.	$O(n \cdot d)$	Adapted from Çavdar and Sokol [2015]
Centroid Dist Max	Radius of the enclosing sphere.	$O(n \cdot d)$	Adapted from Çavdar and Sokol [2015]
Centroid Dist IQR	Interquartile range of centroid distances. Robust dispersion metric.	$O(n \cdot d)$	Proposed ; extends Çavdar and Sokol [2015]

B.3 Multidimensional Benchmark Grid

C Feature Specifications

Table 10 lists the 11 geometric and centroid features, Tables 11 and 12 the 19 MST-derived ones, and Table 13 the single constructive ratio, 31 in all (Section 3.1). The Leaf Ratio rests on the hypothesis that low-leaf trees are more common on linear manifolds than in isotropic clouds, and the structural readings in the tables are not tested here. Listed complexities assume the MST has already been built; MST construction dominates the asymptotic cost (Table 7).

D SHAP Feature Importance

We report the SHAP values [Lundberg and Lee, 2017] against the released booster on a 5,000-row sample of the 16,920-row held-out test split.

By group, the nineteen MST-derived features carry 50.7% of total mean absolute SHAP magnitude, the eleven geometric features 25.5%, and the single constructive ratio 23.9%. SHAP magnitude describes model reliance, not a causal effect or proof that a feature group improves generalization.

We used SHAP as a diagnostic during feature reduction, and it yielded the 31-feature set of Section 3.1. The selection used validation feedback, so it is not an independent confirmatory test.

Table 11: MST edge distribution statistics (10 features).

Feature Name	Description & Rationale	Complexity	Origin / Citation
MST Edge Max	Weight of the longest edge in the MST.	$O(n)$	Standard
MST Quantiles	10%, 25%, 50%, 75%, 90% percentiles. Provides a non-parametric distribution profile.	$O(n \log n)$	Proposed ; via MST [Prim, 1957]
MST Edge Mean	Average edge length in the MST.	$O(n)$	Smith-Miles et al. [2010]
MST Edge Std	Standard deviation of edge lengths in the MST.	$O(n)$	Smith-Miles et al. [2010]
MST Edge Skewness	Asymmetry of edge distribution. High positive skew implies many short edges and few long bridges.	$O(n)$	Smith-Miles et al. [2010]
MST Edge Kurtosis	Tailedness of distribution. Indicates the presence of extreme outliers.	$O(n)$	Smith-Miles et al. [2010]

Table 12: Topological and clustering feature specifications (9 features).

Feature Name	Description & Rationale	Complexity	Origin / Citation
MST Dominance Ratio	Sum of largest $\sqrt{n}$ edges / Total Length. Captures weight of inter-cluster bridges.	$O(n)$	Proposed ; via MST [Prim, 1957]
MST Gap Ratio	Max edge / Median edge. Measures magnitude of sparsity jumps.	$O(1)$	Proposed ; via MST [Prim, 1957]
MST Leaf Ratio	Fraction of nodes with degree $k = 1$. Topology proxy for dimension.	$O(n)$	Smith-Miles et al. [2010]
MST Degree (Mean, Std)	Branching factor statistics.	$O(n)$	Smith-Miles et al. [2010]
MST Degree Max	Maximum node degree. Identifies "hub" nodes common in High-D spaces.	$O(n)$	Smith-Miles et al. [2010]
MST Diameter	Sum of edge weights on the longest path between any two leaves, computed via double-BFS.	$O(n)$	Graph Theory
MST Normalized Diameter	Diameter / Total Length. Scale-invariant shape proxy (= 1.0 for path-manifolds exactly).	$O(1)$	Proposed ; via double-BFS
Large Edge Count	Count of edges $> \mu + \sigma$. Secondary cluster indicator.	$O(n)$	Proposed ; via MST [Prim, 1957]

Table 13: Constructive ratio specification.

Feature Name	Description & Rationale	Complexity	Origin / Citation
Greedy-to-MST Ratio	Length of an exact greedy nearest-neighbor tour divided by L_{MST} . A greedy tour is feasible, so the ratio is a constructed upper bound on the target α . Values outside [1.035, 2.209], the range spanned by the full 106,272-row corpus, trigger the coverage gate; the training split alone spans [1.0465, 2.1295].	$O(n^2 d)$ dense for $n \leq 3000$; $O(nmd)$ with $m = 16$ candidate neighbors above it	Proposed ; greedy nearest-neighbor construction

E Label Validation and Verification

We recompute the length of every stored tour on its own released coordinates, over all 106,272 instances. The 184 instances (0.173%) whose stored cost their own tour does not reproduce to within rounding are not scored. 74 of the 184 fall in the multidimensional test partition, so it is scored on the remaining 16,846 instances throughout.

If B is a proven lower bound on an instance’s optimum and L is its stored label, $B > L$ refutes the label outright. At $n \leq 10$ the label is the exact Held–Karp dynamic-programming optimum. Above that size the label is the float64 length of the retained tour, an upper bound that is exact wherever that tour is optimal; a 1-tree bound closes on the tour and proves it optimal after the fact for 2,182 instances. The 2D benchmark’s labels are the better of the stored tour and a float-metric 2-opt descent from it, because a solver that minimizes a rounded metric can select a tour the float64 metric beats. TSPLIB is scored on its published optima, with one documented exception: `linhp318` declares a fixed-edge Hamiltonian-path problem on `lin318`’s coordinates, so its published 41,345 is a path optimum no tour on those coordinates can attain. Every estimator and the bound are scored there against the tour optimum on those coordinates, 42,029, `lin318`’s published value.

Across the 145,013 bound checks in the released artifacts there are zero violations of $B \leq L$, the worst relative excess being 5.8×10^{-15} . On TSPLIB the check builds the bound in TSPLIB’s own integer metric, which needs the dense distance matrix, and for seven instances that matrix does not fit in memory; five of the seven are inside the scored `EUC_2D` set.

F Benchmark-Model Implementation

We attribute the tour-length estimators of Daganzo [Daganzo, 1984a], Chien [Chien, 1992], and Kwon–Golden–Wasil [Kwon et al., 1995], surveyed in Figliozzi [2009]. They belong to the same class of estimator, and we score BHH and Çavdar–Sokol as its representatives.

F.1 BHH

BHH assumes points drawn independently from a density f of bounded support: $L_n/n^{(d-1)/d} \rightarrow \beta_d \int f(x)^{(d-1)/d} dx$ [Beardwood et al., 1959]. For f uniform on a region of measure $\mathcal{V}$ the integral reduces to $\mathcal{V}^{1/d}$, giving $\beta_d n^{(d-1)/d} \mathcal{V}^{1/d}$. The convex hull of a realized sample is a different, downward-biased statistic that converges to $\mathcal{V}$ only as n grows. Our synthetic generators draw on $[0, G]^d$, so $\mathcal{V} = G^d$ is exact, and we report that form on the matched domain. We use $\beta_2 = 0.7124 \pm 0.0002$ [Johnson et al., 1996] and $\beta_3 = 0.6979 \pm 0.0002$ [Percus and Martin, 1996]. For $d \geq 4$ no comparably pinned estimate exists, so we substitute the large- d asymptotic $\sqrt{d/(2\pi e)}$ [Bertsimas and van Ryzin, 1990], a form the same source proves for the minimum-spanning-tree and minimum-matching constants and only conjectures for the TSP constant. That substitution, together with $n \leq 1000$ at $d \geq 4$ falling short of the asymptotic regime, limits how far the $d \geq 4$ rows test the theorem itself.

F.2 Çavdar–Sokol

We rotate each instance into its minimum-area enclosing rectangle by scanning convex-hull edges [Freeman and Shapira, 1975], because Çavdar–Sokol assumes an axis-aligned rectangle. A is the area of that rectangle, and $\bar{c}_j$ and cstdev_j are the mean and standard deviation of the absolute distances from the nodes to its midpoint line on axis j , not to the sample mean. We divide the raw estimate by the finite- n correction $0.9325e^{0.00005298n} - 0.2972e^{-0.01452n}$, Eq. (21) of Çavdar [2014], fitted over $n \in \{100, 125, \dots, 975\}$ at $R^2 = 0.987$, and we bound the correction to that range. On this benchmark 1,320 of the 2,580 2D instances have $n < 100$, and we evaluate the ratio at the $n = 100$ endpoint for them instead of extrapolating below it. Above $n = 975$ we apply no correction, leaving a 1.84% step at the upper boundary where the fitted ratio reads 0.982. The source regression targets Lin–Kernighan tour lengths, not optima.

F.3 Constant-Ratio References

The $\alpha = 1$ row returns L_{MST} . The asymptotic row uses $\beta_{\text{TSP}}/\beta_{\text{MST}}$ for uniform planar points. The numerator is well established at 0.7124; the denominator is not. We quote 0.6331 following Cortina-Borja and Robinson [2000], a simulation estimate, and published estimates of the planar Euclidean MST constant span a range wider than its printed precision, so the ratio 1.1253 is approximate. The calibrated rows take the mean of α within each dimension, and within each dimension–size cell, over the training split only. At $d = 100$, which no training row covers, the table extrapolates from $d = 50$.

F.4 Hilbert Sort

The custom Hilbert sort orders nodes by a d -dimensional Hilbert index [Hilbert, 1891] on per-axis normalized coordinates.

F.5 Convex-Hull Cap

The convex-hull plug-in uses the hull only for $d \leq 3$; above that we substitute the coordinate bounding box. QHull’s output size grows as $n^{\lfloor d/2 \rfloor}$, the blow-up of Section 1. At $d = 8$ with $n = 1000$ a single hull dominates the entire benchmark’s runtime.

G Held–Karp Bound by Ascent Budget

G.1 Results on TSPLIB95 EUC_2D

We time GART 2.0 and the bound on the same instances as Table 17, each estimator alone in its own process during a quiet window. The comparison runs on the 77 of 78 EUC_2D instances that fall under the released code’s cap of 16,384 nodes on the dense distance matrix. The ms column is the median per-instance time and the accuracy beside it is a MAPE. $\times$ compares the bound’s time with GART 2.0’s: the ratio of the printed medians here and in the 2D and non-Euclidean tables, and the median of back-to-back per-instance ratios in the multidimensional table. Raw is the incumbent $\hat{w}_k$ and Cal. is $c_k \hat{w}_k$. Bold marks every cell both cheaper and more accurate than GART 2.0.

The calibrated bound dominates GART 2.0 on both cost and accuracy at an ascent budget of 25: 0.902 times the cost at 2.00% MAPE against 2.56%. The raw bound alone reaches parity at budget 50, at 1.46 times the cost and a margin of 0.00408 percentage points, with a paired win rate of 50.0%. Summed over the corpus instead of read as a median, the budget-25 pair costs 24.9 times as much, because the bound is cheap on the many small instances that set the median and expensive on the few large ones that set the total.

On the 23 smallest instances the calibrated bound at that same budget costs 0.159 times GART 2.0 at 1.69% MAPE against 2.01%, and even the raw bound reaches 22.2% lower error at 0.463 times the cost. The reversal is monotone in n .

The excluded instance is d18512, whose node count is above that cap, so the bound runs its coordinate kernel there instead. GART 2.0 predicts it in 237 ms.

G.2 Results on the 2D Diverse and Non-Euclidean Benchmarks

The raw bound passes GART 2.0 on the 2D diverse corpus (Table 15) under the Volgenant–Jonker step at a budget of 50, at 0.230 times the cost and a paired win rate of 54.8%; the calibrated row passes one budget earlier. The reversal is monotone in n and steeper than on TSPLIB (Section G.1), because this corpus reaches down to five nodes. On the 360 instances with $n \leq 10$, the raw bound at a budget of 25 reads 0.439% MAPE against GART 2.0’s 3.21% at 0.0699

Table 14: TSPLIB95 EUC_2D cost and accuracy by ascent budget over the 77 matched instances.

Row	$n \in [51, 150], N = 23$				$n \in [151, 400], N = 16$				$n > 400, N = 38$			
	ms	$\times$	Raw	Cal.	ms	$\times$	Raw	Cal.	ms	$\times$	Raw	Cal.
GART 2.0	3.73	1.00	2.01		4.55	1.00	2.38		18.3	1.00	2.97	
$k = 0$	0.195	0.0522	11.8	3.12	0.446	0.0979	11.3	3.59	24.5	1.34	9.13	4.01
$k = 10$	0.371	0.0996	8.47	2.04	0.911	0.200	9.85	3.76	43.9	2.40	7.63	2.53
$k = 25$	0.592	0.159	2.91	1.69	1.59	0.349	4.84	3.09	72.5	3.97	3.48	1.72
$k = 50$	0.958	0.257	2.09	1.68	2.79	0.614	3.82	3.03	122	6.65	2.31	1.56
$k = 100$	1.72	0.463	1.56	1.20	5.16	1.13	2.97	2.29	222	12.2	1.96	1.33
$k = 200$	3.22	0.863	1.57	1.22	10.1	2.22	2.96	2.28	428	23.4	1.88	1.26
$k = 500$	7.88	2.11	0.971	0.742	25.7	5.64	1.93	1.42	1,120	61.3	1.62	1.12

Table 15: 2D diverse cost and accuracy by ascent budget, all 2,580 instances, both step rules.

Row	Volgenant–Jonker step				Polyak step			
	ms	$\times$	Raw	Cal.	ms	$\times$	Raw	Cal.
GART 2.0					5.00 ms at $1.00\times$; 2.89% MAPE			
$k = 0$	0.230	0.0460	13.9	5.65	0.308	0.0616	13.9	5.65
$k = 10$	0.436	0.0872	8.35	4.26	0.492	0.0984	10.6	6.87
$k = 25$	0.704	0.141	3.61	2.56	0.729	0.146	7.52	6.39
$k = 50$	1.15	0.230	2.70	2.33	1.12	0.224	5.53	4.98
$k = 100$	2.05	0.409	2.05	1.76	1.88	0.376	3.19	2.79
$k = 200$	3.95	0.790	1.88	1.62	3.36	0.671	1.88	1.65
$k = 500$	9.42	1.88	1.27	1.10	7.15	1.43	1.45	1.33

times the cost, winning 95.0% of the paired comparisons. On the 610 instances with $n > 500$, nothing dominates: the raw bound is more accurate only at the top budget, and there it costs 26.1 times as much.

On the non-Euclidean corpus (Table 16), the estimator needs the MDS embedding of Section 6 while the bound reads the distance matrix directly. Over the 29 instances both methods score, GART 2.0 costs 4.88 ms, of which the embedding is 9.21%, at 3.81% MAPE. The Polyak step at a budget of 500 reaches 0.509% MAPE at 0.693 times that cost, winning all 29 paired comparisons; at a budget of 200 it reads 0.762% for 0.339 times the cost, again on every instance. The cheapest domination by a raw bound row anywhere in this study is here: the Volgenant–Jonker step at a budget of 25 costs 0.0648 times GART 2.0 and reads 2.95% against 3.81%.

The two step rules do not order the same way on the two corpora. Volgenant–Jonker leads Polyak at every 2D budget that runs an ascent except 200, where the two are separated by half a hundredth of a percentage point; the gap is widest at a budget of 25, 3.61% against 7.52%. Polyak leads from a budget of 200 on the non-Euclidean corpus, 0.762% against 1.23%.

The timing sessions behind the 2D diverse and non-Euclidean tables did not run on a quiet machine. Re-timing the TSPLIB EUC_2D instances against their published per-instance quiet-window costs puts GART 2.0 at 1.48 times its published cost and the bound at 1.10 to 1.14 times, so every cost multiple above is between 0.740 and 0.768 of its quiet-machine value. Correcting for that costs one domination, the raw Volgenant–Jonker row at a budget of 200 on the 2D corpus, whose 0.790 becomes 1.03.

H TSPLIB95 EUC_2D Benchmark by Size

Table 16: Non-EUC_2D TSPLIB95 cost and accuracy by ascent budget over the 29 instances both methods score, nine of which violate the triangle inequality; the planar c_k makes the Cal. columns indicative only.

Row	Volgenant–Jonker step				Polyak step			
	ms	×	Raw	Cal.	ms	×	Raw	Cal.
GART 2.0	4.88 ms at $1.00\times$; 3.81% MAPE							
$k = 0$	0.0327	0.00670	15.6	6.18	0.0518	0.0106	15.6	6.18
$k = 10$	0.170	0.0348	8.15	3.19	0.159	0.0327	10.1	5.48
$k = 25$	0.316	0.0648	2.95	1.78	0.280	0.0574	6.50	5.05
$k = 50$	0.556	0.114	1.78	1.44	0.488	0.100	3.82	3.13
$k = 100$	1.10	0.225	1.27	1.04	0.915	0.187	1.99	1.59
$k = 200$	2.15	0.441	1.23	1.02	1.66	0.339	0.762	0.581
$k = 500$	5.27	1.08	1.14	0.995	3.38	0.693	0.509	0.492

Table 17: TSPLIB95 EUC_2D benchmark; within each bucket rows are ordered by SDPE.

n range	Estimator	SDPE (%) [95% CI]	MAPE (%)	[Median] (%)	MSPE (%)	R_α^2	Time (ms)
$n \in [51, 150]$ Count=23	GART 2.0	2.63 [1.34, 3.58]	2.01	1.22	1.47	0.580	3.64
	$L_{\text{MST}} (\alpha = 1)$	3.77 [2.51, 4.50]	13.4	12.7	−13.4	−9.54	1.68
	Asymptotic MST ratio	4.24 [2.82, 5.07]	3.55	2.13	−2.58	−0.395	1.16
	Calibrated MST ratio $\hat{\rho}(d, n)$	4.68 [3.07, 5.68]	4.09	3.93	1.04	−0.176	1.14
	GART 1.0	5.64 [3.58, 7.19]	5.44	3.92	4.07	−1.31	4.05
	Custom Hilbert sort	11.5 [8.20, 13.9]	39.9	38.9	39.9	—	0.656
$n \in [151, 400]$ Count=16	GART 2.0	2.86 [1.95, 3.51]	2.38	2.50	1.51	0.706	4.51
	$L_{\text{MST}} (\alpha = 1)$	4.82 [2.13, 6.65]	12.4	11.6	−12.4	−4.80	2.33
	Calibrated MST ratio $\hat{\rho}(d, n)$	5.37 [2.49, 7.39]	3.73	2.43	0.0110	0.0491	1.91
	Asymptotic MST ratio	5.42 [2.39, 7.48]	3.39	1.27	−1.41	−0.0879	1.84
	GART 1.0	5.53 [3.93, 6.54]	5.92	4.46	4.93	−0.497	5.03
	Custom Hilbert sort	7.35 [3.56, 10.4]	44.2	42.4	44.2	—	1.44
$n > 400$ Count=39	GART 2.0	3.05 [2.32, 3.62]	2.90	1.98	2.68	−0.0710	20.5
	$L_{\text{MST}} (\alpha = 1)$	3.58 [2.84, 4.17]	9.74	9.39	−9.74	−6.45	9.55
	Calibrated MST ratio $\hat{\rho}(d, n)$	3.95 [3.13, 4.60]	3.54	3.24	1.75	−0.122	9.52
	Asymptotic MST ratio	4.03 [3.20, 4.70]	3.57	3.15	1.57	−0.132	9.27
	GART 1.0	7.64 [6.07, 8.92]	11.2	9.66	11.2	−10.7	18.4
	Custom Hilbert sort	12.6 [9.60, 15.7]	48.7	47.0	48.7	—	9.14
Total Count=78	GART 2.0	2.92 [2.40, 3.38]	2.53	1.87	2.08	0.484	6.12
	$L_{\text{MST}} (\alpha = 1)$	4.21 [3.30, 4.99]	11.4	11.6	−11.4	−5.59	3.08
	Calibrated MST ratio $\hat{\rho}(d, n)$	4.48 [3.59, 5.32]	3.74	3.18	1.18	0.0872	2.62
	Asymptotic MST ratio	4.74 [3.72, 5.62]	3.53	2.67	−0.268	−0.0103	2.57
	GART 1.0	7.45 [6.24, 8.46]	8.43	6.51	7.80	−3.58	6.12
	Custom Hilbert sort	11.9 [9.86, 13.6]	45.2	44.6	45.2	—	2.64

I Trained Hyperparameters and Booster Statistics

Optuna’s tree-structured Parzen estimator (TPE) ran 200 trials against in-distribution validation; the tuned booster reaches 0.611% on the multidimensional test split against 0.623% for the frozen hyperparameters, and 2.64% against 2.47% on TSPLIB EUC_2D. Both boosters are unconstrained and trained on the logit target, so the monotone constraint of the released model does not enter the difference.

Table 18: GART 2.0 hyperparameters and trained-model statistics; the hyperparameter block is inherited and frozen.

Group	Parameter	Value
<i>Hyperparameters (inherited, frozen, not tuned)</i>		
<i>Tree structure</i>	num leaves	148
	min child samples	23
	feature fraction	0.548
	bagging fraction / freq	0.609 / 6
<i>Optim. & reg.</i>	learning rate	0.0260
	L1 regularization	7.76×10^{-2}
	L2 regularization	1.19×10^{-5}
<i>Training configuration</i>		
<i>Training setup</i>	boosting type	gbdt
	objective	regression_l2 (squared error)
	early-stopping patience	100
	random seed	42
<i>Trained-booster statistics</i>		
<i>Booster</i>	trees (after early stop)	1,118
	avg leaves / tree	147.80
	max leaves / tree	148
	avg tree depth	11.83
	max tree depth	40

J MDS Embedding for Non-Euclidean Instances

Normalized distance stress is $\sqrt{\sum_{i < j} (D_{ij} - \hat{D}_{ij})^2 / \sum_{i < j} D_{ij}^2}$, where $\hat{D}_{ij}$ is the Euclidean distance induced by the retained MDS coordinates, and correlation is the Pearson correlation between the same distance vectors. CEIL_2D stress measures only integer-ceiling distortion, on a sample of 100,000–1,000,000 pairs; other rows use all pairs. The Below-target column of Table 19 counts the five instances the $\kappa = 100$ cap stops short of 99.9% eigenvalue mass: att532, pa561, si175, si535, and si1032.

Table 19: Embedding diagnostics on the 23 screened instances; medians with [minimum, maximum].

Distance type	N	κ range	Normalized stress	Distance correlation	Below target
CEIL_2D	4	2	0.0000 [0.0000, 0.0000]	1.00000 [1.00000, 1.00000]	0
ATT	2	6–100	0.0028 [0.0007, 0.0048]	0.99999 [0.99998, 1.00000]	1
GEO	10	2–61	0.0207 [0.0005, 0.2363]	0.99951 [0.96944, 1.00000]	0
EXPLICIT screened	7	10–100	0.0198 [0.0041, 0.1208]	0.99954 [0.99598, 0.99999]	4

Distortion varies substantially within type, maximum stress 0.236 for GEO against 0.121 for screened EXPLICIT, so we do not attribute between-type accuracy differences to the distance label alone.