

Correction TP08

Matière : ATELIER DEVELOPPEMENT MOBILE

Classes : SEM21

AppelTel**AndroidManifest.xml**

```
<uses-permission android:name="android.permission.CALL_PHONE" />
```

MainActivity

```
package com.appel
```

```
//imports
```

```
class MainActivity : AppCompatActivity() {
    private lateinit var amb: ActivityMainBinding
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        // Centralisation totale
        initGraphique()
    }
    private fun initGraphique() {
        // 1. Initialisation du binding
        amb = ActivityMainBinding.inflate(layoutInflater)
        setContentView(amb.root)
        // 2. Initialisation des composants et événements
        ajouterEcouteur()
    }
    private fun ajouterEcouteur() {
        amb.btnAppeler.setOnClickListener {
            appeler()
        }
    }
    override fun onRequestPermissionsResult(
        requestCode: Int,
        permissions: Array<out String>,
        grantResults: IntArray
    ) {
        super.onRequestPermissionsResult(requestCode, permissions, grantResults)
        if (requestCode == 101 && grantResults.isNotEmpty()) {
            if (grantResults[0] == PackageManager.PERMISSION_GRANTED) {
                appeler()
            }
        }
    }
    protected fun appeler() {
        val numero = amb.edNumero.text.toString()
        if (numero.isNotBlank()) {
            if (ActivityCompat.checkSelfPermission(this, Manifest.permission.CALL_PHONE) !=
                PackageManager.PERMISSION_GRANTED) {
                ActivityCompat.requestPermissions(this, arrayOf(Manifest.permission.CALL_PHONE), 101)
                return
            }
            val intent = Intent(Intent.ACTION_CALL).apply {
                data = Uri.parse("tel:$numero")
            }
            startActivity(intent)
        }
    }
}
```

AndroidManifest.xml

```
<uses-permission android:name="android.permission.SEND_SMS" />
<uses-permission android:name="android.permission.READ_PHONE_STATE" />
```

MainActivity

```
package com.sms
```

```
//imports
```

```
class MainActivity : AppCompatActivity() {

    private lateinit var amb: ActivityMainBinding

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        initGraphique()
    }

    private fun initGraphique() {
        // Initialisation du View Binding
        amb = ActivityMainBinding.inflate(layoutInflater)
        setContentView(amb.root)

        ajouterEcouteur()
    }

    private fun ajouterEcouteur() {
        amb.btnEnvoyer.setOnClickListener {
            envoyer()
        }
    }

    override fun onRequestPermissionsResult(
        requestCode: Int,
        permissions: Array<out String>,
        grantResults: IntArray
    ) {
        super.onRequestPermissionsResult(requestCode, permissions, grantResults)
        if (requestCode == 102 && grantResults.isNotEmpty()) {
            if (grantResults[0] == PackageManager.PERMISSION_GRANTED) {
                envoyer()
            }
        }
    }
}
```

```

protected fun envoyer() {
    val numero = amb.edNumero.text.toString()
    val corps = amb.edCorps.text.toString()

    if (numero.length >= 8 && corps.isNotBlank()) {
        // Vérification des permissions (SMS et Phone State)
        if (ActivityCompat.checkSelfPermission(this, Manifest.permission.SEND_SMS) !=
PackageManager.PERMISSION_GRANTED) {
            ActivityCompat.requestPermissions(
                this,
                arrayOf(Manifest.permission.SEND_SMS, Manifest.permission.READ_PHONE_STATE),
                102
            )
            return
        }

        try {
            // Utilisation de la méthode moderne pour récupérer le SmsManager
            val smsManager: SmsManager = this.getSystemService(SmsManager::class.java)
            smsManager.sendTextMessage(numero, null, corps, null, null)

            // Réinitialisation de l'interface
            amb.edNumero.text.clear()
            amb.edCorps.text.clear()
            amb.edNumero.requestFocus()

            Toast.makeText(this, "SMS envoyé !", Toast.LENGTH_SHORT).show()
        } catch (e: Exception) {
            Toast.makeText(this, "Erreur lors de l'envoi", Toast.LENGTH_SHORT).show()
            e.printStackTrace()
        }
    } else {
        Toast.makeText(this, "Entrez le numéro et le corps SVP!", Toast.LENGTH_SHORT).show()
    }
}
}

```