Memory Tables

Table 2-2 Standard Input, Output, and Error Overview

Name	Default Destination	Use in Redirection	File Descriptor Number
	Computer keyboard	< (same as 0<)	0
	Computer monitor	> (same as 1>)	1
STDERR		2>	2

Table 2-3 Common Bash Redirectors

Redirector	Explanation
(same as 1>)	Redirects STDOUT. If redirection is to a file, the current contents of that file are overwritten.
(same as 1>>)	Redirects STDOUT in append mode. If output is written to a file, the output is appended to that file.
	Redirects STDERR.
	Redirects STDERR to the same destination as STDOUT. Notice that this has to be used in combination with normal output redirection, as in ls whuhiu > errout 2>&1 .
(same as 0<)	Redirects STDIN.

Table 2-4 vim Essential Commands

vim Command	Explanation		
	Switches from input mode to command mode. Press this key before typing any command.		
	Switches from command mode to input mode at (i) or after (a) the current cursor position.		
	Opens a new line below the current cursor position and goes to input mode.		
	Writes the current file and quits.		

vim Command	Explanation		
	Quits the file without applying any changes. The ! forces the command to do its work. Add the ! only if you really know what you are doing.		
	Writes the current file with a new filename.		
	Deletes the current line and places the contents of the deleted line into memory.		
	Copies the current line.		
	Pastes the contents that have been cut or copied into memory.		
	Enters visual mode, which allows you to select a block of text using the arrow keys. Use d to cut the selection or y to copy it.		
	Undoes the last command. Repeat as often as necessary.		
	Redoes the last undo. (Cannot be repeated more than once.)		
	Goes to the first line in the document.		
	Goes to the last line in the document.		
	Searches for text from the current cursor position forward.		
	Searches for text from the current cursor position backward.		
	Goes to the first position in the current line.		
	Goes to the last position in the current line.		
	Adds the output of ls (or any other command) in the current file.		
	Replaces all occurrences of old with new.		

Table 3-2 FHS Overview

Directory	Use			
/				
/boot				
/dev				
/etc				
/home				
/media, /mnt				

Directory	Use	
/opt		
/proc		
/root		
/run		
/srv		
/sys		
/tmp		
/usr		
/var		

 Table 4-2
 Essential Tools for Managing Text File Contents

Command	Explanation	
	Opens the text file in a pager, which allows for easy reading	
	Dumps the contents of the text file on the screen	
	Shows the top of the text file	
	Shows the bottom of the text file	
	Used to filter specific columns or characters from a text file	
	Sorts the contents of a text file	
	Counts the number of lines, words, and characters in a text file	

 Table 4-3
 Most Significant Regular Expressions

	ine that starts with specified text.
M-4-11	1
Matches	ine that ends with specified text.
Wildcard	. (Matches any single character.)
Matches a	<i>i</i> , <i>b</i> , or <i>c</i> .

Regular Expression	Use
	Extended regular expression that matches zero or one of the preceding character.
	Extended regular expression that matches one or more of the preceding character.
	Matches zero to an infinite number of the previous character.
	Matches exactly two of the previous character.
	Matches a minimum of one and a maximum of three of the previous character.
	Matches zero or one of the previous character. This makes the previous character optional, which in this example would match both <i>color</i> and <i>colour</i> .
	Used to group multiple characters so that the regular expression can be applied to the group.

 Table 4-4
 Most Useful grep Options

Option	Use
	Matches upper- and lowercase letters (i.e., not case sensitive).
	Shows only lines that do <i>not</i> contain the regular expression.
	Searches files in the current directory and all subdirectories.
	Searches for lines matching more than one regular expression. Use -e before each regular expression you want to use.
	Interprets the search pattern as an extended regular expression.
	Shows <number> of lines after the matching regular expression.</number>
	Shows <number> of lines before the matching regular expression.</number>

 Table 5-2
 Common ssh Options

Option	Use	
	Verbose; shows in detail what is happening while establishing the connection	
	Enables support for graphical applications	
	Used to connect to an SSH service that is not listening on the default port 22	

Table 5-3 Common rsync Options

Option	Use
	Synchronizes the entire directory tree
	Copies symbolic links as symbolic links
	Preserves permissions
	Performs only a dry run, not actually synchronizing anything
	Uses archive mode, thus ensuring that entire subdirectory trees and all file properties will be synchronized
	Uses archive mode, and in addition synchronizes ACLs
	Synchronizes SELinux context as well

Table 6-2 Methods to Run Tasks with Elevated Permissions

Method	Description
	Opens a subshell as a different user, with the advantage that commands are executed as root only in the subshell
	Allows authorized users to work with administrator privileges
	Enables you to set up graphical utilities to run with administrative privileges

Table 7-2 Use of Read, Write, and Execute Permissions

Permission	Applied to Files	Applied to Directories
Read		
Write		
Execute		

 Table 7-3
 Numeric Representation of Permissions

Permission	Numeric Representation
Read	
Write	
Execute	

Table 7-4 Working with SUID, SGID, and Sticky Bit

Permission	Numeric Value	Relative Value	On Files	On Directories
SUID			User executes file with permissions of file owner.	No meaning.
SGID			User executes file with permissions of group owner.	Files created in directory get the same group owner.
Sticky bit			No meaning.	Prevents users from deleting files from other users.

Table 7-5 umask Values and Their Result

Value	Applied to Files	Applied to Directories
0		Everything
1	Read and write	
2	Read	
3		Read
4	Write	
5	Write	
6	Nothing	
7		Nothing

 Table 8-2
 Binary-Decimal Conversion Overview

Binary Value	Decimal Value	
	0	
	32	
	64	
	96	
	128	
	160	
	192	
	224	

Table 9-2 Key Options in .repo Files

Option	Explanation		
	Contains the label used as an identifier in the repository file.		
Mandatory option that specifies the name of the repository.			
	Optional parameter that refers to a URL where information about mirror servers for this server can be obtained. Typically used for big online repositories only.		
	Mandatory option that refers to the base URL where the RPM packages are found.		
	Set to 1 if a GNU Privacy Guard (GPG) integrity check needs to be performed on the packages. If set to 1, a GPG key is required.		
	Specifies the location of the GPG key that is used to check package integrity.		

Table 9-3 Common dnf Tasks

Task	Explanation		
	Search packages for a string that occurs in the package name or summary.		
	Search packages for a string that occurs in the package name, summary, or description.		
	Perform a deep search in the package to look for specific files within the package.		
	Provide more information about the package.		
	Install the package.		
	Remove the package.		
	List all or installed packages.		
	List package groups.		
	Install all packages from a group.		
	Update packages specified.		
	Remove all stored metadata.		

 Table 9-4
 dnf Module Terminology

Item	Explanation
	The default package format. Contains files, as well as metadata that describes how to install the files. Optionally may contain pre- and post-installation scripts as well.
	A delivery mechanism to install RPM packages. In a module, different versions and profiles can be provided.
	A specific version of the module.
	A collection of packages that are installed together for a particular use case.

 Table 9-5
 Common RPM Query Commands

Command	Description
	Uses a filename as its argument to find the specific RPM package a file belongs to.
	Uses the RPM database to provide a list of files in the RPM package.
	Uses the RPM database to provide package information (equivalent to yum info).
	Uses the RPM database to show all documentation that is available in the package.
	Uses the RPM database to show all configuration files that are available in the package.
	Uses the RPM database to show scripts that are used in the package. This is particularly useful if combined with the -p option.
	The -p option is used with all the previously listed options to query individual RPM package files instead of the RPM package database. Using this option before installation helps you find out what is actually in the package before it is installed.
	Shows dependencies for a specific package.
	Shows which parts of a specific package have been changed since installation.
	Verifies all installed packages and shows which parts of the package have been changed since installation. This is an easy and convenient way to do a package integrity check.
	Lists all packages that are installed on this server.

Table 10-2 Job Management Overview

Command	Use
Starts the command immediately in the background.	
Stops the job temporarily so that it can be managed. For instance, it moved to the background.	
	Sends the EOF character to the current job to indicate that it should stop waiting for further input.
	Can be used to cancel the current interactive job.
	Continues the job that has just been frozen using Ctrl-Z in the background.
	Brings back to the foreground the last job that was moved to background execution.
	Shows which jobs are currently running from this shell. Displays job numbers that can be used as an argument to the commands bg and fg .

Table 10-3 Linux Process States Overview

State	Meaning	
	The process is currently active and using CPU time, or in the queue of runnable processes waiting to get services.	
	The process is waiting for an event to complete.	
	The process is in a sleep state that cannot be stopped. This usually happens while a process is waiting for I/O.	
	The process has been stopped, which typically has happened to an interactive shell process, using the Ctrl-Z key sequence.	
	The process has been stopped but could not be removed by its parent, which has put it in an unmanageable state.	

Table 10-4 tuned Profile Overview

Profile	Use
	The best compromise between power usage and performance
	Based on the balanced profile, but tuned for better response to interactive applications
	Tuned for maximum throughput
	Based on latency-performance, but with additional options to reduce network latency

Profile	Use
	Based on throughput-performance, optimizes older CPUs for streaming content
	Tunes for maximum power saving
	Tunes for maximum throughput
	Optimizes Linux for running as a virtual machine
	Optimizes Linux for use as a KVM host

Table 11-2 Systemd Status Overview

Status	Description
	The unit file has been processed and the unit is active.
	The unit is running with one or more active processes.
	The unit has successfully completed a one-time run.
	The unit is running and waiting for an event.
	The unit is not running.
	The unit will be started at boot time.
	The unit will not be started at boot time.
	The unit cannot be enabled but may be started by another unit automatically.

Table 11-3 systemctl Unit Overview Commands

Command	Description
	Shows only service units
	Shows all active service units (same result as the previous command)
	Shows inactive service units as well as active service units
	Shows all services that have failed
	Shows detailed status information about services

Table 13-2 System Log Files Overview

Log File	Explanation
	This is the most commonly used log file; it is the generic log file where most messages are written to.
	Contains kernel log messages.
	Contains authentication-related messages. Look here to see which authentication errors have occurred on a server.
	Contains messages that are related to system startup.
	Contains audit messages. SELinux writes to this file.
	Contains mail-related messages.
	Contains log files that are written by the Apache web server (if it is installed). Notice that Apache writes messages to these files directly and not through rsyslog.

Table 13-4 rsyslogd Facilities

Facility	Used by
	Messages related to authentication.
	Messages generated by the crond service.
	Generic facility that can be used for nonspecified daemons.
	Kernel messages.
	Messages generated through the legacy lpd print system.
	Email-related messages.
	Special facility that can be used to write a marker periodically.
	Messages generated by the NNTP news system.
	Same as auth/authpriv. Should not be used anymore.
	Messages generated by the syslog system.
	Messages generated in user space.
	Messages generated by the legacy UUCP system.
	Messages generated by services that are configured by any of the local0 through local7 facilities.

 Table 13-5
 rsyslogd Priorities

Priority	Description
	Debug messages that will give as much information as possible about service operation.
	Informational messages about normal service operation.
	Informational messages about items that might become an issue later.
	Something is suboptimal, but there is no real error yet.
	A noncritical error has occurred.
	A critical error has occurred.
	Message used when the availability of the service is about to be discontinued.
	Message generated when the availability of the service is discontinued.

 Table 14-3
 Common Disk Device Types

Device Name	Description
/dev/sda	A hard disk that uses the SCSI driver. Used for SCSI and SATA disk devices. Common on physical servers but also in VMware virtual machines.
	The first hard disk on an NVM Express (NVMe) interface. NVMe is a server-grade method to address advanced SSD devices. Note at the end of the device name that the first disk in this case is referred to as $n1$ instead of a (as is common with the other types).
	The (legacy) IDE disk device type. You will seldom see this device type on modern computers.
	A disk in a KVM virtual machine that uses the virtio disk driver. This is the common disk device type for KVM virtual machines.
	A disk in a Xen virtual machine that uses the Xen virtual disk driver. You see this when installing RHEL as a virtual machine in Xen virtualization. RHEL 9 cannot be used as a Xen hypervisor, but you might see RHEL 9 virtual machines on top of the Xen hypervisor using these disk types.

 Table 14-4
 File System Overview

File System	Description
	The default file system in RHEL 9.
	The default file system in previous versions of RHEL; still available and supported in RHEL 9.

The previous version of Ext4. On RHEL 9, there is no need to use Ext3 anymore.
A very basic file system that was developed in the early 1990s. There is no need to use this file system on RHEL 9 anymore.
A relatively new file system that is not supported in RHEL 9.
A Windows-compatible file system that is not supported on RHEL 9.
A file system that offers compatibility with Windows and macOS and is the functional equivalent of the FAT32 file system. Useful on USB thumb drives that exchange data with other computers but not on a server's hard disks.

Table 14-5 /etc/fstab Fields

Field	Description
	The device that must be mounted. A device name, UUID, or label can be used.
	The directory or kernel interface where the device needs to be mounted.
	The file system type.
	Mount options.
	Use 1 to enable support to back up using the dump utility. This may be necessary for some backup solutions.
	This field specifies whether the file system should be checked automatically when booting. Use 0 to disable automated check, 1 if this is the root file system and it has to be checked automatically, and 2 for all other file systems that need automatic checking while booting. Network file systems should have this option set to 0.

 Table 14-6
 Common Mount Options

Option	Use
	Mounts/does not mount the file system automatically.
	Adds support for file system access control lists (see Chapter 7, "Permissions Management").
	Adds support for user-extended attributes (see Chapter 7).
	Mounts the file system in read-only mode.
	Disables/enables access time modifications.
	Denies/allows execution of program files from the file system.

Table 15-2 LVM Management Essential Commands

Command	Explanation
	Creates physical volumes
	Shows a summary of available physical volumes
	Shows a list of physical volumes and their properties
	Removes the physical volume signature from a block device
	Creates volume groups
	Shows a summary of available volume groups
	Shows a detailed list of volume groups and their properties
	Removes a volume group
	Creates logical volumes
	Shows a summary of all available logical volumes
	Shows a detailed list of available logical volumes and their properties
	Removes a logical volume

Chapter 16

 Table 16-2
 Linux Kernel Module Management Overview

Command	Use
	Lists currently loaded kernel modules
	Displays information about kernel modules
	Loads kernel modules, including all of their dependencies
	Unloads kernel modules, considering kernel module dependencies

Table 18-2 Boot Phase Configuration and Troubleshooting Overview

Boot Phase	Configuring It	Fixing It
	Hardware configuration (F2, Esc, F10, or another key).	Replace hardware.
	BIOS/UEFI configuration or hardware boot menu.	Replace hardware or use rescue system.

grub2-install and edits to /etc/ defaults/grub.	Use the GRUB boot prompt and edits to /etc/defaults/grub, followed by grub2-mkconfig.
Edits to the GRUB configuration and /etc/ dracut.conf.	Use the GRUB boot prompt and edits to /etc/defaults/grub, followed by grub2-mkconfig.
Compiled into initramfs.	Use the init= kernel boot argument, rd.break kernel boot argument.
Compiled into initramfs.	Use the dracut command. (You won't often have to troubleshoot this.)
Edits to the /etc/fstab file.	Apply edits to the /etc/fstab file.
Using systemctl set-default to create the /etc/systemd/system/ default.target symbolic link	Start the rescue.target as a kernel boot argument.

 Table 20-2
 Most Useful sshd Configuration Options

Option	Use	
	Defines the TCP listening port.	
	Indicates whether to allow or disallow root login.	
	Specifies the maximum number of authentication tries. After reaching half of this number, failures are logged to syslog.	
	Indicates the maximum number of sessions that can be open from one IP address.	
	Specifies a space-separated list of users who are allowed to connect to the server.	
	Specifies whether to allow password authentication. This option is on by default.	
	Specifies whether or not to clean up inactive TCP connections.	
	Specifies the interval, in seconds, that packets are sent to the client to figure out if the client is still alive.	
	Specifies the number of client alive packets that need to be sent.	
	If on, uses DNS name lookup to match incoming IP addresses to names.	

Option	Use
	Specifies the interval, in seconds, that a client sends a packet to a server to keep connections alive.
	Specifies the maximum number of packets a client sends to a server to keep connections alive.

 Table 22-2
 SELinux Core Elements

Element	Use
	A collection of rules that define which source has access to which target.
	The object that is trying to access a target. Typically a user or a process.
	The thing that a source domain is trying to access. Typically a file or a port.
	A security label that is used to categorize objects in SELinux.
	A specific part of the policy that determines which source domain has which access permissions to which target domain.
	Also referred to as context label, defined to determine which source domain has access to which target domain.

 Table 23-2
 Firewalld Default Zones

Zone Name	Default Settings	
	Incoming network connections are rejected with an "icmp-host-prohibited" message. Only network connections that were initiated on this system are allowed.	
	For use on computers in the demilitarized zone. Only selected incoming connections are accepted, and limited access to the internal network is allowed.	
	Any incoming packets are dropped and there is no reply.	
Translation [NAT]) e	For use on external networks with masquerading (Network Address Translation [NAT]) enabled, used especially on routers. Only selected incoming connections are accepted.	
	For use with home networks. Most computers on the same network are trusted, and only selected incoming connections are accepted.	

Zone Name	Default Settings	
	For use in internal networks. Most computers on the same network are trusted, and only selected incoming connections are accepted.	
	For use in public areas. Other computers in the same network are not trusted, and limited connections are accepted. This is the default zone for all newly created network interfaces.	
	All network connections are accepted.	
	For use in work areas. Most computers on the same network are trusted, and only selected incoming connections are accepted.	

Table 23-3 Common firewall-cmd Options

firewall-cmd Option	Explanation
	Lists all available zones
	Shows the zone currently set as the default zone
	Changes the default zone
	Shows all available services
	Shows services currently in use
	Adds a service to the current default zone or the zone that is specified
	Removes a service from the configuration
	Shows configuration for all zones
	Adds a port and protocol
	Removes a port from the configuration
	Adds an interface to the default zone or a specific zone that is specified
	Removes an interface from a specific zone
	Adds a specific IP address
	Removes an IP address from the configuration
	Writes configuration to disk and not to runtime
	Adds the current runtime configuration to the permanent configuration
	Reloads the on-disk configuration
	Reloads the on-disk configuration

 Table 25-2
 Understanding Linux Time

Concept	Explanation
	The hardware clock that resides on the main card of a computer system
	Same as the hardware clock
	The time that is maintained by the operating system
	Similar to system time
	A worldwide standard time
	Calculation that is made to change time automatically when DST changes occur
	The time that corresponds to the time in the current time zone

 Table 25-3
 Commands Related to RHEL 9 Time Management

Command	Short Description
	Manages local time
	Manages hardware time
	Developed to manage all aspects of time on RHEL 9

Table 25-4 timedatectl Command Overview

Command	Explanation
	Shows current time settings
	Sets the current time
	Sets the current time zone
	Shows a list of all time zones
	Controls whether the RTC (hardware clock) is in local time
	Controls whether NTP is enabled