



UTM

UNIVERSITI TEKNOLOGI MALAYSIA

FACULTY OF COMPUTING

SEMESTER 1

2024/2025

SECP25233-01 DATABASE (WBL)

LECTURER: DR. ROZILAWATI BINTI DOLLAH

LAB ASSIGNMENT (DDL & DML) - INDIVIDUAL TASK

NAME	MATRIC NUMBER
SAFIYA NURSYAHADAH BINTI MASNOOR	A23CS0176

1.0 Membership Application Module DDL

1.1 CREATE TABLE applicant

```
CREATE TABLE `applicant` (  
  `staffNo` int(5) NOT NULL,  
  `photo` longblob NOT NULL,  
  `applicantName` varchar(255) NOT NULL,  
  `applicantIC` varchar(12) NOT NULL,  
  `applicantPF` bigint(10) NOT NULL,  
  `applicantStreet` varchar(200) NOT NULL,  
  `applicantPostcode` int(6) NOT NULL,  
  `applicantCity` varchar(100) NOT NULL,  
  `applicantState` varchar(100) NOT NULL,  
  `applicantGender` varchar(10) NOT NULL,  
  `applicantReligion` varchar(20) NOT NULL,  
  `applicantRace` varchar(20) NOT NULL,  
  `applicantPosition` varchar(50) NOT NULL,  
  `officeStreet` varchar(255) NOT NULL,  
  `officePostcode` int(6) NOT NULL,  
  `officeCity` varchar(100) NOT NULL,  
  `applicantPhoneNumber` varchar(15) NOT NULL,  
  `applicantDOB` date NOT NULL,  
  `applicantAge` int(5) NOT NULL,  
  `maritalStatus` varchar(15) NOT NULL,  
  `applicantGrade` varchar(10) NOT NULL,  
  `officeFax` varchar(15) NOT NULL,  
  `applicantPhoneHome` varchar(15) NOT NULL,  
  `applicantSalary` decimal(10,2) NOT NULL,  
  `salarySatement` longblob NOT NULL,  
  `email` varchar(50) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	staffNo 	int(5)			No	None			 Change  Drop  More
☐	2	photo	longblob			No	None			 Change  Drop  More
☐	3	applicantName	varchar(255)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	4	applicantIC	varchar(12)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	5	applicantPF	bigint(10)			No	None			 Change  Drop  More
☐	6	applicantStreet	varchar(200)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	7	applicantPostcode	int(6)			No	None			 Change  Drop  More
☐	8	applicantCity	varchar(100)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	9	applicantState	varchar(100)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	10	applicantGender	varchar(10)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	11	applicantReligion	varchar(20)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	12	applicantRace	varchar(20)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	13	applicantPosition	varchar(50)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	14	officeStreet	varchar(255)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	15	officePostcode	int(6)			No	None			 Change  Drop  More
☐	16	officeCity	varchar(100)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	17	applicantPhoneNumber	varchar(15)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	18	applicantDOB	date			No	None			 Change  Drop  More
☐	19	applicantAge	int(5)			No	None			 Change  Drop  More
☐	20	maritalStatus	varchar(15)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	21	applicantGrade	varchar(10)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	22	officeFax	varchar(15)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	23	applicantPhoneHome	varchar(15)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	24	applicantSalary	decimal(10,2)			No	None			 Change  Drop  More
☐	25	salaryStatement	longblob			No	None			 Change  Drop  More
☐	26	email 	varchar(50)	utf8mb4_general_ci		No	None			 Change  Drop  More

1.2 CREATE TABLE familyinfo

```
CREATE TABLE `familyinfo` (  
  `familyIC` varchar(20) NOT NULL,  
  `relationship` varchar(25) NOT NULL,  
  `familyName` varchar(255) NOT NULL,  
  `staffNo` int(5) NOT NULL,  
  `count` int(15) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 familyIC	 varchar(20)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	2 relationship	varchar(25)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	3 familyName	varchar(255)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	4 staffNo	 int(5)			No	None			 Change  Drop  More
☐	5 count	 int(15)			No	None			 Change  Drop  More

1.3 CREATE TABLE bankinfo

```
CREATE TABLE `bankinfo` (  
  `accountBankNumber` bigint(25) NOT NULL,  
  `bankAccountName` varchar(40) NOT NULL,  
  `bankStatement` longblob NOT NULL,  
  `staffNo` int(5) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 accountBankNumber	bigint(25)			No	None			 Change  Drop  More
☐	2 bankAccountName	varchar(40)	utf8mb4_general_ci		No	None			 Change  Drop  More
☐	3 bankStatement	longblob			No	None			 Change  Drop  More
☐	4 staffNo	  int(5)			No	None			 Change  Drop  More

1.4 CREATE TABLE savingtype

```
CREATE TABLE `savingtype` (  
  `feeMasuk` decimal(10,0) NOT NULL,  
  `modahSyer` decimal(10,0) NOT NULL,  
  `modalYuran` decimal(10,2) NOT NULL,  
  `wangDepositAnggota` decimal(10,2) NOT NULL,  
  `sumbanganTabung` decimal(10,2) NOT NULL,  
  `simpananTetap` decimal(10,2) NOT NULL,  
  `lainLain` decimal(10,2) NOT NULL,  
  `staffNo` int(5) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	feeMasuk	decimal(10,0)			No	None			Change Drop More
☐	2	modahSyer	decimal(10,0)			No	None			Change Drop More
☐	3	modalYuran	decimal(10,2)			No	None			Change Drop More
☐	4	wangDepositAnggota	decimal(10,2)			No	None			Change Drop More
☐	5	sumbanganTabung	decimal(10,2)			No	None			Change Drop More
☐	6	simpananTetap	decimal(10,2)			No	None			Change Drop More
☐	7	lainLain	decimal(10,2)			No	None			Change Drop More
☐	8	staffNo	int(5)			No	None			Change Drop More

2.0 Membership Application Module DML

2.1 INSERT INTO applicant

The INSERT INTO function is to insert the applicant information into the database.

```
$sql = "INSERT INTO applicant (staffNo, applicantName, applicantIC, applicantPF, applicantStreet, applicantPostcode, applicantCity, applicantState, applicantGender, applicantReligion, applicantRace, applicantPosition, officeStreet, officePostcode, officeCity, applicantPhoneNumber, applicantDOB, applicantAge, maritalStatus, applicantGrade, officeFax, applicantPhoneHome, applicantsSalary, email, photo, salaryStatement)
VALUES ('$sNo', '$aName', '$aIC', '$aPF', '$aStreet', '$aPostcode', '$aCity', '$aState', '$aGender', '$aReligion', '$aRace', '$aPosition', '$oStreet', '$oPostcode', '$oCity', '$aPhoneNo', '$aDOB', '$aAge', '$maritalStat', '$aGrade', '$oFax', '$aPhoneHome', '$aSalary', '$femail', '$photoPath', '$salaryStatementPath');"
```

staffNo	photo	applicantName	applicantIC	applicantPF	applicantStreet	applicantPostcode	applicantCity	applicantState	applicantGender
	[BLOB - 98.8 KiB]	aamin	040305120093	3344	NO15 JALAN KANTANSARI 3	48010	RAWANG	SELANGOR	LELAKI
applicantReligion	applicantRace	applicantPosition	officeStreet	officePostcode	officeCity	applicantPhoneNumber	applicantDOB		
ISLAM	MELAYU	KETUA	NO 11A JALAN KEMBOJASARI	48010	RAWANG	0175556666	2004-04-03		
applicantAge	maritalStatus	applicantGrade	officeFax	applicantPhoneHome	applicantSalary	salarySatement	email		
21	BUJANG	G41	0360214456		1234.00	[BLOB - 98.8 KiB]	kang@gmail.com		

2.2 INSERT INTO familyinfo

The INSERT INTO function is to insert the family information into the database.

```
$sql = "INSERT INTO familyinfo (staffNo, count, relationship, familyName, familyIC)
VALUES ('$sNo', '$fCount', '$relationship', '$name', '$ic_number');"
```

familyIC	relationship	familyName	staffNo	count
710204040090	IBU	ALIA	4433	1

2.3 INSERT INTO bankinfo

The INSERT INTO function is to insert the bank information into the database.

```
$sql = "INSERT INTO bankinfo (accountBankNumber, bankAccountName, staffNo, bankStatement)
VALUES ('$aBankNo', '$bName', '$sNo', '$newFileName');"
```

accountBankNumber	bankAccountName	bankStatement	staffNo
11223344678	AFFIN BANK	[BLOB - 98.8 KiB]	4433

2.4 INSERT INTO savingtype

The INSERT INTO function is to insert the savingtype into the database.

```
$sql = "INSERT INTO savingtype (staffNo, feeMasuk, modahSyer, modalYuran, wangDepositAnggota, sumbanganTabung, simpananTetap, lainLain)
VALUES ('$sNo', '$fMasuk', '$mSyer', '$mYuran', '$wangDepo', '$sumTabung', '$simTetap', '$dll')";
```

feeMasuk	1	modahSyer	modalYuran	wangDepositAnggota	sumbanganTabung	simpananTetap	lainLain	staffNo
	1	20	30.00	21.00	11.00	21.00	90.00	4433

3.0 Review Module DDL

3.1 CREATE TABLE admin

```
CREATE TABLE `admin` (  
  `staffNo` int(5) NOT NULL,  
  `email` varchar(50) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 staffNo	int(5)			No	None			Change Drop More
☐	2 email	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More

3.2 CREATE TABLE membership

```
CREATE TABLE `membership` (  
  `membershipStatus` int(3) NOT NULL,  
  `membershipApplyDate` date NOT NULL,  
  `membershipApproveDate` date DEFAULT NULL,  
  `membershipReviewDate` date DEFAULT NULL,  
  `staffNo` int(5) NOT NULL,  
  `alkStaffNo` int(5) DEFAULT NULL,  
  `adminStaffNo` int(5) DEFAULT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 membershipStatus	int(3)			No	None			Change Drop More
☐	2 membershipApplyDate	date			No	None			Change Drop More
☐	3 membershipApproveDate	date			Yes	NULL			Change Drop More
☐	4 membershipReviewDate	date			Yes	NULL			Change Drop More
☐	5 staffNo	int(5)			No	None			Change Drop More
☐	6 alkStaffNo	int(5)			Yes	NULL			Change Drop More
☐	7 adminStaffNo	int(5)			Yes	NULL			Change Drop More

3.3 CREATE TABLE status

```
CREATE TABLE `status` (  
  `status` int(3) NOT NULL,  
  `statusDesc` varchar(25) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;  
  
--  
-- Dumping data for table `status`  
--  
  
INSERT INTO `status` (`status`, `statusDesc`) VALUES  
(1, 'disemak'),  
(2, 'lulus'),  
(3, 'ditolak'),  
(4, 'Tidak Lengkap'),  
(5, 'Lengkap');
```

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	status 	int(3)			No	None			 Change  Drop  More
☐	2	statusDesc	varchar(25)	utf8mb4_general_ci		No	None			 Change  Drop  More

3.4 CREATE TABLE loan

```
CREATE TABLE `loan` (
  `loanID` int(5) NOT NULL,
  `loanAmount` decimal(10,2) NOT NULL,
  `loanDuration` int(2) NOT NULL,
  `loanStatus` int(3) NOT NULL,
  `monthlyPayment` decimal(10,2) NOT NULL,
  `bankName` varchar(30) NOT NULL,
  `accountBankNumber` bigint(25) NOT NULL,
  `applicantNetSalary` decimal(10,2) NOT NULL,
  `applicantBasicSalary` decimal(10,2) NOT NULL,
  `pengesahanMajikan` longblob NOT NULL,
  `loanApproveDate` date DEFAULT NULL,
  `staffNo` int(5) NOT NULL,
  `loanType` int(7) NOT NULL,
  `otherLoan` varchar(25) DEFAULT NULL,
  `loanReviewDate` date DEFAULT NULL,
  `loanApplyDate` date NOT NULL,
  `adminStaffNo` int(5) DEFAULT NULL,
  `alkStaffNo` int(5) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 loanID 🔑	int(5)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 loanAmount	decimal(10,2)			No	None			Change Drop More
☐	3 loanDuration	int(2)			No	None			Change Drop More
☐	4 loanStatus 🔑	int(3)			No	None			Change Drop More
☐	5 monthlyPayment	decimal(10,2)			No	None			Change Drop More
☐	6 bankName	varchar(30)	utf8mb4_general_ci		No	None			Change Drop More
☐	7 accountBankNumber	bigint(25)			No	None			Change Drop More
☐	8 applicantNetSalary	decimal(10,2)			No	None			Change Drop More
☐	9 applicantBasicSalary	decimal(10,2)			No	None			Change Drop More
☐	10 pengesahanMajikan	longblob			No	None			Change Drop More
☐	11 loanApproveDate	date			Yes	NULL			Change Drop More
☐	12 staffNo 🔑	int(5)			No	None			Change Drop More
☐	13 loanType 🔑	int(7)			No	None			Change Drop More
☐	14 otherLoan	varchar(25)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	15 loanReviewDate	date			Yes	NULL			Change Drop More
☐	16 loanApplyDate	date			No	None			Change Drop More
☐	17 adminStaffNo 🔑	int(5)			Yes	NULL			Change Drop More
☐	18 alkStaffNo 🔑	int(5)			Yes	NULL			Change Drop More

3.5 CREATE TABLE loantype

```
CREATE TABLE `loantype` (  
  `loanType` int(7) NOT NULL,  
  `loanName` varchar(30) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	loanType 	int(7)			No	None			 Change  Drop More
☐	2	loanName	varchar(30)	utf8mb4_general_ci		No	None			 Change  Drop More

4.0 Review Module DML

a) REVIEW MEMBERSHIP

4.1 SELECT staffNo, applicantName, membershipApplyDate, membershipStatus, membershipReviewDate, statusDesc

This function is to select staffNo, applicantName, membershipApplyDate, membershipStatus, membershipReviewDate from the applicant table and statusDesc from status table.

```
$sql = "SELECT
    applicant.staffNo,
    applicant.applicantName,
    membership.membershipApplyDate,
    membership.membershipStatus,
    membership.membershipReviewDate,
    status.statusDesc
FROM membership
LEFT JOIN applicant ON membership.staffNo = applicant.staffNo
LEFT JOIN status ON membership.membershipStatus = status.status";
```

staffNo	applicantName	membershipApplyDate	membershipStatus	membershipReviewDate	statusDesc
1005	RACHEL LIM	2025-01-19	1	NULL	disemak
1101	TASHA BINTI SHAHRUL	2025-01-19	1	NULL	disemak
1110	FARIHA BINTI ANUAR	2025-01-19	2	2025-01-19	lulus
1111	DAYANG FARAH BINTI ABANG IDHAM	2025-01-09	2	NULL	lulus
1234	NAWWARAH AUNI BINTI NAZRUDIN	2025-02-09	2	NULL	lulus
2222	NUR FARAH BINTI YUSOF	2025-03-09	1	NULL	disemak
3331	FATIN SUHAIMI BINTI AHMAD	2024-04-09	1	NULL	disemak
4441	HAIKAL IMAN BIN UMAI	2023-07-09	1	NULL	disemak
5551	IMRAN HAKIM BIN ISMAIL	2024-08-09	1	NULL	disemak
6661	SAFIYA ALI BINTI AIMAN	2025-01-09	1	NULL	disemak
7771	SUFIAN SUHAIMI BIN AMRI	2025-01-09	1	NULL	disemak

4.2 SELECT staffNo, applicantName, applicantIC, applicantPF, applicantStreet, applicantPostcode, applicantCity, applicantState, applicantGender, applicantReligion, applicantRace, applicantPosition, officeStreet, officePostcode, officeCity, applicantPhoneNumber, applicantDOB, applicantAge, maritalStatus, applicantGrade, officeFax, applicantPhoneHome, applicantSalary, photo, salaryStatement

This function is to select applicant information from the applicant table to be displayed in membership form.

```
$sql = "SELECT
    staffNo, applicantName, applicantIC, applicantPF, applicantStreet,
    applicantPostcode, applicantCity, applicantState, applicantGender,
    applicantReligion, applicantRace, applicantPosition, officeStreet,
    officePostcode, officeCity, applicantPhoneNumber, applicantDOB,
    applicantAge, maritalStatus, applicantGrade, officeFax,
    applicantPhoneHome, applicantSalary, photo, salaryStatement
FROM applicant
WHERE staffNo = ?";
```

staffNo	applicantName	applicantIC	applicantPF	applicantStreet	applicantPostcode	applicantCity	applicantState	applicantGender
1110	FARIHA BINTI ANUAR	0828093042	1011	NO.89, JALAN NUMI 1/2	47100	KUALA LIPIS	Selangor	PEREMPUAN

applicantReligion	applicantRace	applicantPosition	officeStreet	officePostcode
Islam	Melayu	STAFF	LOT 10	47100

officeCity	applicantPhoneNumber	applicantDOB	applicantAge	maritalStatus	applicantGrade	officeFax	applicantPhoneHome	applicantSalary
KUALA LIPIS	0156789876	2025-01-04	38	Berkahwin	G14	0301123443	0300000009	5000.00

4.3 SELECT count, relationship, familyName, familyIC, staffNo

This function is to select family information from the familyinfo table to be displayed in membership form.

```
$sql = "SELECT
    count, relationship, familyName, familyIC, staffNo
FROM familyinfo
WHERE staffNo = ?";
```

count	relationship	familyName	familyIC	staffNo
2	ADIK-BERADIK	SHAHARUL BIN FARIS	209874805070	1110
2	ANAK-BERANAK	FIRAS BIN SARIF	87940720983	1110

4.4 SELECT accountBankNumber, bankAccountName, staffNo, bankStatement

This function is to select bank information from the bankinfo table to be displayed in membership form.

```
$sql = "SELECT
        accountBankNumber, bankAccountName, staffNo, bankStatement
    FROM bankinfo
    WHERE staffNo = ?";
```

accountBankNumber	bankAccountName	staffNo
222222222222	CIMB Group Holdings	1110

4.5 SELECT staffNo, feeMasuk, modahSyer, modalYuran, wangDepositAnggota, sumbanganTabung, simpananTetap, lainLain

This function is to select some of saving type information from savingtype table to be displayed in membership form

```
$sql = "SELECT
        staffNo, feeMasuk, modahSyer, modalYuran, wangDepositAnggota, sumbanganTabung, simpananTetap, lainLain
    FROM savingtype
    WHERE staffNo = ?";
```

staffNo	feeMasuk	modahSyer	modalYuran	wangDepositAnggota	sumbanganTabung	simpananTetap	lainLain
1110	50	100	30.00	55.00	60.00	10.00	0.00

4.6 UPDATE membership status

Update the membership table with the provided adminStaffNo.

```
$sql = "UPDATE membership
      SET membershipStatus = $status,
          membershipReviewDate = '$reviewDate',
          adminStaffNo = " . ($adminStaffNo ? "'$adminStaffNo'" : "NULL") .
      WHERE staffNo = '$staffNo';"
```

membershipStatus	membershipApplyDate	membershipReviewDate
2	2025-01-19	2025-01-19

b) REVIEW LOAN

4.7 SELECT staffNo, applicantName, loanID, loanApplyDate, loanStatus, loanReviewDate, status Desc

This function is to fetch the required data and join with the status table.

```
$sql = "SELECT
        applicant.staffNo,
        applicant.applicantName,
        loan.loanID,
        loan.loanApplyDate,
        loan.loanStatus,
        loan.loanReviewDate,
        status.statusDesc
    FROM loan
    LEFT JOIN applicant ON loan.staffNo = applicant.staffNo
    LEFT JOIN status ON loan.loanStatus = status.status"; //
```

staffNo	applicantName	loanID	loanApplyDate	loanStatus	loanReviewDate	statusDesc
3331	FATIN SUHAIMI BINTI AHMAD	1	2024-12-09	1	NULL	disemak
2222	NUR FARAH BINTI YUSOF	2	2025-01-10	1	NULL	disemak
7771	SUFIAN SUHAIMI BIN AMRI	3	2025-01-10	1	NULL	disemak
3331	FATIN SUHAIMI BINTI AHMAD	4	2025-01-08	1	NULL	disemak
1234	NAWWARAH AUNI BINTI NAZRUDIN	5	2025-01-09	2	NULL	lulus
6661	SAFIYA ALI BINTI AIMAN	6	2025-01-16	1	NULL	disemak
1101	TASHA BINTI SHAHRUL	12	2025-01-19	2	NULL	lulus
1101	TASHA BINTI SHAHRUL	13	2025-01-19	2	2025-01-19	lulus
1101	TASHA BINTI SHAHRUL	14	2025-01-20	1	NULL	disemak
1101	TASHA BINTI SHAHRUL	15	2025-01-20	1	NULL	disemak
1110	FARIHA BINTI ANUAR	17	2025-01-20	2	2025-01-20	lulus
1110	FARIHA BINTI ANUAR	18	2025-01-20	4	2025-01-21	Tidak Lengkap
1234	NAWWARAH AUNI BINTI NAZRUDIN	20	2025-01-21	1	NULL	disemak

4.8 SELECT loanID, loanAmount, loanDuration, monthlyPayment, bankName, accountBankNumber, loanName, otherLoan, staffNo, adminStaffNo, loanApplyDate, loanReviewDate, applicantBasicSalary, applicantNetSalary

This function is to fetch some required data to be displayed in loan form.

```
$sql = "SELECT
    loan.loanID,
    loan.loanAmount,
    loan.loanDuration,
    loan.monthlyPayment,
    loan.bankName,
    loan.accountBankNumber,
    loanType.loanName,
    loan.otherLoan,
    loan.staffNo,
    loan.adminStaffNo,
    loan.loanApplyDate,
    loan.loanReviewDate,
    loan.applicantBasicSalary,
    loan.applicantNetSalary
FROM loan
LEFT JOIN loanType ON loan.loanType = loanType.loanType
WHERE loan.staffNo = '$staffNo' AND loan.loanID = '$loanID';"
```

loanID	loanAmount	loanDuration	monthlyPayment	bankName	accountBankNumber	loanName	otherLoan
18	10000.00	24	434.17	Bank Simpanan Nasional (BSN)	123443211234	skim khas	

staffNo	adminStaffNo	loanApplyDate	loanReviewDate	applicantBasicSalary	applicantNetSalary
1110	NULL	2025-01-20	NULL	9310.00	9010.00

4.9 SELECT loanID, guarantorName, guarantorIC, guarantorID, guarantorPF, guarantorPhoneNumber

This function should retrieve some of the guarantor information to review in loan application form.

```
$sql = "
SELECT
    loan.loanID,
    guarantorinfo.guarantorName,
    guarantorinfo.guarantorIC,
    guarantorinfo.guarantorID,
    guarantorinfo.guarantorPF,
    guarantorinfo.guarantorPhoneNumber
FROM loan
LEFT JOIN guarantorinfo ON loan.loanID = guarantorinfo.loanID
WHERE loan.staffNo = ? AND loan.loanID = ?
";
```

loanID	guarantorName	guarantorIC	guarantorID	guarantorPF	guarantorPhoneNumber
18	BUNGA BINTI RASHID	700928099010	1009	9010	01110099010
18	FIRAZ BIN YUSOF	790112131456	6541	1456	01665411456

4.10 UPDATE loan status

Update the loan table with the provided adminStaffNo

```
$sql = "UPDATE loan
SET loanStatus = $status,
    loanReviewDate = '$reviewDate',
    adminStaffNo = '$adminStaffNo'
WHERE staffNo = '$staffNo' AND loanID = '$loanID'";
```

loanStatus	loanReviewDate
------------	----------------

4 2025-01-21