



UTM
UNIVERSITI TEKNOLOGI MALAYSIA

SECP3744 - 01

ENTERPRISE SYSTEMS DESIGN AND MODELING

Individual Demo SAP BTP

LECTURER: DR. ARYATI BINTI BAKRI

NO.	NAME	MATRIC NUMBER
3.	SAFIYA NURSYAHADAH BINTI MASNOOR	A23CS0176

Understanding SAP BTP and SAP Build Apps


- SAP BTP is a centralized application development, data management, and integration tool.
- The platform unifies four key pillars which are application development, integration, data analytics, and artificial intelligence.
- Use Low-Code/No-Code development environment.
- Enables users to create mobile and web applications using drag-and-drop interface instead of traditional coding.
- Applications are hosted directly on BTP
- Learning Outcomes : I observed that Low-Code tools accelerate the prototyping phase compared to traditional programming cycles. Then I confirmed that visual development tools significantly lower barriers for non-developers to create business solutions.


Resource : <https://www.youtube.com/watch?v=DB9VhFepevI>

Goal is to build a functional mobile application that utilizes a device camera to capture barcode data and fetch real-time product details.

Steps :

1. Navigated to the SAP Build Lobby to launch a new mobile application project.
2. Used the drag-and-drop canvas to arrange buttons, text labels, for display, and image placement.
3. Configures “Logic Flows” by connecting a button tap event to the native “Scan QR/Barcode” device function.
4. Configured a REST API connection to retrieve product information based on the scanned code.
5. Linked API outputs to data variables, allowing the app to dynamically display the product name and image.





SAP Build Apps classic data entities

[CREATE DATA ENTITY](#)

**OpenFoodFacts**

Universal REST API integration - Data from Open food facts api

Data variables

Data variables are like page variables, but their schema is defined by the data entity they're linked to. Additionally, they contain default logic to fetch data from the backend and populate it to the variable.

[READ MORE](#)

[ADD DATA VARIABLE](#)

OpenFoodFacts1

from resource "OpenFoodFacts"

Barcode Scanner

Scanning a barcode of a food product using your smartphone.



Product Information

47



