Api Documentation

Api Documentation

Apache 2.0

order-v-2-controller: Order V 2 Controller

```
/api/order-service/v2/orders/
                                                                                           Get Order object
GET
Response Class (Status 200)
returned order object
Model Example Value
   "addresses": {},
   "createdAt": "2018-01-23T00:08:46.240Z",
   "customerReference": "string",
   "details": [
     {
        "address": {},
        "correlationId": "string",
        "deliveredBy": "2018-01-23T00:08:46.241Z",
        "prodInst": {},
        "quantity": 0,
        "shipMethod": "string",
        "statusHistory": [
          {
            "estimatedInHomeDate": "2018-01-23T00:08:46.242Z",
            "id": 0,
            "message": "string",
            "quantity": 0,
            "shipments": [
              {
                "carrier": "string",
                "createdDate": "string",
                "expectedCarrier": "string",
                "expectedMethod": "string",
                "expectedShipDate": "string",
                "expectedTransitDays": 0,
                "fields": {},
                "method": "string",
                "packagingNo": "string",
                "readyToShipDate": "string",
                "shipDate": "string",
                "shipmentNo": "string",
                "trackingNo": "string",
                "type": "string",
                "weight": 0,
                "zoneNumber": "string"
```

```
}
        ],
        "status": "string",
        "updatedAt": "2018-01-23T00:08:46.242Z",
        "updatedBy": "string"
    ]
  }
],
"id": "string",
"productInstances": [
 {
    "id": 0,
    "product": {},
    "properties": {},
    "subProducts": {},
    "templates": [
      {
        "sku": "string",
        "surface": "string",
        "template": {
          "fields": {},
          "type": "string"
        },
        "variables": {}
    ]
  }
],
"programId": 0,
"statusHistory": [
    "estimatedInHomeDate": "2018-01-23T00:08:46.243Z",
    "id": 0,
    "message": "string",
    "quantity": 0,
    "shipments": [
        "carrier": "string",
        "createdDate": "string",
        "expectedCarrier": "string",
        "expectedMethod": "string",
        "expectedShipDate": "string",
        "expectedTransitDays": 0,
        "fields": {},
        "method": "string",
        "packagingNo": "string",
        "readyToShipDate": "string",
        "shipDate": "string",
        "shipmentNo": "string",
        "trackingNo": "string",
        "type": "string",
```

```
"weight": 0,
             "zoneNumber": "string"
          }
        ],
        "status": "string",
        "updatedAt": "2018-01-23T00:08:46.244Z",
        "updatedBy": "string"
      }
    ],
    "tenantId": 0
 }
Response Content Type */*
Parameters
                                                                          Parameter
Parameter
               Value
                                                   Description
                                                                                        Data Type
                                                                          Type
                                                                          query
orderId
               (required)
                                                   orderld
                                                                                         string
programId
               (required)
                                                   programId
                                                                          query
                                                                                        integer
Response Messages
HTTP Status
                                                                                                       Headers
                 Reason
                                               Response Model
Code
400
                 Bad Request
401
                 Unauthorized
                 Forbidden
403
404
                 clientReferenceId does not exist
406
                 NOT ACCEPTABLE
                 Server Failure
500
  Try it out!
```


```
Post /api/order-service/v2/orders/

Response Class (Status 200)

OK

Model | Example Value

{
    "body": {},
    "statusCode": "100",
    "statusCodeValue": 0
    }
```



Parameter Value Description Parameter Data Type

```
"product": {},
    "properties": {},
    "subProducts": {},
    "templates": [
        "sku": "string",
        "surface": "string",
        "template": {
          "fields": {},
          "type": "string"
        },
        "variables": {}
      }
    ]
  }
],
"programId": 0,
"statusHistory": [
    "estimatedInHomeDate": "2018-01-23T00:08:46.319Z",
    "id": 0,
    "message": "string",
    "quantity": 0,
    "shipments": [
        "carrier": "string",
        "createdDate": "string",
        "expectedCarrier": "string",
        "expectedMethod": "string",
        "expectedShipDate": "string",
        "expectedTransitDays": 0,
        "fields": {},
        "method": "string",
        "packagingNo": "string",
        "readyToShipDate": "string",
        "shipDate": "string",
        "shipmentNo": "string",
        "trackingNo": "string",
        "type": "string",
        "weight": 0,
        "zoneNumber": "string"
      }
    ],
    "status": "string",
    "updatedAt": "2018-01-23T00:08:46.320Z",
    "updatedBy": "string"
  }
],
"tenantId": 0
```

Response Messages

HTTP Status Reason

Response Model

Headers

```
HTTP Status
                 Reason
                                                Response Model
                                                                                                          Headers
Code
201
                 Created
                                                Model Example Value
                                                  {
                                                    "body": {},
                                                    "statusCode": "100",
                                                    "statusCodeValue": 0
                                                  }
                 Bad Request
400
401
                 Unauthorized
403
                 Forbidden
404
                 clientReferenceId already exist
406
                 NOT ACCEPTABLE
                 Server Failure
500
 Try it out!
```

```
GET
       /api/order-service/v2/orders/statusreport
                                                                                      Get status report object
Response Class (Status 200)
return status report
Model Example Value
  [
   {
      "correlationId": "string",
     "customerReference": "string",
      "estimatedInHomeDate": "2018-01-23T00:08:46.372Z",
      "id": 0,
      "message": "string",
      "quantity": 0,
      "shipments": [
        {
          "carrier": "string",
          "createdDate": "string",
          "expectedCarrier": "string",
          "expectedMethod": "string",
          "expectedShipDate": "string",
          "expectedTransitDays": 0,
          "fields": {},
          "method": "string",
          "packagingNo": "string",
          "readyToShipDate": "string",
          "shipDate": "string",
```

```
"shipmentNo": "string",
          "trackingNo": "string",
          "type": "string",
          "weight": 0,
          "zoneNumber": "string"
        }
      ],
      "status": "string",
      "updatedAt": "2018-01-23T00:08:46.372Z",
      "updatedBy": "string"
   }
 ]
Response Content Type */*
Parameters
                                                                         Parameter
Parameter
              Value
                                                  Description
                                                                                        Data Type
                                                                          Type
orderId
              (required)
                                                  orderld
                                                                         query
                                                                                        string
Response Messages
HTTP Status
                 Reason
                                               Response Model
                                                                                                      Headers
Code
400
                 Bad Request
401
                 Unauthorized
403
                 Forbidden
404
                 clientReferenceId does not exist
406
                 NOT ACCEPTABLE
500
                 Server Failure
  Try it out!
```

```
Response Class (Status 200)
returned order object

Model Example Value

{
    "addresses": {},
    "createdAt": "2018-01-23T00:08:46.411Z",
    "customerReference": "string",
    "details": [
    {
        "address": {},
        "address": {},
        "address": {},
    }
```

```
"correlationId": "string",
    "deliveredBy": "2018-01-23T00:08:46.411Z",
    "prodInst": {},
    "quantity": 0,
    "shipMethod": "string",
    "statusHistory": [
     {
        "estimatedInHomeDate": "2018-01-23T00:08:46.411Z",
       "id": 0,
        "message": "string",
        "quantity": 0,
        "shipments": [
            "carrier": "string",
            "createdDate": "string",
            "expectedCarrier": "string",
            "expectedMethod": "string",
            "expectedShipDate": "string",
            "expectedTransitDays": 0,
            "fields": {},
            "method": "string",
            "packagingNo": "string",
            "readyToShipDate": "string",
            "shipDate": "string",
            "shipmentNo": "string",
            "trackingNo": "string",
            "type": "string",
            "weight": 0,
            "zoneNumber": "string"
          }
        ],
        "status": "string",
        "updatedAt": "2018-01-23T00:08:46.411Z",
        "updatedBy": "string"
      }
    ]
  }
"id": "string",
"productInstances": [
    "id": 0,
    "product": {},
    "properties": {},
    "subProducts": {},
    "templates": [
      {
        "sku": "string",
       "surface": "string",
        "template": {
          "fields": {},
          "type": "string"
```

```
},
          "variables": {}
      ]
    }
  ],
  "programId": 0,
  "statusHistory": [
      "estimatedInHomeDate": "2018-01-23T00:08:46.411Z",
      "id": 0,
      "message": "string",
      "quantity": 0,
      "shipments": [
        {
          "carrier": "string",
          "createdDate": "string",
          "expectedCarrier": "string",
          "expectedMethod": "string",
          "expectedShipDate": "string",
          "expectedTransitDays": 0,
          "fields": {},
          "method": "string",
          "packagingNo": "string",
          "readyToShipDate": "string",
          "shipDate": "string",
          "shipmentNo": "string",
          "trackingNo": "string",
          "type": "string",
          "weight": 0,
          "zoneNumber": "string"
        }
      ],
      "status": "string",
      "updatedAt": "2018-01-23T00:08:46.411Z",
      "updatedBy": "string"
    }
  ],
  "tenantId": 0
}
```

Response Content Type */*

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)	id	path	string

Response Messages

HTTP Status Code Reason Response Model Headers

HTTP Status Code	Reason	Response Model	Headers
400	Bad Request		
401	Unauthorized		
403	Forbidden		
404	Internal Reference Id does not exist		
406	NOT ACCEPTABLE		
500	Server Failure		
Try it out!			

[BASE URL: /, API VERSION: 1.0]