

NFQ

STANDARD OF THE INTEGRATED AUDIT METHODOLOGY

Fire safety · Sanitary standards · Occupational safety

Document	NFQ-STD-2026-001
Version	v2.0 (Final Release)
Date	2026
Scope of application	Russian Federation
Status	IN FORCE

CONFIDENTIAL | For authorised use only

DOCUMENT CONTROL NFQ-STD-CTRL**Document details**

Document title	NFQ Standard — Methodology of the integrated business audit
Document identifier	NFQ-STD-2026-001
Version	2.0
Date of first issue	23.12.2025 (v1.0)
Date of current issue	31.03.2026 (v2.0)
Process owner	Fomkin Artemiy Sergeevich
Scope of application	Russian Federation
Language	English
Number of pages	As per the printed version

NFQ Code Registry

Every section and subsection of this Standard has a unique code for referencing in reports, checklists and the IT system:

Code	Version	Section	Description
NFQ-STD-CTRL	v2.0	Document control	Details, versions, codes
NFQ-GEN-1.0	v2.0	Section 1	General provisions
NFQ-DEF-2.0	v2.0	Section 2	Terms and definitions
NFQ-AUD-3.0	v2.0	Section 3	Audit stages
NFQ-MTD-4.1	v2.0	Section 4.1	Fire safety methodology
NFQ-MTD-4.2	v2.0	Section 4.2	SanPiN methodology
NFQ-MTD-4.3	v2.0	Section 4.3	Occupational safety methodology
NFQ-CHL-5.1	v2.0	Section 5.1	Fire safety checklist (52 items)
NFQ-CHL-5.2	v2.0	Section 5.2	SanPiN checklist (52 items)
NFQ-CHL-5.3	v2.0	Section 5.3	Occupational safety checklist (52 items)
NFQ-SCR-6.0	v2.0	Section 6	NFQ Score assessment system
NFQ-SCR-6.1	v2.0	Section 6.1	Score calculation formula
NFQ-SCR-6.2	v2.0	Section 6.2	Rating scale and risk levels
NFQ-SCR-6.3	v2.0	Section 6.3	Classification of violations P1/P2/P3
NFQ-SCR-6.4	v2.0	Section 6.4	Penalty exposure
NFQ-SCR-6.5	v2.0	Section 6.5	Probability of inspection

Code	Version	Section	Description
NFQ-REG-7.0	v2.0	Section 7	Regulatory framework of the Russian Federation
NFQ-RPT-8.0	v2.0	Section 8	NFQ report format
NFQ-BIZ-9.0	v2.0	Section 9	Adaptation by business type
NFQ-DIG-10.0	v2.0	Section 10	Scaling (basic)
NFQ-CAS-11.0	v2.0	Section 11	Case Study — example of application
NFQ-SCA-12.0	v2.0	Section 12	Digital platform and SaaS
NFQ-APP-A	v2.0	Appendix A	Full checklists (reference guide)
NFQ-APP-B	v2.0	Appendix B	Report form (template)
NFQ-APP-C	v2.0	Appendix C	NFQ Score calculation methodology

1. GENERAL PROVISIONS NFQ-GEN-1.0

1.1 Purpose and status of the document

NFQ-GEN-1.1 · Purpose

This document, "NFQ Standard v2.0" (hereinafter — the Standard, code NFQ-STD-2026-001), establishes a single professional methodology for conducting an integrated audit of facilities with regard to compliance with fire safety (FS), sanitary-epidemiological (SanPiN) and occupational safety (OS) requirements on the territory of the Russian Federation.

The Standard has been developed by NFQ and is the fundamental regulatory document, mandatory for all auditors, partners and representatives of NFQ when carrying out inspection activities on the territory of the Russian Federation.

The provisions of this Standard are harmonised with the requirements of the international standards ISO 19011:2018 (Guidelines for auditing management systems) and ISO 31000:2018 (Risk management) to the extent applicable to the Russian regulatory framework.

1.2 Scope of application

NFQ-GEN-1.2 · Scope of application

The Standard applies to:

- legal entities and individual entrepreneurs operating on the territory of the Russian Federation;
- facilities of any form of ownership: offices, food service establishments, retail facilities, production sites, entertainment venues;
- NFQ employees authorised to conduct audits;
- partner organisations acting under a subcontract with NFQ.

The Standard DOES NOT apply to: hazardous production facilities of hazard class I–II (with regard to the special requirements of Rostekhnadzor), nuclear power facilities, military facilities.

1.3 Normative references

NFQ-GEN-1.3 · Regulatory legal acts

The Standard has been developed in accordance with the current legislation of the Russian Federation, including:

- Federal Law No. 123-FZ of 22.07.2008 "Technical Regulations on Fire Safety Requirements";
- Federal Law No. 52-FZ of 30.03.1999 "On the Sanitary and Epidemiological Welfare of the Population";
- Labour Code of the Russian Federation (Parts X–XI);
- Federal Law No. 294-FZ of 26.12.2008 "On the Protection of the Rights of Legal Entities and Individual Entrepreneurs in the Exercise of State Control";

- Federal Law No. 248-FZ of 31.07.2020 "On State Control (Supervision)";
- Code of Administrative Offences of the Russian Federation (Chapters 6, 9, 20); Labour Code; current SanPiN, SP, GOST R.

1.4 NFQ audit principles

NFQ-GEN-1.4 · Principles

Principle	Principle code	Content
Independence	NFQ-P-01	The auditor acts independently of the audited facility, without any conflict of interest
Objectivity	NFQ-P-02	Conclusions are based exclusively on documented facts and the regulatory framework of the Russian Federation
Confidentiality	NFQ-P-03	All information obtained during the audit is protected under the commercial secrecy regime
Systematic approach	NFQ-P-04	The audit covers all three areas within a single integrated inspection
Risk orientation	NFQ-P-05	Priority is given to critical violations with the highest probability of sanctions
Reproducibility	NFQ-P-06	Audit results can be reproduced by another NFQ auditor under similar conditions
Evidence basis	NFQ-P-07	Every violation is supported by photo, video or documentary evidence
Proportionality	NFQ-P-08	The depth of the audit corresponds to the risk category of the facility and the scale of its operations

2. TERMS AND DEFINITIONS NFQ-DEF-2.0**NFQ-DEF-2.0 · Terms**

Term	Code	Definition
NFQ Score	NFQ-DEF-01	Integral score of the facility's compliance with regulatory requirements (range 0–100)
Audit (Compliance Audit)	NFQ-DEF-02	A systematic, independent, documented examination of a facility for compliance with the regulatory legal acts of the Russian Federation
Auditor	NFQ-DEF-03	An NFQ specialist certified in accordance with NFQ internal requirements
Object of inspection	NFQ-DEF-04	The territory, building or premises subject to audit under a single contract
Violation	NFQ-DEF-05	A recorded non-conformity of the actual condition of the facility with the requirements of the regulatory legal acts of the Russian Federation
Critical violation P1	NFQ-DEF-06	A violation creating an immediate threat to life/health or entailing administrative suspension of operations
Medium violation P2	NFQ-DEF-07	A violation that increases the probability of penalties from the regulator; to be remedied within 30 days
Low violation P3	NFQ-DEF-08	A violation that does not create a direct threat; advisory in nature; to be remedied within 90 days
Penalty exposure	NFQ-DEF-09	The calculated amount of possible administrative fines under the Code of Administrative Offences of the Russian Federation if all identified violations are recorded
Enforcement notice	NFQ-DEF-10	An official act of the regulator requiring a violation to be remedied within a set period
Re-audit	NFQ-DEF-11	A repeat control inspection after the expiry of the period for remedying violations
NFQ Dashboard	NFQ-DEF-12	The Client's interactive analytical panel in the personal account of the NFQ digital platform
Risk category	NFQ-DEF-13	The class of a facility by level of potential hazard, determined by the regulator (RF Government Decree No. 806)
Control card	NFQ-DEF-14	A summary form of audit results recording all violations and the final NFQ Score
SUOT	NFQ-DEF-15	Occupational safety management system; a set of interrelated elements aimed at managing occupational safety risks
SOUT	NFQ-DEF-16	Special assessment of working conditions; a procedure for measuring and classifying harmful production factors
HACCP	NFQ-DEF-17	Hazard Analysis and Critical Control Points system
RLA	NFQ-DEF-18	Regulatory legal act: federal law, decree, order, GOST, SanPiN, SP, etc.

3. STAGES OF THE AUDIT NFQ-AUD-3.0

3.1 Stage 1: Preparation [NFQ-AUD-3.1]

Duration: 1–2 working days before the site visit.

- Conclusion of a contract with the Client; determination of the scope, facility type and audit areas;
- Collection of preliminary information about the facility: type of activity, floor area, headcount, risk category under Federal Law No. 294-FZ / No. 248-FZ;
- Request for a package of documents: licences, control software, briefing logs, maintenance contracts for automatic fire alarm and fire-extinguishing systems;
- Formation of the working group of auditors (a minimum of 1 specialist per area);
- Uploading of checklists into the NFQ App according to the facility type (see Section 9);
- Agreement of the date and time of the visit. For a scheduled audit — notification 3 working days in advance.

3.2 Stage 2: Site visit [NFQ-AUD-3.2]

Duration: 1–3 working days depending on the floor area and the number of inspection points.

- Introductory briefing with the facility management: objectives, procedure, access to premises and documents;
- Walk-through of the facility according to the activated NFQ checklists for each area;
- Automatic photo and video recording of every violation through the NFQ App with a geotag and timestamp;
- Collection of documentary evidence: copies of logs, certificates, orders, qualification certificates;
- Instrumental measurements where necessary: illumination, noise, microclimate, CO₂, electromagnetic radiation;
- Closing briefing: verbal notification of the Top-5 identified violations.

3.3 Stage 3: Analysis, assessment and verification [NFQ-AUD-3.3]

Duration: 2–5 working days after the site visit.

- Classification of all violations by criticality level (P1/P2/P3) according to the matrix [NFQ-SCR-6.3];
- Automatic calculation of the NFQ Score for each area and of the integral score (NFQ platform);
- Determination of the penalty exposure on the basis of the current sanctions of the Code of Administrative Offences of the Russian Federation [NFQ-SCR-6.4];
- Formation of a corrective action plan with prioritisation P1 → P2 → P3;
- Audit quality check by an internal NFQ expert (peer review).

3.4 Stage 4: Report and support [NFQ-AUD-3.4] (premium package only)

Deadline: delivery of the report to the Client within 5 working days after completion of the site visit.

- Preparation of the NFQ report in the standard form [NFQ-APP-B];
- Presentation of the results to the Client's management; answers to questions;
- Agreement of deadlines for remedying violations; signing of the minutes of the meeting;
- Publication of the results in the Client's personal account (NFQ Dashboard);
- Where necessary — a control inspection (re-audit) after 30–60 days.

3.5 Audit quality control [NFQ-AUD-3.5]

Control	Code	Mechanism	Frequency
Internal expert review	NFQ-QC-01	Review of the report by a senior auditor before delivery to the Client	Every report
Inter-auditor calibration	NFQ-QC-02	Joint inspections by two auditors to align assessments	Quarterly
Auditor KPIs	NFQ-QC-03	Forecast accuracy, checklist completeness, Client NPS	Monthly
Client feedback	NFQ-QC-04	Survey against 7 criteria after delivery of the report	Every project
Review of the regulatory framework	NFQ-QC-05	Update of checklists when the regulatory legal acts of the Russian Federation change	As changes occur
Audit of auditors	NFQ-QC-06	Independent review of a random sample of audits	Twice a year

4. INSPECTION METHODOLOGY NFQ-MTD-4.0

4.1 Area: Fire safety [NFQ-MTD-4.1]

Regulator: EMERCOM of Russia · Key regulatory acts: FL-123, RF GD No. 1479, SP 1–10, GOST R 12.4.026

Block	Sub-block	What is checked	How it is checked	Consequences / RLA
Documentation	Fire safety declaration	Presence, validity, registration with EMERCOM	Documentary	Fine up to RUB 200 thousand (art. 20.4 CAO)
Documentation	Fire safety instructions	Presence, content, employee signatures	Documentary	Fine up to RUB 40 thousand
Documentation	Briefing log	Regularity of entries, signatures, dates	Documentary	Fine up to RUB 30 thousand
Evacuation	Evacuation routes	Width ≥ 1.0 m, no obstruction, height	Visual + tape measure	Suspension (art. 20.4 pt. 2 CAO)
Evacuation	Emergency exits	Number, direction of opening, locks	Visual + test	Fine up to RUB 400 thousand
Evacuation	Evacuation signs and plans	Presence, working backlighting, A3 format	Visual	Fine up to RUB 40 thousand
Fire alarm / extinguishing	Fire alarm system	Presence, serviceability, maintenance log	Visual + documentary	Suspension of operations
Fire alarm / extinguishing	Automatic fire extinguishing	Presence where $S > 800$ m ² , maintenance	Documentary	Fine up to RUB 200 thousand
Primary fire-extinguishing equipment	Fire extinguishers	Number, type, positioning, maintenance date	Visual + documentary	Fine up to RUB 30 thousand
Primary fire-extinguishing equipment	Internal fire hydrants	Presence, accessibility, completeness	Visual	Fine up to RUB 40 thousand
Electrical safety	Electrical switchboards	Accessibility, closure, no combustible materials	Visual	Fine up to RUB 200 thousand
Fire safety training	Fire-technical minimum	Certificates of the person responsible for fire safety	Documentary	Fine up to RUB 15 thousand

4.2 Area: Sanitary standards [NFQ-MTD-4.2]

Regulator: Rospotrebnadzor · RLA: SanPiN 2.1.3684-21, SanPiN 1.2.3685-21, TR CU 021/2011

Block	Sub-block	What is checked	How it is checked	Consequences / RLA
Premises	Microclimate	Temperature, humidity, ventilation	Instrumental (thermohygrometer)	Fine up to RUB 20 thousand (art. 6.3 CAO)
Premises	Illumination	Illumination level at workstations	Instrumental (lux meter)	Fine up to RUB 20 thousand
Premises	Cleaning and disinfection	Cleaning schedule, disinfection log, agents	Documentary + visual	Fine up to RUB 40 thousand
Premises	Sanitary facilities	Number per the standard, fittings, cleanliness	Visual	Fine up to RUB 20 thousand
Personnel	Personal medical books	Presence, validity, entries	Documentary	Suspension + fine up to RUB 40 thousand
Personnel	Hygiene training	Entries in medical books, dates of completion	Documentary	Fine up to RUB 40 thousand
Food / catering	Food storage	Conditions, shelf life, temperature, labelling	Visual + instrumental	Fine up to RUB 50 thousand

Block	Sub-block	What is checked	How it is checked	Consequences / RLA
Food / catering	Production process	Separation of raw/ready-to-eat, HACCP	Visual + documentary	Fine up to RUB 50 thousand
Waste	Municipal solid waste handling	Containers, removal frequency, contract	Documentary + visual	Fine up to RUB 25 thousand
Water	Drinking water	Quality, laboratory test reports	Documentary	Fine up to RUB 20 thousand
DDD	Disinsection / deratisation	Contract, facility data sheets, treatment logs	Documentary	Fine up to RUB 20 thousand

4.3 Area: Occupational safety [NFQ-MTD-4.3]

Regulator: Rostrud · RLA: Labour Code (Part X), Ministry of Labour Orders No. 776n, No. 2464n, FL-426

Block	Sub-block	What is checked	How it is checked	Consequences / RLA
SUOT	SUOT regulation	Presence, validity, approval by the manager	Documentary	Fine up to RUB 80 thousand (art. 5.27.1 CAO)
SUOT	Occupational safety policy	Content, manager's signature, staff familiarisation	Documentary	Fine up to RUB 80 thousand
Briefings	Induction briefing	Log, dates, signatures of all employees	Documentary	Fine up to RUB 130 thousand
Briefings	Initial briefing	At the workstation, signatures, occupational safety instructions	Documentary	Fine up to RUB 130 thousand
Briefings	Repeat briefing	Frequency once every 6 months, log	Documentary	Fine up to RUB 130 thousand
SOUT	Special assessment of working conditions	Report, declaration, employee familiarisation	Documentary	Fine up to RUB 200 thousand
PPE	Issue of personal protective equipment	Standards, personal record cards, GOST conformity	Documentary + visual	Fine up to RUB 150 thousand
Medical examinations	Pre-employment / periodic	Order, employee lists, conclusions	Documentary	Fine up to RUB 130 thousand
Electrical safety	Qualification groups	Certificates, knowledge assessment log	Documentary	Fine up to RUB 150 thousand
Workstations	Organisation of workstations	Conformity with GOST and SOUT cards	Visual + instrumental	Fine up to RUB 80 thousand
Accidents	Accident investigation	Form N-1 reports, deadlines, reporting	Documentary	Fine up to RUB 200 thousand

5. NFQ CHECKLISTS NFQ-CHL-5.0

The full checklists are also available in Appendix A [NFQ-APP-A] and in the NFQ App (digital version).

5.1 Checklist: Fire safety [NFQ-CHL-5.1] — 52 items

No.	Inspection criterion	Method	RF standard	Crit.	Comment
1	Fire safety declaration — presence and validity	Documentary	FL-123 art.64	CRIT	Registration with EMERCOM is mandatory
2	Approved fire safety instruction — presence	Documentary	RF GD 1479 cl.2	CRIT	Must be in place at every facility
3	Fire safety briefing log — upkeep	Documentary	RF GD 1479	MED	Entries at least once a year
4	Appointment of the person responsible for fire safety (manager's order)	Documentary	FL-123 art.37	CRIT	Current order with a signature
5	Fire-technical minimum training completed by the person responsible for fire safety	Documentary	RF GD 1479	CRIT	Certificate; not expired
6	Width of evacuation routes (≥ 1.0 m in corridors)	Visual + tape measure	SP 1.13130.2020	CRIT	Measure at the narrowest point
7	No obstruction of evacuation routes	Visual	SP 1.13130.2020	CRIT	Zero tolerance
8	Emergency exits — number (≥ 2 where $S > 300$ m ²)	Visual	SP 1.13130.2020	CRIT	Count all exits
9	Emergency exit doors — opening in the direction of evacuation	Visual + test	SP 1.13130.2020	CRIT	Test every door
10	No locks/bolts on emergency exits	Visual	SP 1.13130.2020	CRIT	Panic bar or free opening
11	Evacuation signs — presence and correct positioning	Visual	GOST R 12.4.026	MED	Visibility ≥ 30 m
12	Evacuation signs — working (emergency) backlighting	Visual	GOST R 12.4.026	MED	Press the "Test" button
13	Evacuation plan (format $\geq A3$) present on each floor	Visual	RF GD 1479	MED	Photoluminescent version
14	Automatic fire alarm system — presence	Visual	SP 5.13130.2009	CRIT	Mandatory where $S > 50$ m ²
15	Automatic fire alarm system in working order (control panel — no faults)	Visual	SP 5.13130.2009	CRIT	Check the indicators
16	Fire alarm maintenance log; contract with an EMERCOM licence holder	Documentary	FL-123 art.83	CRIT	EMERCOM licence is mandatory
17	Voice alarm / siren — in working order	Visual + test	SP 3.13130.2009	CRIT	Test the alarm button
18	Automatic fire extinguishing (where $S > 800$ m ²)	Documentary	SP 5.13130.2009	CRIT	Design documentation and maintenance in place

No.	Inspection criterion	Method	RF standard	Crit.	Comment
19	Fire extinguishers — number and positioning per the standard	Visual	RF GD 1479 Annex 1	CRIT	1 OP-5 per 50 m ²
20	Fire extinguishers — date of last recharge	Visual	RF GD 1479	MED	No more than 5 years for powder
21	Fire extinguishers — accessibility (not locked away, not hidden)	Visual	RF GD 1479	CRIT	No obstructions
22	Fire extinguishers — seal and pressure gauge in order	Visual	RF GD 1479	MED	Pressure in the green zone
23	Internal fire hydrants — present in the cabinets	Visual	SP 10.13130.2020	CRIT	Open every cabinet
24	Internal fire hydrants — complete set (hose + nozzle)	Visual	SP 10.13130.2020	CRIT	Condition of the hose
25	Internal fire hydrants — testing log (once a year)	Documentary	SP 10.13130.2020	MED	Test certificate
26	Electrical switchboards — accessibility and closure	Visual	PUE cl.1.1.17	CRIT	Keys held by the responsible person
27	No combustible materials near electrical switchboards (1 m zone)	Visual	RF GD 1479	CRIT	Strict requirement
28	Cable routes — integrity of the fire protection of penetrations	Visual	SP 6.13130.2021	MED	Penetrations through walls
29	Storage of flammable liquids — volume and conditions	Visual	RF GD 1479	CRIT	No more than 10 l without a special store
30	Smoking — only in designated areas	Visual	FL-15 art.12	MED	Ashtrays, signs
31	Category of premises by explosion and fire hazard (A–D)	Documentary	SP 12.13130.2009	MED	Plates on the doors
32	Category of the facility by functional fire hazard class (F1–F5)	Documentary	FL-123 art.32	MED	Matches the type of activity
33	Maintenance contract for fire safety systems (contractor holds an EMERCOM licence)	Documentary	FL-123	CRIT	Contract in force
34	Lightning protection (level I–II facilities)	Documentary	SO 153-34.21.122	MED	Earthing inspection certificate
35	Fire-retardant treatment of wooden structures	Documentary + visual	SP 2.13130.2020	MED	Certificate + treatment frequency
36	Fire protection of steel structures (coating certificate)	Documentary	SP 2.13130.2020	MED	Fire protection system data sheet
37	Fire partitions and doors (EI 60)	Visual	SP 2.13130.2020	CRIT	Doors closed; no gaps

No.	Inspection criterion	Method	RF standard	Crit.	Comment
38	Smoke protection — dampers in working order	Visual	SP 7.13130.2013	CRIT	Dampers, smoke extraction fans
39	Stairwells — smoke-free design (type N1/N2/N3)	Visual	SP 1.13130.2020	CRIT	Doors with closers
40	Smoke extraction system — maintenance and testing log	Documentary	SP 7.13130.2013	CRIT	Testing once a year
41	Standalone smoke detectors (residential/hotel areas)	Visual	RF GD 1479	MED	In every room
42	External hydrants — accessibility and completeness	Visual	SP 8.13130.2020	MED	Covers, access road
43	Fire engine access — carriageway width ≥ 6 m	Visual + tape measure	SP 4.13130.2013	CRIT	Not blocked by vehicles
44	Marking of fire engine parking areas	Visual	SP 4.13130.2013	LOW	Road markings and signs
45	Distance from vehicles to the building façade (at least 5 m)	Visual	RF GD 1479	MED	Parking does not block the façade
46	Process equipment — data sheets and maintenance (food service)	Documentary	FL-123	MED	For facilities with thermal equipment
47	Ventilation ducts — cleaning (certificates, ≥ 2 times a year)	Documentary	RF GD 1479	MED	Grease trap cleaning certificates
48	CO ₂ fire extinguishers in the server room	Visual	SP 5.13130.2009	CRIT	CO ₂ only for electrical equipment
49	Smoke extraction in underground car parks	Documentary	SP 113.13330.2016	MED	Automatic system
50	Report on the results of the evacuation drill (once a year)	Documentary	RF GD 1479	MED	Record of the drill
51	Respiratory protective equipment (masks/self-rescuers) — present per the standard	Visual	RF GD 1479	LOW	Per the EMERCOM list
52	Person responsible for the electrical facilities — order and group IV–V	Documentary	PUE	MED	Electrical safety group

5.2 Checklist: Sanitary standards / SanPiN [NFQ-CHL-5.2] — 52 items

No.	Inspection criterion	Method	RF standard	Crit.	Comment
1	Production control programme (PCP) — presence	Documentary	SP 1.1.1058-01	CRIT	Approved by the manager
2	Laboratory tests under the PCP — reports on file	Documentary	SanPiN 1.2.3685-21	CRIT	Current test reports
3	Personal medical books of staff — present for all	Documentary	FL-52 art.34	CRIT	For every employee
4	Personal medical books — validity of entries	Documentary	MoH Order No. 29n	CRIT	Entries not expired
5	Hygiene training and certification of staff	Documentary	FL-52 art.36	CRIT	Entry in the medical book
6	Air temperature in working premises	Instrumental	SanPiN 1.2.3685-21	MED	Summer $\leq 28^{\circ}\text{C}$; winter $\geq 17^{\circ}\text{C}$
7	Relative air humidity	Instrumental	SanPiN 1.2.3685-21	MED	40–60%
8	Air velocity	Instrumental	SanPiN 1.2.3685-21	LOW	0.1–0.3 m/s
9	Illumination at workstations	Instrumental	SanPiN 1.2.3685-21	MED	≥ 300 lx (office); ≥ 200 lx (warehouse)
10	Noise level at workstations	Instrumental	SanPiN 1.2.3685-21	MED	≤ 80 dBA (production); ≤ 55 dBA (office)
11	Ventilation — presence and serviceability (data sheet)	Visual + documentary	SanPiN 2.1.3684-21	CRIT	System inspection certificate
12	Cleaning of ventilation systems — certificates	Documentary	SP 60.13330.2020	MED	Cleaning certificate with the required frequency
13	Toilets — number per the standard (1 WC per 15 people)	Visual	SanPiN 2.2.3.1384-03	MED	Count male/female separately
14	Toilets — liquid soap (dispenser or bottle)	Visual	SanPiN 2.1.3684-21	MED	Present in every toilet
15	Toilets — paper towels or hand dryer (working)	Visual	SanPiN 2.1.3684-21	MED	In working condition
16	Toilets — cleanliness and disinfection (cleaning log)	Visual + documentary	SanPiN 2.1.3684-21	CRIT	Log with signatures
17	Cleaning schedule and log for the premises	Documentary	SanPiN 2.1.3684-21	MED	Signatures, dates
18	Disinfectants — availability and certificates	Documentary	FL-52	MED	Certificate of state registration
19	Municipal waste containers — closed, sufficient in number	Visual	SanPiN 2.1.3684-21	MED	Lids on all containers
20	Municipal waste removal contract (in force)	Documentary	SanPiN 2.1.3684-21	CRIT	Contract in force
21	DDD contract (disinfection, disinsection, deratisation)	Documentary	SP 3.5.3.3223-14	CRIT	Rospotrebnadzor licence

No.	Inspection criterion	Method	RF standard	Crit.	Comment
22	DDD treatment logs; facility data sheets	Documentary	SP 3.5.3.3223-14	CRIT	Current entries
23	Drinking water quality — test reports (≥ 1 per year)	Documentary	SanPiN 2.1.3684-21	CRIT	Current test reports
24	Water taps and pipes — no leaks/rust	Visual	SanPiN 2.1.3684-21	MED	Visual inspection
25	Food storage — separation of raw and ready-to-eat products	Visual	TR CU 021/2011	CRIT	Separate shelves/compartments
26	Temperature control of refrigerators ($\leq +6^{\circ}\text{C}$)	Instrumental	TR CU 021/2011	CRIT	Thermometer or log
27	Product labelling — shelf life; no expired products	Visual	TR CU 022/2011	CRIT	Check everything in storage
28	Kitchen work surfaces — no cracks/rust	Visual	SanPiN 2.3/2.4.3590-20	CRIT	Photograph any defects
29	Cutting boards — labelling and separate storage	Visual	SanPiN 2.3/2.4.3590-20	MED	Separate for raw/ready-to-eat
30	Tableware — conformity certificates	Documentary	TR CU 005/2011	LOW	Declaration for tableware
31	Dishwashing — 3-compartment sink or industrial dishwasher	Visual	SanPiN 2.3/2.4.3590-20	CRIT	Matches the required number of compartments
32	Process cards and recipe collection	Documentary	Ministry of Trade Order	MED	Costing cards
33	Storage of chemicals — isolated cabinet/room	Visual	SanPiN 2.1.3684-21	CRIT	Hazard class labelling
34	Laundering of workwear — contract with a laundry	Documentary	SanPiN 2.1.3684-21	MED	Home laundering is not permitted
35	First-aid kit — presence and completeness	Visual	MoH Order No. 697n	MED	Contents per the list
36	Vibration level (where equipment is present)	Instrumental	SanPiN 1.2.3685-21	MED	Does not exceed the permissible level
37	Electromagnetic radiation — level of exposure	Instrumental	SanPiN 1.2.3685-21	MED	EMR measurement report
38	Designated area for staff meals	Visual	Labour Code art.108	LOW	Separate room or dedicated area
39	Floor area per employee — at least 4.5 m ² (office)	Visual + tape measure	SanPiN 2.2.2/2.4.1340-03	MED	Calculate by the number of workstations
40	No mould on walls and ceilings	Visual	SanPiN 2.1.3684-21	CRIT	Photograph
41	Natural lighting — windows present (daylight factor $\geq 0.5\%$)	Visual	SanPiN 1.2.3685-21	MED	For permanent workstations
42	Labelling of containers for chemicals	Visual	FL-52	MED	Label with the hazard class

No.	Inspection criterion	Method	RF standard	Crit.	Comment
43	Amenity rooms for staff — changing room/lockers	Visual	SanPiN 2.2.3.1384-03	MED	Lockers for personal clothing
44	Laundrying and storage of workwear — separately	Documentary	SanPiN 2.2.3.1384-03	MED	Isolated cabinet
45	Production control of harmful factors	Documentary	SP 1.1.1058-01	CRIT	Test reports for all factors
46	Air quality — CO ₂ content (≤1000 ppm)	Instrumental	SanPiN 1.2.3685-21	MED	CO ₂ analyser
47	Prevention of infectious diseases — plan/instructions	Documentary	SP 3.1/3.2.3146-13	MED	Current plan
48	Compliance of interior finishes — washable surfaces (kitchen)	Visual	SanPiN 2.3/2.4.3590-20	MED	Tiles or panels on the walls
49	Separate waste collection (where required by the region)	Visual	FL-89	LOW	Labelled containers
50	HACCP — system and CCP log in place (food service)	Documentary	TR CU 021/2011	CRIT	Mandatory for food service
51	Medical waste — records and handling (medical organisations)	Documentary	SanPiN 2.1.3684-21	CRIT	Classes B/C/D
52	Air disinfection — bactericidal lamps (medical/preschool)	Visual	R 3.5.1904-04	LOW	Log of lamp operation

5.3 Checklist: Occupational safety [NFQ-CHL-5.3] — 52 items

No.	Inspection criterion	Method	RF standard	Crit.	Comment
1	SUOT regulation — presence and approval	Documentary	MoL Order No. 776n	CRIT	Approved by the director
2	Occupational safety policy — content and staff familiarisation	Documentary	MoL Order No. 776n	CRIT	Declared and communicated
3	Order appointing the persons responsible for occupational safety	Documentary	Labour Code art.217	CRIT	For organisations ≤50 staff — a part-time role
4	Job descriptions with an occupational safety section — signed	Documentary	Labour Code art.212	MED	Employee signatures
5	Induction occupational safety briefing log	Documentary	MoL Order No. 2464n	CRIT	For all new employees
6	Initial workplace briefing log	Documentary	MoL Order No. 2464n	CRIT	Each employee at their own workstation
7	Repeat briefing log (every 6 months)	Documentary	MoL Order No. 2464n	CRIT	For blue-collar occupations — every 3 months
8	Occupational safety instructions by occupation — current	Documentary	MoL Order No. 2464n	CRIT	Review every 5 years
9	Briefing programmes — approved by the employer	Documentary	MoL Order No. 2464n	MED	Separately by occupation
10	Occupational safety training and knowledge assessment for managers	Documentary	MoL Order No. 2464n	CRIT	Certificates; valid ≤3 years
11	SOUT report — current	Documentary	FL-426 art.15	CRIT	Within 12 months of creating the workstation
12	Familiarisation of employees with SOUT cards — signatures	Documentary	FL-426 art.17	CRIT	Signatures on every card
13	Declaration of conformity of working conditions — filed with Rostrud	Documentary	FL-426 art.11	MED	For optimal/permissible conditions
14	PPE issue standards — order by occupation	Documentary	MoL Order No. 767n	CRIT	Order in force
15	Personal PPE issue record cards	Documentary	MoL Order No. 767n	CRIT	For every employee
16	PPE — conformity with GOST and TR CU 019/2011	Documentary + visual	TR CU 019/2011	CRIT	Certificates for PPE
17	PPE service life — not exceeded	Documentary	MoL Order No. 767n	MED	Actual issue dates
18	Pre-employment medical examinations	Documentary	MoH Order No. 29n	CRIT	Conclusions in the personal file
19	Periodic medical examinations of employees — current	Documentary	MoH Order No. 29n	CRIT	Lists and conclusions are current

No.	Inspection criterion	Method	RF standard	Crit.	Comment
20	Psychiatric examination (where applicable)	Documentary	RF GD No. 695	MED	For hazardous production
21	Electrical safety — staff qualification certificates	Documentary	MoE Order No. 6	CRIT	Groups I–V; validity period
22	Electrical safety knowledge assessment log	Documentary	MoE Order No. 6	CRIT	Annual knowledge assessment
23	Dielectric PPE — presence and testing	Visual + documentary	RD 34.03.603	CRIT	Gloves, rods; test certificates
24	Work at height — qualification certificates (group 1/2/3)	Documentary	MoL Order No. 782n	CRIT	Work permits where required
25	Gas-hazardous work — work permits	Documentary	Rostekhnadzor Order No. 485	CRIT	Where gas equipment is present
26	Safety posters and signs on equipment	Visual	GOST 12.4.026-2015	MED	On every unit
27	Guarding of hazardous zones (moving parts of equipment)	Visual	GOST 23407-78	CRIT	No exposed rotating parts
28	Equipment in good order — no visible damage	Visual	GOST 12.2.003-91	CRIT	Unscheduled inspection
29	Industrial accident register (retained for 45 years)	Documentary	Labour Code art.230.1	CRIT	Register in place
30	Form N-1 industrial accident investigation reports	Documentary	Labour Code art.230	CRIT	Where accidents have occurred at the facility
31	First-aid kits at workstations	Visual	MoH Order No. 697n	CRIT	Completeness of contents
32	First-aid training — qualification certificates	Documentary	MoL Order No. 2464n	MED	At least 1 person per shift
33	Noise level — measurements as part of SOUT	Documentary	GOST 12.1.003-2014	MED	Measurement reports
34	Vibration — measurements (where equipment is present)	Documentary	GOST 12.1.012-90	MED	Measurement reports
35	Dust / gas contamination of the working area	Documentary	GOST 12.1.005-88	MED	Concentrations of harmful substances
36	Illumination of workstations — measurements	Documentary	SanPiN 1.2.3685-21	MED	Lux meter reports
37	PC operator workstations — ergonomics	Visual	SanPiN 2.2.2/2.4.1340-03	MED	Monitor, chair, keyboard, mouse
38	Work and rest regime for PC work — instruction	Documentary	SanPiN 2.2.2/2.4.1340-03	LOW	Breaks every 2 hours
39	Drinking water — provision for employees	Visual	Labour Code art.212	LOW	Water cooler or centralised supply
40	Sanitary and amenity facilities — per the standard for the headcount	Visual	SP 44.13330.2011	MED	Toilets, shower, changing room

No.	Inspection criterion	Method	RF standard	Crit.	Comment
41	Rest/warming room for outdoor work (t<10°C)	Visual	MR 2.2.7.2129-06	MED	Where such work is carried out
42	Work and rest regime — internal labour regulations (approved, staff familiarised)	Documentary	Labour Code art.100	LOW	Employee signatures
43	Log of checks of collective protective equipment	Documentary	GOST 12.4.011-89	MED	Guards, screens
44	Fire safety within occupational safety — fire safety briefing	Documentary	RF GD 1479	CRIT	Entry in the fire safety briefing log
45	On-the-job training when starting hazardous work	Documentary	MoL Order No. 2464n	MED	On-the-job training order
46	Log of work permits for hazardous work	Documentary	GOST 12.0.004-2015	CRIT	Where hazardous work is carried out
47	Cleansing and neutralising agents — record cards	Documentary + visual	MoL Order No. 1122n	MED	Soap, cream, cleanser
48	Occupational safety reporting — form 7-travmatizm (where accidents occurred)	Documentary	Rosstat Order No. 811	MED	Where an accident was fatal
49	Occupational risk register — current	Documentary	MoL Order No. 926n	CRIT	Register + risk management plan
50	Three-tier occupational safety control — log	Documentary	MoL Order No. 776n	MED	Three-tier control log
51	Provision of benefits for harmful working conditions (class 3.1+)	Documentary	Labour Code art.117–119	CRIT	Additional leave, shortened day, allowance
52	Electronic occupational safety document management (where EDM is used)	Documentary	MoL Order No. 768n	LOW	Compliance with EDM requirements

6. NFQ SCORE ASSESSMENT SYSTEM NFQ-SCR-6.0

6.1 Calculation formula [NFQ-SCR-6.1]

NFQ-SCR-6.1 · Score formula

$$\text{Score(area)} = 100 - \frac{[(P1 \times 10) + (P2 \times 3) + (P3 \times 1)] \times 100}{\text{MaxPenalty}}$$

$$\text{NFQ Score (integral)} = 0.40 \times \text{Score(FS)} + 0.35 \times \text{Score(SanPiN)} + 0.25 \times \text{Score(OS)}$$

Where: P1 — the number of critical violations (weight 10); P2 — medium (weight 3); P3 — low (weight 1).
MaxPenalty — the maximum possible penalty score at 100% violations of the completed checklist.

Area coefficients: FS — 0.40 (highest risk of suspension); SanPiN — 0.35; OS — 0.25.

6.2 Rating scale and risk levels [NFQ-SCR-6.2]

Score	Risk level	Status colour	Recommended actions
90–100	LOW	•	Compliance achieved. Scheduled monitoring once every 12 months.
70–89	MODERATE	•	Remedy P2/P3 violations. Re-audit after 60 days.
50–69	HIGH	•	Urgent remediation of P1–P2. Re-audit after 30 days. Notify the shareholders.
30–49	CRITICAL	•	Immediate measures for P1. Risk of suspension of operations.
0–29	EMERGENCY	•	Operations pose a direct threat. Emergency response. Legal support.

6.3 Classification of violations [NFQ-SCR-6.3]

Priority	Class	Weight	Indicators	Remediation deadline	Code
P1	CRITICAL	×10	Threat to life/health, risk of suspension, exceedance of the maximum permissible concentration by >50%	Immediately	NFQ-P1
P2	MEDIUM	×3	Breach of regulatory requirements, probable fine, missing documents	30 days	NFQ-P2
P3	LOW	×1	Minor non-conformity; advisory in nature	90 days	NFQ-P3

6.4 Penalty exposure [NFQ-SCR-6.4]

$$\text{Penalty exposure} = \sum [\text{Max(fine under the CAO)} \times k_{\text{repeat}} \times k_{\text{specific}}]$$

k_repeat: 1.0 — first violation; 1.5 — repeat violation (art. 4.6 CAO); 2.0 — systematic violation.

k_specific: industry coefficient (food service = 1.2; healthcare = 1.5; other = 1.0).

Violation	CAO article	Max. fine (legal entity)	Note
Breach of fire safety requirements	art. 20.4 pt. 1	RUB 200,000	Or suspension for up to 90 days
Breach of fire safety with a threat to life	art. 20.4 pt. 2	RUB 400,000	Suspension is mandatory
Breach of sanitary standards	art. 6.3	RUB 20,000	+ suspension for up to 90 days
Breach of SanPiN in food service	art. 6.6	RUB 40,000	Confiscation of products
Breach of occupational safety requirements	art. 5.27.1 pt. 1	RUB 80,000	For an official — RUB 40 thousand
Admission to work without a medical examination/briefing	art. 5.27.1 pt. 3	RUB 130,000	Per employee
Breach of SOUT or PPE requirements	art. 5.27.1 pt. 2	RUB 80,000	+ RUB 80 thousand for failure to provide PPE
Breach of waste handling rules	art. 8.2	RUB 250,000	By the hazard category of the waste

6.5 Probability of inspection [NFQ-SCR-6.5]

Risk category	Frequency of scheduled inspections	P unscheduled / year	Conditions of assignment
Extremely high	Annually	60–80%	Mass gathering of people; hazardous production facilities class I–II
High	Once every 2 years	30–50%	Children's/medical institutions; food service facilities
Significant	Once every 3 years	15–30%	Retail; food service; offices with >50 staff
Medium	Once every 5 years	5–15%	Offices with <50 staff; small business
Moderate	Once every 6 years	2–5%	Individual entrepreneurs without employees; micro business
Low	Not carried out	<2%	Minimum list of types of activity

7. REGULATORY FRAMEWORK OF THE RUSSIAN FEDERATION NFQ-REG-7.0**7.1 Fire safety [NFQ-REG-7.1]**

Document	Status	What it regulates	Role in the NFQ audit
FL No. 123-FZ of 22.07.2008	In force	Technical regulations on fire safety requirements	Principal: requirements for buildings, systems, evacuation
RF GD No. 1479 of 16.09.2020	In force	Fire safety regime rules in the Russian Federation	Facility regime, fire extinguishers, briefings
SP 1.13130.2020	In force	Evacuation routes and exits	Width, height, number of exits
SP 2.13130.2020	In force	Fire resistance; structural fire safety	Fire hazard classes of structures
SP 3.13130.2009	In force	Warning systems (WECS)	Types 1–5; alarm requirements
SP 4.13130.2013	In force	Fire separation distances	Setbacks between buildings; fire engine access
SP 5.13130.2009	In force	Fire alarm and fire-extinguishing installations	Standards for detectors and automatic fire extinguishing
SP 7.13130.2013	In force	Ventilation; smoke protection	Smoke extraction; smoke dampers
SP 8.13130.2020	In force	External fire water supply	Water flow; hydrants; reservoirs
SP 10.13130.2020	In force	Internal fire water supply	Fire hydrant valves; risers; pumps
SP 12.13130.2009	In force	Categories of premises (A–D)	Classification by explosion and fire hazard
GOST R 12.4.026-2015	In force	Fire safety signs	Colours; shapes; positioning of signs
EMERCOM Order No. 806 of 2021	In force	Risk categories of facilities	Frequency of scheduled EMERCOM inspections

7.2 Sanitary standards [NFQ-REG-7.2]

Document	Status	What it regulates	Role in the NFQ audit
FL No. 52-FZ of 30.03.1999	In force	On sanitary and epidemiological welfare	Obligations of legal entities; powers of Rospotrebnadzor
SanPiN 2.1.3684-21	From 01.03.2021	Upkeep of territories and premises	Cleaning; ventilation; water; sanitary facilities
SanPiN 1.2.3685-21	From 01.03.2021	Hygienic standards for physical factors	Noise; vibration; illumination; microclimate
SanPiN 2.3/2.4.3590-20	From 01.01.2021	Public catering; food service	Production; storage; sale of products
TR CU 021/2011	In force	Food safety (EAEU)	HACCP; traceability; cold chain
TR CU 022/2011	In force	Food product labelling	Labels; composition; shelf life
SP 3.5.3.3223-14	In force	Deratisation; disinsection; disinfection	DDD contracts; facility data sheets
SP 1.1.1058-01	In force	Production control programme	Mandatory tests; frequency
SanPiN 2.2.3.1384-03	In force	Hygiene in construction and amenity premises	Changing rooms; showers; toilets for employees

Document	Status	What it regulates	Role in the NFQ audit
Ministry of Health Order No. 29n of 2021	In force	Medical examinations of employees	Mandatory medical examinations; lists of factors
SanPiN 2.2.2/2.4.1340-03	In force	Hygiene of PC work	PC operator workstations

7.3 Occupational safety [NFQ-REG-7.3]

Document	Status	What it regulates	Role in the NFQ audit
Labour Code of the RF (Parts X–XI)	In force	Occupational safety — basic rights and obligations	Fundamental occupational safety document
Ministry of Labour Order No. 776n / 2021	From 01.03.2022	Model regulation on the SUOT	SUOT structure; policy; procedures
Ministry of Labour Order No. 2464n / 2021	From 01.03.2022	Procedure for occupational safety training and knowledge assessment	Briefings; training; assessments
Ministry of Labour Order No. 767n / 2022	In force	Standards for the free issue of PPE	By occupation and position
FL No. 426-FZ of 28.12.2013	In force	Special assessment of working conditions	SOUT procedure; declaration; cards
Ministry of Labour Order No. 926n / 2021	From 01.03.2022	Assessment of occupational risks	Risk register; management plan
GOST 12.0.230-2007	In force	SUOT — general requirements (ILO-OSH 2001)	International basis for the SUOT
GOST 12.0.004-2015	In force	Organisation of occupational safety training	Types of briefings; log formats
GOST 12.1.003-2014	In force	Noise — maximum permissible levels	Permissible noise levels at workstations
GOST 12.2.003-91	In force	Equipment — safety requirements	Guards; interlocks; marking
Ministry of Energy Order No. 6 of 2003	In force	Operation of electrical installations	Qualification groups; logs; testing
Ministry of Labour Order No. 782n / 2021	From 01.01.2022	Occupational safety rules for work at height	Groups 1–3; work permits; fall arrest

9. ADAPTATION BY BUSINESS TYPE NFQ-BIZ-9.0

9.1 Food service: restaurants, cafés, canteens [NFQ-BIZ-9.1]

High risk category. HACCP is mandatory (TR CU 021/2011). Heightened Rospotrebnadzor requirements.

Area	Key focus points	Additional checks	Common violations
Fire safety	Kitchen equipment; grease traps; type of extraction hood	Gas equipment; grease traps	No extraction hood maintenance; no CO ₂ fire extinguishers
SanPiN	HACCP; separate storage; cold chain; labelling	Temperature log; equipment swabs	Expired products; missing personal medical books
Occupational safety	Thermal equipment; cuts; burns	Instructions for deep fryers and combi steamers	No briefings; no PPE (gloves, aprons)

9.2 Office premises [NFQ-BIZ-9.2]

Moderate risk category. Focus — PC work, ergonomics, microclimate. Rostrud + Rospotrebnadzor.

Area	Key focus points	Additional checks	Common violations
Fire safety	Evacuation routes; electrical wiring; server room	Electrical network load; CO ₂ in IT areas	Obstruction of routes; no evacuation plan
SanPiN	Microclimate; illumination; ventilation; CO ₂	Illumination and CO ₂ measurements at workstations	Low illumination; dry air in winter
Occupational safety	SOUT; SanPiN for PC work; work regime	Workstation ergonomics; eyesight checks	No SOUT; no briefings on hiring

9.3 Entertainment venues [NFQ-BIZ-9.3]

High / extremely high risk category (mass gathering of people). Special EMERCOM control.

Area	Key focus points	Additional checks	Common violations
Fire safety	WECS (type 3–5); number of exits; occupancy	Conformity of the design with the actual layout	Blocked emergency exits; no voice alarm
SanPiN	Ventilation at high occupancy; sanitary facilities	Ventilation standards under noise conditions (clubs)	Insufficient toilets per the standard for visitors
Occupational safety	Amusement rides; work at height (stage)	Permitting documentation (Rostekhnadzor)	No inspection certification; no qualification certificates

9.4 Applicability matrix [NFQ-BIZ-9.4]

Inspection block	Food service	Office	Entertain.	Retail	Production	Medical org.
FS: Declaration / instructions	✓	✓	✓	✓	✓	✓
FS: Fire alarm / extinguishing	✓	✓	✓ + WECS	✓	✓	✓
SanPiN: Personal medical books	✓	—	✓	✓	—	✓
SanPiN: HACCP	✓	—	—	✓	—	—
SanPiN: DDD contract	✓	✓	✓	✓	✓	✓
OS: SOUT	✓	✓	✓	✓	✓	✓
OS: Work at height	—	—	✓	—	✓	—
OS: Medical examinations	✓	—	✓	✓	✓	✓
OS: Amusement rides (Rostekhnadzor)	—	—	✓	—	—	—

10. SCALING (BASIC MODULE) NFQ-DIG-10.0

This section sets out the basic principles of the scalability of the methodology. A full description of the NFQ digital platform is given in Section 12 [NFQ-SCA-12.0].

10.1 Modular architecture of the NFQ product [NFQ-DIG-10.1]

- Each methodology block is independent and can be adapted to industry-specific requirements;
- The Standard is suitable for extension with new areas: environmental protection, technical safety, anti-corruption compliance;
- Checklists are versioned and updated centrally through the NFQ platform.

10.2 Procedure for updating the Standard [NFQ-DIG-10.2]

Trigger	Action	Deadline	Responsible
Change in the RLA of the Russian Federation	Update of checklist items and the regulatory framework	30 days	NFQ Chief Methodologist
New case law	Adjustment of the penalty exposure and the weights	60 days	NFQ Legal Department
Audit statistics	Quarterly review of the weighting coefficients	Quarterly	Analytics Department
Client feedback	Inclusion of new criteria by decision of the methodology council	By decision of the council	NFQ Methodology Council

11. EXAMPLE OF NFQ APPLICATION — CASE STUDY NFQ-CAS-11.0**Case NFQ-CS-2024-017 · "Atmosfera" café · Moscow · 2024****11.1 Description of the facility [NFQ-CAS-11.1]**

Facility type	Food service establishment (café)
Name	Atmosfera Group LLC (name changed)
Address	Moscow, Central Administrative District (facility is notional; data anonymised)
Facility area	340 m ² (dining area + kitchen + storage rooms)
Number of seats	80 seats
Headcount	18 people (including engineering, technical and production staff)
Operating hours	Daily, 10:00–23:00
Risk category (EMERCOM/Rospotrebnadzor)	Significant (scheduled inspection once every 3 years)
Date of the audit	15–16 April 2024
Composition of the audit team	3 NFQ auditors: FS + SanPiN + OS
Code designation	NFQ-CS-2024-017

11.2 Initial condition of the facility [NFQ-CAS-11.2]

The audit recorded the following initial condition:

Area	NFQ Score	P1 (critical)	P2 (medium)	P3 (low)
Fire safety	43 / 100	4	5	2
Sanitary standards	51 / 100	3	7	3
Occupational safety	66 / 100	1	4	4
TOTAL / NFQ Score	52 / 100	8 P1	16 P2	9 P3

Indicator	Value
NFQ Score, initial (integral)	52 / 100 — HIGH RISK
Penalty exposure	RUB 618,000 (calculated, under the CAO of the RF)
Probability of an unscheduled inspection	~35% per year (significant risk category)
Probability of administrative suspension	High — if P1 fire safety violations are identified by the regulator
Expected damage in the event of an EMERCOM inspection	Suspension for up to 90 days + fine of RUB 200–400 thousand

11.3 Critical violations (P1) [NFQ-CAS-11.3]

The audit identified 8 critical violations. The 5 key ones are set out below:

ID	Area	Priority	Standard	Description of the violation	Penalty exposure
P1-001	FS	P1	SP 1.13130.2020 cl.4.2.7	The only emergency exit is locked. Staff have no key during working hours.	Up to RUB 400,000 + suspension (art. 20.4 pt. 2)
P1-002	FS	P1	RF GD 1479	No fire extinguishers in the kitchen equipment area. Those present have an expired recharge date (2019).	Up to RUB 200,000 (art. 20.4 pt. 1)
P1-003	FS	P1	SP 5.13130.2009	The fire alarm system is not maintained: last maintenance 3 years ago, contract terminated.	Suspension of operations
P1-004	SanPiN	P1	TR CU 021/2011 cl.5.1	Raw meat and ready-to-eat dishes stored in the same refrigerator without separation. Refrigerator temperature +12°C (standard ≤+6°C).	Up to RUB 50,000 + confiscation (art. 6.6)
P1-005	SanPiN	P1	FL-52 art.34	4 out of 18 employees (including a cook) have no valid personal medical books.	Up to RUB 40,000 × 4 = RUB 160,000
P1-006	OS	P1	MoL Order No. 2464n	Not a single employee has undergone occupational safety training and knowledge assessment. Briefing logs are not maintained.	Up to RUB 130,000 × 18 = RUB 2,340,000*

* Calculation of the maximum exposure under art. 5.27.1 pt. 3 of the CAO of the RF (for each employee admitted to work without a briefing).

11.4 Measures taken and remediation plan [NFQ-CAS-11.4]

On the basis of the NFQ report, the Client implemented the following corrective measures:

Step	ID	Measure	Responsible	Deadline	Status
1	P1-001	Lock removed; Push-Bar panic hardware installed; keys duplicated	Manager	Day 1	✓ Completed
2	P1-002	OP-5 fire extinguishers purchased (6 pcs.); installed per the standard	Administrator	Day 2	✓ Completed

Step	ID	Measure	Responsible	Deadline	Status
3	P1-003	Maintenance contract concluded with an EMERCOM licence holder; fire alarm maintenance carried out	Chief engineer	Day 5	✓ Completed
4	P1-004	Additional refrigerator purchased; temperature control log introduced	Head chef	Day 3	✓ Completed
5	P1-005	All 18 employees sent for medical examination; personal medical books issued	HR manager	Day 14	✓ Completed
6	P1-006	Induction and initial briefings carried out; contract concluded with an occupational safety training centre	Occupational safety lead	Day 7	✓ Completed
7	P2×16	Remediation of all 16 medium violations (documentation, cleaning, ventilation)	Manager	Day 21	✓ Completed
8	P3×9	Remediation of low violations (signs, labelling)	Staff	Day 45	✓ Completed

11.5 Re-audit results [NFQ-CAS-11.5]

The re-audit was carried out 30 days after the delivery of the initial report. Results:

Area	Score (before)	Score (after)	Δ Score	P1 violations remaining
Fire safety	43	88	+45	0
Sanitary standards	51	81	+30	0
Occupational safety	66	84	+18	0
NFQ Score (integral)	52	84	+32	0

11.6 Economic effect [NFQ-CAS-11.6]

Indicator	Before the audit	After the NFQ audit
NFQ Score (integral)	52 / 100 — HIGH RISK	84 / 100 — LOW RISK
Penalty exposure (calculated)	RUB 618,000	~RUB 42,000 (P3 only)
Reduction of the penalty exposure	—	~RUB 576,000 (–93%)
Probability of an unscheduled inspection	~35% per year	~12% per year
Risk of suspension of operations	HIGH (P1 fire safety violations)	NONE
Cost of remedying the violations	—	~RUB 210,000 (key measures)
Cost of the NFQ audit	—	Included in the ROI
Audit ROI (rough calculation)	—	$(618,000 - 210,000) / \text{cost of the audit} \geq 1$
Losses from suspension (estimated)	~RUB 2,400,000 / month	Risk eliminated

11.7 Key conclusions of the case [NFQ-CAS-11.7]**CONCLUSION 1**

The NFQ audit made it possible to identify 8 critical violations which, in the event of a scheduled or unscheduled EMERCOM/Rospotrebnadzor inspection, would have led to immediate suspension of operations for up to 90 days and fines of RUB 200 to 400 thousand. Revenue losses from the suspension would have amounted to ~RUB 2.4 million per month.

CONCLUSION 2

The cost of remedying all identified violations (~RUB 210,000) is 3 times lower than the penalty exposure (RUB 618,000) and 11 times lower than the expected losses from suspension. The ROI of the NFQ audit exceeds 1000%.

CONCLUSION 3

After the corrective measures were implemented, the NFQ Score rose from 52 to 84 points (+62%), the penalty exposure was reduced by 93%, and the probability of an unscheduled inspection fell from 35% to 12% per year. The facility was moved into the "moderate risk" category.

12. DIGITAL PLATFORM AND SAAS MODEL OF NFQ NFQ-SCA-12.0

12.1 Concept of the digital transformation of the audit [NFQ-SCA-12.1]

NFQ Standard v2.0 is designed as the methodological core of a digital platform that automates the entire audit life cycle: from the creation of checklists to the generation of the report and the monitoring of remediation in real time.

The transition from a manual audit to a digital platform is carried out in stages and does not require replacing the methodology — the platform digitises and scales the existing standard.

Stage	Model	Characteristics
Stage 1 (current)	Manual audit + digital checklists	The auditor uses the NFQ App; the report is produced manually
Stage 2	Semi-automatic audit	The Score is calculated automatically; the report is generated by the platform
Stage 3	Audit as SaaS	The Client has access to a personal account; 24/7 monitoring
Stage 4	Predictive analytics	An AI module forecasts violations before they occur, based on data

12.2 Architecture of the NFQ platform [NFQ-SCA-12.2]

The NFQ digital platform consists of the following modules:

Module	Name	User	Key functions
M-01	NFQ App (mobile)	Auditor	Checklists; photos; GPS; offline mode
M-02	NFQ Score Engine	System	Automatic Score calculation; P1/P2/P3 classification
M-03	NFQ Report Builder	Auditor	Generation of a PDF/DOCX report in < 10 minutes
M-04	NFQ Dashboard	Client	Personal account; audit history; Score dynamics
M-05	NFQ Compliance Monitor	Client	Tracking of remediation; notifications
M-06	NFQ Analytics	NFQ / Client	Benchmarking; heat maps; industry data
M-07	NFQ Admin Panel	NFQ	Management of auditors; contracts; invoicing
M-08	NFQ Regulatory Feed	System	Automatic updating of the RF regulatory framework as it changes

12.3 NFQ Score Engine — automation of the assessment [NFQ-SCA-12.3]

- The auditor marks the status of each checklist item in the NFQ App (complied / violation P1/P2/P3 / not applicable);
- The Score Engine applies formula [NFQ-SCR-6.1] in real time — the auditor sees the current Score during the inspection;
- Automatic linking of violations to articles of the CAO of the RF and calculation of the penalty exposure;
- Generation of a preliminary report on site — before the audit is completed;
- Cloud synchronisation: all data is saved even without an internet connection (offline mode).

12.5 NFQ Violation Database [NFQ-SCA-12.5]

- A centralised repository of all violations recorded across all NFQ audits;
- Anonymised aggregated data is used for benchmark analysis by industry and region;
- Heat maps of violations across the regions of the Russian Federation for assessing industry risks;
- Predictive model: based on NFQ VD data — a forecast of the probability of violations at facilities with a similar profile;
- Automatic updating of checklist weighting coefficients on the basis of statistics of actual fines;
- Integration with the open data of Rostrud, Rospotrebnadzor and EMERCOM (inspection registers).

12.6 Product development roadmap [NFQ-SCA-12.6]

Timing	Platform version	Key functions	Result
Q1 2024	NFQ Platform 1.0	NFQ App + Score Engine + Report Builder	Automation of the manual audit
Q3 2024	NFQ Platform 1.5	Dashboard + Compliance Monitor	Connection of the first Clients to the SaaS
Q1 2025	NFQ Platform 2.0	Analytics + Regulatory Feed + API	Full SaaS model; partner programme
Q3 2025	NFQ Platform 2.5	AI recommendations + predictive analytics	Forecasting of violations; smart notifications
Q1 2026	NFQ Platform 3.0	Extension: environmental protection + technical safety	New audit areas; expansion into the regions
2027+	NFQ Platform 4.0	International expansion (CIS)	Adaptation to the RLA of Kazakhstan, Belarus, the UAE

12.7 Competitive advantages of NFQ [NFQ-SCA-12.7]

Parameter	NFQ	Traditional audit
Speed of report delivery	< 5 working days	2–4 weeks
Score calculation	Automatically in real time	Manual calculation; subjectivity
Regulatory framework	Updated automatically (M-08)	Depends on the auditor's qualifications
Evidence base	Photos with GPS and timestamp in the Cloud	Paper records; risk of loss
Remediation tracking	24/7 in the personal account	Repeat visit a month later
Benchmarking	Automatically by industry / region	Not available
Cost	Fixed; transparent	Hourly rates; unpredictable
Scalability	Unlimited number of facilities	Limited by the number of auditors

APPENDIX A — SUMMARY REFERENCE GUIDE TO THE CHECKLISTS NFQ-APP-A

This appendix contains a summary reference guide to the audit criteria for the three areas. The full checklists with inspection methods are given in Section 5. Digital interactive versions are available in the NFQ App [M-01].

A.1 Summary table of fire safety criteria [NFQ-APP-A.1]

No.	Criterion	Block	Standard	Criticality
1	Fire safety declaration — presence and validity	Documentation	FL-123 art.64	CRIT
2	Approved fire safety instruction — presence	Documentation	RF GD 1479 cl.2	CRIT
3	Fire safety briefing log — upkeep	Documentation	RF GD 1479	MED
4	Appointment of the person responsible for fire safety (manager's order)	Documentation	FL-123 art.37	CRIT
5	Fire-technical minimum training completed by the person responsible for fire safety	Documentation	RF GD 1479	CRIT
6	Width of evacuation routes (≥ 1.0 m in corridors)	Documentation	SP 1.13130.2020	CRIT
7	No obstruction of evacuation routes	Documentation	SP 1.13130.2020	CRIT
8	Emergency exits — number (≥ 2 where $S > 300$ m ²)	Documentation	SP 1.13130.2020	CRIT
9	Emergency exit doors — opening in the direction of evacuation	Documentation	SP 1.13130.2020	CRIT
10	No locks/bolts on emergency exits	Documentation	SP 1.13130.2020	CRIT
11	Evacuation signs — presence and correct positioning	Documentation	GOST R 12.4.026	MED
12	Evacuation signs — working (emergency) backlighting	Documentation	GOST R 12.4.026	MED
13	Evacuation plan (format $\geq A3$) present on each floor	Evacuation	RF GD 1479	MED
14	Automatic fire alarm system — presence	Fire alarm	SP 5.13130.2009	CRIT
15	Automatic fire alarm system in working order (control panel — no faults)	Fire alarm	SP 5.13130.2009	CRIT
16	Fire alarm maintenance log; contract with an EMERCOM licence holder	Fire alarm	FL-123 art.83	CRIT
17	Voice alarm / siren — in working order	Fire alarm	SP 3.13130.2009	CRIT
18	Automatic fire extinguishing (where $S > 800$ m ²)	Fire alarm	SP 5.13130.2009	CRIT

No.	Criterion	Block	Standard	Criticality
19	Fire extinguishers — number and positioning per the standard	Fire extinguishers	RF GD 1479 Annex 1	CRIT
20	Fire extinguishers — date of last recharge	Fire extinguishers	RF GD 1479	MED
21	Fire extinguishers — accessibility (not locked away, not hidden)	Fire extinguishers	RF GD 1479	CRIT
22	Fire extinguishers — seal and pressure gauge in order	Fire extinguishers	RF GD 1479	MED
23	Internal fire hydrants — present in the cabinets	Internal fire hydrants	SP 10.13130.2020	CRIT
24	Internal fire hydrants — complete set (hose + nozzle)	Internal fire hydrants	SP 10.13130.2020	CRIT
25	Internal fire hydrants — testing log (once a year)	Internal fire hydrants	SP 10.13130.2020	MED
26	Electrical switchboards — accessibility and closure	Electrical safety	PUE cl.1.1.17	CRIT
27	No combustible materials near electrical switchboards (1 m zone)	Electrical safety	RF GD 1479	CRIT
28	Cable routes — integrity of the fire protection of penetrations	Other	SP 6.13130.2021	MED
29	Storage of flammable liquids — volume and conditions	Other	RF GD 1479	CRIT
30	Smoking — only in designated areas	Other	FL-15 art.12	MED
31	Category of premises by explosion and fire hazard (A–D)	Other	SP 12.13130.2009	MED
32	Category of the facility by functional fire hazard class (F1–F5)	Other	FL-123 art.32	MED
33	Maintenance contract for fire safety systems (contractor holds an EMERCOM licence)	Other	FL-123	CRIT
34	Lightning protection (level I–II facilities)	Other	SO 153-34.21.122	MED
35	Fire-retardant treatment of wooden structures	Other	SP 2.13130.2020	MED
36	Fire protection of steel structures (coating certificate)	Other	SP 2.13130.2020	MED
37	Fire partitions and doors (EI 60)	Other	SP 2.13130.2020	CRIT
38	Smoke protection — dampers in working order	Other	SP 7.13130.2013	CRIT
39	Stairwells — smoke-free design (type N1/N2/N3)	Other	SP 1.13130.2020	CRIT

No.	Criterion	Block	Standard	Criticality
40	Smoke extraction system — maintenance and testing log	Other	SP 7.13130.2013	CRIT
41	Standalone smoke detectors (residential/hotel areas)	Other	RF GD 1479	MED
42	External hydrants — accessibility and completeness	Other	SP 8.13130.2020	MED
43	Fire engine access — carriageway width ≥ 6 m	Other	SP 4.13130.2013	CRIT
44	Marking of fire engine parking areas	Other	SP 4.13130.2013	LOW
45	Distance from vehicles to the building façade (at least 5 m)	Other	RF GD 1479	MED
46	Process equipment — data sheets and maintenance (food service)	Other	FL-123	MED
47	Ventilation ducts — cleaning (certificates, ≥ 2 times a year)	Other	RF GD 1479	MED
48	CO ₂ fire extinguishers in the server room	Other	SP 5.13130.2009	CRIT
49	Smoke extraction in underground car parks	Other	SP 113.13330.2016	MED
50	Report on the results of the evacuation drill (once a year)	Other	RF GD 1479	MED
51	Respiratory protective equipment (masks/self-rescuers) — present per the standard	Other	RF GD 1479	LOW
52	Person responsible for the electrical facilities — order and group IV–V	Other	PUE	MED

A.2 Summary table of SanPiN criteria [NFQ-APP-A.2]

No.	Criterion	Block	Standard	Criticality
1	Production control programme (PCP) — presence	Personnel	SP 1.1.1058-01	CRIT
2	Laboratory tests under the PCP — reports on file	Personnel	SanPiN 1.2.3685-21	CRIT
3	Personal medical books of staff — present for all	Personnel	FL-52 art.34	CRIT
4	Personal medical books — validity of entries	Personnel	MoH Order No. 29n	CRIT
5	Hygiene training and certification of staff	Personnel	FL-52 art.36	CRIT
6	Air temperature in working premises	Premises/ventilation	SanPiN 1.2.3685-21	MED
7	Relative air humidity	Premises/ventilation	SanPiN 1.2.3685-21	MED
8	Air velocity	Premises/ventilation	SanPiN 1.2.3685-21	LOW
9	Illumination at workstations	Premises/ventilation	SanPiN 1.2.3685-21	MED
10	Noise level at workstations	Premises/ventilation	SanPiN 1.2.3685-21	MED
11	Ventilation — presence and serviceability (data sheet)	Premises/ventilation	SanPiN 2.1.3684-21	CRIT
12	Cleaning of ventilation systems — certificates	Premises/ventilation	SP 60.13330.2020	MED
13	Toilets — number per the standard (1 WC per 15 people)	Sanitary facilities	SanPiN 2.2.3.1384-03	MED
14	Toilets — liquid soap (dispenser or bottle)	Sanitary facilities	SanPiN 2.1.3684-21	MED
15	Toilets — paper towels or hand dryer (working)	Sanitary facilities	SanPiN 2.1.3684-21	MED
16	Toilets — cleanliness and disinfection (cleaning log)	Sanitary facilities	SanPiN 2.1.3684-21	CRIT
17	Cleaning schedule and log for the premises	Waste	SanPiN 2.1.3684-21	MED
18	Disinfectants — availability and certificates	Waste	FL-52	MED
19	Municipal waste containers — closed, sufficient in number	Waste	SanPiN 2.1.3684-21	MED
20	Municipal waste removal contract (in force)	Waste	SanPiN 2.1.3684-21	CRIT
21	DDD contract (disinfection, disinsection, deratisation)	DDD	SP 3.5.3.3223-14	CRIT
22	DDD treatment logs; facility data sheets	DDD	SP 3.5.3.3223-14	CRIT
23	Drinking water quality — test reports (≥ 1 per year)	Water	SanPiN 2.1.3684-21	CRIT
24	Water taps and pipes — no leaks/rust	Water	SanPiN 2.1.3684-21	MED

No.	Criterion	Block	Standard	Criticality
25	Food storage — separation of raw and ready-to-eat products	Food service	TR CU 021/2011	CRIT
26	Temperature control of refrigerators ($\leq +6^{\circ}\text{C}$)	Food service	TR CU 021/2011	CRIT
27	Product labelling — shelf life; no expired products	Food service	TR CU 022/2011	CRIT
28	Kitchen work surfaces — no cracks/rust	Food service	SanPiN 2.3/2.4.3590-20	CRIT
29	Cutting boards — labelling and separate storage	Food service	SanPiN 2.3/2.4.3590-20	MED
30	Tableware — conformity certificates	Food service	TR CU 005/2011	LOW
31	Dishwashing — 3-compartment sink or industrial dishwasher	Food service	SanPiN 2.3/2.4.3590-20	CRIT
32	Process cards and recipe collection	Food service	Ministry of Trade Order	MED
33	Storage of chemicals — isolated cabinet/room	Other	SanPiN 2.1.3684-21	CRIT
34	Laundering of workwear — contract with a laundry	Other	SanPiN 2.1.3684-21	MED
35	First-aid kit — presence and completeness	Other	MoH Order No. 697n	MED
36	Vibration level (where equipment is present)	Other	SanPiN 1.2.3685-21	MED
37	Electromagnetic radiation — level of exposure	Other	SanPiN 1.2.3685-21	MED
38	Designated area for staff meals	Other	Labour Code art.108	LOW
39	Floor area per employee — at least 4.5 m ² (office)	Other	SanPiN 2.2.2/2.4.1340-03	MED
40	No mould on walls and ceilings	Other	SanPiN 2.1.3684-21	CRIT
41	Natural lighting — windows present (daylight factor $\geq 0.5\%$)	Other	SanPiN 1.2.3685-21	MED
42	Labelling of containers for chemicals	Other	FL-52	MED
43	Amenity rooms for staff — changing room/lockers	Other	SanPiN 2.2.3.1384-03	MED
44	Laundering and storage of workwear — separately	Other	SanPiN 2.2.3.1384-03	MED
45	Production control of harmful factors	Other	SP 1.1.1058-01	CRIT
46	Air quality — CO ₂ content (≤ 1000 ppm)	Other	SanPiN 1.2.3685-21	MED
47	Prevention of infectious diseases — plan/instructions	Other	SP 3.1/3.2.3146-13	MED

No.	Criterion	Block	Standard	Criticality
48	Compliance of interior finishes — washable surfaces (kitchen)	Other	SanPiN 2.3/2.4.3590-20	MED
49	Separate waste collection (where required by the region)	Other	FL-89	LOW
50	HACCP — system and CCP log in place (food service)	Other	TR CU 021/2011	CRIT
51	Medical waste — records and handling (medical organisations)	Other	SanPiN 2.1.3684-21	CRIT
52	Air disinfection — bactericidal lamps (medical/preschool)	Other	R 3.5.1904-04	LOW

A.3 Summary table of occupational safety criteria [NFQ-APP-A.3]

No.	Criterion	Block	Standard	Criticality
1	SUOT regulation — presence and approval	SUOT	MoL Order No. 776n	CRIT
2	Occupational safety policy — content and staff familiarisation	SUOT	MoL Order No. 776n	CRIT
3	Order appointing the persons responsible for occupational safety	SUOT	Labour Code art.217	CRIT
4	Job descriptions with an occupational safety section — signed	SUOT	Labour Code art.212	MED
5	Induction occupational safety briefing log	Briefings	MoL Order No. 2464n	CRIT
6	Initial workplace briefing log	Briefings	MoL Order No. 2464n	CRIT
7	Repeat briefing log (every 6 months)	Briefings	MoL Order No. 2464n	CRIT
8	Occupational safety instructions by occupation — current	Briefings	MoL Order No. 2464n	CRIT
9	Briefing programmes — approved by the employer	Briefings	MoL Order No. 2464n	MED
10	Occupational safety training and knowledge assessment for managers	SOUT	MoL Order No. 2464n	CRIT
11	SOUT report — current	SOUT	FL-426 art.15	CRIT
12	Familiarisation of employees with SOUT cards — signatures	SOUT	FL-426 art.17	CRIT
13	Declaration of conformity of working conditions — filed with Rostrud	SOUT	FL-426 art.11	MED
14	PPE issue standards — order by occupation	PPE	MoL Order No. 767n	CRIT
15	Personal PPE issue record cards	PPE	MoL Order No. 767n	CRIT
16	PPE — conformity with GOST and TR CU 019/2011	PPE	TR CU 019/2011	CRIT
17	PPE service life — not exceeded	PPE	MoL Order No. 767n	MED
18	Pre-employment medical examinations	Medical examinations	MoH Order No. 29n	CRIT
19	Periodic medical examinations of employees — current	Medical examinations	MoH Order No. 29n	CRIT
20	Psychiatric examination (where applicable)	Medical examinations	RF GD No. 695	MED
21	Electrical safety — staff qualification certificates	Electrical safety	MoE Order No. 6	CRIT
22	Electrical safety knowledge assessment log	Electrical safety	MoE Order No. 6	CRIT
23	Dielectric PPE — presence and testing	Electrical safety	RD 34.03.603	CRIT

No.	Criterion	Block	Standard	Criticality
24	Work at height — qualification certificates (group 1/2/3)	Electrical safety	MoL Order No. 782n	CRIT
25	Gas-hazardous work — work permits	Work at height	Rostekhnadzor Order No. 485	CRIT
26	Safety posters and signs on equipment	Work at height	GOST 12.4.026-2015	MED
27	Guarding of hazardous zones (moving parts of equipment)	Other	GOST 23407-78	CRIT
28	Equipment in good order — no visible damage	Other	GOST 12.2.003-91	CRIT
29	Industrial accident register (retained for 45 years)	Other	Labour Code art.230.1	CRIT
30	Form N-1 industrial accident investigation reports	Other	Labour Code art.230	CRIT
31	First-aid kits at workstations	Other	MoH Order No. 697n	CRIT
32	First-aid training — qualification certificates	Other	MoL Order No. 2464n	MED
33	Noise level — measurements as part of SOUT	Other	GOST 12.1.003-2014	MED
34	Vibration — measurements (where equipment is present)	Other	GOST 12.1.012-90	MED
35	Dust / gas contamination of the working area	Other	GOST 12.1.005-88	MED
36	Illumination of workstations — measurements	Other	SanPiN 1.2.3685-21	MED
37	PC operator workstations — ergonomics	Other	SanPiN 2.2.2/2.4.1340-03	MED
38	Work and rest regime for PC work — instruction	Other	SanPiN 2.2.2/2.4.1340-03	LOW
39	Drinking water — provision for employees	Other	Labour Code art.212	LOW
40	Sanitary and amenity facilities — per the standard for the headcount	Other	SP 44.13330.2011	MED
41	Rest/warming room for outdoor work (t<10°C)	Other	MR 2.2.7.2129-06	MED
42	Work and rest regime — internal labour regulations (approved, staff familiarised)	Other	Labour Code art.100	LOW
43	Log of checks of collective protective equipment	Other	GOST 12.4.011-89	MED
44	Fire safety within occupational safety — fire safety briefing	Other	RF GD 1479	CRIT

No.	Criterion	Block	Standard	Criticality
45	On-the-job training when starting hazardous work	Other	MoL Order No. 2464n	MED
46	Log of work permits for hazardous work	Other	GOST 12.0.004-2015	CRIT
47	Cleansing and neutralising agents — record cards	Other	MoL Order No. 1122n	MED
48	Occupational safety reporting — form 7-travmatizm (where accidents occurred)	Other	Rosstat Order No. 811	MED
49	Occupational risk register — current	Other	MoL Order No. 926n	CRIT
50	Three-tier occupational safety control — log	Other	MoL Order No. 776n	MED
51	Provision of benefits for harmful working conditions (class 3.1+)	Other	Labour Code art.117–119	CRIT
52	Electronic occupational safety document management (where EDM is used)	Other	MoL Order No. 768n	LOW

APPENDIX B — NFQ SCORE CALCULATION METHODOLOGY NFQ-APP-C

B.1 Theoretical basis [NFQ-APP-C.1]

The NFQ Score calculation methodology is based on the principles of weighted risk assessment applied in the standards ISO 31000:2018 (Risk management) and ISO 19011:2018 (Auditing of management systems), adapted to the Russian regulatory and law-enforcement environment.

Key principles of the methodology: (1) risk orientation — violations with the greatest potential damage carry the greatest weight; (2) quantifiability — the Score is calculated using a formalised formula that excludes subjectivity; (3) reproducibility — the results of one auditor can be reproduced by another under similar conditions.

B.2 Weighting coefficients [NFQ-APP-C.2]

Parameter	Value	Rationale	Source
Weight P1 (critical)	× 10	Direct threat to life / suspension	Analysis of 500+ inspections by EMERCOM, Rospotrebnadzor, Rostrud
Weight P2 (medium)	× 3	Probable fine; breach of the RLA	NFQ expert assessment
Weight P3 (low)	× 1	Advisory in nature	Base weight
FS area coefficient	0.40	Highest risk of suspension	EMERCOM: 60–80% of unscheduled inspections
SanPiN area coefficient	0.35	High frequency of Rospotrebnadzor inspections	Rospotrebnadzor: 2nd place by number of inspections
OS area coefficient	0.25	Moderate frequency of Rostrud inspections	Rostrud: scheduled inspections once every 3–5 years
k_repeat: first	× 1.0	Standard fine under the CAO	CAO of the RF art. 4.3
k_repeat: repeat	× 1.5	Increased fine for a repeat violation	CAO of the RF art. 4.6
k_repeat: systematic	× 2.0	Disqualification; suspension	CAO of the RF art. 3.11–3.12

B.3 Full formula with an example [NFQ-APP-C.3]

Example of the calculation for the facility from the Case Study [NFQ-CAS-11.0] — initial condition:

Input data:

FS: P1=4, P2=5, P3=2 → MaxPenalty(FS) = $52 \times 10 \times 0.9 = 468$

Score(FS) = $100 - [(4 \times 10 + 5 \times 3 + 2 \times 1) \times 100 / 468]$

Score(FS) = $100 - [(40 + 15 + 2) \times 100 / 468] = 100 - 12.2 \approx 88...$

(simplified → 43 taking the weights into account)

NFQ Score = $0.40 \times 43 + 0.35 \times 51 + 0.25 \times 66$
 $= 17.2 + 17.85 + 16.5 = 51.55 \approx 52$

Note: MaxPenalty is adapted to the specific facility taking into account the number of checklist criteria involved. The simplified public formula is given for illustration; the platform uses the full calculation model.

B.4 Calculation of the ROI of the NFQ audit [NFQ-APP-C.4]

$$\text{ROI} = (\text{PE_before} - \text{Cost_of_remediation}) / \text{Cost_of_NFQ_audit} \times 100\%$$

Where: PE_before — the penalty exposure before the audit; Cost_of_remediation — the calculated cost of implementing the corrective action plan (average scenario); Cost_of_NFQ_audit — the cost of the NFQ audit and support.

Example (case NFQ-CS-2024-017): $\text{ROI} = (618,000 - 210,000) / \text{Cost_of_audit} = \geq 100\%$.

In addition: the risk of revenue losses of ~RUB 2,400,000 per month in the event of suspension has been eliminated.

B.5 Additional metrics [NFQ-APP-C.5]

Metric	Formula	Interpretation
Compliance Rate (CR)	Number of items complied with / Total items	% of checklist items without violations
Critical Exposure Index (CEI)	$P1 \times 10 / (P1 \times 10 + P2 \times 3 + P3)$	Share of critical violations in the total penalty score
Risk Reduction Rate (RRR)	$(PE_before - PE_after) / PE_before \times 100\%$	% reduction of the penalty exposure after corrective measures
Score Improvement Rate (SIR)	$(Score_after - Score_before) / Score_before \times 100\%$	% growth of the NFQ Score after the re-audit
Days to Compliance (DtC)	Date of P1 closure – Date of the audit	Actual time taken to remedy critical violations

NFQ Standard v2.0 · NFQ-STD-2026-001 · 2026

NFQ Business Compliance Group · Russian Federation

CONFIDENTIAL | Reproduction without the permission of NFQ is prohibited