San Francisco State University
CSC 648 - 848
Milestone 3 Credentials
Section 05 Team 4

Item	Credentials
Link: Horizontal Prototype	http://54.215.216.18/
Link: Execution Code	i) https://github.com/sfsu-joseo/csc648-848-05-sw-engineering-spring-2023-T04/blob/master/Milestones/M3/HorizontalPrototype/frontend/src/index.js ii) https://github.com/sfsu-joseo/csc648-848-05-sw-engineering-spring-2023-T04/blob/master/Milestones/M3/HorizontalPrototype/(MODIFIED)%20spring-backend-v2/src/main/java/com/example/springbackendv2/SpringBackendV2Application.java
Link: GitHub files for Horizontal Prototype	https://github.com/sfsu-joseo/csc648-848-05-sw-engineering-spring-2023-T04/tree/master/Milestones/M3/HorizontalPrototype
Database URL	mydb.ct0pcldhakp3.us-west-1.rds.amazonaws.com
Database Username	csc648_4
Database Password	csc648_4
SSH URL	a) joseortiz@ec2-54-215-216-18.us-west-1.compute.amazonaws.com b) joseortiz@ ec2-54-193-117-34.us-west-1.compute.amazonaws.com
SSH Username	a) joseortiz b) joseortiz
SSH Password/ Key	a) joseortiz b) joseortiz

Additional Note

Index (i) on the table is the link to execution code to frontend and index (ii) on the table is the link to execution code to backend.

Team #4 has created 2 ec2 instances on AWS platform. The instance labeled (a) in the above table serve purpose to store and host frontend code. The instance labeled (b) in the above table serve purpose to store and host backend code. In addition, the instance (b) is also connected to the database system.

Steps to connect to ec2 instance with SSH

a) Connecting to ec2 instance with ssh (Frontend)

Prerequisite:

Public IPv4 DNS : ec2-54-215-216-18.us-west-1.compute.amazonaws.com

Steps:

In your terminal, type the following command:

- ⇒ ssh joseortiz@ ec2-54-215-216-18.us-west-1.compute.amazonaws.com
- ⇒ Then, you'll be prompted to answer if you want to connect. Type 'yes'.
- ⇒ Then, you'll be prompted to enter your password.
- ⇒ Then, if the password authentication was successful, you've connected to the host server as a root user.

Example:



b) Connecting to ec2 instance with SSH (Backend) and Connecting Relational Database Service to ec2 with SSH

- Connecting to ec2 instance with ssh (Backend)

Prerequisite:

Public IPv4 DNS : ec2-54-193-117-34.us-west-1.compute.amazonaws.com

Steps:

In your terminal, type the following command:

- ⇒ ssh joseortiz@ ec2-54-193-117-34.us-west-1.compute.amazonaws.com
- ⇒ Then, you'll be prompted to answer if you want to connect. Type 'yes'.
- ⇒ Then, you'll be prompted to enter your password.

⇒ Then, it the password authentication was successful, you've connected to the host server as a root user.

Example:

```
(base) sarushrestha@Sarus-MacBook-Air ~ % ssh joseortiz@ec2-3-101-81-87.us-west-1.com
pute.amazonaws.com
joseortiz@ec2-3-101-81-87.us-west-1.compute.amazonaws.com's password:
```

- **Connecting Relational Database Service to ec2 with SSH**

This server is connected to the MySQL Relational Database Service. The following steps can be followed to use MySQL in this instance as a root user:

Method 1: Connect using Endpoint

Prerequisite:

Endpoint: mydb.ct@pcldhakp3.us-west-1.rds.amazonaws.com

Steps:

Type following command to the:

⇒ mysql -h mydb.ct@pcldhakp3.us-west-1.rds.amazonaws.com -u csc648_4 -p

Then, you'll be prompted to type password. Enter the database password, csc648_4.
Then, you will be able to access mysql.

Example:

```
joseortiz@ip-172-31-25-110:~$ mysql -h mydb.ct0pcldhakp3.us-west-1.rds.amazonaws.com -u csc648_4 -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 860
Server version: 8.0.28 Source distribution

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```

Method 2: Using sudo cmd

As a root user, you'll be able to access MySQL using sudo command. The command is as follow:

⇒ sudo mysql

Example:

```
joseortiz@ip-172-31-25-110:~$ sudo mysql
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 10
Server version: 8.0.32-0ubuntu0.22.04.2 (Ubuntu)

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```