

Happy Key: HPKE implementation (RFC9180)

<https://github.com/sftcd/happykey>

Generated by Doxygen 1.9.1



---

<b>1 Data Structure Index</b>	<b>1</b>
1.1 Data Structures . . . . .	1
<b>2 Data Structure Documentation</b>	<b>3</b>
2.1 <code>ossl_hpke_ctx_st</code> Struct Reference . . . . .	3
2.1.1 Detailed Description . . . . .	4
<b>Index</b>	<b>5</b>



# Chapter 1

## Data Structure Index

### 1.1 Data Structures

Here are the data structures with brief descriptions:

<a href="#">ossl_hpke_ctx_st</a>	
Sender or receiver context . . . . .	3



## Chapter 2

# Data Structure Documentation

### 2.1 `ossl_hpke_ctx_st` Struct Reference

sender or receiver context

#### Data Fields

- `OSSL_LIB_CTX * libctx`  
*library context*
- `char * propq`  
*properties*
- `int mode`  
*HPKE mode.*
- `OSSL_HPKE_SUITE suite`  
*suite*
- `uint64_t seq`  
*aead sequence number*
- `unsigned char * shared_secret`
- `size_t shared_secretlen`
- `unsigned char * key`
- `size_t keylen`
- `unsigned char * nonce`
- `size_t noncelen`
- `unsigned char * exportersec`  
*exporter secret*
- `size_t exporterseclen`
- `char * pskid`  
*PSK stuff.*
- `unsigned char * psk`
- `size_t psklen`
- `EVP_PKEY * authpriv`  
*sender's authentication private key*
- `unsigned char * authpub`  
*auth public key*
- `size_t authpublen`
- `unsigned char * ikme`
- `size_t ikmelen`

### 2.1.1 Detailed Description

sender or receiver context

The documentation for this struct was generated from the following file:

- hpke.c



# Index

ossl\_hpke\_ctx\_st, [3](#)