

Products

Rust lifetime - variable does not live long enough error [duplicate]

```
Ask Question
```

```
Asked 4 years, 11 months ago
Active 4 years, 11 months ago
Viewed 311 times
```



1



This question already has answers here:

Is there any way to return a reference to a variable created in a function? (4 answers)

Closed 4 years ago.

I'm running into an issue with lifetimes in rust that I'm having trouble figuring out. I've tried a lot of tweaks to the below but I keep introducing new errors. I want index to return a Vector object.

I have:

```
struct Matrix<T> {
    num_rows: i32,
    num_cols: i32,
    data: Vec<T> }

struct Vector<T> {
    data: Vec<T> }
```

And I'm trying to do

```
impl<T: Clone> Index<usize> for Matrix<T> {
    type Output = Vector<T>;
    fn index(&self, i: usize) -> &Vector<T> {
    let index = i as i32;
    let start = (index * &self.num_cols) as usize;
    let end = (((index + 1) * &self.num_cols) - 1) as usize;
    let data_slice = &self.data[start..end];
    let data = data_slice.to_vec();
    let vector_temp = Vector::<T>::new(data);
    return &vector_temp;
  }
}
```

But I'm getting

 $I\ haven't\ fully\ grokked\ lifetimes\ in\ rust\ yet\ so\ was\ hoping\ someone\ could\ help\ me\ out.\ Thanks!$



Share
Improve this question
Follow
asked Jan 8'17 at 3:30

USET5534715
55 © 2 © 6

Add a commen

Your privacy^{Answer}

By clicking "Acceptial cookies of your device and disclose information in accordance with our Cookie Policy.



You're trying to return a reference to an object that will be destroyed once the function ends. vector_temp will no longer exist once index returns and so returning a reference to it is illegal (because that reference would point to nowhere).

What you want to do, is return the slice you're creating and let the caller decide what to do with it:

```
impl<T: Clone> Index<usize> for Matrix<T> {
    type Output = [T];

    fn index(&self, i: usize) >> &[T] {
        let index = i as i32;
        let start = (index * &self.num_cols) as usize;
        let end = (((index + 1) * &self.num_cols) - 1) as usize;
        &self.data[start.end]
    }
}
```

You can then have the caller do what you did in your original implementation:

```
let ml = Matrix { ... };
let owned_vector = ml[index_here].to_owned();
```

Lam not 100% sure where you go from here, given I'm not sure how much further you're going to take this. Returning the unsized slice can have its problems and so without knowing your specific use case I'm not sure if there is a better way you could handle this.

Hopefully this helps with your immediate issue though.

```
Share
Improve this answer
Follow
edited Jan 8 '17 at 4:03
```

answered Jan 8 '17 at 3:42



Not the answer you're looking for? Browse other questions tagged nst lifetime or ask your own question.

The Overflow Blog

, ,

Sequencing your DNA with a USB dongle and open source code

, ,

Don't push that button: Exploring the software that flies SpaceX rockets and...

Featured on Meta

Q

Providing a JavaScript API for userscripts

Q

Congratulations to the 59 sites that just left Beta

Linked

85

Is there any way to return a reference to a variable created in a function?

Related

What is the lifetime of a static variable in a C++ function?

Factory method: instance does not live long enough

Borrowed value does not live long enough compiler error for struct

Borrow data out of a mutex "borrowed value does not live long enough"

Rust lifetime for database connection bundle

3

Value does not live long enough with a generic function that creates a container, adds items to it, then iterates over the items

Problems with Tuple's lifetime in rust.

Can't reference a slice of &str because it doesn't live long enough, even though what it references does

2

What does the Rust error code E0495 mean?

Store data that implements a trait in a vector

Hot Network Questions

- What does the numbers mean in this guitar tab if they already gave the chords to play?
- Send Geometry nodes value into Shading tab
- What does this entry on the Rocinante's pilot quick-menu mean?
- Question on OEIS A000085
- Who (or what) created the atropal?

more hot questions

STACK OVERFLOW

Questions Jobs Developer Jobs Directory Salary Calculator Help Mobile

PRODUCTS

Teams Talent Advertising Enterprise

COMPANY

About
Press
Work Here
Legal
Privacy Policy
Terms of Service
Contact Us
Cookie Settings
Cookie Policy

STACK EXCHANGE NETWORK

Technology Culture & recreation Life & arts Science Professional Business API Data

Blog Facebook Twitter LinkedIn Instagram

site design / logo @2021 Stack Exchange Inc; user contributions licensed under cc by-sa. rev 2021.12.22.41046