

Why, is there a borrow error when no borrowing overlap is occurring?

Asked 2 years, 8 months ago Active 2 years, 8 months ago Viewed 82 times



4



The following $\underline{\text{code}}$ fails with a borrow error:

```
extern crate chrono; // 0.4.6
  let mut now = chrono::Local::today();
  now = std::mem:replace(&mut now, now.succ());
```

error[E0502]: cannot borrow 'now' as immutable because it is also borrowed as mutable --> src/lib.rs:5:39 $\begin{array}{ll} 5 \mid & now = std::mem::replace(\&mut\ now,\ now.succ()); \end{array}$ ^^^ immutable borrow occurs here mutable borrow occurs here mutable borrow later used by call

Why is there a borrow error here? now.succ() returns a new object, and it would look like the succ() call should return the new object, end the immutable borrow before the mutable borrow occurs with replace.



Follow

edited Apr 30 '19 at 14:30

asked Apr 30 '19 at 14:18



1,139 • 5 • 15

I think order matter. But anyway, you already have the solution

Apr 30 '19 at 14:28

Yes, the question is not how to fix it. It's why it's an error at all.

- Listerone Apr 30 '19 at 14:31

Active Oldest Votes







The order of the arguments matters. For example this works:

```
/// Same as 'std::mem:replace', but with the reversed parameter order.
pub fin replace<T>(src: T, dest: &mut T) -> T {
  std::mem:replace(dest, src)
```

Your privacyfin main() {
By clicking "Acceptedthmotions", yethagaro Stank: #standings();an store cookies on your device and disclose information in accordance with our Cookie Policy.

now = replace(now.succ(), &mut now); Customize settings

Accept all cookies (link to playground)

Share Improve this answer
Follow edited Apr 30 '19 at 14:40
Sargateur 19.1k • 7 • 49 • 74
answered Apr 30'19 at 14:38
mearton
22.7k • 5 • 63 • 75
Why now = replace(now.succ(), &mut now); ? look strange xd it's a do nothing line
- Stargateur Apr 30 '19 at 14:42
1920 1741 ==
That would be a compiler limitation then. - Listerone
Apr 30 '19 at 14:46
1
@Stargateur it never even crossed my mind to make that example function work. I was even going to type unimplemented () but got too lazy to do even this.— mearton
Apr 30'19 at 14:55
@Listerone while the order wouldn't actually matter for borrowing in this example, for more complex examples with different lifetimes and references, it could matter, so the compiler must at some
point set a line. - mearton
Apr 30'19 at 14:56
@mearton Is that really true? Since the immutable borrow is a call that must return before replace can actually receive the mutable reference to now, is there any scenario where these two could
interact other than as expected? – jspencer
Aug 8 '19 at 6:33
Add a comment
Your Answer
Post Your Answer
By clicking "Post Your Answer", you agree to our terms of service, privacy policy and cookie policy
Not the answer you're looking for? Browse other questions tagged nust borrow or ask your own question.
The Overflow Blog
Sequencing your DNA with a USB dongle and open source code
Don't push that button: Exploring the software that flies SpaceX rockets and
Featured on Meta
0
Providing a JavaScript API for userscripts
Congratulations to the 59 sites that just left Beta
Linked
Why is indexing a mutable vector based on its len() considered simultaneous borrowing?
Related
"the immutable borrow prevents mutable borrows" when pumping events with rust-sdl2

But in your example, &mut now appears first, and when evaluating the second parameter, it is already borrowed.

Borrow errors for multiple borrows

```
Why does a call to `fn pop(&mut self) -> Result<T, &str>` continue to borrow my data structure?
                 Rust 'Vec' - cannot borrow 'Vec' as immutable inside 'impl' method (error[E0502])
                 Why I cannot borrow something I borrowed and why I can move a method's self?
                 Prevent cannot borrow '*self' as immutable because it is also borrowed as mutable when accessing disjoint fields in struct?
                 Erronous mutable borrow (E0502) when trying to remove and insert into a HashMap
                 Borrow checker error when overwriting variable with mutable reference
               Hot Network Questions

    How can I let my opponent know that I'm touching a piece to adjust it?

               Is it possible to convert a taproot address into a native segwit address?
               \ensuremath{\mathfrak{S}} What was the plutonium for, that was stolen at the start of The Amazing Spider-Man 2?
               Alternatives to replace tandem single pole MWBC breakers?
               Question on connections in general relativity and particle physics
                   more hot questions
               Question feed
STACK OVERFLOW
```

Questions Jobs Developer Jobs Directory Salary Calculator Help Mobile

PRODUCTS

Teams Talent Advertising Enterprise

About Press Work Here Work Here Legal Privacy Policy Terms of Service Contact Us Cookie Settings Cookie Policy

STACK EXCHANGE NEIWORK

Technology Culture & recreation Life & arts Science Professional Business API Data

Blog Facebook Twitter LinkedIn Instagram

site design / logo @2021 Stack Exchange Inc; user contributions licensed under cc by-sa. rev 2021.12.22.41046