



Products

cannot infer an appropriate lifetime for borrow expression due to conflicting requirements

Log in · Sign up

Ask Question

Asked 2 years, 3 months ago

Active 2 years, 3 months ago

Viewed 524 times



1



```
pub struct FooStruct<'a> {
    pub bars: Vec<&'a str>,
}

pub trait FooTrait<'a> {
    fn getBars(&self) -> &'a Vec<&'a str>;
}

impl<'a> FooTrait<'a> for FooStruct<'a> {
    fn getBars(&self) -> &'a Vec<&'a str> {
        &self.bars // cannot infer an appropriate lifetime for borrow expression due to conflicting requirements
    }
}
```

Run it: <https://play.rust-lang.org/?version=stable&mode=debug&edition=2018&gist=3211c32dd5b9244ff91777f1820ffed5>

I do not understand where the requirement conflict comes from. Afaik there is no conflict since everything lives as long as the `FooStruct` lives.

[reference](#) [rust](#) [lifetime](#)

Share

Improve this question

Follow

asked Sep 29 '19 at 17:40



OoDeLally

534 ● 1 ● 3 ● 21

'a might be *longer* than the lifetime of the `FooStruct`. Then it would be unsound to have a `&'a Vec<_>` because the `Vec` would not last for the entire `'a`.

— trent formerly d

Sep 29 '19 at 17:47

Add a comment

1 Answer

[Active](#) [Oldest](#) [Votes](#)



3



Let's take it apart:

```
pub struct FooStruct<'a> {
    pub bars: Vec<&'a str>,
}
```

`FooStruct` holds a container containing string slices with lifetime `'a`. The container's lifetime corresponds to the lifetime of `FooStruct`.

```
pub trait FooTrait<'a> {
    fn getBars(&self) -> &'a Vec<&'a str>;
}
```

`FooTrait` wants `getBars` to return a reference to a container holding string slices with lifetime `'a`. The lifetime of the returned reference should be `'a`, too.

```
impl<'a> FooTrait<'a> for FooStruct<'a> {
    fn getBars(&self) -> &'a Vec<&'a str> {
        &self.bars
    }
}
```

Your privacy Here, `getBars` returns a reference to `self.bars` which is a container of string slices with lifetime `'a`. So far, so good.

By clicking "Accept all cookies", you agree Stack Exchange can store cookies on your device and disclose information in accordance with our [Cookie Policy](#).

- However, what is the lifetime of `&self.bars`? It corresponds to the lifetime of `self` (i.e. the respective `FooStruct`).

Accept all cookies Customize settings What is the lifetime of `self`? It is `'self` (an implicit lifetime).

However, the `FooTrait` requires that the returned reference lifetime is `'a`, so that does not match `FooTrait`'s declaration.

One solution is to separate the lifetimes in FooTrait :

```
pub trait FooTrait<a> {  
    fn getBars<s>(&'s self) -> &'s Vec<&'a str>;  
}  
  
impl<a> FooTrait<a> for FooStruct<a> {  
    fn getBars<s>(&'s self) -> &'s Vec<&'a str> {  
        &self.bars  
    }  
}
```

[Share](#)

[Improve this answer](#)

[Follow](#)

answered Sep 29 '19 at 17:51



[phimuemue](#)

31.8k • 9 • 76 • 110

Thank you. My mistake was the wrong assumption that FooStruct<a> or FooTrait<a> implicitly binds 'a' to self. Now I understand that it merely informs of the existence of such lifetimes. Making the lifetime of &self explicit indeed solved the problem.

– [OoDeLally](#)

Sep 29 '19 at 18:56

[Add a comment](#)

Your Answer

Post Your Answer

By clicking "Post Your Answer", you agree to our [terms of service](#), [privacy policy](#) and [cookie policy](#)

Not the answer you're looking for? Browse other questions tagged [reference](#) [rust](#) [lifetime](#) or ask your own question.

The Overflow Blog

- [Sequencing your DNA with a USB dongle and open source code](#)
- [Don't push that button: Exploring the software that flies SpaceX rockets and...](#)

Featured on Meta

- [Providing a JavaScript API for userscripts](#)
- [Congratulations to the 59 sites that just left Beta](#)

Related

[Passing local lifetime to satisfy trait](#)

[Cannot infer lifetime for autoref when calling mutable method from closure](#)

[Conflicting lifetime requirements when using a reference inside of a closure](#)

[Rust mutable iterator problem - how do I fix the 'cannot infer an appropriate lifetime' error?](#)

[Can I define a trait that has a generic function returning a trait object?](#)

Hot Network Questions

- [How do I get the http endpoint to work for cardano-wallet?](#)
- [Vizier of the Menagerie and cost reducing](#)
- [Naruto fighting game with Hulk and Homer Simpson?](#)
- [Without passport stamps, can my country's authorities still know what countries I've visited?](#)
- [How to salvage bitter homemade mustard?](#)

[more hot questions](#)

[Question feed](#)

STACK OVERFLOW

[Questions](#)
[Jobs](#)
[Developer Jobs Directory](#)
[Salary Calculator](#)
[Help](#)
[Mobile](#)

PRODUCTS

[Teams](#)
[Talent](#)
[Advertising](#)
[Enterprise](#)

COMPANY

[About](#)
[Press](#)
[Work Here](#)
[Legal](#)
[Privacy Policy](#)
[Terms of Service](#)
[Contact Us](#)
[Cookie Settings](#)
[Cookie Policy](#)

STACK EXCHANGE NETWORK

[Technology](#)
[Culture & recreation](#)
[Life & arts](#)
[Science](#)
[Professional](#)
[Business](#)
[API](#)
[Data](#)

[Blog](#)
[Facebook](#)
[Twitter](#)
[LinkedIn](#)
[Instagram](#)

site design / logo © 2021 Stack Exchange Inc; user contributions licensed under [cc by-sa](#). rev 2021.12.22.41046