

## Why does the closure take ownership of the vector here?

Asked 4 years, 10 months ago Active 4 years, 10 months ago Viewed 144 times



4



The rust documentation has this example in the  $\underline{\text{Closures}}$  section.

```
let nums = vec![1, 2, 3];
let takes_nums = || nums;
println!("{:?}", nums);
```

The documentation says

If your closure requires it, however, Rust will take ownership and move the environment instead

And the above code results in this error

```
note: 'nums' moved into closure environment here because it has type
 `[closure(()) -> collections::vec::Vec<i32>]`, which is non-copyable
let takes_nums = || nums;
```

for which the docs say

Vec has ownership over its contents, and therefore, when we refer to it in our closure, we have to take ownership of nums. It's the same as if we'd passed nums to a function that took ownership of it.

I don't understand why the closure doesn't just borrow the ownership of the vector as it does in this example from the documentation

```
let plus_num = |x: i32| x + num;
assert_eq!(10, plus_num(5));
```

This closure, plus\_num, refers to a let binding in its scope: num. More specifically, it borrows the binding.



Improve this question

Follow

asked Mar 1 '17 at 14:49



SphericalCow

**345** • 1 • 2 • 13

### 1 Answer

Active Oldest Votes







The answer lies in the signature of the closure: what does takes\_num return?

It returns nums , whose type is Vec<i32> .

To give ownership of something to someone, you must first own it, otherwise it's not yours to give. The same rule applies to the closure.

# Your priva gyprove this answer

Your privacy.

By clicking "Accept all cookies", you agree Stack Exchange can store cookies on your device and disclose information in accordance with our Cookie Policy, answered Mar 1 '17 at 14:54



	Your Answer
Į	
	Post Your Answer
E	By clicking "Post Your Answer", you agree to our terms of service, privacy policy and cookie policy
1	Not the answer you're looking for? Browse other questions tagged nust or ask your own question.
	The Overflow Blog
•	Sequencing your DNA with a USB dongle and open source code
•	Don't push that button: Exploring the software that flies SpaceX rockets and
	Featured on Meta
	0
·	Providing a JavaScript API for userscripts
•	Congratulations to the 59 sites that just left Beta
]	Related
	What are move semantics in Rust?
	Returning closures which capture outer variables in Rust
	Why does a closure introduce a borrow when the same code inlined does not?
	Why is the string literal not moved?
	6 How can one force Rust to take ownership of memory allocated other than by its safe methods?
	Rust Closures concept
1	Hot Network Questions
	What does the numbers mean in this guitar tab if they already gave the chords to play?
	Schrödinger's cat program  Does anyone know what this fan blower thingy is?
	Does saying "Keep it up" put me in an authoritative position?
1	Remove the Times x from display in Inactivate expressions in V13
	more hot questions  Question feed
'	
STACK OVERFL Questions	ow.
lobs Developer Jobs Di Salary Calculator	irectory
Help Mobile	
PRODUCTS	
Teams Talent Advertising Enterprise	
COMPANY	
About Press Work Here	
Work Here Legal Privacy Policy	
Terms of Service Contact Us Cookie Settings Cookie Policy	

Technology Culture & recreation Life & arts Science Professional Business API Data

Blog Facebook Twitter LinkedIn Instagram

site design / logo © 2021 Stack Exchange Inc; user contributions licensed under  $\infty$  by-sa. rev 2021.12.22.41046