



Products

# Multiple reference readers and one reference writer in Rust

Log in Sign up

Ask Question

Asked 1 year, 8 months ago

Active 1 year, 8 months ago

Viewed 222 times



1



I'm currently working on a small Rust game to start with the language and have basically the following code (I only wrote a minimal example here):

```
struct Player<a> {
    pub ship: &'a Ship<a>,
}

impl<a> Player<a> {
    pub fn run(&mut self) {
        // Does some computing with self.ship.x/self.ship.y
    }
}

struct Ship<a> {
    pub players: Vec<Player<a>>,
    pub x: f64,
    pub y: f64,
}

impl<a> Ship<a> {
    pub fn add_player(&mut self, player: Player<a>) {
        self.players.push(player);
    }
}

fn main() {
    let mut ship = Ship {
        players: vec![],
        x: 0.0,
        y: 0.0,
    };

    // At some point create a player for the ship
    let player = Player { ship: &ship };
    ship.add_player(player); // <- Forbidden
}
```

The most important thing here is that all `Player`s have access to the `ship` they belong to with an immutable reference, so that they easily have access to the position (x/y) of their `ship` (which changes over time, as the game runs). However, this code doesn't compile:

```
error[E0502]: cannot borrow `ship` as mutable because it is also borrowed as immutable
--> src/main.rs:32:5
|
31 |   let player = Player { ship: &ship };
|   ----- immutable borrow occurs here
32 |   ship.add_player(player);
|   ~~~~~ immutable borrow later used by call
|   |
|   | mutable borrow occurs here
```

I understand that `player` is borrowing `ship` as immutable and that I'm still trying to modify `ship` after the borrow occurs, but I can't find what is the right smart pointer or wrapper I should use for this kind of case? Would you use a `RwLock`, or a `RefCell`, or something else?

rust reference borrow-checker ownership

Share

Improve this question

Follow

edited Apr 5 '20 at 18:36

asked Apr 5 '20 at 14:07



Yannick Utard

43 • 5

Add a comment

1 Answer

Active Oldest Votes

## Your privacy

By clicking "Accept all cookies", you agree Stack Exchange can store cookies on your device and disclose information in accordance with our [Cookie Policy](#).



Accept all cookies

Customize settings





You have the right idea in that you would probably need to use `RefCell`, or `RwLock` or maybe even `Rc`. However, these concepts are more advanced and I do not recommend trying to use them when you're just starting to learn the language. Instead, I would remove the `Ship` reference from the `Player` struct and just have the `Ship` contain references to `Players`.

If you haven't already, I highly recommend the [official rust book](#), its a great introduction to the language with great examples!

[Share](#)

[Improve this answer](#)

[Follow](#)

answered Apr 5 '20 at 22:36



Andrew

24 • 8

Thanks, will take a look! Still curious about this issue... Are you able to confirm that something like `Vec<RefCell<Player<a>>>` would be the solution to my problem and there's no way to make it work just by using simple references?

– Yannick Utard

Apr 6 '20 at 8:15

1

Yes, I believe `Vec<RefCell<Player<a>>>` that would work. Since `player` is keeping a borrowed reference of the `ship`, there's no way to mutate the `ship` while the `player` has it, thus, I do not believe there is any way to make it work using simple references.

– Andrew

Apr 7 '20 at 20:20

[Add a comment](#)

Your Answer

Post Your Answer

By clicking "Post Your Answer", you agree to our [terms of service](#), [privacy policy](#) and [cookie policy](#)

Not the answer you're looking for? Browse other questions tagged [rust](#) [reference](#) [borrow-checker](#) [ownership](#) or ask your own question.

The Overflow Blog

- Sequencing your DNA with a USB dongle and open source code
- Don't push that button: Exploring the software that flies SpaceX rockets and...

Featured on Meta

- Providing a JavaScript API for userscripts
- Congratulations to the 59 sites that just left Beta

Related

3618

[What are the differences between a pointer variable and a reference variable in C++?](#)

6

[cannot move out of borrowed content when unwrapping a member variable in a &mut self method](#)

[Why can't I store a value and a reference to that value in the same struct?](#)

[Borrow errors for multiple borrows](#)

[Conflicting lifetime requirements when mapping mutable references with self](#)






1

[Prevent cannot borrow '\\*self' as immutable because it is also borrowed as mutable when accessing disjoint fields in struct?](#)

[Mutating fields of Rc Refcell depending on its other internal fields](#)

Hot Network Questions

[Repeating slices of an array incrementally](#)

-  [Given many questions as to whether Jesus was born on 25 December or not, I ask if the ambiguity in scripture is meant to teach us something?](#)
-  [Question on connections in general relativity and particle physics](#)
-  [Mine sweeping game for the terminal](#)
-  [How do I get the http endpoint to work for cardano-wallet?](#)
- [more hot questions](#)
-  [Question feed](#)

## STACK OVERFLOW

[Questions](#)  
[Jobs](#)  
[Developer Jobs Directory](#)  
[Salary Calculator](#)  
[Help](#)  
[Mobile](#)

## PRODUCTS

[Teams](#)  
[Talent](#)  
[Advertising](#)  
[Enterprise](#)

## COMPANY

[About](#)  
[Press](#)  
[Work Here](#)  
[Legal](#)  
[Privacy Policy](#)  
[Terms of Service](#)  
[Contact Us](#)  
[Cookie Settings](#)  
[Cookie Policy](#)

## STACK EXCHANGE NETWORK

[Technology](#)  
[Culture & recreation](#)  
[Life & arts](#)  
[Science](#)  
[Professional](#)  
[Business](#)  
[API](#)  
[Data](#)

[Blog](#)  
[Facebook](#)  
[Twitter](#)  
[LinkedIn](#)  
[Instagram](#)

site design / logo © 2021 Stack Exchange Inc; user contributions licensed under [cc by-sa](#). rev 2021.12.22.41046