



Integrating Databricks with GitHub

Step 1: Authenticate GitHub in Databricks

1) In Databricks, click your user icon (top right) and select Settings.




2) Select the Linked accounts tab.




To link your GitHub account with the Databricks GitHub app:

1. Click your user icon and select **Settings**.
2. Click the **Linked accounts** tab.
3. Click **Add Git credential**.
4. Set your provider to **GitHub**, select **Link Git account**, and click **Link**.




The screenshot shows the 'Git provider' section of the Databricks settings. A dropdown menu is set to 'GitHub'. Below it, there are two radio button options: 'Link Git account' (selected) and 'Personal access token'. The 'Link Git account' option includes a description: 'Simple setup in a few clicks to link your GitHub account. [Learn more](#)'. The 'Personal access token' option includes a description: 'Use an existing personal access token to authenticate Git requests.' At the bottom left, there is a blue 'Link' button.

3) Authorize the Databricks GitHub App when prompted and choose which repositories Databricks can access.



The screenshot shows the 'Install Databricks' authorization window. At the top is the Databricks logo and the title 'Install Databricks'. Below it, it says 'Install on your personal account Diksha-Sga'. The window is divided into sections: 'for these repositories:' with two radio button options ('All repositories' selected, 'Only select repositories' unselected), 'with these permissions:' with two checked items ('Read access to metadata', 'Read and write access to code and workflows'), and 'User permissions' with one checked item ('Read access to email addresses'). At the bottom, there are 'Install' and 'Cancel' buttons.




4) Connect your Git provider to Databricks:


<https://docs.databricks.com/aws/en/repos/get-access-tokens-from-git-provider>

Step 2: Clone Your Repository


1. Go to the left sidebar in Databricks and click Workspace.




2. Expand Users and right-click your username folder (or open your user folder).



3. Click Create > Git folder.





4. Paste your GitHub repository URL (e.g., <https://github.com/SGA-DataEngineering/databricks-training-module>)




5. Leave the provider as GitHub and click Create Git folder.

Step 3: Commit and Push Changes

6. Open or create notebooks and code files inside your newly created Git folder.



7. Click the Git branch icon (next to your folder path or at the top of an open notebook).



8. Select your target branch or create a new branch.

databricks-training-module Git CLI enabled Send feedback

Branch: main Create Branch e8ad588

[Web Terminal](#) [Pull](#)

Changes Settings

Repo ID
2366758864766445

Git repository URL

Git provider Git credential

☐ Sparse checkout mode

[Save](#)

- Enter a Commit Message and click Commit & Push to push your updates directly to GitHub.

databricks-training-module Git CLI enabled Send feedback

Branch: main Create Branch 235e2ee

[Web Terminal](#) [Pull](#)

Changes Settings

1 changed file

testing/ [Sample Databricks Notebook.ipynb](#)

Testing Git sync from Databricks

Description (optional)

[Commit & Push](#)

[Code](#) [Raw file](#)

Note: This notebook may have outputs, but they are not included because the workspace administrator disabled committing outputs.

Cmd 1

```
+ # Databricks Notebook
+
+ This notebook demonstrates common Databricks operations:
+
+ * Creating and querying DataFrames
+ * SQL operations
+ * Data visualization
+ * Working with Delta tables
```

Cmd 2

```
+ # Create a sample DataFrame
```

- To pull changes made on GitHub using the Web Terminal (optional)

```
/Workspace/Users/diksha.soni@sganalytics.com$ git sparse-checkout disable
fatal: not a git repository (or any parent up to mount point /)
Stopping at filesystem boundary (GIT_DISCOVERY_ACROSS_FILESYSTEM not set).
/Workspace/Users/diksha.soni@sganalytics.com$ cd /Workspace/Users/*/databricks-training-module
/Workspace/Users/diksha.soni@sganalytics.com/databricks-training-module$ pwd
/Workspace/Users/diksha.soni@sganalytics.com/databricks-training-module
/Workspace/Users/diksha.soni@sganalytics.com/databricks-training-module$ git sparse-checkout disable
Using credential: github: GitHub 2026-08-24 08:18:16 (dishu5859)
To manually change credentials, run: git credential-select https://github.com/SGA-DataEngineering/databricks-training-module.git
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 1 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (1/1), 41 bytes | 3.00 KiB/s, done.
Updating files: 100% (2/2), done.
/Workspace/Users/diksha.soni@sganalytics.com/databricks-training-module$ git pull
Using credential: github: GitHub 2026-08-24 08:18:16 (dishu5859)
To manually change credentials, run: git credential-select https://github.com/SGA-DataEngineering/databricks-training-module.git
Already up to date.
/Workspace/Users/diksha.soni@sganalytics.com/databricks-training-module$
```

