Add_Template variable,Template and Material

Execution Environment

Host name gansat - NOTEEG-12802.nexus.local

OS Windows 10 64bit

Katalon version 6.3.3.11 Browser IE 11

Summary

ID Test Suites/HTML Builder/Add_Template variable,Template and Material

Description

Total 5

Passed 3 Failed 2
Error 0 Incomplete 0

Start 2019-09-09 15:04:40 End 2019-09-09 15:08:44

Elapsed 4m - 3.821s

#	ID	Description	Status
1	Test Cases/Application - Login/Login - STA	Login in the application and check user element text	PASSED
2	Test Cases/Template Variables/Open Material and Template		PASSED
3	Test Cases/Templates/Open Templates		PASSED
4	Test Cases/Templates/Add_Templates		FAILED
5	Test Cases/Application - Login/Logout		FAILED

Login - STA

Information

ID Test Cases/Application - Login/Login - STA

Description Login in the application and check user element text

Tag

Start 2019-09-09 15:04:41 End 2019-09-09 15:05:27

Elapsed 46.143s Status PASSED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	10.433s	PASSED
2	navigateToUrl("https://bt.adzu4-staging.codeworldwide.com/") Navigate to 'https://bt.adzu4-staging.codeworldwide.com/' successfully	5.671s	PASSED
3	setText(findTestObject("Login/login_username"), "satinder.gandhi@codeworldwide.com") Text 'satinder.gandhi@codeworldwide.com' is set on object 'Object Repository/Login/login_username'	8.666s	PASSED
4	setEncryptedText(findTestObject("Login/login_password"), "yfq/9fVkW5+QvfzWq38qvg==") Text ****** has been set on object 'Object Repository/Login/login_password'	4.522s	PASSED
5	click(findTestObject("Object Repository/Test1/button_Login")) Object: 'Object Repository/Test1/button_Login' is clicked on	8.833s	PASSED
6	maximizeWindow() Current window maximized	1.085s	PASSED

Login - STA

#	Description	Elapsed	Status
7	verifyElementText(findTestObject("Login/span_Satinder"), "Satinder")	2.839s	PASSED

Actual text and expected text of test object 'Object Repository/Login/span_Satinder' are matched.

Open Material and Template

Information

ID Test Cases/Template Variables/Open Material and Template

Description

Tag

Start 2019-09-09 15:05:27 End 2019-09-09 15:05:45

Elapsed 17.636s Status PASSED

#	Description	Elapsed	Status
1	click(findTestObject("Main Menu/Create Menu/a_Create"))	4.344s	PASSED
	Object: 'Object Repository/Main Menu/Create Menu/a_Create' is clicked on		
2	waitForPageLoad(0)	1.456s	PASSED
	Wait for page load successfully		
3	click(findTestObject("Main Menu/Create Menu/span_Materials Templates"))	7.875s	PASSED
	Object: 'Object Repository/Main Menu/Create Menu/span_Materials Templates' is clicked on		
4	waitForPageLoad(0)	1.129s	PASSED
	Wait for page load successfully		

Open Templates

Information

ID Test Cases/Templates/Open Templates

Description

Tag

Start 2019-09-09 15:05:45 End 2019-09-09 15:05:59

Elapsed 13.903s Status PASSED

#	Description	Elapsed	Status
1	delay(1)	1.081s	PASSED
	Delayed 1 second(s)		
2	click(findTestObject("Templates/Open Templates/Burger Menu"))	3.949s	PASSED
	Object: 'Object Repository/Templates/Open Templates/Burger Menu' is clicked on		
3	click(findTestObject("Templates/Open Templates/Menu_Templates"))	5.106s	PASSED
	Object: 'Object Repository/Templates/Open Templates/Menu_Templates' is clicked on		
4	delay(1)	1.009s	PASSED
	Delayed 1 second(s)		

Information

ID Test Cases/Templates/Add_Templates

Description

Tag

Start 2019-09-09 15:05:59 End 2019-09-09 15:08:22

Elapsed 2m - 23.863s


Status FAILED

#	Description	Elapsed	Status
1	delay(1) Delayed 1 second(s)	1.016s	PASSED
2	click(findTestObject("Templates/Add_Templates/Button_AddTemplate")) Object: 'Object Repository/Templates/Add_Templates/Button_AddTemplate' is clicked on	4.410s	PASSED
3	delay(1) Delayed 1 second(s)	1.015s	PASSED
4	setText(findTestObject("Templates/Add_Templates/Template_Name"), "Retina_Test") Text 'Retina_Test' is set on object 'Object Repository/Templates/Add_Templates/Template_Name'	4.573s	PASSED
5	delay(1) Delayed 1 second(s)	1.009s	PASSED
6	click(findTestObject("Templates/Add_Templates/Page_Templates BaseTenants/Template Renderer_Arrow")) Object: 'Object Repository/Templates/Add_Templates/Page_Templates BaseTenants/Template Renderer_Arrow' is clicked on	4.447s	PASSED

#	Description	Elapsed	Status
7	delay(1) Delayed 1 second(s)	1.009s	PASSED
8	click(findTestObject("Templates/Add_Templates/div_HTMLRenderingservice")) Object: 'Object Repository/Templates/Add_Templates/div_HTMLRenderingservice' is clicked on	4.466s	PASSED
9	delay(1) Delayed 1 second(s)	1.009s	PASSED
10	click(findTestObject("Templates/Add_Templates/Page_Templates BaseTenants/TemplateType_dd")) Object: 'Object Repository/Templates/Add_Templates/Page_Templates BaseTenants/TemplateType_dd' is clicked on	4.288s	PASSED
11	delay(1) Delayed 1 second(s)	1.005s	PASSED
12	click(findTestObject("Templates/Add_Templates/Page_Templates BaseTenants/Page_Templates BaseTenants/div_Template")) Object: 'Object Repository/Templates/Add_Templates/Page_Templates BaseTenants/Page_Templates BaseTenants/div_Template' is clicked on	3.980s	PASSED
13	delay(1) Delayed 1 second(s)	1.009s	PASSED
14	uploadFile(findTestObject("Templates/Add_Templates/Upload_Package"), "C:\Adzu\Template\Retina display 4.zip") File 'C:\Adzu\Template\Retina display 4.zip' sent to object: 'Object Repository/Templates/Add_Templates/Upload_Package'	6.758s	PASSED
15	delay(2) Delayed 2 second(s)	2.012s	PASSED


#	Description	Elapsed	Status
16	scrollToElement(findTestObject("Templates/Add_Templates/Page_Templates BaseTenants/TemplateVariable_dd"), 0) Scroll to object 'Object Repository/Templates/Add_Templates/Page_Templates BaseTenants/TemplateVariable_dd' successfully	3.051s	PASSED
17	delay(1) Delayed 1 second(s)	1.010s	PASSED
18	click(findTestObject("Templates/Add_Templates/Page_Templates BaseTenants/TemplateVariable_dd")) Object: 'Object Repository/Templates/Add_Templates/Page_Templates BaseTenants/TemplateVariable_dd' is clicked on	4.564s	PASSED
19	delay(1) Delayed 1 second(s)	1.010s	PASSED

#	Description	Elapsed	Status
20	setText(findTestObject("Templates/Add_Templates/Page_Templates BaseTenants/input_TemplateVariable"), "Test123")	40.678s	FAILED
	Unable to set text 'Test123' of object 'Object		
	Repository/Templates/Add_Templates/Page_Templates		
	BaseTenants/input_TemplateVariable' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to set text 'Test123' of object 'Object Repository/Templates/Add_Templates/Page_Templates		
	BaseTenants/input_TemplateVariable'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:950)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call		
	(Unknown Source)		
	at Add_Templates.run(Add_Templates:54)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Templates/Add_Templates/Page_Templates		
	BaseTenants/input_TemplateVariable' located by 'By.xpath: //*[@type = 'text' and contains		
	(@id, 's2id_autogen42_search')]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1097)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		



Delayed 1 second(s)

#	Description	Elapsed	Status
22	click(findTestObject("Templates/Add_Templates/Page_Templates BaseTenants/div_Test123"))	39.790s	FAILED
	Unable to click on object 'Object Repository/Templates/Add_Templates/Page_Templates BaseTenants/div_Test123' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object Repository/Templates/Add_Templates/Page_Templates BaseTenants/div_Test123' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Add_Templates.run(Add_Templates:58)		
	at Add_Templates.tun(Add_Templates.so) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Templates/Add_Templates/Page_Templates		
	BaseTenants/div_Test123' located by 'By.xpath: //div[@class = 'select2-result-label' and contains(@id, 'select2-result-label-') and @role = 'option' and (text() = 'Test123' or . = 'Test123')]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		



Information

ID Test Cases/Application - Login/Logout

Description

Tag

Start 2019-09-09 15:08:22 End 2019-09-09 15:08:44

Elapsed 21.536s Status FAILED

#	Description	Elapsed	Status
1	click(findTestObject("Login/span_Satinder"))	4.556s	PASSED
	Object: 'Object Repository/Login/span_Satinder' is clicked on		
2	delay(1)	1.010s	PASSED
	Delayed 1 second(s)		

Unable to click on object 'Object Repository/Login/Logout' (Root cause: com.kms.katalon. core.exception StepFalledException: Unable to click on object 'Object Repository/Login/Logout' at com.kms.katalon.core.webul.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64)	Descrip	tion	Elapsed	Status
core exception. StepFailedException: Unable to click on object 'Object RepositoryLogin'Logout' at com kms katalon.core webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groony;64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeyword.dink.groony;63) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groony;67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groony;67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groony;56) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groony;616) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groony;616) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click\$3.call (Unknown Source) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click\$3.call (Unknown Source) at com.kms.katalon.core.webui.reptingine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptCreptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.grootseExecutior.java:337) at com.kms.katalon.core.main.TestCaseExecutor.proceseExecutionPhase (TestCaseExecutor.java:3307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:3307) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuteExecutor.java:29) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuteExecutor.java:29) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuteExecutor.java:29) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:29) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 1	click(fin	dTestObject("Login/Logout"))	4.275s	FAILED
core.exception. StepFailedException: Unable to click on object 'Object Repositon/Login'L actor at com. kms. katalon.core. webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groony:64) at com.kms. katalon.core. webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groony:65) at com.kms. katalon.core. webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groony:67) at com.kms.katalon.core. webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groony:67) at com.kms.katalon.core. webui.keyword.builtin.ClickKeyword.executor. executeReywordForPlatform(KeywordExecutor.groony:56) at com.kms.katalon.core. webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groony:61) at com.kms.katalon.core. webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groony:61) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.groony:61 at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.groony:61 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:37) at com.kms.katalon.core.main.TestCaseExecutor.dexecute(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:191 at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestCaseMainstarTestSuite(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMainstarTestSu	Unabla	to click on chicat Ohiost Repository/Legin/Legaut/ (Rest eques) com kmc ketalen		
Repository/Login/Logout at com.kms. katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordGroPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.click (WebUBUBuiltInKeywords.groovy:67) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.glick\$3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:28) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:169) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:169) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.km				
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUlKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click\$3.call (Unknown Source) at Logout.run(Logout.20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:239) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:291) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMain.java: 157) at com.kms.kat				
(WebUlKeywordMain, groovy;64) at com.kms. katalon.core. webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy;26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy;67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy;67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeyword.ForPlatform(ReywordExecutor.groovy;65) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy;616) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy;616) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy;616) at Cogout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptTengine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptTestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:332) at com.kms.katalon.core.main.TestCaseExecutor.processExecutorPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:210) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestGaseMainPhase (TestSuiteExecutor.java:210) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestGaseMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteSoc.ali(Unknown Source) at Com.kms.katalon.core.main.TestCaseMain.startTestSuiteSoc.ali(Unknown Source) at Com.kms.katalon.core.main.TestCaseMain.startTestSuiteSoc.ali(Unknown Source) at Com.kms.katalon.core.main.TestCaseMain.startTestSuiteSoc.ali(U	. тороо.			
(NebulKeywordMain groovy:26) at com.kms.katalon.core.webul.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webul.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordSexecutor.groovy:56) at com.kms.katalon.core.webul.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webul.keyword.WebUiBuiltInKeywordsSclick\$3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRavText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.groovsExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessExecutorPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessExecutor.groov	(WebU			
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy;66) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy;67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy;56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy;616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.SclickS3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript[TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:338) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCoseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCoseMain.java: 158) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCoseMain.java: 159) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCoseMain.java: 1500 at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCoseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCoseM				
groovy.86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy.67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy.56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy.616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptTengine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:332) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestCaseMain.java:1650 at com.kms.katalon.core.main.TestCaseMain.java:1650 at com.kms.katalon.core.main.TestCaseMain	(WebU			
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:57) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords.click (WebUiBuiltinKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords\$click\$3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:397) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:190) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteCore.core.core.core.core.core.core.core.c				
(ClickKeyword groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click\$3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptGrestCaseExecutor. java:331) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:332) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(Test	groovy			
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:338) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:329) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:239) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor.java:91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(Tes	(ClickK			
executeKeywordForPlatform(KeywordExecutor,groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor,java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor,java:307) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor,java:238) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor,java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor,java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor,java:91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor,java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseM	(Onorte			
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:317) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 167) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 167) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestC	execute			
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:3119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:189) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:197) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:197) at com.kms.kata		at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:338) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCotal(Unknown Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.80_181' Driver info: com.kms.katalon.selenium.driver.CinternetExplorerDriver Capabilities (acceptinsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, seleOptions: (browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, is.browserCommand(inEswitches:, ie.ensureCleanSession: false, infielDelpadDialogTimeout: 2000, ie.forceCreateProcessAph: false, initialBrowserUrl: http: //localho	(WebU			
at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14708:25:53' System info: host: 'NOTEEG-12802', jp: '192.168.0.12', os.name: 'Windows 10', os.arch: 'am664', os.version: '10.0', java.version: '11.80.181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabillities (acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platform: WINDOWS, platform: WINDOWS, platform: WINDOW				
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. ava:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ava:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ava:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase TestCaseExecutor.java:209) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ava:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 31) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 158) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 159) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 150) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 158) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element 2010 aluid info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' 2010 System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 2010 and64, os.version: '10.0', java.version: '1.8.0_181' 2010 org.openqa.selenium.ElementNotlnteretExplorerDriver 2010 capabilities (acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 2011, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, olatformName: WINDOWS, olatformName: WINDOWS, olatformSystems. internet explorer, browserVersion: 2012 onable PersistentHover: true, ie.bro	Unkno			
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:338) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.\$startTestSuite(TestCaseMain.java: 158) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.80_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities (acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:leOptions: (browserCommandLineSwitches: ,ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignooreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: ///ocalhosti.23561/, nativeCvents: true, requireWindowFocus: false, isetWindowRect: true}				
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 158) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: Windows 10', os.arch: 'am664', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CinternetExplorerDriver Capabilities (acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, spiecoptions: (browserAtachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie browserCommandLineSwitches: , ie.ensureCleanSession: false, infloreDriverCelendModeSettings: true, ignoreZoomSetting: false, ignoreProtectedModeSettings: true, requireWindowFocus: false, ignoreProtectedModeSettings: true, requireWindowFocus: false, ignoreProtectedModeSettings: true, requireWindowFocus: false, ignoreProtectedModeSettings: true, requireWind				
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. ava:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. ava:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ava:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestSuiteExecutor.accesTestS	ava:11			
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.ava:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ava:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuite(TestCaseMain.java:197) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMain.startTestSuite(TestCaseMain.java:197) at com.kms.				
ava:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.ava:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 157) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 157) but com.kms.katalon.c	ava:33			
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: amd64', os.version: '10.0', java.version: '1.80_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities (acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserCommandLineSwitches: , ie.ensureCleanSession: talse, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false), setWindowRect: true}				
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(Unknown) Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities (acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: (browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, quireWindowFocus: false}, setWindowRect: true}	java:32			
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(O.call(Unknown) Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities (acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.foreCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, iintialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	/TootCr			
(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 158) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities (acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: (browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ipitalBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false, setWindowRect: true}	(Testo			
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. [ava:233] at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase [TestSuiteExecutor.java:169] at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase [TestSuiteExecutor.java:142] at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: [91] at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: [97] at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: [98] at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: [99] at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: [90] at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) [91] Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element [92] Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' [93] System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: amd64', os.version: '10.0', java.version: '1.8.0_181' [93] Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver [93] Capabilities (acceptInsecureCerts: false, browserName: internet explorer, browserVersion: [94] 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: (browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ioitalBrowserUrl: http: '//ocalhost:32561/, nativeEvents: true, requireWindowFocus: false, setWindowRect: true}	(TestCa			
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(DestCaseMain.java: 157) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.ClnternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, seieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false, setWindowRect: true}	(
(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, requireWindowFocus: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false, setWindowRect: true}	java:23	3)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, seieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, iontialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false), setWindowRect: true}				
(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14708:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CinternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	(TestSi			
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, iignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	(TootCi			
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.80_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	(Tests)			
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	91)	at committee. Restauration of contains a contained recording restauration and the contained recording and a contained recording and the contained recording recording and the contained recording re		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on selement Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, olatformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, gnoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	/	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on selement Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, olatformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: alse, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, gnoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http://localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	157)	$X = \{ x \in \mathcal{X} \mid x \in \mathcal{X} \}$		
at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, olatformName: WINDOWS, seieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: 'alse, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, gnoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	•			
Caused by: org.openqa.selenium.ElementNotInteractableException: Cannot click on element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	Source			
element Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}	0			
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
System info: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
Driver info: com.kms.katalon.selenium.driver.CInternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http: //localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http://localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
platformName: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http://localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http://localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http://localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
ignoreProtectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http://localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
//localhost:32561/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true}				
	_			
Session ID: a4ba84e1-d91c-4b51-b6e3-26bfdb349a9f				

```
Description
                                                                                                 Elapsed
                                                                                                                    Status
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CInternetExplorerDriver.execute
(CInternetExplorerDriver.java:22)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$ click closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
          at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call
(Unknown Source)
          at Script1564574777036.run(Script1564574777036.groovy:20)
          ... 13 more
 ////ADZU Home Campaigns Plan Create
                                                                  Updated By
                                                                  MYKHAILO
                                                                           12:45 PM
   husmyk template edited
   SAM_OOH_6000x3000_BKG_recrea
                                                         1:56 PM 9/5/2019 N Z
                                                                           1:56 PM 9/5/201
   SAM_OOH_6000x3000_BKG_Updated
                                                         3:51 PM 9/3/2019 N Z
                                                                           1:25 PM 9/5/2019
   SAM OOH 6000x3000
                                                ΝZ
                                                         3:07 PM 9/2/2019 N Z
   « 1 2 3 4 5 » 274 Templates found
```

4 delay(1) 1.022s PASSED

Delayed 1 second(s)

Description Elapsed Status

Description	n	Elapsed	Status
click(findT	estObject("Login/Page_Template Variables BaseTenants/Logout_button_Yes"))	4.587s	FAILED
Unable to	click on object 'Object Repository/Login/Page_Template Variables		
	nts/Logout_button_Yes' (Root cause: com.kms.katalon.core.exception.		
	Exception: Unable to click on object 'Object Repository/Login/Page_Template		
	BaseTenants/Logout_button_Yes'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	ywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKe	ywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:86			
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyv	vord.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	ywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	iltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call		
(Unknown			
	at Logout.run(Logout:24)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
ava:119)			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
ava:328)			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	Executor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	Executor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233)	at confikins.katalon.core.main.restCaseExecutor.execute(restCaseExecutor.		
•	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	Executor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	Executor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)	2. 33		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	· · · · · · · · · · · · · · · · · · ·		
	at TempTestSuite1568037874747.run(TempTestSuite1568037874747.groovy:35)		
	r: org.openga.selenium.ElementNotInteractableException: Cannot click on		
element			
Build info:	version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	o: host: 'NOTEEG-12802', ip: '192.168.0.12', os.name: 'Windows 10', os.arch:		
	s.version: '10.0', java.version: '1.8.0_181'		
	com.kms.katalon.selenium.driver.CInternetExplorerDriver		
	s {acceptInsecureCerts: false, browserName: internet explorer, browserVersion:		
	riptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS,		
	ame: WINDOWS, se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior:		
	PersistentHover: true, ie.browserCommandLineSwitches: , ie.ensureCleanSession:		
	eUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false,		
	ectedModeSettings: true, ignoreZoomSetting: false, initialBrowserUrl: http:		

Status

Description Elapsed Session ID: a4ba84e1-d91c-4b51-b6e3-26bfdb349a9f at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) $at\ org. open qa. selenium. remote. service. Driver Command Executor. execute$ (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CInternetExplorerDriver.execute (CInternetExplorerDriver.java:22) at org.openga.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) $at\ com.kms. katalon. core. keyword. internal. Keyword Executor.$ executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Script1564574777036.run(Script1564574777036.groovy:24) ... 13 more /////ADZU Home Materials & Templates > Templates ø MYKHAILO 12:45 PM 9/9/2019 husmyk template edited SAM OOH 6000x3000 BKG recreated 1:56 PM 9/5/2019 N Z 1:56 PM 9/5/2019 SAM OOH 6000x3000 3:07 PM 9/2/2019 N Z Retina Test 1:01 PM 9/4/2019 Satinder Gandhi 1:01 PM 9/4/2019 CC 2017

« 1 2 3 4 5 » 274 Templates found

#	Description	Elapsed	Status
6	waitForPageLoad(1)	1.206s	PASSED
	Wait for page load successfully		
7	closeBrowser()	1.570s	PASSED

Browser is closed