Search and Delete

Execution Environment

Host name gansat - NOTEEG-12802.nexus.local

OS Windows 10 64bit

Katalon version 6.3.3.11

Browser Chrome 76.0.3809.100

Summary

ID Test Suites/HTML Builder/Search and Delete

Description

Total 6

Passed 3 Failed 3
Error 0 Incomplete 0

Start 2019-09-03 15:38:34 End 2019-09-03 15:41:18

Elapsed 2m - 43.706s

| # | ID | Description | Status |
|---|--|--|--------|
| 1 | Test Cases/Application - Login/Login | Login in the application and check user element text | FAILED |
| 2 | Test Cases/Application - Login/Login - STA | Login in the application and check user element text | PASSED |
| 3 | Test Cases/Template Variables/Open Material and Template | | PASSED |
| 4 | Test Cases/Template Variables/Search Template Variables | | PASSED |
| 5 | Test Cases/Template Variables/Delete Template Variables | | FAILED |
| 6 | Test Cases/Application - Login/Logout | | FAILED |

Information

ID Test Cases/Application - Login/Login

Description Login in the application and check user element text

Tag

Start 2019-09-03 15:38:35 End 2019-09-03 15:38:53

Elapsed 18.733s Status FAILED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") | 8.210s | PASSED |
| | Browser is opened with url: " | | |
| | | | |
| 2 | navigateToUrl("https://bt.adzu4-staging.codeworldwide.com/#Admin/Materials/Templates") | 1.898s | PASSED |
| | Navigate to 'https://bt.adzu4-staging.codeworldwide.com/#Admin/Materials/Templates' successfully | | |
| | | | |

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 3 | setText(findTestObject("Object Repository/Test1/Page_Templates BaseTenants/input_Update your browser_us1"), "satinder.gandhi@codeworldwide.com") | 2.082s | FAILED |
| | Unable to set text (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call (Unknown Source) | | |
| | at Login.run(Login:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.ipva:442) | | |
| | (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| | at TempTestSuite1567521511045.run(TempTestSuite1567521511045.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null | | |
| | at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:45) at com.kms.katalon.core.webui.keyword.builtin. | | |
| | SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| | (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| | (SetTextKeyword groow/:37) | | |


(SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.

Description Elapsed Status

executeKeywordForPlatform(KeywordExecutor.groovy:56)

```
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:950)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$1.call
(Unknown Source)
at Script1564574777019.run(Script1564574777019.groovy:20)
... 13 more
)
```

| Description | | Elapsed | Status |
|------------------------|---|---------|--------|
| | ext(findTestObject("Object Repository/Test1/Page_Templates nput_Update your browser_pa1_1"), "yfq/9fVkW5+QvfzWq38qvg==") | 1.988s | FAILED |
| Unable to set t | ext (Root cause: com.kms.katalon.core.exception.StepFailedException: | | |
| | m.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed rdMain.groovy:64) | | |
| | m.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword rdMain.groovy:26) | | |
| | m.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.ext(SetEncryptedTextKeyword.groovy:65) | | |
| at co | m.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.cryptedTextKeyword.groovy:34) | | |
| at co | m.kms.katalon.core.keyword.internal.KeywordExecutor. rdForPlatform(KeywordExecutor.groovy:56) | | |
| | m.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText | | |
| | (eywords.groovy:981) | | |
| | m.kms.katalon.core.webui.keyword. eywords\$setEncryptedText\$2.call(Unknown Source) | | |
| | gin.run(Login:22) | | |
| | m.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| java:119) | m.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | m.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:337) | | | |
| at co java:328) | m.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | m.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestCaseExe | | | |
| at co (TestCaseExe | m.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | m.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:233) | | | |
| (TestSuiteExe | | | |
| at co (TestSuiteExe | m.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | m.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 91) | | | |
| at co | m.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | m.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source) | | | |
| | empTestSuite1567521511045.run(TempTestSuite1567521511045.groovy:35) a.lang.IllegalArgumentException: Object is null | | |
| | m.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter | | |
| (KeywordHelp | er.java:33) | | |
| | m.kms.katalon.core.webui.keyword.builtin. | | |
| groovy:42) | extKeyword\$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword. | | |
| - | m.kms.katalon.core.webui.keyword.builtin. | | |
| groovy) | extKeyword\$_setEncryptedText_closure1.call(SetEncryptedTextKeyword. | | |
| | m.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | dMain.groovy:20) m.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. | | |
| | ext(SetEncryptedTextKeyword.groovy:65) | | |
| | m.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. | | |



| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 5 | click(findTestObject("Object Repository/Test1/Page_Templates BaseTenants/button_Login")) | 1.399s | FAILED |
| | Unable to click on object (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| | groovy:86) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| | (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call | | |
| | (Unknown Source) | | |
| | at Login.run(Login:25) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:307) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) | | |
| | $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$ | | |
| | java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) at TempTestSuite1567521511045.run(TempTestSuite1567521511045.groovy:35) | | |
| | Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter | | |
| | (KeywordHelper.java:33) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call | | |
| | (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| | groovy:86) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |

(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.

Description Elapsed Status

executeKeywordForPlatform(KeywordExecutor.groovy:56)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click


(WebUiBuiltInKeywords.groovy:616)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call

(Unknown Source)

at Script1564574777019.run(Script1564574777019.groovy:25)

... 13 more



Login - STA

Information

ID Test Cases/Application - Login/Login - STA

Description Login in the application and check user element text

Tag

Start 2019-09-03 15:38:53 End 2019-09-03 15:39:22

Elapsed 28.776s
Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 6.922s | PASSED |
| 2 | navigateToUrl("https://bt.adzu4-staging.codeworldwide.com/#Admin/Materials/Templates") Navigate to 'https://bt.adzu4-staging.codeworldwide.com/#Admin/Materials/Templates' successfully | 1.973s | PASSED |
| 3 | setText(findTestObject("Login/login_username"), "satinder.gandhi@codeworldwide.com") Text 'satinder.gandhi@codeworldwide.com' is set on object 'Object Repository/Login/login_username' | 5.894s | PASSED |
| 4 | setEncryptedText(findTestObject("Login/login_password"), "yfq/9fVkW5+QvfzWq38qvg==") Text ****** has been set on object 'Object Repository/Login/login_password' | 3.608s | PASSED |
| 5 | click(findTestObject("Object Repository/Test1/button_Login")) Object: 'Object Repository/Test1/button_Login' is clicked on | 2.854s | PASSED |
| 6 | maximizeWindow() Current window maximized | 2.369s | PASSED |

Login - STA

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 7 | verifyElementText(findTestObject("Login/span_Satinder"), "Satinder") | 2.268s | PASSED |

Actual text and expected text of test object 'Object Repository/Login/span_Satinder' are matched.

Open Material and Template

Information

ID Test Cases/Template Variables/Open Material and Template

Description

Tag

Start 2019-09-03 15:39:22 End 2019-09-03 15:39:32

Elapsed 9.634s
Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | click(findTestObject("Main Menu/Create Menu/a_Create")) | 2.290s | PASSED |
| | Object: 'Object Repository/Main Menu/Create Menu/a_Create' is clicked on | | |
| 2 | waitForPageLoad(0) | 1.375s | PASSED |
| | Wait for page load successfully | | |
| 3 | click(findTestObject("Main Menu/Create Menu/span_Materials Templates")) | 2.415s | PASSED |
| | Object: 'Object Repository/Main Menu/Create Menu/span_Materials Templates' is clicked on | | |
| 4 | waitForPageLoad(0) | 1.041s | PASSED |
| | Wait for page load successfully | | |

Search Template Variables

Information

ID Test Cases/Template Variables/Search Template Variables

Description

Tag

Start 2019-09-03 15:39:32 End 2019-09-03 15:39:46

Elapsed 14.516s Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | delay(1) Delayed 1 second(s) | 1.042s | PASSED |
| 2 | click(findTestObject("Template_Variables/Search_TemplateVariables/Template_Variable_Filter_Toggle")) Object: 'Object Repository/Template_Variables/Search_TemplateVariables/Template_Variable_Filter_Toggle' is clicked on | 2.359s | PASSED |
| 3 | delay(1) Delayed 1 second(s) | 1.008s | PASSED |
| 4 | setText(findTestObject("Template_Variables/Search_TemplateVariables/TemplateVariable_Filter_Text"), "Test123") Text 'Test123' is set on object 'Object Repository/Template_Variables/Search_TemplateVariables/TemplateVariable_Filter_Text' | 3.342s | PASSED |
| 5 | delay(1) Delayed 1 second(s) | 1.007s | PASSED |

Search Template Variables

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 6 | $\label{lem:click} {\it click(findTestObject("Template_Variables/Search_TemplateVariables/Template_Variable_Hide_Button"))}$ | 2.271s | PASSED |
| | Object: 'Object Repository/Template_Variables/Search_TemplateVariables/Template_Variable_Hide_Butto n' is clicked on | | |
| 7 | delay(1) | 1.008s | PASSED |

Delayed 1 second(s)

Information

ID Test Cases/Template Variables/Delete Template Variables

Description


Tag

Start 2019-09-03 15:39:46 End 2019-09-03 15:40:32


Elapsed 45.601s Status FAILED

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | delay(1) Delayed 1 second(s) | 1.017s | PASSED |
| 2 | click(findTestObject("Template_Variables/Delete_Template_Variables/Template_Variable_A ction Menu")) Object: 'Object Repository/Template_Variables/Delete_Template_Variables/Template_Variable_Action Menu' is clicked on | 2.301s | PASSED |
| 3 | delay(1) Delayed 1 second(s) | 1.008s | PASSED |
| 4 | click(findTestObject("Template_Variables/Delete_Template_Variables/Template_Variable_Delete_Button")) Object: 'Object Repository/Template_Variables/Delete_Template_Variables/Template_Variable_Delete_Button' is clicked on | 2.337s | PASSED |
| 5 | delay(1) Delayed 1 second(s) | 1.007s | PASSED |

| # Description | Elapsed | Status |
|--|---------|--------|
| 6 click(findTestObject ("Template_Variables/Delete_Template_Variables/Template_Varibale_Ok_Button")) | 31.862s | FAILED |
| Unable to click on object 'Object Repository/Template_Variables/Delete_Template_Variables/Template_Varibale_Ok_Button' | | |
| (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object | | |
| Repository/Template_Variables/Delete_Template_Variables/Template_Varibale_Ok_Button' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call | | |
| (Unknown Source) at Delete Template Variables.run(Delete Template Variables:26) | | |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) | | |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| at TempTestSuite1567521511045.run(TempTestSuite1567521511045.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object | | |
| Repository/Template_Variables/Delete_Template_Variables/Template_Varibale_Ok_Button' located by 'By.xpath: /html/body/div[3]/div/div/div/div/div/div/div/div/div/div | | |
| (WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. | | |
| findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. | | |
| findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. | | |



| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 7 | True = verifyElementText(findTestObject | 3.505s | FAILED |
| , | ("Template_Variables/Add_TemplateVariable/Grid_Name_FirstValue"), "") | 3.3033 | TAILLD |
| | Actual text 'Test123' and expected text " of test object 'Object | | |
| | Repository/Template_Variables/Add_TemplateVariable/Grid_Name_FirstValue' are NOT | | |
| | matched. (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text | | |
| | 'Test123' and expected text " of test object 'Object | | |
| | Repository/Template_Variables/Add_TemplateVariable/Grid_Name_FirstValue' are NOT | | |
| | matched. | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | VerifyElementTextKeyword\$_verifyElementText_closure1.doCall | | |
| | (VerifyElementTextKeyword.groovy:57) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | VerifyElementTextKeyword\$_verifyElementText_closure1.call(VerifyElementTextKeyword. | | |
| | groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. | | |
| | verifyElementText(VerifyElementTextKeyword.groovy:72) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. | | |
| | execute(VerifyElementTextKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. | | |
| | verifyElementText(WebUiBuiltInKeywords.groovy:3663) | | |
| | at com.kms.katalon.core.webui.keyword. | | |
| | WebUiBuiltInKeywords\$verifyElementText\$5.call(Unknown Source) | | |
| | at Delete Template Variables.run(Delete Template Variables:28) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | $at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$ | | |
| | java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:337) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:328) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:233) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) | | |
| | at TempTestSuite1567521511045.run(TempTestSuite1567521511045.groovy:35) | | |
| | \ | | |



Logout

Information

ID Test Cases/Application - Login/Logout

Description

Tag

Start 2019-09-03 15:40:32 End 2019-09-03 15:41:18

Elapsed 45.943s
Status FAILED

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | click(findTestObject("Login/span_Satinder")) | 3.631s | PASSED |
| | Object: 'Object Repository/Login/span_Satinder' is clicked on | | |
| 2 | delay(1) | 1.007s | PASSED |
| | Delayed 1 second(s) | | |
| 3 | click(findTestObject("Login/Logout")) | 2.633s | PASSED |
| | Object: 'Object Repository/Login/Logout' is clicked on | | |
| 4 | delay(1) | 1.007s | PASSED |
| | Delayed 1 second(s) | | |

Logout

Status

FAILED

| # | Description | Elapsed |
|---|---|---------|
| 5 | click(findTestObject("Login/Ok Button in Confirmation")) | 32.091s |
| | | |
| | Unable to click on object 'Object Repository/Login/Ok Button in Confirmation' (Root cause: | |
| | com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Login/Ok Button in Confirmation' | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | |
| | (WebUIKeywordMain.groovy:64) | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | |
| | (WebUIKeywordMain.groovy:26) | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | |
| | groovy:86) | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | |
| | (ClickKeyword.groovy:67) | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:56) | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | |
| | (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call | |
| | (Unknown Source) | |
| | at Logout.run(Logout:24) | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | |
| | java:119) | |
| | $at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$ | |
| | java:337) | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | |
| | java:328) | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | |
| | (TestCaseExecutor.java:299) | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | |
| | java:233) | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | |
| | (TestSuiteExecutor.java:169) | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | |
| | (TestSuiteExecutor.java:142) | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | |
| | 91) | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | |
| | Source) | |
| | at TempTestSuite1567521511045.run(TempTestSuite1567521511045.groovy:35) | |
| | Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web | |
| | element with id: 'Object Repository/Login/Ok Button in Confirmation' located by 'By.xpath: //* | |
| | [@id="body"]/div[3]/div/div/div[4]/div/div/div/div[3]/button[2]' not found | |
| | $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ | |
| | (WebUiCommonHelper.java:1097) | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. | |
| | findWebElement(WebUIAbstractKeyword.groovy:27) | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. | |
| | findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. | |
| | doCall(ClickKeyword.groovy:77) | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call | |
| | (ClickKeyword.groovy) | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | |
| | | |

Logout

