Execution Environment

Host name gansat - NOTEEG-12802.nexus.local

OS Windows 10 64bit

Katalon version 6.3.3.11

Browser Chrome 76.0.3809.132

Summary

ID Test Suites/HTML Builder/Design Material

Description

Total 2

Passed 1 Failed 1
Error 0 Incomplete 0

Start 2019-09-04 13:16:09 End 2019-09-04 13:17:08

Elapsed 59.654s

#	ID	Description	Status
1	Test Cases/Materials/Search Material		PASSED
2	Test Cases/Materials/Design Material		FAILED

Search Material

Information

ID Test Cases/Materials/Search Material

Description

Tag

Start 2019-09-04 13:16:09 End 2019-09-04 13:16:21

Elapsed 11.359s Status PASSED

Details

#	Description	Elapsed	Status
1	waitForElementPresent(findTestObject("Template_Variables/Search_TemplateVariables/Template_Variable_Filter_Toggle"), 1) Object 'Object Repository/Template_Variables/Search_TemplateVariables/Template_Variable_Filter_Toggle' is present	3.495s	PASSED
2	click(findTestObject("Template_Variables/Search_TemplateVariables/Template_Variable_Filter_Toggle")) Object: 'Object Repository/Template_Variables/Search_TemplateVariables/Template_Variable_Filter_Toggle' is clicked on	0.508s	PASSED
3	waitForElementPresent(findTestObject("Material/Search Material/Text_SearchMaterial"), 1) Object 'Object Repository/Material/Search Material/Text_SearchMaterial' is present	0.449s	PASSED
4	setText(findTestObject("Material/Search Material/Text_SearchMaterial"), "Material_Test") Text 'Material_Test' is set on object 'Object Repository/Material/Search Material/Text_SearchMaterial'	0.913s	PASSED
5	waitForElementVisible(findTestObject("Template_Variables/Search_TemplateVariables/Template_Variable_Hide_Button"), 1) Object 'Object Repository/Template_Variables/Search_TemplateVariables/Template_Variable_Hide_Button' is visible	1.126s	PASSED

Search Material

#	Description	Elapsed	Status
6	$\label{lem:click} {\it click} (find Test Object ("Template_Variables/Search_TemplateVariables/Template_Variable_Hide_Button"))$	0.530s	PASSED
	Object: 'Object Repository/Template_Variables/Search_TemplateVariables/Template_Variable_Hide_Butto n' is clicked on		
7	delay(1)	1.068s	PASSED

Delayed 1 second(s)

Information

ID Test Cases/Materials/Design Material

Description

Tag

Start 2019-09-04 13:16:21 End 2019-09-04 13:17:08

Elapsed 47.753s Status FAILED


Details

#	Description	Elapsed	Status
1	delay(0) Delayed 0 second(s)	0.002s	PASSED
2	click(findTestObject("Material/Delete Material/Menu_MaterialAction")) Object: 'Object Repository/Material/Delete Material/Menu_MaterialAction' is clicked on	0.280s	PASSED
3	delay(1) Delayed 1 second(s)	1.008s	PASSED
4	click(findTestObject("Material/Design Material/MenuOption_Design")) Object: 'Object Repository/Material/Design Material/MenuOption_Design' is clicked on	0.314s	PASSED
5	click(findTestObject("Material/Design Material/Add_Customisation Steps")) Object: 'Object Repository/Material/Design Material/Add_Customisation Steps' is clicked on	1.279s	PASSED
6	delay(1) Delayed 1 second(s)	1.010s	PASSED
7	setText(findTestObject("CustomisationsStep_Name"), "Image")	0.420s	PASSED

Text 'Image' is set on object 'Object Repository/CustomisationsStep_Name'

Description Elapsed Status


Description		E1	01/1
Description		Elapsed	Status
click(findTestObject("Material/Design Material/button_Conte	ntEditor"))	32.206s	FAILED
Unable to click on object 'Object Repository/Material/Design	Material/button ContentEditor'		
(Root cause: com.kms.katalon.core.exception.StepFailedEx			
object 'Object Repository/Material/Design Material/button_C			
at com.kms.katalon.core.webui.keyword.internal.V			
(WebUIKeywordMain.groovy:64)			
at com.kms.katalon.core.webui.keyword.internal.V	VebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)			
at com.kms.katalon.core.webui.keyword.builtin.Cli	ckKeyword.click(ClickKeyword.		
groovy:86)	akKayuyard ayaayta		
at com.kms.katalon.core.webui.keyword.builtin.Cli (ClickKeyword.groovy:67)	ckneyword.execute		
at com.kms.katalon.core.keyword.internal.Keywor	dExecutor		
executeKeywordForPlatform(KeywordExecutor.groovy:56)			
at com.kms.katalon.core.webui.keyword.WebUiBu	iltInKeywords.click		
(WebUiBuiltInKeywords.groovy:616)			
at com.kms.katalon.core.webui.keyword.WebUiBu	iltInKeywords\$click\$0.call		
(Unknown Source)			
at Design Material.run(Design Material:30)			
at com.kms.katalon.core.main.ScriptEngine.run(S			
at com.kms.katalon.core.main.ScriptEngine.runSc	riptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.	run Carint/TaatCasaEvaautar		
java:337)	Turiocripi (TesiCaseExecutor.		
at com.kms.katalon.core.main.TestCaseExecutor.	doExecute/TestCaseExecutor		
java:328)			
at com.kms.katalon.core.main.TestCaseExecutor.	processExecutionPhase		
(TestCaseExecutor.java:307)			
at com.kms.katalon.core.main.TestCaseExecutor.	accessMainPhase		
(TestCaseExecutor.java:299)			
at com.kms.katalon.core.main.TestCaseExecutor.	execute(TestCaseExecutor.		
java:233)	T+CMain Dh		
at com.kms.katalon.core.main.TestSuiteExecutor. (TestSuiteExecutor.java:169)	access restCaseMainPhase		
at com.kms.katalon.core.main.TestSuiteExecutor.	accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)	access restoutemann riase		
at com.kms.katalon.core.main.TestSuiteExecutor.	execute(TestSuiteExecutor.java:		
91)	,		
at com.kms.katalon.core.main.TestCaseMain.star	TestSuite(TestCaseMain.java:		
157)			
at com.kms.katalon.core.main.TestCaseMain\$star	tTestSuite\$0.call(Unknown		
Source)			
at TempTestSuite1567599364847.run(TempTestS			
Caused by: com.kms.katalon.core.webui.exception.WebEler element with id: 'Object Repository/Material/Design Material			
by 'By.cssSelector: div[class='content-editors-text'] [text='Ba			
by by.cssselector. div[class=content-editors-text] [text=ba	illiei_illiage j		
' not found			
at com.kms.katalon.core.webui.common.WebUiCo	mmonHelper.findWebElement		
(WebUiCommonHelper.java:1097)			
at com.kms.katalon.core.webui.keyword.internal.V	VebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27)	Johl II A botroot Voyavord		
at com.kms.katalon.core.webui.keyword.internal.V findWebElement(WebUIAbstractKeyword.groovy:26)	vebolAbstractKeyWord.		
at com.kms.katalon.core.webui.keyword.builtin.Cli	ckKeyword\$ click closure1		
at com.kms.katalom.core.webul.keyword.bulltin.cii	onteywordφ_onon_closure i.		



#	Description	Elapsed	Status
12	click(findTestObject("Material/Design Material/span_Retina_Test Retina_Test_k-checkbox-label"))	0.338s	PASSED
	Object: 'Object Repository/Material/Design Material/span_Retina_Test Retina_Test_k-checkbox-label' is clicked on		
13	delay(1)	1.011s	PASSED
	Delayed 1 second(s)		
14	click(findTestObject("Material/Design Material/button_Save_templatevarable"))	0.339s	PASSED
	Object: 'Object Repository/Material/Design Material/button_Save_templatevarable' is clicked on		
15	delay(1)	1.009s	PASSED
	Delayed 1 second(s)		
16	click(findTestObject("Material/Design Material/dropdown_AssetGroup"))	0.383s	PASSED
	Object: 'Object Repository/Material/Design Material/dropdown_AssetGroup' is clicked on		
17	delay(1)	1.007s	PASSED
	Delayed 1 second(s)		
18	click(findTestObject("Material/Design Material/AssetGroup_Option"))	0.611s	PASSED
	Object: 'Object Repository/Material/Design Material/AssetGroup_Option' is clicked on		
19	click(findTestObject("Material/Design Material/Button_SaveCustomisationStep"))	0.430s	PASSED
	Object: 'Object Repository/Material/Design Material/Button_SaveCustomisationStep' is clicked on		

```
Description
                                                                                                                                                                                                                              Elapsed
                                                                                                                                                                                                                                                                      Status
            click(findTestObject("Material/Design Material/Material_Design_CustomSize"))
                                                                                                                                                                                                                                1.115s
                                                                                                                                                                                                                                                                     FAILED
20
            Unable to click on object 'Object Repository/Material/Design
            Material_Design_CustomSize' (Root cause: com.kms.katalon.core.exception.
            StepFailedException: Unable to click on object 'Object Repository/Material/Design
            Material/Material_Design_CustomSize'
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
            (WebUIKeywordMain.groovy:64)
                                  at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword
            (WebUlKeywordMain.groovy:26)
                                  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
            groovy:86)
                                  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
            (ClickKeyword.groovy:67)
                                  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
            executeKeywordForPlatform(KeywordExecutor.groovy:56)
                                  at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click
            (WebUiBuiltInKeywords.groovy:616)
                                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call
            (Unknown Source)
                                  at Design Material.run(Design Material:54)
                                  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194)
                                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
            java:119)
                                  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
            java:337)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
            java:328)
                                 at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase
            (TestCaseExecutor.java:307)
                                 at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
            (TestCaseExecutor.java:299)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor
            java:233)
                                  at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase
            (TestSuiteExecutor.java:169)
                                  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
            (TestSuiteExecutor.java:142)
                                 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
            91)
                                  at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
            157)
                                  at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
            Source)
                                  at TempTestSuite1567599364847.run(TempTestSuite1567599364847.groovy:35)
            Caused by: org.openga.selenium.ElementClickInterceptedException: element click
            intercepted: Element <i class="fa fa-square-o" aria-hidden="true" data-bind="click:
            togglePopover"></i> is not clickable at point (1752, 128). Other element would receive the
            click: <div class="adzu-plugins-material-manager adzu-plugins-material-manager-
            customisation-step-editor modal fade standard-editor standard-modal footer-fixed-bottom"
            data-backdrop="static" data-bind="bsModal: { options: { keyboard:false }, visible: visible,
            verticalAligment: bottom',
                           onHeightChanged: onHeightChanged }" tabindex="-1" role="dialog" data-id="5"
            style="z-index: 1050; display: block;" aria-hidden="true">...</div>
              (Session info: chrome=76.0.3809.132)
            Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
            System info: host: 'NOTEEG-12802', ip: '10.142.158.96', os.name: 'Windows 10', os.arch:
            'amd64', os.version: '10.0', java.version: '1.8.0_181'
```

Status



#	Description	Elapsed	Status
21	click(findTestObject("Material/Design Material/button_design_Save"))	0.343s	PASSED

Object: 'Object Repository/Material/Design Material/button_design_Save' is clicked on