Add_Template variable,Template and Material

Execution Environment

Host name gansat - NOTEEG-12802.nexus.local

OS Windows 10 64bit

Katalon version 6.3.3.11

Browser Chrome 76.0.3809.100

Summary

ID Test Suites/HTML Builder/Add_Template variable,Template and Material

Description

Total 3

Passed 1 Failed 2
Error 0 Incomplete 0

Start 2019-09-03 12:15:05 End 2019-09-03 12:16:33

Elapsed 1m - 27.608s

| # | ID | Description | Status |
|---|--|--|--------|
| 1 | Test Cases/Application - Login/Login - STA | Login in the application and check user element text | PASSED |
| 2 | Test Cases/Template Variables/Open Material and Template | | FAILED |
| 3 | Test Cases/Application - Login/Logout | | FAILED |

Login - STA

Information

ID Test Cases/Application - Login/Login - STA

Description Login in the application and check user element text

Tag

Start 2019-09-03 12:15:06 End 2019-09-03 12:15:38

Elapsed 31.973s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 8.579s | PASSED |
| 2 | navigateToUrl("https://bt.adzu4-staging.codeworldwide.com/#Admin/Materials/Templates") Navigate to 'https://bt.adzu4-staging.codeworldwide.com/#Admin/Materials/Templates' successfully | 3.103s | PASSED |
| 3 | setText(findTestObject("Login/login_username"), "satinder.gandhi@codeworldwide.com") Text 'satinder.gandhi@codeworldwide.com' is set on object 'Object Repository/Login/login_username' | 5.913s | PASSED |
| 4 | setEncryptedText(findTestObject("Login/login_password"), "yfq/9fVkW5+QvfzWq38qvg==") Text ***** has been set on object 'Object Repository/Login/login_password' | 3.670s | PASSED |
| 5 | click(findTestObject("Object Repository/Test1/button_Login")) Object: 'Object Repository/Test1/button_Login' is clicked on | 2.963s | PASSED |
| 6 | maximizeWindow() Current window maximized | 2.161s | PASSED |

Login - STA

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 7 | verifyElementText(findTestObject("Login/span_Satinder"), "Satinder") | 2.225s | PASSED |

Actual text and expected text of test object 'Object Repository/Login/span_Satinder' are matched.

Open Material and Template

Information

ID Test Cases/Template Variables/Open Material and Template

Description

Tag

Start 2019-09-03 12:15:38 End 2019-09-03 12:15:48

Elapsed 10.694s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | click(findTestObject("Main Menu/Create Menu/a_Create")) | 2.279s | PASSED |
| | Object: 'Object Repository/Main Menu/Create Menu/a_Create' is clicked on | | |
| 2 | waitForPageLoad(0) | 1.288s | PASSED |
| | Wait for page load successfully | | |

Open Material and Template

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 3 | click(findTestObject("Main Menu/Create Menu/span_Materials Templates")) | 3.626s | FAILED |
| | Unable to click on object 'Object Repository/Main Menu/Create Menu/span_Materials Templates' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Main Menu/Create Menu/span_Materials Templates' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| | (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call | | |
| | (Unknown Source) at Open Material and Template.run(Open Material and Template:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| | at TempTestSuite1567509301775.run(TempTestSuite1567509301775.groovy:35) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable | | |
| | (Session info: chrome=76.0.3809.100) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | System info: host: 'NOTEEG-12802', ip: '10.142.158.96', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' | | |
| | Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce, | | |
| | userDataDir: C:\Users\GANSAT\AppData\Loc}, goog:chromeOptions: {debuggerAddress: localhost:60058}, javascriptEnabled: true, networkConnectionEnabled: false, | | |
| | pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), | | |

setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000,

script: 30000}, unhandledPromptBehavior: dismiss and notify}

Open Material and Template

```
Description
                                                                                            Elapsed
                                                                                                              Status
Session ID: 0cdbb81483325791b5bf164a51ab9e54
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call
(Unknown Source)
         at Script1564577467934.run(Script1564577467934.groovy:20)
          ... 13 more
 /////ADZU Home Campaigns Plan
     70
                                    Materials & Templates
                                   HTML Rendering
                                                                       11:39 AM
8/16/2019
```

4 waitForPageLoad(0) 1.021s PASSED

Wait for page load successfully

Logout

Information

ID Test Cases/Application - Login/Logout

Description

Tag

Start 2019-09-03 12:15:48 End 2019-09-03 12:16:33

Elapsed 44.454s
Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | click(findTestObject("Login/span_Satinder")) | 2.324s | PASSED |
| | Object: 'Object Repository/Login/span_Satinder' is clicked on | | |
| 2 | delay(1) | 1.083s | PASSED |
| | Delayed 1 second(s) | | |
| 3 | click(findTestObject("Login/Logout")) | 2.450s | PASSED |
| | Object: 'Object Repository/Login/Logout' is clicked on | | |
| 4 | delay(1) | 1.010s | PASSED |
| | Delayed 1 second(s) | | |

Logout

Elapsed

31.932s

Status

FAILED

| # | Description |
|---|--|
| 5 | click(findTestObject("Login/Ok Button in Confirmation")) |
| | Unable to click on object 'Object Repository/Login/Ok Button in Confirmation' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Login/Ok Button in Confirmation' |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) |
| | at Logout.run(Logout:24) |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) |
| | at TempTestSuite1567509301775.run(TempTestSuite1567509301775.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web |
| | element with id: 'Object Repository/Login/Ok Button in Confirmation' located by 'By.xpath: //* [@id="body"]/div[3]/div/div/div/div/div/div/div/div[3]/button[2]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement |
| | (WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. |
| | findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. |
| | findWebElement(WebUlAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. |
| | doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call |
| | (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword |
| | |

Logout

